
CLAIMS

1. A compound of formula (Xa)




(Xa)

wherein E is —C═ or —N═,

R^9 and R^{10} are each independently one or more substituents selected from hydrogen, halogen, cyano, oxo, C_{1-4}-alkyl, —OC_{1-4}-alkyl, and halo-C_{1-4}-alkyl;

R^{11} is one or more substituents selected from hydrogen, halogen, cyano, cyclopropyl, C_{1-4}-alkyl, and halo-C_{1-4}-alkyl.

2. A pharmaceutical composition comprising a compound of formula (Xa)



(Xa)


wherein E is —C═ or —N═,

R^9 and R^{10} are each independently one or more substituents selected from hydrogen, halogen, cyano, oxo, C_{1-4}-alkyl, —OC_{1-4}-alkyl and halo-C_{1-4},-alkyl;

R^{11} is one or more substituents selected from hydrogen, halogen, cyano, cyclopropyl, C_{1-4}-alkyl, and halo-C_{1-4}-alkyl;

or a pharmaceutically acceptable salt thereof, and one or more suitable excipients.

3. Use of a compound of formula (Xa)



(Xa)

wherein E is —C═ or —N═,

R^9 and R^{10} are each independently one or more substituents selected from hydrogen, halogen, cyano, oxo, C_{1-4}-alkyl, —OC_{1-4}-alkyl and halo-C_{1-4}-alkyl;

R^{11} is one or more substituents selected from hydrogen, halogen, cyano, cyclopropyl, C_{1-4}-alkyl, and halo-C_{1-4}-alkyl;

or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of a condition or disease wherein inhibition of SSAO activity is beneficial.

4. The compound of claim 1, selected from the group consisting of:

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-4-methylpyridin-2-yl}morpholine (Example 21);

4-{5-[3-(4-Chloro-2-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-4-methylpyridin-2-yl} morpholine (Example 22);

(2R,6S)-4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}-2,6-dimethylmorpholine (Example 23);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}-2,2-dimethyl morpholine (Example 24);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-4-methylpyrimidin-2-yl} morpholine (Example 26);

4-{5-[3-(4-Chloro-2-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-4-methylpyrimidin-2-yl} morpholine (Example 27);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-6-methoxypyridin-2-yl} morpholine (Example 28);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-4,6-dimethylpyridin-2-yl} morpholine (Example 29);

4-{5-[3-(2,4-Difluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 41);

4-{5-[3-(4-Chlorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 47);

4-{5-[3-(4-Chlorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 51);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 52);

4-{5-[3-(2-Fluoro-4-methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl} morpholine (Example 53);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 54);

4-{5-[3-(4-Fluoro-2-methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl} morpholine (Example 55);

4-{5-[3-(2-Chloro-4-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl} morpholine (Example 56);

4-{5-[3-(4-Methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 57);

4-{5-[3-(4-Bromophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 59);

4-{5-[3-(2-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 60);

4-{5-[3-(2-Chloro-4-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 61);

4-{5-[3-(4-Fluoro-2-methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 62);

4-{5-[3-(4-Methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 63);

4-(5-{3-[4-(Trifluoromethyl)phenyl]-3H-imidazo[4,5-c]pyridin-2-yl}pyridin-2-yl) morpholine (Example 66);

4-{5-[3-(2-Fluoro-4-methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 67);

4-{5-[3-(2-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 68);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}-2-methylmorpholine (Example 70);

4-{5-[3-(4-Chloro-3-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl} morpholine (Example 74);

4-{5-[3-(4-Chloro-2-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl} morpholine (Example 77);

4-{5-[3-(2,4-Difluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 78);

4-{5-[3-(4-Chloro-2-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 80);

4-(5-{3-Phenyl-3H-imidazo[4,5-c]pyridin-2-yl}pyrimidin-2-yl)morpholine (Example 95);

4-{5-[3-(4-Cyclopropylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 96);

4-{4-Methyl-5-[3-(4-methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 97);

4-{3-Fluoro-5-[3-(4-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 98);

5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-2-(morpholin-4-yl)-1,4-dihydro pyridin-4-one (Example 99);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-6-methylpyridin-2-yl}morpholine (Example 108);

4-{5-[1-(4-Chlorophenyl)-1H-pyrrolo[2,3-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 127);

4-{5-[1-(4-Chlorophenyl)-1H-pyrrolo[2,3-c]pyridin-2-yl]-4-methylpyridin-2-yl}morpholine (Example 129);

4-{5-[1-(4-Methylphenyl)-1H-pyrrolo[2,3-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 130);

4-(5-{1-Phenyl-1H-pyrrolo[2,3-c]pyridin-2-yl}pyrimidin-2-yl)morpholine (Example 131);

4-{5-[1-(4-Bromophenyl)-1H-pyrrolo[2,3-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 133).

5. The compound of claim 1, wherein the compound is 4-{5-[3-(4-Methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 57).

6. The pharmaceutical composition of claim 2, wherein the compound is selected from the group consisting of:

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-4-methylpyridin-2-yl}morpholine (Example 21);

4-{5-[3-(4-Chloro-2-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-4-methylpyridin-2-yl} morpholine (Example 22);

(2R,6S)-4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}-2,6-dimethylmorpholine (Example 23);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}-2,2-dimethyl morpholine (Example 24);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-4-methylpyrimidin-2-yl} morpholine (Example 26);

4-{5-[3-(4-Chloro-2-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-4-methylpyrimidin-2-yl} morpholine (Example 27);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-6-methoxypyridin-2-yl} morpholine (Example 28);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-4,6-dimethylpyridin-2-yl} morpholine (Example 29);

4-{5-[3-(2,4-Difluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 41);

4-{5-[3-(4-Chlorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 47);

4-{5-[3-(4-Chlorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 51);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 52);

4-{5-[3-(2-Fluoro-4-methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl} morpholine (Example 53);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 54);

4-{5-[3-(4-Fluoro-2-methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl} morpholine (Example 55);

4-{5-[3-(2-Chloro-4-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl} morpholine (Example 56);

4-{5-[3-(4-Methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 57);

4-{5-[3-(4-Bromophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 59);

4-{5-[3-(2-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 60);

4-{5-[3-(2-Chloro-4-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 61);

4-{5-[3-(4-Fluoro-2-methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 62);

4-{5-[3-(4-Methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 63);

4-(5-{3-[4-(Trifluoromethyl)phenyl]-3H-imidazo[4,5-c]pyridin-2-yl}pyridin-2-yl) morpholine (Example 66);

4-{5-[3-(2-Fluoro-4-methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 67);

4-{5-[3-(2-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 68);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}-2-methylmorpholine (Example 70);

4-{5-[3-(4-Chloro-3-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl} morpholine (Example 74);

4-{5-[3-(4-Chloro-2-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl} morpholine (Example 77);

4-{5-[3-(2,4-Difluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 78);

4-{5-[3-(4-Chloro-2-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 80);

4-(5-{3-Phenyl-3H-imidazo[4,5-c]pyridin-2-yl}pyrimidin-2-yl)morpholine (Example 95);

4-{5-[3-(4-Cyclopropylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 96);

4-{4-Methyl-5-[3-(4-methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 97);

4-{3-Fluoro-5-[3-(4-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 98);

5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-2-(morpholin-4-yl)-1,4-dihydro pyridin-4-one (Example 99);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-6-methylpyridin-2-yl}morpholine (Example 108);

4-{5-[1-(4-Chlorophenyl)-1H-pyrrolo[2,3-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 127);

4-{5-[1-(4-Chlorophenyl)-1H-pyrrolo[2,3-c]pyridin-2-yl]-4-methylpyridin-2-yl}morpholine (Example 129);

4-{5-[1-(4-Methylphenyl)-1H-pyrrolo[2,3-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 130);

4-(5-{1-Phenyl-1H-pyrrolo[2,3-c]pyridin-2-yl}pyrimidin-2-yl)morpholine (Example 131);

4-{5-[1-(4-Bromophenyl)-1H-pyrrolo[2,3-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 133);

and pharmaceutically acceptable salts thereof.

7. The pharmaceutical composition of claim 1, wherein the compound is 4-{5-[3-(4-methyl phenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 57), or a pharmaceutically acceptable salt thereof.

8. The ~~method~~ use of claim 3, wherein the compound is selected from the group consisting of:

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-4-methylpyridin-2-yl}morpholine (Example 21);

4-{5-[3-(4-Chloro-2-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-4-methylpyridin-2-yl} morpholine (Example 22);

(2R,6S)-4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}-2,6-dimethylmorpholine (Example 23);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}-2,2-dimethyl morpholine (Example 24);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-4-methylpyrimidin-2-yl} morpholine (Example 26);

4-{5-[3-(4-Chloro-2-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-4-methylpyrimidin-2-yl} morpholine (Example 27);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-6-methoxypyridin-2-yl} morpholine (Example 28);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-4,6-dimethylpyridin-2-yl} morpholine (Example 29);

4-{5-[3-(2,4-Difluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 41);

4-{5-[3-(4-Chlorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 47);

4-{5-[3-(4-Chlorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 51);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 52);

4-{5-[3-(2-Fluoro-4-methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl} morpholine (Example 53);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 54);

4-{5-[3-(4-Fluoro-2-methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl} morpholine (Example 55);

4-{5-[3-(2-Chloro-4-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl} morpholine (Example 56);

4-{5-[3-(4-Methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 57);

4-{5-[3-(4-Bromophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 59);

4-{5-[3-(2-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 60);

4-{5-[3-(2-Chloro-4-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 61);

4-{5-[3-(4-Fluoro-2-methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 62);

4-{5-[3-(4-Methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 63);

4-(5-{3-[4-(Trifluoromethyl)phenyl]-3H-imidazo[4,5-c]pyridin-2-yl}pyridin-2-yl) morpholine (Example 66);

4-{5-[3-(2-Fluoro-4-methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 67);

4-{5-[3-(2-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 68);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}-2-methylmorpholine (Example 70);

4-{5-[3-(4-Chloro-3-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl} morpholine (Example 74);

4-{5-[3-(4-Chloro-2-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl} morpholine (Example 77);

4-{5-[3-(2,4-Difluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 78);

4-{5-[3-(4-Chloro-2-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 80);

4-(5-{3-Phenyl-3H-imidazo[4,5-c]pyridin-2-yl}pyrimidin-2-yl)morpholine (Example 95);

4-{5-[3-(4-Cyclopropylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 96);

4-{4-Methyl-5-[3-(4-methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 97);

4-{3-Fluoro-5-[3-(4-fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyridin-2-yl}morpholine (Example 98);

5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-2-(morpholin-4-yl)-1,4-dihydro pyridin-4-one (Example 99);

4-{5-[3-(4-Fluorophenyl)-3H-imidazo[4,5-c]pyridin-2-yl]-6-methylpyridin-2-yl}morpholine (Example 108);

4-{5-[1-(4-Chlorophenyl)-1H-pyrrolo[2,3-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 127);

4-{5-[1-(4-Chlorophenyl)-1H-pyrrolo[2,3-c]pyridin-2-yl]-4-methylpyridin-2-yl}morpholine (Example 129);

4-{5-[1-(4-Methylphenyl)-1H-pyrrolo[2,3-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 130);

4-(5-{1-Phenyl-1H-pyrrolo[2,3-c]pyridin-2-yl}pyrimidin-2-yl)morpholine (Example 131);

4-{5-[1-(4-Bromophenyl)-1H-pyrrolo[2,3-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 133);


and pharmaceutically acceptable salts thereof.

9. The use of claim 3, wherein the compound is 4-{5-[3-(4-Methylphenyl)-3H-imidazo[4,5-c]pyridin-2-yl]pyrimidin-2-yl}morpholine (Example 57), or a pharmaceutically acceptable salt thereof.

10. The use of claim 3, wherein the condition or disease is inflammation, an inflammatory disease, an immune or autoimmune disorder, cystic fibrosis, or tumor growth.

11. The use of claim 3, wherein the condition or disease is arthritis, synovitis, vasculitis, inflammation of the bowel, atherosclerosis, multiple sclerosis, Alzheimer's disease, vascular dementia, a pulmonary inflammatory disease, a fibrotic disease, an inflammatory disease of the skin, systemic inflammatory response syndrome, sepsis, an inflammatory and/or autoimmune condition of the liver, diabetes, chronic heart failure, congestive heart failure, ischemic disease, myocardial infarction, or epilepsy.

12. A compound of formula (Xa)



wherein E is —C═ or —N═,

R^9 and R^{10} are each independently one or more substituents selected from hydrogen, halogen, cyano, oxo, C_{1-4}-alkyl, —OC_{1-4}-alkyl and halo-C_{1-4}-alkyl;

R^{11} is one or more substituents selected from hydrogen, halogen, cyano, cyclopropyl, C_{1-4}-alkyl, and halo-C_{1-4}-alkyl;

or a pharmaceutically acceptable salt thereof for use in the treatment of a condition or disease wherein inhibition of SSAO activity is beneficial.