



Figure 1



receiving configuration information for a plurality of CSI reports, wherein at least one CSI report of the plurality of CSI reports includes a plurality of information groups, and each of the plurality of information groups is associated with a CRI
202
transmitting one or more CSI reports of the plurality of CSI reports based on a CSI omission scheme, wherein the CSI omission scheme is associated with the plurality of information groups
204

Figure 2



transmitting configuration information for a plurality of CSI reports, wherein at least one CSI report of the plurality of CSI reports includes a plurality of information groups, and each of the plurality of information groups is associated with a CRI
302
receiving one or more CSI reports of the plurality of CSI reports based on a CSI omission scheme, wherein the CSI omission scheme is associated with the plurality of information groups
304

Figure 3



User Equipment
400
Processor
402
Memory
404
Controller
406
Transceiver
408
Receiver Chain(s)
410
Transmitter Chain(s)
412

Figure 4



Processor
500
Controller
502
Memory
504
ALU(s)
506
ALU
ALU
ALU
ALU
ALU
ALU
ALU
ALU
ALU
ALU
ALU
ALU
ALU
ALU
ALU
ALU
ALU
ALU
ALU
ALU

Figure 5



Base Station
600
Processor
602
Memory
604
Controller
606
Transceiver
608
Receiver Chain(s)
610
Transmitter Chain(s)
612

Figure 6