




FIG. 1A




FIG. 1B




FIG. 2A




FIG. 2B




FIG. 3A




FIG. 3B




FIG. 4




FIG. 5A




FIG. 5B




FIG. 6A

FIG. 6B

FIG. 6C

FIG. 6D

FIG. 6E




FIG. 7




FIG. 8




FIG. 9A




FIG. 9B




FIG. 9C




FIG. 9D




FIG. 9E




FIG. 9F

FIG. 10A






FIG. 10D





FIG. 10E







FIG. 10F






FIG. 11A




FIG. 11B




FIG. 11C

Inject TGFR15-TGFRs
(10mg/kg) for 4 days




FIG. 12A




FIG. 12B




FIG. 12C




FIG. 13A




FIG. 13B




FIG. 13C




FIG. 14




FIG. 15




FIG. 16




FIG. 17



FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32A




FIG. 32B




FIG. 33




FIG. 34




FIG. 35



FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53






FIG. 54

**FIG. 55****FIG. 56**




FIG. 57




FIG. 58




FIG. 59




FIG. 60




FIG. 61




FIG. 62




FIG. 63


**FIG. 64**



FIG. 65



FIG. 66




FIG. 67




FIG. 68



FIG. 69



FIG. 70




FIG. 71




FIG. 72




FIG. 73




FIG. 74




FIG. 75




FIG. 76




FIG. 77A




FIG. 77B




FIG. 78A





FIG. 78B

**FIG. 78C**




FIG. 79




FIG. 80




FIG. 81




FIG. 82




FIG. 83




FIG. 84A




FIG. 84B




FIG. 85




FIG. 86




FIG. 87A




FIG. 87B




FIG. 87C




FIG. 88




FIG. 89




FIG. 90




FIG. 91




FIG. 92




FIG. 93




FIG. 94A




FIG. 94B




FIG. 95




FIG. 96




FIG. 97




FIG. 98




FIG. 99A




FIG. 99B




FIG. 100




FIG. 101




FIG. 102




FIG. 103A









FIG. 103B

**FIG. 104A****FIG. 104B**

**FIG. 105A****FIG. 105B**

**FIG. 106**




FIG. 107




FIG. 108




FIG. 109




FIG. 110




FIG. 111







FIG. 112

**FIG. 113**






FIG. 114C




FIG. 115




FIG. 116




FIG. 117




FIG. 118




FIG. 119




FIG. 120A




FIG. 120B




FIG. 120C




FIG. 121




FIG. 122




FIG. 123






FIG. 124

**FIG. 125A****FIG. 125B**




FIG. 126A




FIG. 126B




FIG. 127A




FIG. 127B




FIG. 128




FIG. 129




FIG. 130

14DEC18SampleElutionXiaoyun07-113 001




FIG. 131




FIG. 132




FIG. 133




FIG. 134




FIG. 135




FIG. 136A




FIG. 136B




FIG. 137A




FIG. 137B




FIG. 138




FIG. 139




FIG. 140




FIG. 141




FIG. 142




FIG. 143




FIG. 144




FIG. 145




FIG. 146




FIG. 147




FIG. 148




FIG. 149




FIG. 150




FIG. 151A




FIG. 151B




FIG. 152A




FIG. 152B




FIG. 153




FIG. 154




FIG. 155A




FIG. 155B




FIG. 156




FIG. 157




FIG. 158




FIG. 159




FIG. 160




FIG. 161A




FIG. 161B




FIG. 162A




FIG. 162B




FIG. 163




FIG. 164




FIG. 165




FIG. 166




FIG. 167A




FIG. 167B




FIG. 167C




FIG. 168A




FIG. 168B




FIG. 169A




FIG. 169B




FIG. 169C




FIG. 170A




FIG. 170B




FIG. 171A




FIG. 171B




FIG. 171C




FIG. 172A




FIG. 172B





FIG. 173




FIG. 174A




FIG. 174B




FIG. 175A




FIG. 175B




FIG. 176




FIG. 177A




FIG. 177B




FIG. 177C




FIG. 177D




FIG. 177E




FIG. 177F




FIG. 177G




FIG. 177H




FIG. 178A




FIG. 178B




FIG. 178C




FIG. 179







FIG. 180

Saline



212



IL-2



FIG. 181A




FIG. 181B




FIG. 182




FIG. 183




FIG. 184




FIG. 185




FIG. 186




FIG. 187




FIG. 188




FIG. 189A




FIG. 189B




FIG. 189C






FIG. 189D






FIG. 191B




FIG. 191C




FIG. 192A




FIG. 192B




FIG. 192C



FIG. 192D





FIG. 192E






FIG. 195





FIG. 196

**FIG. 197**




FIG. 198




FIG. 199




FIG. 200




FIG. 201





FIG. 202






FIG. 204




FIG. 205A




FIG. 205B




FIG. 205C





FIG. 206






FIG. 208A




FIG. 208B




FIG. 208C




FIG. 209




FIG. 210

FIG. 211A




FIG. 211B




FIG. 211C





FIG. 211D

FIG. 211E




FIG. 212A

FIG. 212B




FIG. 212C

FIG. 212D

FIG. 213A




FIG. 213B





FIG. 213C




FIG. 213D




FIG. 214A

FIG. 214B

FIG. 214C





FIG. 214D

FIG. 214E

FIG. 214F

**FIG. 215**




FIG. 216




FIG. 217




FIG. 218




FIG. 219




FIG. 220A




FIG. 220B




FIG. 220C




FIG. 221A




FIG. 221B




FIG. 221C




FIG. 221D




FIG. 221E




FIG. 222A




FIG. 222B





FIG. 223

**FIG. 224**




FIG. 225




FIG. 226




FIG. 227




FIG. 228




FIG. 229




FIG. 230A




FIG. 230B





FIG. 230C






FIG. 231A




FIG. 231B




FIG. 232A




FIG. 232B




FIG. 232C




FIG. 233A




FIG. 233B




FIG. 234






FIG. 235

**FIG. 236**




FIG. 237A




FIG. 237B




FIG. 238A




FIG. 238B




FIG. 239A




FIG. 239B




% Necrosis in Tumor

+1 = 0-20%

+2 = 20-40%

+3 = 40-60%



Mitotic Index

+1 = Moderate
(1-5 per high power field)

+2 = Extensive
(>5 per high power field)

Group	MITOTIC INDEX		NECROSIS		
	SCORING		SCORING		
	+1	+2	+1	+2	+3
Saline	0	100%	0	25%	75%
Docetaxel (DTX)	0	100%	0	80%	20%
DTX+TGFRI5-TGFR3+T499	50%	50%	50%	25%	25%

FIG. 240




FIG. 241




FIG. 242




FIG. 243A





FIG. 243B

**FIG. 244**




FIG. 245




FIG. 246A




FIG. 246B




FIG. 247




FIG. 248A




FIG. 248B




FIG. 248C




FIG. 249




FIG. 250A




FIG. 250B




FIG. 251A




FIG. 251B




FIG. 252A




FIG. 252B




FIG. 252C




FIG. 252D




FIG. 252E




FIG. 253A




FIG. 253B




FIG. 254A




FIG. 254B




FIG. 254C




FIG. 254D




FIG. 255A






FIG. 255B



Control TGFRT15-TGFRs

FIG. 255C



Control TGFRT15-TGFRs

FIG. 255D




FIG. 256A

FIG. 256B

FIG. 256C





FIG. 257






FIG. 259




FIG. 260





FIG. 261






FIG. 263




FIG. 264




FIG. 265




FIG. 266




FIG. 267




FIG. 268A




FIG. 268B




FIG. 269A





FIG. 269B




FIG. 269C




FIG. 269D





FIG. 269E



DTX




FIG. 270A




FIG. 270B




FIG. 270C

FIG. 270D