



2a

In one aspect of the present disclosure, there is provided a compound, wherein the compound is



5


In another aspect of the present disclosure, there is provided a compound, wherein the compound is



or a pharmaceutically acceptable salt thereof.

10

In one aspect of the present disclosure, there is provided a compound represented by Formula (I):



- or a pharmaceutically acceptable salt, solvate, hydrate, tautomer, ester, *N*-oxide, stereoisomer or isotopically enriched variant thereof, wherein:
- R^1 is selected from the group consisting of hydrogen, halogen, C_{1-6} alkyl, C_{3-6} cycloalkyl, $O-C_{1-6}$ alkyl, $N(R^a)-C_{1-6}$ alkyl and C_{1-6} alkylene 5-6 membered heterocyclyl;
- wherein C_{1-6} alkyl, C_{3-6} cycloalkyl, $O-C_{1-6}$ alkyl, $N(R^a)-C_{1-6}$ alkyl and C_{1-6} alkylene 5-6 membered heterocyclyl may optionally be substituted on one or more available carbons by one, two, three or more substituents each independently selected from R^g ; and wherein if C_{1-6} alkylene 5-6 membered heterocyclyl contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by R^h ;
- R^2 is selected from the group consisting of hydrogen, hydroxyl, $-CHF_2$, $-CH_2OH$, CH_2CN , CH_2-O-C_{1-6} alkyl, $CH_2-N(R^a)-C_{1-6}$ alkyl, C_2 -alkyl, C_2 -alkenyl, $O-C_{1-6}$ alkyl, $N(R^a)-C_{1-6}$ alkyl, $S(O)_w-C_{1-6}$ alkyl, $C(O)-N(R^a)-C_{1-6}$ alkyl, $N(R^a)-C(O)-C_{1-6}$ alkyl, $O-C(O)-N(R^a)-C_{1-6}$ alkyl, $N(R^a)-C(O)-O-C_{1-6}$ alkyl, C_{3-6} cycloalkyl, $O-C_{3-6}$ cycloalkyl, C_{1-6} alkylene C_{3-6} cycloalkyl, C_{1-6} alkenylene C_{3-6} cycloalkyl, $O-C_{1-6}$ alkylene C_{3-6} cycloalkyl, 5-6 membered heteroaryl, 4-6 membered heterocyclyl, $O-C_{1-6}$ alkylene 5-6 membered heteroaryl, O 4-6 membered heterocyclyl, $N(R^a)$ 4-6 membered heterocyclyl, C_{1-6} alkylene 4-6 membered heterocyclyl and $O-C_{1-6}$ alkylene 4-6 membered heterocyclyl;
- wherein CH_2-O-C_{1-6} alkyl, $CH_2-N(R^a)-C_{1-6}$ alkyl, C_2 -alkyl, C_2 -alkenyl, $O-C_{1-6}$ alkyl, $N(R^a)-C_{1-6}$ alkyl, $S(O)_w-C_{1-6}$ alkyl, $C(O)-N(R^a)-C_{1-6}$ alkyl, $N(R^a)-C(O)-C_{1-6}$ alkyl, $O-C(O)-N(R^a)-C_{1-6}$ alkyl, $N(R^a)-C(O)-O-C_{1-6}$ alkyl, C_{3-6} cycloalkyl, $O-C_{3-6}$ cycloalkyl, C_{1-6} alkylene C_{3-6} cycloalkyl, C_{1-6} alkenylene C_{3-6} cycloalkyl, $O-C_{1-6}$ alkylene C_{3-6} cycloalkyl, 5-6 membered heteroaryl, $O-C_{1-6}$ alkylene 5-6 membered heteroaryl, 4-6 membered heterocyclyl, O 4-6 membered heterocyclyl, $N(R^a)$ 4-6 membered heterocyclyl, C_{1-6} alkylene 4-6 membered heterocyclyl and $O-C_{1-6}$ alkylene 4-6 membered heterocyclyl may optionally be substituted on one or more available carbons by one, two, three or more substituents each independently

~~selected from R^g; and wherein if 5-6 membered heteroaryl, 4-6 membered heterocycyl, N(R^a)-4-6 membered heterocycyl, C₁₋₆alkylene-4-6 membered heterocycyl or O-C₁₋₆alkylene-4-6 membered heterocycyl contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by R^h;~~

~~or R¹ and R² taken together with the atoms to which they are attached form a 5-6 membered aryl or heteroaryl; wherein aryl or heteroaryl may optionally be substituted by one or more substituents each independently selected from the group consisting of halogen, hydroxyl, cyano, C₁₋₆alkyl and C₁₋₆alkoxy; wherein C₁₋₆alkyl and C₁₋₆alkoxy may optionally be substituted by one, two three or more substituents each independently selected from R^p;~~

~~R³ is selected from the group consisting of hydrogen, C₁₋₆alkyl, O-C₁₋₆alkyl, N(R^a)-C₁₋₆alkyl, S(O)_w-C₁₋₆alkyl, C(O)-N(R^a)-C₁₋₆alkyl, N(R^a)-C(O)-C₁₋₆alkyl and C₁₋₆alkylene-4-6 membered heterocycyl;~~

~~wherein C₁₋₆alkyl, O-C₁₋₆alkyl, N(R^a)-C₁₋₆alkyl, S(O)_w-C₁₋₆alkyl, C(O)-N(R^a)-C₁₋₆alkyl, N(R^a)-C(O)-C₁₋₆alkyl and C₁₋₆alkylene-4-6 membered heterocycyl may optionally be substituted on one or more available carbons by one, two, three or more substituents each independently selected from R^g; and wherein if C₁₋₆alkylene-4-6 membered heterocycyl contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by R^h;~~

~~R⁴ is selected from the group consisting of hydrogen, halogen, C₁₋₆alkyl, C₃₋₆cycloalkyl and C₁₋₆alkylene-4-6 membered heterocycyl; wherein C₁₋₆alkyl, C₃₋₆cycloalkyl and C₁₋₆alkylene-4-6 membered heterocycyl may optionally be substituted on one or more available carbons by one, two, three or more substituents each independently selected from R^g; and wherein if C₁₋₆alkylene-4-6 membered heterocycyl contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by R^h;~~

~~wherein at least one of R¹, R², R³ and R⁴ is not hydrogen;~~

~~R⁵ is selected from the group consisting of hydrogen, halogen, C₁₋₆alkyl, C₃₋₆cycloalkyl and C₁₋₆alkylene-4-6 membered heterocycyl; wherein C₁₋₆alkyl, C₃₋₆cycloalkyl and C₁₋₆alkylene-4-6 membered heterocycyl may optionally be substituted on one or more available carbons by one, two, three or more substituents each independently selected from R^g; and wherein if C₁₋₆alkylene-4-6 membered heterocycyl contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by R^h;~~

~~R⁶ is hydrogen;~~

~~R⁷ is hydrogen;~~

~~R^g is independently selected for each occurrence from the group consisting of hydrogen,~~
~~5 halogen, hydroxyl, cyano, nitro, oxo, -C(O)OH, R^aR^bN-, R^aR^bN-C(O)-, R^aR^bN-SO_w-, R^aR^bN-~~
~~C(O)-N(R^a)-, C₁₋₆alkyl-, C₂₋₆alkenyl-, C₂₋₆alkynyl-, C₃₋₆cycloalkyl-, phenyl-, C₁₋₆alkylene-C₃₋~~
~~cycloalkyl-, O-C₁₋₆alkylene-C₃₋₆cycloalkyl-, (CO)-(NR^a)-C₁₋₆alkylene-C₃₋₆cycloalkyl-, C₁₋~~
~~alkoxy-, C₃₋₆alkenyloxy-, C₃₋₆alkynyloxy-, C₃₋₆cycloalkoxy-, C₁₋₆alkyl-C(O)-, C₁₋₆alkyl-O-C(O)-,~~
~~C₁₋₆alkyl-C(O)-O-, C₁₋₆alkyl-S(O)_w-, C₁₋₆alkyl-N(R^a)-, C₁₋₆alkyl-N(R^a)-C(O)-, C₁₋₆alkyl-C(O)-~~
~~10 N(R^a)-, C₁₋₆alkyl-N(R^a)-C(O)-N(R^a)-, C₁₋₆alkyl-N(R^a)-SO_w-, C₃₋₆cycloalkyl-N(R^a)-SO_w-, C₁₋~~
~~alkyl-SO_w-N(R^a)-, C₃₋₆cycloalkyl-SO_w-N(R^a)-, 4-6 membered heterocyclyl-SO_w-N(R^a)-, C₁₋~~
~~alkoxy-C(O)-N(R^a)-, C₁₋₆alkyl-C(O)-N(R^a)-C₁₋₆alkyl-, C₁₋₆alkyl-N(R^a)-C(O)-C₁₋₆alkyl-,~~
~~P(O)(C₁₋₃alkyl)₂ and C₁₋₆alkoxy-C₁₋₆alkyl-; wherein C₁₋₆alkyl-, C₂₋₆alkenyl-, C₂₋₆alkynyl-, C₃₋~~
~~cycloalkyl-, phenyl-, C₁₋₆alkylene-C₃₋₆cycloalkyl-, O-C₁₋₆alkylene-C₃₋₆cycloalkyl-, (CO)-(NR^a)-~~
~~15 C₁₋₆alkylene-C₃₋₆cycloalkyl-, C₁₋₆alkoxy-, C₃₋₆alkenyloxy-, C₃₋₆alkynyloxy-, C₃₋₆cycloalkoxy-, C₁₋~~
~~alkyl-C(O)-, C₁₋₆alkyl-O-C(O)-, C₁₋₆alkyl-C(O)-O-, C₁₋₆alkyl-S(O)_w-, C₁₋₆alkyl-N(R^a)-, C₁₋~~
~~alkyl-N(R^a)-C(O)-, C₁₋₆alkyl-C(O)-N(R^a)-, C₁₋₆alkyl-N(R^a)-C(O)-N(R^a)-, C₁₋₆alkyl-N(R^a)-SO_w-,~~
~~C₃₋₆cycloalkyl-N(R^a)-SO_w-, C₁₋₆alkyl-SO_w-N(R^a)-, C₃₋₆cycloalkyl-SO_w-N(R^a)-, 4-6 membered~~
~~heterocyclyl-SO_w-N(R^a)-, C₁₋₆alkoxy-C(O)-N(R^a)-, C₁₋₆alkyl-C(O)-N(R^a)-C₁₋₆alkyl-, C₁₋₆alkyl-~~
~~20 N(R^a)-C(O)-C₁₋₆alkyl-, P(O)(C₁₋₃alkyl)₂ and C₁₋₆alkoxy-C₁₋₆alkyl- may optionally be substituted~~
~~by one, two three or more substituents each independently selected from R^P;~~


~~R^h is independently selected for each occurrence from the group consisting of C₁₋₆alkyl-,~~
~~C₃₋₆alkenyl-, C₃₋₆alkynyl-, C₃₋₆cycloalkyl-, C₁₋₆alkyl-C₃₋₆cycloalkyl-, C₁₋₆alkyl-S(O)₂-, C₃₋~~
~~cycloalkyl-S(O)₂-, 4-6 membered heterocyclyl-S(O)₂-, 4-6 membered heterocyclyl-C₁₋₆alkyl-~~
~~25 S(O)₂-, 5-6 membered heteroaryl-S(O)₂-, phenyl-S(O)₂-, phenyl-C₁₋₆alkyl-S(O)₂-, C₁₋₆alkyl-~~
~~C(O)-, C₁₋₆cycloalkyl-C(O)-, C₁₋₆alkoxy-C(O)-, R^aR^bN-C(O)-, R^aR^bN-SO₂- and P(O)(C₁₋~~
~~3alkyl)₂;~~ wherein ~~C₁₋₆alkyl-, C₃₋₆alkenyl-, C₃₋₆alkynyl-, C₃₋₆cycloalkyl-, C₁₋₆alkyl-C₃₋₆cycloalkyl-,~~
~~C₁₋₆alkyl-S(O)₂-, C₃₋₆cycloalkyl-S(O)₂-, 4-6 membered heterocyclyl-S(O)₂-, 4-6 membered~~
~~heterocyclyl-C₁₋₆alkyl-S(O)₂-, 5-6 membered heteroaryl-S(O)₂-, phenyl-S(O)₂-, phenyl-C₁₋₆alkyl-~~
~~30 S(O)₂-, C₁₋₆alkyl-C(O)-, C₁₋₆cycloalkyl-C(O)-, C₁₋₆alkoxy-C(O)-, R^aR^bN-C(O)-, R^aR^bN-SO₂- and~~
~~P(O)(C₁₋₃alkyl)₂ may optionally be substituted by one, two three or more substituents each~~
~~independently selected from R^P;~~

~~R^b is independently selected for each occurrence from the group consisting of halogen, hydroxyl, cyano, C₁₋₆alkyl, C₁₋₆alkoxy, C₃₋₆cycloalkyl, 4-6 membered heterocyclyl, R^aR^bN, R^aR^bN-carbonyl, R^aR^bN-SO₂, and R^aR^bN-carbonyl N(R^a);~~

5 ~~R^a and R^b are independently selected, for each occurrence, from the group consisting of hydrogen, C₁₋₆alkyl and C₃₋₆cycloalkyl; wherein C₁₋₆alkyl may optionally be substituted by one or more substituents each independently selected from the group consisting of halogen, cyano, oxo, hydroxyl and C₁₋₆alkoxy (optionally substituted by one, two or three fluorine atoms);~~

~~or R^a and R^b together with the nitrogen to which they are attached form a 4-6 membered heterocyclyl, wherein the heterocyclyl may optionally be substituted by one or more substituents each independently selected from the group consisting of halogen, cyano, oxo and hydroxyl; and w is 0, 1 or 2.~~

~~In another aspect of the present disclosure, there is provided a compound represented by Formula (II):~~



~~or a pharmaceutically acceptable salt, solvate, hydrate, tautomer, ester, N-oxide or stereoisomer thereof, wherein:~~

~~X is selected from the group consisting of O and N(R^a);~~

~~L is straight or branched C₁₋₆alkylene;~~

20 ~~R^{2-H} is selected from the group consisting of hydrogen, cyano, NR^aR^b, C₁₋₂alkoxy, C₃₋₆cycloalkyl SO₂ N(R^a), C₁₋₆alkyl SO₂ N(R^a), phenyl, 5-6 membered heteroaryl, 4-6 membered heterocyclyl and C₃₋₆cycloalkyl; wherein phenyl, 5-6 membered heteroaryl, 4-6 membered heterocyclyl and C₃₋₆cycloalkyl may optionally be substituted on one or more available carbons by one, two or three substituents each independently selected from the group consisting of~~
 25 ~~halogen, hydroxyl, NR^aR^b, C₁₋₂alkyl (optionally substituted by one, two or three halogens) and C₁₋₂alkoxy (optionally substituted by one, two or three halogens); and wherein if 5-6 membered~~

~~heteroaryl or 4-6 membered heterocyclyl contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by C₁₋₃alkyl;~~

R⁵ ~~is selected from the group consisting of hydrogen, deuterium and halogen;~~


5 R⁶ ~~is selected from the group consisting of hydrogen and deuterium;~~

R⁷ ~~is selected from the group consisting of hydrogen and deuterium; and~~

R^a and R^b ~~are each independently selected for each occurrence from the group consisting of hydrogen and C₁₋₃alkyl.~~

~~In a further aspect of the present disclosure, there is provided a compound represented by~~

10 Formula (III):



~~or a pharmaceutically acceptable salt, solvate, hydrate, tautomer, ester, N-oxide or stereoisomer thereof, wherein:~~

X^{III} ~~is selected from the group consisting of a bond, CH₂, -NR^a, -O-, -O-CH₂- and~~
 15 ~~OCH₂-CH₂-~~

~~m is 1, 2, or 3;~~

~~n is 1, 2, or 3;~~

R^{1-III} ~~is selected from the group consisting of hydrogen, halogen, hydroxyl, cyano,~~
 20 ~~NR^aR^b, C₁₋₂alkyl (optionally substituted by one, two or three halogens) and C₁₋₂alkoxy~~
 (optionally substituted by one, two or three halogens);

R^{2-III} ~~is selected from the group consisting of hydrogen, C₁₋₄alkyl, C(O)-C₁₋₄alkyl,~~
~~C(O)-O-C₁₋₄alkyl, C(O)-N(R^a)-C₁₋₄alkyl, S(O)₂-C₁₋₄alkyl and S(O)₂-C₃₋₆cycloalkyl; wherein~~
~~C₁₋₄alkyl, C(O)-C₁₋₄alkyl, C(O)-O-C₁₋₄alkyl, C(O)-N(R^a)-C₁₋₄alkyl, S(O)₂-C₁₋₄alkyl and~~
 25 ~~S(O)₂-C₃₋₆cycloalkyl may optionally be substituted by one, two or three substituents each~~
 independently selected from the group consisting of halogen, hydroxyl, cyano, -NR^aR^b, C₁₋₂alkyl

(optionally substituted by one, two or three halogens) and C₁₋₂alkoxy (optionally substituted by one, two or three halogens);

R⁵ is selected from the group consisting of hydrogen, deuterium and halogen;

5 R⁶ is selected from the group consisting of hydrogen and deuterium;

R⁷ is selected from the group consisting of hydrogen and deuterium; and

R^a and R^b are each independently selected for each occurrence from the group consisting of hydrogen and C₁₋₃alkyl.

10 In another aspect of the present disclosure, there is provided a compound selected from the group consisting of:

~~5-{1-fluoro-3-hydroxy-7-[2-(morpholin-4-yl)ethoxy]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

~~5-{7-[1-(cyclopropanesulfonyl)pyrrolidin-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

15 ~~5-[1-fluoro-3-hydroxy-7-(pyrrolidin-3-yl)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
~~8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-ylpropan-2-ylcarbamate;~~

~~5-(9-fluoro-7-hydroxynaphtho[2,1-b]furan-8-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

20 ~~5-{7-[2-(azetidin-1-yl)ethoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

~~5-[1-fluoro-3-hydroxy-7-methoxy(4-²H)naphthalen-2-yl](4,4-²H₂)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

~~5-[1-fluoro-3-hydroxy-7-(methylamino)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
~~5-{1-fluoro-3-hydroxy-7-[2-(piperidin-4-yl)ethoxy]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

25 ~~5-(1-fluoro-7-[(3-fluoro-1-(propan-2-yl)pyrrolidin-3-yl)methoxy]-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

~~5-{1-fluoro-7-[(3-fluoropyrrolidin-3-yl)methoxy]-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

30 ~~5-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy]pentanenitrile;~~

- 5-~~{1-fluoro-3-hydroxy-7-[2-(piperidin-1-yl)ethoxy]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5-~~{7-[1-(cyclopropanesulfonyl)-2,5-dihydro-1*H*-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5-~~{1-fluoro-3-hydroxy-7-[(piperidin-4-yl)methoxy]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5-~~{[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy}-3,3-dimethylpentanenitrile;~~
- 10 5-~~{7-[(3,3-dimethylbutyl)amino]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5-~~(1,4-difluoro-3-hydroxy-7-methoxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5-~~{1-fluoro-3-hydroxy-7-[(²H₃)methyloxy]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5-~~[1-fluoro-3-hydroxy-7-(2-methoxyethoxy)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-~~
- 15 ~~trione;~~
- 4-~~{[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy}-2,2-dimethylbutanenitrile;~~
- 5-~~{7-[2-(3-aminobicyclo[1.1.1]pentan-1-yl)ethoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 20 5-~~(7-{[2-(dimethylamino)ethyl]amino}-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5-~~(1-fluoro-3-hydroxy-7-methoxynaphthalen-2-yl)(4,4-²H₂)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5-~~(1-fluoro-3-hydroxy-7-methoxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- N*-~~(2-{[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]amino}ethyl)cyclopropanesulfonamide;~~
- 25 5-~~(1-fluoro-3-hydroxy-7-{[1-(methanesulfonyl)pyrrolidin-3-yl]amino}naphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- N*-~~(2-{[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy}ethyl)cyclopropanesulfonamide~~
- 5-~~(1-fluoro-3-hydroxy-7-{[1-(methanesulfonyl)azetidin-3-yl]amino}naphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 4-~~{[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy}butanenitrile;~~
- [1-~~([8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy)methyl]cyclopropyl]acetonitrile;~~

- ~~5-{7-[2-(dimethylamino)ethoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~5-{7-[1-(cyclopropylmethyl)-1*H*-pyrazol-4-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(1*H*-pyrazol-4-yl)methoxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(2-methylpropoxy)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 10 ~~5-[1-fluoro-3-hydroxy-7-(2-hydroxypropoxy)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~*N*-(cyclopropylmethyl)-8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalene-2-carboxamide;~~
- 15 ~~5-[1-fluoro-3-hydroxy-7-(2-{[2-(trifluoromethoxy)ethyl]amino}ethoxy)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3-hydroxy-7-{2-[(2-methoxyethyl)amino]ethoxy}naphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[3-(methylamino)propyl]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 20 ~~5-{7-[3-(ethylamino)propyl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[5-(dimethylphosphoryl)thiophen-2-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[2-(cyclopropylamino)ethoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 25 ~~5-{1-fluoro-3-hydroxy-7-[2-(methylamino)ethoxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[2-(ethylamino)ethoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~5-(1-fluoro-3-hydroxy-7-{2-[(propan-2-yl)amino]ethoxy}naphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[3-(diethylphosphoryl)propoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~

- ~~5-{1-fluoro-3-hydroxy-7-[(3S)-3-hydroxybutoxy]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~5-{1,4-difluoro-3-hydroxy-7-[(3-methylbutyl)amino]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(3R)-3-hydroxybutoxy]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(2-cyclopropyl-2-hydroxyethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 10 ~~5-{1-fluoro-3-hydroxy-7-[(4R)-4-hydroxypentyl]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(4R)-4-hydroxypentyl]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(4S)-4-hydroxypentyl]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 15 ~~5-[1-fluoro-3-hydroxy-7-(4-hydroxy-4-methylpentyl)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(3-oxopentyl)oxy]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 20 ~~5-[1-fluoro-3-hydroxy-7-(3-hydroxybutoxy)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~N-[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]-3-methylbutanamide;~~
- ~~5-[1-fluoro-3-hydroxy-7-(4,4,4-trifluorobutoxy)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 25 ~~1-(2-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy]ethyl)cyclopropane-1-carbonitrile;~~
- ~~5-(1-fluoro-3-hydroxy-7-{2-[1-(methoxymethyl)cyclopropyl]ethoxy}naphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~5-(7-[[cyclopropylmethyl]amino]methyl)-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[(2,2-difluoropropyl)amino]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

- ~~5-{7-[3,3-dimethyl-4-(methylamino)butoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(2-phenylethyl)amino]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~5-[7-(3-amino-3-methylbutoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(4,4,4-trifluorobutyl)amino]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 10 ~~5-[7-(difluoromethyl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(dimethylphosphoryl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(3,3,3-trifluoropropyl)amino]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 15 ~~5-[1-fluoro-3-hydroxy-7-(3-methoxy-3-methylbutoxy)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(2-cyclopropylpropoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-[(2-[(propan-2-yl)oxy]ethyl)amino]naphthalen-2-yl]-1 λ ⁶,2,5-~~
- 20 ~~thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3-hydroxy-7-[[1-(methanesulfonyl)pyrrolidin-3-yl]methoxy]naphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~4-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]amino]butanenitrile;~~
- 25 ~~5-[1-fluoro-3-hydroxy-7-(2-hydroxyethyl)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(4-amino-3,3-dimethylbutoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(7-[[2-(azetidin-1-yl)ethyl]amino]-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~5-(7-[[1-(cyclopropanesulfonyl)azetidin-3-yl]oxy]-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(2-methoxyethyl)amino]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

- 5-~~[1-fluoro-3-hydroxy-7-(3,3,3-trifluoropropoxy)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-~~
~~trione;~~
- 1-~~([8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-~~
 5 ~~yl]amino)methyl)cyclopropane-1-carbonitrile;~~
- 5-~~[1-fluoro-3-hydroxy-7-(3-hydroxy-3-methylbutoxy)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-~~
~~1,1,3-trione;~~
- 5-~~{1-fluoro-3-hydroxy-7-[3-(1*H*-pyrazol-1-yl)propoxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-~~
~~1,1,3-trione;~~
- 10 5-~~(7-{1-[(4-aminophenyl)methanesulfonyl]-2,5-dihydro-1*H*-pyrrol-3-yl}-1-fluoro-3-~~
~~hydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 5-~~[1-fluoro-3-hydroxy-7-(hydroxymethyl)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 5-~~{7-[1-(cyclopropanesulfonyl)piperidin-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-~~
~~thiadiazolidine-1,1,3-trione;~~
- 15 5-~~{7-[1-(cyclopropanecarbonyl)pyrrolidin-2-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-~~
~~thiadiazolidine-1,1,3-trione;~~
- 5-~~{1-fluoro-3-hydroxy-7-[2-(1*H*-pyrazol-1-yl)ethoxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-~~
~~1,1,3-trione;~~
- 5-~~{7-[1-(cyclopropanesulfonyl)pyrrolidin-2-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-~~
 20 ~~thiadiazolidine-1,1,3-trione;~~
- 5-~~{7-[1-(cyclopropanesulfonyl)pyrrolidin-2-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-~~
~~thiadiazolidine-1,1,3-trione;~~
- 5-~~[1-fluoro-3-hydroxy-7-(piperidin-3-yl)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 5-~~{7-[2-(2,2-difluorocyclopropyl)ethoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-~~
 25 ~~thiadiazolidine-1,1,3-trione;~~
- 5-~~{1-fluoro-3-hydroxy-7-[2-(1-methylcyclopropyl)ethoxy]naphthalen-2-yl}-1 λ^6 ,2,5-~~
~~thiadiazolidine-1,1,3-trione;~~
- 5-~~(7-{1-[(3-aminophenyl)methanesulfonyl]-2,5-dihydro-1*H*-pyrrol-3-yl}-1-fluoro-3-~~
~~hydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 5-~~(7-{1-[(2-aminophenyl)methanesulfonyl]-2,5-dihydro-1*H*-pyrrol-3-yl}-1-fluoro-3-~~
~~hydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 5-~~[7-(2,2-difluoroethyl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-~~
~~trione;~~

- ~~5-[1-fluoro-3-hydroxy-7-(2,2,2-trifluoroethoxy)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-7-(2-fluoroethoxy)-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~1-([8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy)methyl)cyclopropane-1-carbonitrile;~~
- ~~5-[1-fluoro-3-hydroxy-7-[(3-methylbutyl)amino]naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-[(2-methylpropyl)amino]naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 10 ~~5-[7-[(cyclopropylmethyl)amino]-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~{[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy}acetonitrile;~~
- 15 ~~5-[1-fluoro-3-hydroxy-7-(3-methylbutoxy)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1,8-difluoro-3-hydroxy-7-methoxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-[1-(cyclopropanesulfonyl)azetidin-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-[1-(cyclopropanecarbonyl)azetidin-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 20 ~~(2-E)-3-[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]prop-2-enenitrile;~~
- ~~5-[7-(2-cyclopropylethyl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 25 ~~5-[7-[(2,2-difluorocyclopropyl)methoxy]-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(2-cyclopropylethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-[2-(cyclopropylmethoxy)ethoxy]-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~5-[1-fluoro-3-hydroxy-7-[2-(oxolan-2-yl)ethoxy]naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-[2-(cyclobutylloxy)ethoxy]-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

- ~~5-(1-fluoro-3-hydroxy-7-(2-[(propan-2-yl)oxy]ethoxy)naphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~5-[7-(3-ethoxypropoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(2-tert-butoxyethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(7-[[rac-(1R,2R)-2-ethylcyclopropyl]methoxy]-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 10 ~~5-[1-fluoro-3-hydroxy-7-(4-methylpentyl)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(7-[3-(2,2-dimethylpropyl)pyrrolidin-1-yl]-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(1-chloro-3-hydroxypropan-2-yl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 15 ~~5-(7-[1-(cyclopropylmethyl)pyrrolidin-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(cyclopropyloxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(7-[(2-cyclopropylethyl)amino]-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 20 ~~5-[1-fluoro-3-hydroxy-7-(4-methyl-1H-imidazol-2-yl)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(azetidin-3-yl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(5-methoxythiophen-2-yl)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 25 ~~[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]acetonitrile;~~
- ~~5-[1-fluoro-3-hydroxy-7-(methoxymethyl)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3-hydroxy-7-[(3-methyloxetan-3-yl)methoxy]naphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(4-bromo-7-[1-(cyclopropanesulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~5-(4-bromo-7-[1-(cyclopropanesulfonyl)-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3-hydroxy-7-[(3S)-pyrrolidin-3-yl]naphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

- ~~5-{1-fluoro-3-hydroxy-7-[(3*R*)-pyrrolidin-3-yl]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(8-chloro-1-fluoro-3-hydroxy-7-methoxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~5-{7-[(3,3-difluorocyclobutyl)methoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(7-cyclopropyl-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(cyclopropanecarbonyl)-2,5-dihydro-1*H*-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 10 ~~5-(4-chloro-1-fluoro-3-hydroxy-7-methoxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[(*E*)-2-cyclopropylethenyl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(1*E*)-4-methylpent-1-en-1-yl]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 15 ~~5-{1-fluoro-3-hydroxy-7-[1-(pentamethylphenyl)ethenyl]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(cyclopropylmethyl)-2,5-dihydro-1*H*-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(4-bromo-1-fluoro-3-hydroxy-7-methoxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 20 ~~5-{7-[1-(2-cyclopropylethyl)-2,5-dihydro-1*H*-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(1*E*)-3-methoxyprop-1-en-1-yl]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(2-ethoxyethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 25 ~~5-[1-fluoro-3-hydroxy-7-(3-methoxypropoxy)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(1,1-dioxo-1 λ^6 -thian-4-yl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(oxan-3-yl)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~5-[7-(cyclopropylmethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3-hydroxy-7-[[1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl]methyl]naphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~

- ~~5-(1-fluoro-3-hydroxy-7-([1-(2,2,2-trifluoroethyl)piperidin-4-yl]methyl)naphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3-hydroxy-7-(2-[methyl(2-methylpropyl)amino]ethoxy)naphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(oxolan-2-yl)methoxy]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(oxolan-3-yl)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(7-([1-(cyclopropanesulfonyl)azetidin-3-yl]methyl)-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(7-([1-(cyclopropanesulfonyl)piperidin-4-yl]methyl)-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(pyrrolidin-2-yl)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(7-([1-(cyclopropanesulfonyl)piperidin-3-yl]methyl)-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(difluoromethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(7-([1-(cyclopropanesulfonyl)pyrrolidin-3-yl]methyl)-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(pyrrolidin-3-yl)methyl]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(2,5-dihydrofuran-3-yl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(3,6-dihydro-2H-pyran-4-yl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(2,5-dihydro-1H-pyrrol-3-yl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(pyridin-3-yl)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[(azetidin-3-yl)methyl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~N-(2-cyclopropylethyl)-2-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]amino]acetamide;~~
- ~~4-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy]-N-methylbutanamide;~~

- ~~*N*-ethyl *N'*-(2-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy}ethyl)urea;~~
- 5 ~~5-{1-fluoro-3-hydroxy-7-[(oxan-3-yl)methoxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[(1-chloro-3-hydroxypropan-2-yl)oxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(oxan-4-yl)methoxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 10 ~~5-{1-fluoro-3-hydroxy-7-[(oxetan-3-yl)oxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[1-(2,2,2-trifluoroethyl)-1,2,3,6-tetrahydropyridin-4-yl]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3,7-dihydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 15 ~~5-[1-fluoro-3-hydroxy-7-(2-hydroxyethoxy)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3-hydroxy-7-propoxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(propan-2-yl)oxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 20 ~~[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]amino}acetic acid;~~
- ~~*N*-(2-cyclopropylethyl)-2-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy}acetamide;~~
- ~~*N,N*-diethyl-2-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy}acetamide;~~
- 25 ~~5-{1-fluoro-3-hydroxy-7-[2-oxo-2-(pyrrolidin-1-yl)ethoxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3-hydroxy-7-[[1-(methanesulfonyl)piperidin-4-yl]oxy]naphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~5-{1-fluoro-3-hydroxy-7-[1-(oxolane-3-sulfonyl)-2,5-dihydro-1*H*-pyrrol-3-yl]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[1-(2-methoxyethanesulfonyl)-2,5-dihydro-1*H*-pyrrol-3-yl]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~

- ~~5-{1-fluoro-3-hydroxy-7-[1-(3,3,3-trifluoropropane-1-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]naphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[1-(3,3,3-trifluoropropane-1-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]naphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~5-(1-fluoro-3-hydroxy-7-{1-[(oxan-2-yl)methanesulfonyl]-2,5-dihydro-1H-pyrrol-3-yl}naphthalen-2-yl)-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[1-(4,4,4-trifluorobutane-1-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]naphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 10 ~~5-{7-[1-(butane-1-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(7-{1-[(1,4-dioxan-2-yl)methanesulfonyl]-2,5-dihydro-1H-pyrrol-3-yl}-1-fluoro-3-hydroxynaphthalen-2-yl)-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{3-[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1λ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]-2,5-dihydro-1H-pyrrole-1-sulfonyl}pentanenitrile;~~
- 15 ~~5-{1-fluoro-3-hydroxy-7-[1-(pentane-2-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]naphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(ethanesulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 20 ~~5-{1-fluoro-3-hydroxy-7-[1-(propane-2-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]naphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(cyclopropanesulfonyl)-1,2,3,6-tetrahydropyridin-4-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~N-(2-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1λ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy}ethyl)oxetane-3-sulfonamide;~~
- 25 ~~5-[1-fluoro-3-hydroxy-7-(piperidin-4-yl)naphthalen-2-yl]-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[1-(2-methylpropane-1-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]naphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(7-ethoxy-1-fluoro-3-hydroxynaphthalen-2-yl)-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~5-[7-(2,2-difluoroethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(cyclopropanesulfonyl)-1H-pyrazol-4-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

- ~~5-(1-fluoro-3-hydroxy-7-[(3R)-1-(methanesulfonyl)pyrrolidin-3-yl]amino)naphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3-hydroxy-7-[[1-(methanesulfonyl)piperidin-4-yl]amino)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(7-[[1-(cyclopropanesulfonyl)pyrrolidin-3-yl]amino]-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-7-[[3-fluoro-1-(methanesulfonyl)pyrrolidin-3-yl]methoxy]-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~10 5-{1-fluoro-3-hydroxy-7-[1-(propane-2-sulfonyl)pyrrolidin-3-yl]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(2-aminoethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(1,3-dimethyl-1H-pyrazol-4-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~15 N-(2-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy)ethyl)ethanesulfonamide;~~
- ~~5-{1-fluoro-7-[1-(furan-3-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[1-(3-methylbutane-1-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~20 5-{1-fluoro-3-hydroxy-7-[1-(thiophene-3-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(benzenesulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~25 5-{7-[1-(cyclobutanesulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~methyl (2S)-2-amino-4-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy]butanoate;~~
- ~~5-{7-[(3,5-dimethyl-1H-pyrazol-4-yl)methoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~30 5-[7-(3,5-dimethyl-1H-pyrazol-4-yl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(2-cyclohexylethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

~~2-[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ,6,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]-1H-imidazole-4-carbonitrile;~~

~~and a pharmaceutically acceptable salt, solvate, hydrate, tautomer, ester, N-oxide or stereoisomer thereof.~~

~~In a further aspect of the present disclosure, there is provided a pharmaceutically acceptable composition comprising a compound disclosed herein and a pharmaceutically acceptable carrier.~~

~~In another aspect of the present disclosure, there is provided a use of a compound disclosed herein in combination with an additional therapeutic agent, in the manufacture of a medicament for treating cancer in a patient in need thereof.~~

~~In a further aspect of the present disclosure, there is provided a use of a pharmaceutically acceptable composition disclosed herein in the manufacture of a medicament for treating cancer in a patient in need thereof.~~

~~In another aspect of the present disclosure, there is provided a use of a compound disclosed herein in the manufacture of a medicament for treating cancer in a patient in need thereof.~~

~~In a further aspect of the present disclosure, there is provided a use of a pharmaceutically acceptable composition disclosed herein in the manufacture of a medicament for treating cancer in a patient in need thereof.~~

~~In another aspect of the present disclosure, there is provided a use of a compound disclosed herein or the composition disclosed herein in the manufacture of a medicament for treating type-2 diabetes in a patient in need thereof.~~

~~In a further aspect of the present disclosure, there is provided a use of a compound disclosed herein or the composition disclosed herein in the manufacture of a medicament for treating and/or controlling obesity in a patient in need thereof.~~


~~In another aspect of the present disclosure, there is provided a use of a compound disclosed herein or the composition disclosed herein in the manufacture of a medicament for inhibiting further weight gain in an overweight or obese patient in need thereof.~~

~~In a further aspect of the present disclosure, there is provided a use of a compound disclosed herein or the composition disclosed herein in the manufacture of a medicament for treating a metabolic disease in a patient in need thereof.~~

~~In another aspect of the present disclosure, there is provided a compound disclosed herein or a pharmaceutically acceptable composition disclosed herein, for use in treating cancer, treating type-2 diabetes, treating and/or controlling obesity, inhibiting further weight gain in an overweight or obese patient in need thereof, or treating a metabolic disease.~~


CLAIMS

1. A compound, wherein the compound is




5

2. A compound, wherein the compound is




or a pharmaceutically acceptable salt thereof.


10 3. The compound of claim 2, wherein the compound is a pharmaceutically acceptable salt of



4. The compound of claim 2, wherein the compound is a sodium salt of



15 ~~1. A compound represented by Formula (I):~~



~~_____ or a pharmaceutically acceptable salt, solvate, hydrate, tautomer, ester, N-oxide, stereoisomer or isotopically enriched variant thereof, wherein:~~

R^1 is selected from the group consisting of hydrogen, halogen, C_{1-6} alkyl, C_{3-6} cycloalkyl, $O-C_{1-6}$ alkyl, $N(R^a)-C_{1-6}$ alkyl and C_{1-6} alkylene-5-6-membered heterocyclyl;

wherein C_{1-6} alkyl, C_{3-6} cycloalkyl, $O-C_{1-6}$ alkyl, $N(R^a)-C_{1-6}$ alkyl and C_{1-6} alkylene-5-6-membered heterocyclyl may optionally be substituted on one or more available carbons by one, two, three or more substituents each independently selected from R^a ; and wherein if C_{1-6} alkylene-5-6-membered heterocyclyl contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by R^b ;

R^2 is selected from the group consisting of hydrogen, hydroxyl, CHF_2 , CH_2OH , CH_2CN , CH_2-O-C_{1-6} alkyl, $CH_2-N(R^a)-C_{1-6}$ alkyl, C_{2-6} alkyl, C_{2-6} alkenyl, $O-C_{1-6}$ alkyl, $N(R^a)-C_{1-6}$ alkyl, $S(O)_w-C_{1-6}$ alkyl, $C(O)-N(R^a)-C_{1-6}$ alkyl, $N(R^a)-C(O)-C_{1-6}$ alkyl, $O-C(O)-N(R^a)-C_{1-6}$ alkyl, $N(R^a)-C(O)-O-C_{1-6}$ alkyl, C_{3-6} cycloalkyl, $O-C_{3-6}$ cycloalkyl, C_{1-6} alkylene- C_{3-6} cycloalkyl, C_{1-6} alkenylene- C_{3-6} cycloalkyl, $O-C_{1-6}$ alkylene- C_{3-6} cycloalkyl, 5-6 membered heteroaryl, 4-6 membered heterocyclyl, $O-C_{1-6}$ alkylene-5-6 membered heteroaryl, O -4-6 membered heterocyclyl, $N(R^a)$ -4-6 membered heterocyclyl, C_{1-6} alkylene-4-6 membered heterocyclyl and $O-C_{1-6}$ alkylene-4-6 membered heterocyclyl;

wherein CH_2-O-C_{1-6} alkyl, $CH_2-N(R^a)-C_{1-6}$ alkyl, C_{2-6} alkyl, C_{2-6} alkenyl, $O-C_{1-6}$ alkyl, $N(R^a)-C_{1-6}$ alkyl, $S(O)_w-C_{1-6}$ alkyl, $C(O)-N(R^a)-C_{1-6}$ alkyl, $N(R^a)-C(O)-C_{1-6}$ alkyl, $O-C(O)-N(R^a)-C_{1-6}$ alkyl, $N(R^a)-C(O)-O-C_{1-6}$ alkyl, C_{3-6} cycloalkyl, $O-C_{3-6}$ cycloalkyl, C_{1-6} alkylene- C_{3-6} cycloalkyl, C_{1-6} alkenylene- C_{3-6} cycloalkyl, $O-C_{1-6}$ alkylene- C_{3-6} cycloalkyl, 5-6 membered heteroaryl, $O-C_{1-6}$ alkylene-5-6 membered heteroaryl, 4-6 membered heterocyclyl, O -4-6 membered heterocyclyl, $N(R^a)$ -4-6 membered heterocyclyl, C_{1-6} alkylene-4-6 membered heterocyclyl and $O-C_{1-6}$ alkylene-4-6 membered heterocyclyl may optionally be substituted on one or more available carbons by one, two, three or more substituents each independently

selected from R^a ; and wherein if 5-6 membered heteroaryl, 4-6 membered heterocyclyl, $N(R^a)$ -4-6 membered heterocyclyl, C_{1-6} alkylene-4-6 membered heterocyclyl or $O-C_{1-6}$ alkylene-4-6 membered heterocyclyl contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by R^b ;

or R^1 and R^2 taken together with the atoms to which they are attached form a 5-6 membered aryl or heteroaryl; wherein aryl or heteroaryl may optionally be substituted by one or more substituents each independently selected from the group consisting of halogen, hydroxyl, cyano, C_{1-6} alkyl and C_{1-6} alkoxy; wherein C_{1-6} alkyl and C_{1-6} alkoxy may optionally be substituted by one, two three or more substituents each independently selected from R^b ;

~~R³ is selected from the group consisting of hydrogen, C₁₋₆alkyl, O-C₁₋₆alkyl, N(R^a)-C₁₋₆alkyl, S(O)_w-C₁₋₆alkyl, C(O)-N(R^a)-C₁₋₆alkyl, N(R^a)-C(O)-C₁₋₆alkyl and C₁₋₆alkylene 4-6 membered heterocyclyl;~~

wherein $C_{1-6}alkyl$, $O-C_{1-6}alkyl$, $N(R^a)-C_{1-6}alkyl$, $S(O)_w-C_{1-6}alkyl$, $C(O)-N(R^a)-C_{1-6}alkyl$, $N(R^a)-C(O)-C_{1-6}alkyl$ and $C_{1-6}alkylene$ 4-6 membered heterocyclyl may optionally be substituted on one or more available carbons by one, two, three or more substituents each independently selected from R^a ; and wherein if $C_{1-6}alkylene$ 4-6 membered heterocyclyl contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by R^b ;

10 ~~R⁴ is selected from the group consisting of hydrogen, halogen, C₁₋₆alkyl, C₃₋₆cycloalkyl and C₁₋₆alkylene 4-6 membered heterocyclyl; wherein C₁₋₆alkyl, C₃₋₆cycloalkyl and C₁₋₆alkylene 4-6 membered heterocyclyl may optionally be substituted on one or more available carbons by one, two, three or more substituents each independently selected from R⁶; and wherein if C₁₋₆alkylene 4-6 membered heterocyclyl contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by R^h;~~

15 wherein at least one of R^1 , R^2 , R^3 and R^4 is not hydrogen;

R^5 is selected from the group consisting of hydrogen, halogen, C_{1-6} alkyl, C_{3-6} cycloalkyl and C_{1-6} alkylene 4-6 membered heterocyclyl; wherein C_{1-6} alkyl, C_{3-6} cycloalkyl and C_{1-6} alkylene 4-6 membered heterocyclyl may optionally be substituted on one or more available carbons by one, two, three or more substituents each independently selected from R^6 ; and wherein if C_{1-6} alkylene 4-6 membered heterocyclyl contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by R^h ;

~~R⁶ is hydrogen;~~~~R⁷ is hydrogen;~~

R^* is independently selected for each occurrence from the group consisting of hydrogen,
halogen, hydroxyl, cyano, nitro, oxo, $C(O)OH$, R^*R^{bN} , $R^*R^{bN}C(O)$, $R^*R^{bN}SO_w$, $R^*R^{bN}-$
 $C(O)-N(R^*)$, $C_{1-6}alkyl$, $C_{2-6}alkenyl$, $C_{2-6}alkynyl$, $C_{3-6}cycloalkyl$, phenyl, $C_{1-6}alkylene-C_{3-6}cycloalkyl$,
 $O-C_{1-6}alkylene-C_{3-6}cycloalkyl$, $(CO)(NR^*)C_{1-6}alkylene-C_{3-6}cycloalkyl$, $C_{1-6}alkoxy$, $C_{3-6}alkenyloxy$,
 $C_{3-6}alkynyloxy$, $C_{3-6}cycloalkoxy$, $C_{1-6}alkylC(O)$, $C_{1-6}alkylOC(O)$, $C_{1-6}alkylC(O)O$, $C_{1-6}alkylS(O)_w$,
 $C_{1-6}alkylN(R^*)$, $C_{1-6}alkylN(R^*)C(O)$, $C_{1-6}alkylC(O)N(R^*)$, $C_{1-6}alkylN(R^*)C(O)N(R^*)$, $C_{1-6}alkylN(R^*)SO_w$,
 $C_{3-6}cycloalkylN(R^*)SO_w$, $C_{1-6}alkylSO_wN(R^*)$, $C_{3-6}cycloalkylSO_wN(R^*)$, 4-6 membered heterocyclyl
 $SO_wN(R^*)$, $C_{1-6}alkoxyC(O)N(R^*)$, $C_{1-6}alkylC(O)N(R^*)C_{1-6}alkyl$, $C_{1-6}alkylN(R^*)C(O)C_{1-6}alkyl$,

$P(O)(C_{1-3}alkyl)_2$ and $C_{1-6}alkoxy-C_{1-6}alkyl$; wherein $C_{1-6}alkyl$, $C_{2-6}alkenyl$, $C_{2-6}alkynyl$, $C_{3-6}cycloalkyl$, phenyl, $C_{1-6}alkylene-C_{3-6}cycloalkyl$, $O-C_{1-6}alkylene-C_{3-6}cycloalkyl$, $(CO)(NR^a)-C_{1-6}alkylene-C_{3-6}cycloalkyl$, $C_{1-6}alkoxy$, $C_{3-6}alkenylloxy$, $C_{3-6}alkynylloxy$, $C_{3-6}cycloalkoxy$, $C_{1-6}alkyl-C(O)$, $C_{1-6}alkyl-O-C(O)$, $C_{1-6}alkyl-C(O)-O$, $C_{1-6}alkyl-S(O)_w$, $C_{1-6}alkyl-N(R^a)$, $C_{1-6}alkyl-N(R^a)-C(O)$, $C_{1-6}alkyl-C(O)-N(R^a)$, $C_{1-6}alkyl-N(R^a)-C(O)-N(R^a)$, $C_{1-6}alkyl-N(R^a)-SO_w$, $C_{3-6}cycloalkyl-N(R^a)-SO_w$, $C_{1-6}alkyl-SO_w-N(R^a)$, $C_{3-6}cycloalkyl-SO_w-N(R^a)$, 4-6 membered heterocyclyl $-SO_w-N(R^a)$, $C_{1-6}alkoxy-C(O)-N(R^a)$, $C_{1-6}alkyl-C(O)-N(R^a)-C_{1-6}alkyl$, $C_{1-6}alkyl-N(R^a)-C(O)-C_{1-6}alkyl$, $P(O)(C_{1-3}alkyl)_2$ and $C_{1-6}alkoxy-C_{1-6}alkyl$ may optionally be substituted by one, two three or more substituents each independently selected from R^P ;

R^h is independently selected for each occurrence from the group consisting of $C_{1-6}alkyl$, $C_{3-6}alkenyl$, $C_{3-6}alkynyl$, $C_{3-6}cycloalkyl$, $C_{1-6}alkyl-C_{3-6}cycloalkyl$, $C_{1-6}alkyl-S(O)_2$, $C_{3-6}cycloalkyl-S(O)_2$, 4-6 membered heterocyclyl $-S(O)_2$, 4-6 membered heterocyclyl $-C_{1-6}alkyl-S(O)_2$, 5-6 membered heteroaryl $-S(O)_2$, phenyl $-S(O)_2$, phenyl $-C_{1-6}alkyl-S(O)_2$, $C_{1-6}alkyl-C(O)$, $C_{1-6}cycloalkyl-C(O)$, $C_{1-6}alkoxy-C(O)$, $R^aR^bN-C(O)$, $R^aR^bN-SO_2$ and $P(O)(C_{1-3}alkyl)_2$; wherein $C_{1-6}alkyl$, $C_{3-6}alkenyl$, $C_{3-6}alkynyl$, $C_{3-6}cycloalkyl$, $C_{1-6}alkyl-C_{3-6}cycloalkyl$, $C_{1-6}alkyl-S(O)_2$, $C_{3-6}cycloalkyl-S(O)_2$, 4-6 membered heterocyclyl $-S(O)_2$, 4-6 membered heterocyclyl $-C_{1-6}alkyl-S(O)_2$, 5-6 membered heteroaryl $-S(O)_2$, phenyl $-S(O)_2$, phenyl $-C_{1-6}alkyl-S(O)_2$, $C_{1-6}alkyl-C(O)$, $C_{1-6}cycloalkyl-C(O)$, $C_{1-6}alkoxy-C(O)$, $R^aR^bN-C(O)$, $R^aR^bN-SO_2$ and $P(O)(C_{1-3}alkyl)_2$ may optionally be substituted by one, two three or more substituents each independently selected from R^P ;


R^P is independently selected for each occurrence from the group consisting of halogen, hydroxyl, cyano, $C_{1-6}alkyl$, $C_{1-6}alkoxy$, $C_{3-6}cycloalkyl$, 4-6 membered heterocyclyl, R^aR^bN , R^aR^bN -carbonyl, $R^aR^bN-SO_2$, and R^aR^bN -carbonyl $-N(R^a)$;


R^a and R^b are independently selected, for each occurrence, from the group consisting of hydrogen, $C_{1-6}alkyl$ and $C_{3-6}cycloalkyl$; wherein $C_{1-6}alkyl$ may optionally be substituted by one or more substituents each independently selected from the group consisting of halogen, cyano, oxo, hydroxyl and $C_{1-6}alkoxy$ (optionally substituted by one, two or three fluorine atoms);

or R^a and R^b together with the nitrogen to which they are attached form a 4-6 membered heterocyclyl, wherein the heterocyclyl may optionally be substituted by one or more substituents each independently selected from the group consisting of halogen, cyano, oxo and hydroxyl; and

w is 0, 1 or 2.

2. The compound of claim 1, wherein one, two, three or more hydrogen atoms of the compound may optionally be deuterium atoms; and wherein all other atoms of the compound are present at their naturally occurring isotopic abundance.
3. The compound of claim 1 or 2, wherein one, two, three or more hydrogen atoms may optionally be deuterium atoms at one, two three or more groups each independently selected from R^1 , R^2 , R^4 , R^5 , R^6 , R^7 , and R^8 .
4. The compound of any one of claims 1-3, wherein R^1 is selected from the group consisting of hydrogen, deuterium, chlorine and fluorine.
5. The compound of any one of claims 1-4, wherein R^2 is 4-6 membered heterocyclyl; wherein R^2 may optionally be substituted on one or more available carbons by one, two or three substituent each independently selected from R^8 , wherein if 4-6 membered heterocyclyl contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by a substituent selected from R^h .
6. The compound of any one of claims 1-5, wherein R^2 is 4-6 membered heterocyclyl; wherein R^2 may optionally be substituted on one or more available carbons by one, two or three substituents each independently selected from the group consisting of hydrogen and C_{1-6} alkyl; and wherein if R^2 contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by a substituent selected from the group consisting of hydrogen, C_{1-6} alkyl (optionally substituted by one, two or three fluorine atoms), C_{1-6} alkyl- C_{3-6} cycloalkyl, C_{1-6} cycloalkyl- $C(O)$, C_{1-6} alkyl- $S(O)_2$ (optionally substituted by cyano, methoxy or one, two or three fluorine atoms), C_{3-6} cycloalkyl- $S(O)_2$, 4-6 membered heterocyclyl- $S(O)_2$, 4-6 membered heterocyclyl- C_{1-6} alkyl- $S(O)_2$, 5-6 membered heteroaryl- $S(O)_2$, phenyl- $S(O)_2$, phenyl- C_{1-6} alkyl- $S(O)_2$ (optionally substituted by $R^a R^b N$), and $P(O)(C_{1-3}alkyl)_2$.
7. The compound of any one of claims 1-6, wherein R^2 is selected from the group consisting of:






8. The compound of any one of claims 1-4, wherein R^2 is 5-6 membered heteroaryl; wherein R^2 may optionally be substituted on one or more available carbons by one, two or three substituents

each independently selected from R^a, and wherein if R² contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by a substituent selected from R^b.

~~9. The compound of claim 8, wherein R² is a 5-6 membered heteroaryl; wherein R² may optionally be substituted on one or more available carbons by one, two or three substituents each independently selected from the group consisting of hydrogen, cyano, C₁₋₆alkyl, C₁₋₆alkoxy and P(O)(C₁₋₃alkyl)₂; and wherein if R² contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by a substituent selected from the group consisting of hydrogen, C₁₋₆alkyl, C₃₋₆cycloalkyl and C₃₋₆cycloalkyl S(O)₂.~~


~~10. The compound of claim 8 or 9, wherein R² is selected from the group consisting of:~~




11. The compound of any one of claims 1-4, wherein R² is -O-C₄₋₆alkylene-4-6 membered heterocyclyl, wherein R² may optionally be substituted on one or more available carbons by one, two or three substituents each independently selected from R^a, and wherein if R² contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by a substituent selected from R^b.

12. The compound of claim 11, wherein R² is -O-C₁₋₆alkylene-4-6 membered heterocyclyl, wherein R² may optionally be substituted on one or more available carbons by one, two or three substituents each independently selected from the group consisting of hydrogen, halogen and C₁₋₆alkyl, and wherein if R² contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by a substituent selected from the group consisting of hydrogen, C₁₋₆alkyl and C₁₋₆alkyl S(O)₂-.


~~13. The compound of claim 11 or 12, wherein R² is selected from the group consisting of:~~





14. The compound of any one of claims 1-4, wherein R^2 is ~~O-C₁₋₆alkylene-5-6 membered heteroaryl~~.


5 15. The compound of claim 14, wherein R^2 is selected from the group consisting of:



16. The compound of any one of claims 1-4, wherein R^2 is selected from the group consisting of ~~C₂₋₆alkyl, C₂₋₆alkenyl, and C₃₋₆cycloalkyl~~; wherein R^2 may optionally be substituted by one, two, three or more substituents each independently selected from R^E .

10 17. The compound of claim 16, wherein R^2 is selected from the group consisting of ~~C₂₋₆alkyl, C₂₋₆alkenyl, C₃₋₆cycloalkyl, C₁₋₆alkylene-C₃₋₆cycloalkyl and C₁₋₆alkenylene-C₃₋₆cycloalkyl~~; wherein R^2 may optionally be substituted by one, two, three or more substituents each independently selected from the group consisting of cyano, chlorine, fluorine, hydroxyl, C₁₋₆alkoxy, phenyl, and R^aR^bN .

15 18. The compound of claim 16 or 17, wherein R^2 is selected from the group consisting of:





19. The compound of any one of claims 1-4, wherein R^2 is ~~O-C₁₋₆alkyl~~; wherein R^2 may optionally be substituted by one, two, three or more substituents each independently selected from R^E .

20

20. The compound of claim 19, wherein R^2 is $-O-C_1$ alkyl; wherein R^2 may optionally be substituted by one, two, three or more substituents each independently selected from the group consisting of cyano, deuterium, chlorine, fluorine, hydroxyl, oxo, C_1 alkoxy, C_3 cycloalkoxy, $O-C_1$ alkylene- C_3 cycloalkyl, $(CO)-(NR^a)-C_1$ alkylene- C_3 cycloalkyl, C_1 alkyl- $O-C(O)-$, R^aR^bN- (wherein R^b is optionally substituted by $-OCH_3$ or $-OCF_3$), C_1 alkyl- $N(R^a)-$, $R^aR^bN-C(O)-$, $P(O)(C_1$ alkyl) $_2$, C_1 alkyl- $N(R^a)-C(O)-$, C_1 alkyl- $N(R^a)-C(O)-N(R^a)-$, C_1 alkyl- $SO_2-N(R^a)-$, C_3 cycloalkyl- $SO_2-N(R^a)-$ and 4-6 membered heterocyclyl- $SO_2-N(R^a)-$.

21. The compound of claim 19 or 20, wherein R^2 is selected from the group consisting of:






22. The compound of any one of claims 1-4, wherein R^2 is $O-C_3$ -cycloalkyl or $O-4-6$ membered heterocyclyl; wherein if R^2 contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by a substituent selected from R^h .

23. The compound of claim 22, wherein R^2 is $O-C_3$ -cycloalkyl or $O-4-6$ membered heterocyclyl; wherein if R^2 contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by a substituent selected from the group consisting of C_1 -alkyl- $SO_2-N(R^a)$ and C_3 -cycloalkyl- $SO_2-N(R^a)$.


24. The compound of claim 22 or 23, wherein R^2 is selected from the group consisting of:



25. The compound of any one of claims 1-4, wherein R^2 is $N(R^a)-C_1$ -alkyl, wherein R^2 may optionally be substituted by one, two or three substituents each independently selected from R^g .

26. The compound of claim 25, wherein R^2 is $N(R^a)-C_1$ -alkyl, wherein R^2 may optionally be substituted by one, two or three substituents each independently selected from the group consisting of fluoro, $C(O)OH$, cyano, oxo, R^aR^bN , C_1 -alkoxy, phenyl, C_3 -cycloalkyl, C_3 -cycloalkyl- $SO_2-N(R^a)$, and $(CO)-(NR^a)-C_1$ -alkylene- C_3 -cycloalkyl.


27. The compound of claim 25 or 26, wherein R^2 is selected from the group consisting of:




28. The compound of any one of claims 1-4, wherein R^2 is $-O-C_{1-6}\text{alkylene}-C_{3-6}\text{cycloalkyl}$, wherein R^2 may optionally be substituted by one, two or three substituents each independently selected from R^a .

29. The compound of claim 28, wherein R^2 is $-O-C_{1-6}\text{alkylene}-C_{3-6}\text{cycloalkyl}$, wherein R^2 may optionally be substituted by one, two or three substituents each independently selected from the group consisting of fluoro, hydroxyl, R^aR^bN , cyano, and $C_{1-3}\text{alkyl}$; wherein $C_{1-3}\text{alkyl}$ may be optionally substituted by a substituent selected from the group consisting of cyano and $C_{1-3}\text{alkoxy}$.

30. The compound of claim 28 or 29, wherein R^2 is selected from the group consisting of:



31. The compound of any one of claims 1-4, wherein R^2 is $-O-C(O)-N(R^a)-C_{1-6}\text{alkyl}$.




32. The compound of claim 31, wherein R^2 is represented by

33. The compound of any one of claims 1-4, wherein R^2 is $-N(R^a)-4-6\text{ membered heterocycl}$, wherein if R^2 contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by a substituent selected from R^b .

34. The compound of claim 33, wherein R^2 is $-N(R^a)-4-6\text{ membered heterocycl}$, wherein if R^2 contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by a substituent selected from the group consisting of $C_{1-6}\text{alkyl}-SO_2-N(R^a)$ and $C_{3-6}\text{cycloalkyl}-SO_2-N(R^a)$.


35. The compound of claim 33 or 34, wherein R^2 is selected from the group consisting of:




36. The compound of any one of claims 1-4, wherein R^2 is C_{1-6} alkylene-4-6 membered heterocyclyl, wherein if R^2 contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by a substituent selected from R^h .

37. The compound of claim 36, R^2 is C_{1-6} alkylene-4-6 membered heterocyclyl, wherein if R^2 contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by a substituent selected from the group consisting of C_{1-6} alkyl, C_{1-6} alkyl $SO_2 N(R^*)$ and C_{3-6} cycloalkyl $SO_2 N(R^*)$, wherein C_{1-6} alkyl may optionally be substituted by one, two or three fluorine atoms.

38. The compound of claim 36 or 37, wherein R^2 is selected from the group consisting of:




39. The compound of any one of claims 1-4, wherein R^2 is selected from the group consisting of:



40. The compound of claim 1, wherein R^1 and R^2 taken together with the atoms to which they are attached form a 5 membered heteroaryl.

41. The compound of claim 40, wherein R^1 and R^2 taken together with the atoms to which they are attached form furanyl.

42. The compound of claim 40 or 41, wherein the compound is represented by:



43. The compound of any one of claims 1-42, wherein R^3 is hydrogen.

44. The compound of any one of claims 1-43, wherein R^4 is hydrogen.


45. The compound of any one of claims 1-44, wherein R^5 is selected from the group consisting of hydrogen, deuterium, bromine, chlorine, and fluorine.

46. The compound of any one of claims 1-45, wherein R^6 is selected from the group consisting of hydrogen and deuterium.

5 47. The compound of any one of claims 1-46, wherein R^7 is selected from the group consisting of hydrogen and deuterium.

48. The compound of any one of claims 1-47, wherein all atoms of the compound are present at their naturally occurring isotopic abundance.

49. A compound represented by Formula (II):



10

or a pharmaceutically acceptable salt, solvate, hydrate, tautomer, ester, *N*-oxide or stereoisomer thereof, wherein:

——— X is selected from the group consisting of —O— and —N(R^a)—;

——— L is straight or branched C₁₋₆alkylene;

15 R^{2-II} is selected from the group consisting of hydrogen, cyano, —NR^aR^b—, C₁₋₂alkoxy, C₃₋₆cycloalkyl-SO₂-N(R^a)—, C₁₋₆alkyl-SO₂-N(R^a)—, phenyl, 5-6 membered heteroaryl, 4-6 membered heterocyclyl and C₃₋₆cycloalkyl; wherein phenyl, 5-6 membered heteroaryl, 4-6 membered heterocyclyl and C₃₋₆cycloalkyl may optionally be substituted on one or more available carbons by one, two or three substituents each independently selected from the group consisting of
20 halogen, hydroxyl, —NR^aR^b—, C₁₋₂alkyl (optionally substituted by one, two or three halogens) and C₁₋₂alkoxy (optionally substituted by one, two or three halogens); and wherein if 5-6 membered heteroaryl or 4-6 membered heterocyclyl contains a substitutable ring nitrogen atom, that ring nitrogen atom may optionally be substituted by C₁₋₃alkyl;

R⁵ is selected from the group consisting of hydrogen, deuterium and halogen;


25 R⁶ is selected from the group consisting of hydrogen and deuterium;

——— R⁷ is selected from the group consisting of hydrogen and deuterium; and

R^a and R^b are each independently selected for each occurrence from the group consisting of hydrogen and C₁₋₃alkyl.


50. The compound of claim 49, wherein X is selected from the group consisting of O -, N(H) -, and $\text{N(CH}_3\text{)}$ -.

51. The compound of claim 49 or 50, wherein L is selected from the group consisting of



5 ; wherein * and # represent the covalent points of attachment to $\text{R}^{2\text{H}}$ and X, respectively.


52. The compound of any one of claims 49-51, wherein $\text{R}^{2\text{H}}$ is selected from the group



10

53. The compound of any one of claims 49-52, wherein R^5 is selected from the group consisting of hydrogen, deuterium, and fluorine.

54. A compound represented by Formula (III):



15 or a pharmaceutically acceptable salt, solvate, hydrate, tautomer, ester, *N*-oxide or stereoisomer thereof, wherein:

X^{III} is selected from the group consisting of a bond, CH_2 -, NR^a -, O -, OCH_2 - and OCH_2CH_2 -

m is 1, 2, or 3;

20 n is 1, 2, or 3;

- ~~R^{1-III} is selected from the group consisting of hydrogen, halogen, hydroxyl, cyano, NR^aR^b, C₁₋₂alkyl (optionally substituted by one, two or three halogens) and C₁₋₂alkoxy (optionally substituted by one, two or three halogens);~~
- ~~R^{2-III} is selected from the group consisting of hydrogen, C₁₋₄alkyl, C(O)-C₁₋₄alkyl, C(O)-O-C₁₋₄alkyl, C(O)-N(R^a)-C₁₋₄alkyl, S(O)₂-C₁₋₄alkyl and S(O)₂-C₃₋₆cycloalkyl; wherein C₁₋₄alkyl, C(O)-C₁₋₄alkyl, C(O)-O-C₁₋₄alkyl, C(O)-N(R^a)-C₁₋₄alkyl, S(O)₂-C₁₋₄alkyl and S(O)₂-C₃₋₆cycloalkyl may optionally be substituted by one, two or three substituents each independently selected from the group consisting of halogen, hydroxyl, cyano, NR^aR^b, C₁₋₂alkyl (optionally substituted by one, two or three halogens) and C₁₋₂alkoxy (optionally substituted by one, two or three halogens);~~
- ~~R⁵ is selected from the group consisting of hydrogen, deuterium and halogen;~~
- ~~R⁶ is selected from the group consisting of hydrogen and deuterium;~~
- ~~R⁷ is selected from the group consisting of hydrogen and deuterium; and~~
- ~~R^a and R^b are each independently selected for each occurrence from the group consisting of hydrogen and C₁₋₃alkyl.~~
- ~~55. The compound of claim 54, wherein X^{III} is selected from the group consisting of a bond, CH₂, O, NH and O-CH₂.~~
- ~~56. The compound of claim 54 or 55, wherein R^{2-III} is selected from the group consisting of hydrogen, isopropyl, CH₂CF₃, S(O)₂-CH₃ and S(O)₂-cyclopropyl.~~
- ~~57. The compound of any one of claims 54-56, wherein R⁵ is selected from the group consisting of hydrogen, deuterium, and fluorine.~~
- ~~58. A compound selected from the group consisting of:~~
- ~~5-{1-fluoro-3-hydroxy-7-[2-(morpholin-4-yl)ethoxy]naphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(cyclopropanesulfonyl)pyrrolidin-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(pyrrolidin-3-yl)naphthalen-2-yl]-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1λ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-ylpropan-2-ylcarbamate;~~
- ~~5-(9-fluoro-7-hydroxynaphtho[2,1-b]furan-8-yl)-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[2-(azetidin-1-yl)ethoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

- ~~5-[1-fluoro-3-hydroxy-7-methoxy(4-²H)naphthalen-2-yl](4,4-²H₂)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(methylamino)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione; 5-[1-fluoro-3-hydroxy-7-[2-(piperidin-4-yl)ethoxy]naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~5-(1-fluoro-7-[(3-fluoro-1-(propan-2-yl)pyrrolidin-3-yl)methoxy]-3-hydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-7-[(3-fluoropyrrolidin-3-yl)methoxy]-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 10 ~~5-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy]pentanenitrile;~~
- ~~5-{1-fluoro-3-hydroxy-7-[2-(piperidin-1-yl)ethoxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(cyclopropanesulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 15 ~~5-{1-fluoro-3-hydroxy-7-[(piperidin-4-yl)methoxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy]-3,3-dimethylpentanenitrile;~~
- 20 ~~5-{7-[(3,3-dimethylbutyl)amino]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1,4-difluoro-3-hydroxy-7-methoxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(²H₂)methyloxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(2-methoxyethoxy)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 25 ~~4-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy]-2,2-dimethylbutanenitrile;~~
- ~~5-{7-[2-(3-aminobicyclo[1.1.1]pentan-1-yl)ethoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~5-(7-{[2-(dimethylamino)ethyl]amino}-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3-hydroxy-7-methoxynaphthalen-2-yl)(4,4-²H₂)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3-hydroxy-7-methoxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~

- ~~*N*-(2-([8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]amino)ethyl)cyclopropanesulfonamide;~~
- ~~5-(1-fluoro-3-hydroxy-7-([1-(methanesulfonyl)pyrrolidin-3-yl]amino)naphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~*N*-(2-([8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy)ethyl)cyclopropanesulfonamide~~5-(1-fluoro-3-hydroxy-7-([1-(methanesulfonyl)azetidin-3-yl]amino)naphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- ~~4-([8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy)butanenitrile;~~
- 10 ~~[1-([8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy)methyl)cyclopropyl]acetonitrile;~~
- ~~5-{7-[2-(dimethylamino)ethoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(cyclopropylmethyl)-1*H*-pyrazol-4-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-~~
- 15 ~~thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(1*H*-pyrazol-4-yl)methoxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(2-methylpropoxy)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 20 ~~5-[1-fluoro-3-hydroxy-7-(2-hydroxypropoxy)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~*N*-(cyclopropylmethyl)-8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalene-2-carboxamide;~~
- ~~5-[1-fluoro-3-hydroxy-7-(2-([2-(trifluoromethoxy)ethyl]amino)ethoxy)naphthalen-2-yl]-1 λ^6 ,2,5-~~
- 25 ~~thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3-hydroxy-7-{2-[(2-methoxyethyl)amino]ethoxy}naphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[3-(methylamino)propyl]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~5-{7-[3-(ethylamino)propyl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[5-(dimethylphosphoryl)thiophen-2-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~

- ~~5-{7 [2-(cyclopropylamino)ethoxy] 1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7 [2-(methylamino)ethoxy]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~5-{7 [2-(ethylamino)ethoxy] 1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3-hydroxy-7 {2-[(propan-2-yl)amino]ethoxy}naphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7 [3-(diethylphosphoryl)propoxy] 1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 10 ~~5-{1-fluoro-3-hydroxy-7 [(3S)-3-hydroxybutoxy]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1,4-difluoro-3-hydroxy-7 [(3-methylbutyl)amino]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 15 ~~5-{1-fluoro-3-hydroxy-7 [(3R)-3-hydroxybutoxy]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(2-cyclopropyl-2-hydroxyethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7 [(4R)-4-hydroxypentyl]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 20 ~~5-{1-fluoro-3-hydroxy-7 [(4R)-4-hydroxypentyl]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7 [(4S)-4-hydroxypentyl]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 25 ~~5-[1-fluoro-3-hydroxy-7-(4-hydroxy-4-methylpentyl)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7 [(3-oxopentyl)oxy]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(3-hydroxybutoxy)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~N-[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]-3-methylbutanamide;~~
- ~~5-[1-fluoro-3-hydroxy-7-(4,4,4-trifluorobutoxy)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

- 1-(2-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy]ethyl)cyclopropane-1-carbonitrile;
~~5-(1-fluoro-3-hydroxy-7-{2-[1-(methoxymethyl)cyclopropyl]ethoxy}naphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~5-(7-[(cyclopropylmethyl)amino]methyl)-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
~~5-{7-[(2,2-difluoropropyl)amino]-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
~~5-{7-[3,3-dimethyl-4-(methylamino)butoxy]-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 10 ~~5-{1-fluoro-3-hydroxy-7-[(2-phenylethyl)amino]naphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
~~5-[7-(3-amino-3-methylbutoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 15 ~~5-{1-fluoro-3-hydroxy-7-[(4,4,4-trifluorobutyl)amino]naphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
~~5-[7-(difluoromethyl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
~~5-{7-[1-(dimethylphosphoryl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 20 ~~5-{1-fluoro-3-hydroxy-7-[(3,3,3-trifluoropropyl)amino]naphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
~~5-[1-fluoro-3-hydroxy-7-(3-methoxy-3-methylbutoxy)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
~~5-[7-(2-cyclopropylpropoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 25 ~~5-[1-fluoro-3-hydroxy-7-({2-[(propan-2-yl)oxy]ethyl}amino)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
~~5-(1-fluoro-3-hydroxy-7-{[1-(methanesulfonyl)pyrrolidin-3-yl]methoxy}naphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~4-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]amino]butanenitrile;~~
~~5-[1-fluoro-3-hydroxy-7-(2-hydroxyethyl)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
~~5-[7-(4-amino-3,3-dimethylbutoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~

- ~~5-(7-{{2-(azetidin-1-yl)ethyl}amino}-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(7-{{1-(cyclopropanesulfonyl)azetidin-3-yl}oxy}-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~5-{1-fluoro-3-hydroxy-7-[(2-methoxyethyl)amino]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(3,3,3-trifluoropropoxy)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~1-({[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]amino}methyl)cyclopropane-1-carbonitrile;~~
- 10 ~~5-[1-fluoro-3-hydroxy-7-(3-hydroxy-3-methylbutoxy)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[3-(1*H*-pyrazol-1-yl)propoxy]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 15 ~~5-(7-{1-[(4-aminophenyl)methanesulfonyl]-2,5-dihydro-1*H*-pyrrol-3-yl}-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(hydroxymethyl)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(cyclopropanesulfonyl)piperidin-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 20 ~~5-{7-[1-(cyclopropanecarbonyl)pyrrolidin-2-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[2-(1*H*-pyrazol-1-yl)ethoxy]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(cyclopropanesulfonyl)pyrrolidin-2-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 25 ~~5-{7-[1-(cyclopropanesulfonyl)pyrrolidin-2-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(piperidin-3-yl)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[2-(2,2-difluorocyclopropyl)ethoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~5-{1-fluoro-3-hydroxy-7-[2-(1-methylcyclopropyl)ethoxy]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(7-{1-[(3-aminophenyl)methanesulfonyl]-2,5-dihydro-1*H*-pyrrol-3-yl}-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

- ~~5-[7-{1-[(2-aminophenyl)methanesulfonyl]-2,5-dihydro-1H-pyrrol-3-yl}-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(2,2-difluoroethyl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~5-[1-fluoro-3-hydroxy-7-(2,2,2-trifluoroethoxy)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-7-(2-fluoroethoxy)-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~1-({[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy}methyl)cyclopropane-1-carbonitrile;~~
- 10 ~~5-{1-fluoro-3-hydroxy-7-[(3-methylbutyl)amino]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(2-methylpropyl)amino]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[(cyclopropylmethyl)amino]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 15 ~~1-({[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy}acetonitrile;~~
- ~~5-[1-fluoro-3-hydroxy-7-(3-methylbutoxy)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1,8-difluoro-3-hydroxy-7-methoxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 20 ~~5-{7-[1-(cyclopropanesulfonyl)azetidin-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(cyclopropanecarbonyl)azetidin-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~(2E)-3-[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]prop-2-enenitrile;~~
- 25 ~~5-[7-(2-cyclopropylethyl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[(2,2-difluorocyclopropyl)methoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~5-[7-(2-cyclopropylethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[2-(cyclopropylmethoxy)ethoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

- 5-~~{1-fluoro-3-hydroxy-7-[2-(oxolan-2-yl)ethoxy]naphthalen-2-yl}~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- 5-~~{7-[2-(cyclobutylloxy)ethoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- 5 5-~~(1-fluoro-3-hydroxy-7-{2-[(propan-2-yl)oxy]ethoxy}naphthalen-2-yl)~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- 5-~~[7-(3-ethoxypropoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- 5-~~[7-(2-tert-butoxyethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- 10 5-~~(7-{[rac-(1R,2R)-2-ethyleyclopropyl]methoxy}-1-fluoro-3-hydroxynaphthalen-2-yl)~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- 5-~~[1-fluoro-3-hydroxy-7-(4-methylpentyl)naphthalen-2-yl]~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- 5-~~{7-[3-(2,2-dimethylpropyl)pyrrolidin-1-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- 15 5-~~[7-(1-chloro-3-hydroxypropan-2-yl)-1-fluoro-3-hydroxynaphthalen-2-yl]~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- 5-~~{7-[1-(cyclopropylmethyl)pyrrolidin-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- 20 5-~~[7-(cyclopropyloxy)-1-fluoro-3-hydroxynaphthalen-2-yl]~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- 5-~~{7-[(2-cyclopropylethyl)amino]-1-fluoro-3-hydroxynaphthalen-2-yl}~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- 5-~~[1-fluoro-3-hydroxy-7-(4-methyl-1H-imidazol-2-yl)naphthalen-2-yl]~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- 25 5-~~[7-(azetidin-3-yl)-1-fluoro-3-hydroxynaphthalen-2-yl]~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- 5-~~[1-fluoro-3-hydroxy-7-(5-methoxythiophen-2-yl)naphthalen-2-yl]~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- [8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]acetonitrile;
- 5-~~[1-fluoro-3-hydroxy-7-(methoxymethyl)naphthalen-2-yl]~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- 30 5-~~{1-fluoro-3-hydroxy-7-[(3-methyloxetan-3-yl)methoxy]naphthalen-2-yl}~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;
- 5-~~{4-bromo-7-[1-(cyclopropanesulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}~~-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;

- ~~5-{4-bromo-7-[1-(cyclopropanesulfonyl)-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(3S)-pyrrolidin-3-yl]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~5-{1-fluoro-3-hydroxy-7-[(3R)-pyrrolidin-3-yl]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(8-chloro-1-fluoro-3-hydroxy-7-methoxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[(3,3-difluorocyclobutyl)methoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 10 ~~5-(7-cyclopropyl-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(cyclopropanecarbonyl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(4-chloro-1-fluoro-3-hydroxy-7-methoxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[(E)-2-cyclopropylethenyl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-~~
- 15 ~~1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(1E)-4-methylpent-1-en-1-yl]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[1-(pentamethylphenyl)ethenyl]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 20 ~~5-{7-[1-(cyclopropylmethyl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(4-bromo-1-fluoro-3-hydroxy-7-methoxynaphthalen-2-yl)-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(2-cyclopropylethyl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 25 ~~5-{1-fluoro-3-hydroxy-7-[(1E)-3-methoxyprop-1-en-1-yl]naphthalen-2-yl}-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(2-ethoxyethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(3-methoxypropoxy)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~5-[7-(1,1-dioxo-1 λ ⁶-thian-4-yl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(oxan-3-yl)naphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(cyclopropylmethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

- ~~5-(1-fluoro-3-hydroxy-7-[[1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl]methyl]naphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3-hydroxy-7-[[1-(2,2,2-trifluoroethyl)piperidin-4-yl]methyl]naphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~5-(1-fluoro-3-hydroxy-7-{2-[methyl(2-methylpropyl)amino]ethoxy}naphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(oxolan-2-yl)methoxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(oxolan-3-yl)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 10 ~~5-(7-[[1-(cyclopropanesulfonyl)azetidin-3-yl]methyl]-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(7-[[1-(cyclopropanesulfonyl)piperidin-4-yl]methyl]-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(pyrrolidin-2-yl)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 15 ~~5-(7-[[1-(cyclopropanesulfonyl)piperidin-3-yl]methyl]-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(difluoromethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(7-[[1-(cyclopropanesulfonyl)pyrrolidin-3-yl]methyl]-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 20 ~~5-{1-fluoro-3-hydroxy-7-[(pyrrolidin-3-yl)methyl]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(2,5-dihydrofuran-3-yl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(3,6-dihydro-2H-pyran-4-yl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 25 ~~5-[7-(2,5-dihydro-1H-pyrrol-3-yl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(pyridin-3-yl)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[(azetidin-3-yl)methyl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~N-(2-cyclopropylethyl)-2-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]amino]acetamide;~~
- ~~4-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy]-N-methylbutanamide;~~

- N*-ethyl *N*'-(2-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy}ethyl)urea;
- ~~5-{1-fluoro-3-hydroxy-7-[(oxan-3-yl)methoxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~5-{7-[(1-chloro-3-hydroxypropan-2-yl)oxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(oxan-4-yl)methoxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(oxetan-3-yl)oxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 10 ~~5-{1-fluoro-3-hydroxy-7-[1-(2,2,2-trifluoroethyl)-1,2,3,6-tetrahydropyridin-4-yl]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3,7-dihydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[1-fluoro-3-hydroxy-7-(2-hydroxyethoxy)naphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 15 ~~5-(1-fluoro-3-hydroxy-7-propoxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[(propan-2-yl)oxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]amino}acetic acid;~~
- 20 *N*-(2-cyclopropylethyl)-2-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy}acetamide;
- N,N*-diethyl-2-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy}acetamide;
- 25 ~~5-{1-fluoro-3-hydroxy-7-[2-oxo-2-(pyrrolidin-1-yl)ethoxy]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3-hydroxy-7-[[1-(methanesulfonyl)piperidin-4-yl]oxy]naphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[1-(oxolane-3-sulfonyl)-2,5-dihydro-1*H*-pyrrol-3-yl]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~5-{1-fluoro-3-hydroxy-7-[1-(2-methoxyethanesulfonyl)-2,5-dihydro-1*H*-pyrrol-3-yl]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[1-(3,3,3-trifluoropropane-1-sulfonyl)-2,5-dihydro-1*H*-pyrrol-3-yl]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~

- ~~5-{1-fluoro-3-hydroxy-7-[1-(3,3,3-trifluoropropane-1-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]naphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3-hydroxy-7-{1-[(oxan-2-yl)methanesulfonyl]-2,5-dihydro-1H-pyrrol-3-yl}naphthalen-2-yl)-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~5-{1-fluoro-3-hydroxy-7-[1-(4,4,4-trifluorobutane-1-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]naphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(butane-1-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(7-{1-[(1,4-dioxan-2-yl)methanesulfonyl]-2,5-dihydro-1H-pyrrol-3-yl}-1-fluoro-3-hydroxynaphthalen-2-yl)-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 10 ~~5-{3-[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1λ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]-2,5-dihydro-1H-pyrrole-1-sulfonyl}pentanenitrile;~~
- ~~5-{1-fluoro-3-hydroxy-7-[1-(pentane-2-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]naphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 15 ~~5-{7-[1-(ethanesulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[1-(propane-2-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]naphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(cyclopropanesulfonyl)-1,2,3,6-tetrahydropyridin-4-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 20 ~~N-(2-{[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1λ⁶,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy}ethyl)oxetane-3-sulfonamide;~~
- ~~5-[1-fluoro-3-hydroxy-7-(piperidin-4-yl)naphthalen-2-yl]-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[1-(2-methylpropane-1-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]naphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 25 ~~5-(7-ethoxy-1-fluoro-3-hydroxynaphthalen-2-yl)-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(2,2-difluoroethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(cyclopropanesulfonyl)-1H-pyrazol-4-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~5-(1-fluoro-3-hydroxy-7-[(3R)-1-(methanesulfonyl)pyrrolidin-3-yl]amino)naphthalen-2-yl)-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-3-hydroxy-7-[[1-(methanesulfonyl)piperidin-4-yl]amino]naphthalen-2-yl)-1λ⁶,2,5-thiadiazolidine-1,1,3-trione;~~

- ~~5-(7-[[1-(cyclopropanesulfonyl)pyrrolidin-3-yl]amino]-1-fluoro-3-hydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-(1-fluoro-7-[[3-fluoro-1-(methanesulfonyl)pyrrolidin-3-yl]methoxy]-3-hydroxynaphthalen-2-yl)-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 5 ~~5-{1-fluoro-3-hydroxy-7-[1-(propane-2-sulfonyl)pyrrolidin-3-yl]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(2-aminoethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(1,3-dimethyl-1H-pyrazole-4-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 10 ~~N-(2-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy}ethyl)ethanesulfonamide;~~
- ~~5-{1-fluoro-7-[1-(furan-3-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{1-fluoro-3-hydroxy-7-[1-(3-methylbutane-1-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 15 ~~5-{1-fluoro-3-hydroxy-7-[1-(thiophene-3-sulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]naphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-{7-[1-(benzenesulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 20 ~~5-{7-[1-(cyclobutanesulfonyl)-2,5-dihydro-1H-pyrrol-3-yl]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~methyl (2S)-2-amino-4-[[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]oxy}butanoate;~~
- ~~5-{7-[(3,5-dimethyl-1H-pyrazol-4-yl)methoxy]-1-fluoro-3-hydroxynaphthalen-2-yl}-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 25 ~~5-[7-(3,5-dimethyl-1H-pyrazol-4-yl)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- ~~5-[7-(2-cyclohexylethoxy)-1-fluoro-3-hydroxynaphthalen-2-yl]-1 λ^6 ,2,5-thiadiazolidine-1,1,3-trione;~~
- 30 ~~2-[8-fluoro-6-hydroxy-7-(1,1,4-trioxo-1 λ^6 ,2,5-thiadiazolidin-2-yl)naphthalen-2-yl]-1H-imidazole-4-carbonitrile;~~
- ~~and a pharmaceutically acceptable salt, solvate, hydrate, tautomer, ester, N-oxide or stereoisomer thereof.~~

- ~~59. A pharmaceutically acceptable composition comprising a compound of any one of claims 1-58 and a pharmaceutically acceptable carrier.~~
- ~~60. The composition of claim 59, wherein the composition is formulated for oral administration.~~
- ~~61. Use of a compound of any one of claims 1-58 in combination with an additional therapeutic agent, in the manufacture of a medicament for treating cancer in a patient in need thereof.~~
- 5 ~~62. Use of a pharmaceutically acceptable composition of claim 61 or 62 in the manufacture of a medicament for treating cancer in a patient in need thereof.~~
- ~~63. The use of claim 61 or 62, wherein the additional therapeutic agent is an immunotherapeutic agent.~~
- 10 ~~64. The use of claim 63, wherein the immunotherapeutic agent is selected from the group consisting of an anti-PD-1 antibody, an anti-PD-L1 antibody and an anti-CTLA-4 antibody.~~
- ~~65. Use of a compound of any one of claims 1-58 in the manufacture of a medicament for treating cancer in a patient in need thereof.~~
- ~~66. Use of a pharmaceutically acceptable composition of claim 59 or 60 in the manufacture of a medicament for treating cancer in a patient in need thereof.~~
- 15 ~~67. Use of a compound of any one of claims 1-58 or the composition of claim 59 or 60 in the manufacture of a medicament for treating type 2 diabetes in a patient in need thereof.~~
- ~~68. Use of a compound of any one of claims 1-58 or the composition of claim 59 or 60 in the manufacture of a medicament for treating and/or controlling obesity in a patient in need thereof.~~
- 20 ~~69. Use of a compound of any one of claims 1-58 or the composition of claim 59 or 60 in the manufacture of a medicament for inhibiting further weight gain in an overweight or obese patient in need thereof.~~
- ~~70. Use of a compound of any one of claims 1-58 or the composition of claim 59 or 60 in the manufacture of a medicament for treating a metabolic disease in a patient in need thereof.~~
- 25 ~~71. A compound of any one of claims 1-58 or a pharmaceutically acceptable composition of claim 59 or 60, for use in treating cancer, treating type 2 diabetes, treating and/or controlling obesity, inhibiting further weight gain in an overweight or obese patient in need thereof, or treating a metabolic disease.~~