
CLAIMS

What is claimed is:

1. A compound represented by the following Formula (X):



(X)

where:

Y' is selected from: CH_2, C=O and C=S;

X' is N or C-$R^{4'}$;

wherein:

$R^{4'}$ is selected from: hydrogen, halogen, -C≡N, -NR^aR^b, straight or branched-(C_{1-6})-alkyl, -OR^c and -$S(O)_pR^d$,

wherein, when $R^{4'}$ is straight or branched -(C_{1-6})-alkyl or -OR^c, the alkyl chain, when present, is optionally substituted with one to six substituents independently selected from: halogen, -C≡N, oxo, -NR^aR^b, straight or branched-(C_{1-6})-alkyl, straight or branched-(C_{1-6})-haloalkyl and -OR^c;

$R^{1'}$, $R^{2'}$ and $R^{3'}$ are independently selected from: hydrogen, halogen, -C≡N, -NR^aR^b, straight or branched-(C_{1-6})-alkyl, carbocyclic, heterocyclic, bicycloalkyl, -OR^c and -$S(O)_pR^d$,

wherein, when any of $R^{1'}$, $R^{2'}$ and $R^{3'}$ is a straight or branched-(C_{1-6})-alkyl, or -OR^c, the alkyl chain, when present, is optionally substituted with one to six substituents independently selected from: halogen, -C≡N, -NR^aR^b, straight or branched-(C_{1-6})-alkyl, straight or branched-(C_{1-6})-haloalkyl, oxo and -OR^c;

$R^{5'}$ is selected from: carbocyclic, -CH_2-unsaturated carbocyclic, heterocyclic, or bicycloalkyl,

wherein, $R^{5'}$ is optionally substituted with from one to four substituents independently selected from: -C≡N, -NR^aR^b, halogen, oxo, -C(O)NHR^a, -C(O)NR^aR^b, straight or branched-(C_{1-6})-alkyl, -OR^c, and (C_{3-6})cycloalkyl,

wherein each of: straight or branched-(C_{1-6})-alkyl, the alkyl chain of -OR^c, when present, and (C_{3-6})-cycloalkyl is optionally substituted with one to six substituents independently selected from: halogen, oxo,

-OH, -NH_2, -NHC_{1-4}alkyl, -$N(C_{1-4}alkyl)_2$, -OC_{1-4}alkyl and -OC_{1-4}alkyl substituted with from 1 to 6 substituents independently selected from: fluoro, oxo, -OH, -NH_2, -NHC_{1-4}alkyl, -$N(C_{1-4}alkyl)_2$, -OC_{1-3}alkyl, and -OC_{1-3}alkyl substituted 1 to 6 times by fluoro;

$R^{6'}$ is hydrogen, oxo, straight or branched-(C_{1-6})-alkyl or straight or branched-(C_{1-6})-haloalkyl;

B' is selected from: aryl, heterocycloalkyl, and heteroaryl;

each $R^{7'}$ is independently selected from: halogen, oxo, -C≡N, -NR^aR^b, -OR^c, -$S(O)_pR^d$, straight or branched (C_{1-6}) alkyl, bicycloalkyl and (C_{3-6})-cycloalkyl,

wherein, when $R^{7'}$ is a straight or branched -(C_{1-6})-alkyl, or -OR^c, the alkyl chain, when present, is optionally substituted with one to three substituents independently selected from: halogen, -C≡N, -NR^aR^b, straight or branched-(C_{1-6})-alkyl, straight or branched-(C_{1-6})-haloalkyl, oxo and -OR^c;

R^d is hydrogen, -OH, -NR^aR^b, straight or branched-(C_{1-6})-alkyl, straight or branched-(C_{1-6})-haloalkyl or (C_{3-6})-cycloalkyl;

in each occurrence, R^a, R^b and R^c are independently selected from: hydrogen, straight or branched-(C_{1-6})-alkyl, and (C_{3-6})-cycloalkyl,

wherein each of: straight or branched-(C_{1-6})-alkyl, and (C_{3-6})-cycloalkyl is optionally substituted with one to six substituents independently selected from: halogen, oxo, -OH, -NH_2, -NHC_{1-4}alkyl, -$N(C_{1-4}alkyl)_2$, -OC_{1-4}alkyl and -OC_{1-4}alkyl substituted with from 1 to 6 substituents independently selected from: fluoro, oxo, -OH, -NH_2, -NHC_{1-4}alkyl, -$N(C_{1-4}alkyl)_2$, -OC_{1-3}alkyl, and -OC_{1-3}alkyl substituted 1 to 6 times by fluoro;

$z^{1'}$ is an integer from 0 to 5; and

p is 0, 1 or 2;

or a tautomer thereof,

or a pharmaceutically acceptable salt thereof.

2. The compound according to claim 1 wherein B' is selected from: pyridinyl, pyrimidinyl, phenyl, pyridazinyl, tetrahydrothiophenyl, pyrazolyl, piperidinyl, tetrahydrothiopyranyl, dihydropyrimidinyl, tetrahydropyridinyl, pyrazinyl, furanyl and hexahydropyrimidinyl.

3. The compound according to claim 1 or claim 2 wherein $R^{5'}$ is phenyl, where phenyl is

optionally substituted with from one to four substituents independently selected from: -C≡N, -NR^aR^b, halogen, oxo, -$C(O)NHR^a$, -$C(O)NR^aR^b$, straight or branched-(C_{1-6})-alkyl, -OR^c, and (C_{3-6})cycloalkyl,


wherein each of: straight or branched-(C_{1-6})-alkyl, the alkyl chain of -OR^c, when present, and (C_{3-6})-cycloalkyl is optionally substituted with one to six substituents independently selected from: halogen, oxo, -OH, $-NH_2$, $-NHC_{1-4}$alkyl, $-N(C_{1-4}alkyl)_2$, $-OC_{1-4}$alkyl and $-OC_{1-4}$alkyl substituted with from 1 to 6 substituents independently selected from: fluoro, oxo, -OH, $-NH_2$, $-NHC_{1-4}$alkyl, $-N(C_{1-4}alkyl)_2$, $-OC_{1-3}$alkyl, and $-OC_{1-3}$alkyl substituted 1 to 6 times by fluoro.

4. The compound according to any one of claims 1 to 3 wherein X' is N.

5. The compound according to any one of claims 1 to 3 wherein X' is C-H.

6. The compound according to any one of claims 1 to 5 wherein $R^{1'}$, $R^{2'}$ and $R^{3'}$ are independently selected from: hydrogen, fluoro, chloro, bromo, -C≡N, $-CH_3$, $-CF_3$, $-CHF_2$, $-OCH_3$, $-OCH_2CF_3$, $-OCHF_2$, $-OCF_3$, and $-CF_2CH_2OH$.

7. The compound according to claim 1 represented by the following Formula (XIV):



(XIV)

where:

$X^{4'}$ is N or C-$R^{44'}$;

wherein:

$R^{44'}$ is selected from: hydrogen, fluoro, chloro, bromo, and $-CH_3$;


$R^{41'}$, $R^{42'}$ and $R^{43'}$ are independently selected from: hydrogen, fluoro, chloro, bromo, $-CH_3$, $-CF_3$, $-CHF_2$, $-OCH_3$, $-OCH_2CF_3$, $-OCHF_2$, $-OCF_3$, $-CF_2CH_2OH$, $-N(CH_3)_2$, $-NHCH_3$,

-C≡N, -OH, -$S(O)_2CH_3$, cyclopropyl, and oxetanyl;

$R^{45'}$ is selected from: phenyl, cyclopentyl, cyclohexyl, , thiophenyl, thiazolyl, pyridyl, tetrahydropyranyl, and -CH_2-phenyl,

wherein, $R^{45'}$ is optionally substituted with from one to four substituents independently selected from: fluoro, chloro, bromo, -CH_3, -CH_2CH_3, -CH_2CF_3, -$CH(CH_3)_2$, -$C(CH_3)_3$, -CF_3, -CF_2CH_2OH, -$C(O)NH_2$, -OCH_3, -NH_2, -OCH_2CH_3, -$OCHF_2$, -OCF_3, -OCH_2CH_2OH, -$N(CH_3)_2$, -$NHCH_3$, -C≡N, -OH, and cyclopropyl; and

$R^{55'}$ is selected from:



or a corresponding tautomer form thereof,

wherein, $R^{48'}$, $R^{49'}$, $R^{50'}$, $R^{51'}$ and $R^{52'}$ are independently selected from: hydrogen, fluoro, chloro, bromo, -CH_3, -CH_2CH_3, -CH_2CF_3, -$CH(CH_3)_2$, -$C(CH_3)_3$, -CF_3, -CF_2CH_2OH, -$C(O)NH_2$, -OCH_3, -NH_2, -OCH_2CH_3, -$OCHF_2$, -OCF_3, -OCH_2CH_2OH, -$N(CH_3)_2$, -$NHCH_3$, -C≡N, -OH, -C(O)OH, -$C(O)CH_3$, -$OCH_2C(O)OH$, -$NC(O)CH_3$, -$NHCH_2CH_2OH$, -$S(O)_2CH_3$, -$S(O)_2NH_2$, and cyclopropyl;

or a tautomer thereof,

or a pharmaceutically acceptable salt thereof.

8. The compound according to claim 7 wherein $X^{4'}$ is N.

9. The compound according to claim 7 wherein $X^{4'}$ is C-H.

10. The compound according to claim 1 which is selected from:

1-(4-fluoro-2-methylphenyl)-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydro quinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(pyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methoxypyrimidin-5-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(1-methyl-1H-pyrazol-5-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

N-(3-(1-(4-fluoro-2-methylphenyl)-4-oxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)phenyl)acetamide;

N-(4-(1-(4-fluoro-2-methylphenyl)-4-oxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)phenyl)acetamide;

5-(6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)picolinamide;

4-(6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)picolinamide;

1-(2-bromo-4-fluorophenyl)-3-(6-methoxy-2-methylpyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-methoxypyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-7-fluoro-1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(3-methylpyridin-4-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-ethyl-4-fluorophenyl)-7-fluoro-3-(3-methylpyridin-4-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(4-(methylsulfonyl)phenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(3-(methylsulfonyl)phenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(1,1-dioxidotetrahydrothiophen-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(3-methylpyridin-4-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(1H-pyrazol-4-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-methoxy-2-methylpyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(4-methyl-6-oxo-1,6-dihydropyridazin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(3-methylpyridin-4-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(6-chloro-4-methylpyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-7-(difluoromethyl)-1-(4-fluoro-2-methylphenyl)-3-(3-methylpyridin-4-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(pyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(4-methylpyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(3-methylpyridazin-4-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-chloro-6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(6-methoxy-2-methylpyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(3-methyl-1H-pyrazol-4-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(1-acetylpiperidin-4-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(pyridazin-4-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(5-methylpyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methylpyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-((2R,3S)-2-methyl-6-oxopiperidin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)piperidine-2,6-dione;

1-(4-Fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-cyclohexyl-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2,6-dimethylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-2-methyl-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-chloro-4-fluorophenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-(2-hydroxyethoxy)phenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2,4-difluorophenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-ethyl-4-fluorophenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

8-chloro-1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-8-methyl-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(2-methylpyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(o-tolyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-6-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-methyl-2-oxo-1,2-dihydropyridin-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(5-methyl-2-oxo-1,2-dihydropyridin-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(3-methyl-2-oxo-1,2-dihydropyridin-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(3-methyl-5-oxo-4,5-dihydropyrazin-2-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-(1-(4-fluoro-2-methylphenyl)-4-oxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)pyrimidine-2,4(1H,3H)-dione;

1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(4-methyl-2-oxo-1,2-dihydropyrimidin-5-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2,4-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-3-(6-methoxy-2,4-dimethylpyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-(dimethylamino)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

7-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(methylamino)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-ethoxy-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethyl)-6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6,7-dichloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6-chloro-5-fluoro-1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-6-carbonitrile;

6-chloro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-3-hydroxy-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(methylsulfonyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-3-(2,4-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(5-oxo-4,5-dihydropyrazin-2-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-phenyl-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(o-tolyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

5-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-5-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-cyclopropyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methoxyphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-5-oxo-2,5-dihydro-1H-pyrazol-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-fluoro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(4,6-dimethyl-2-oxo-1,2-dihydropyrimidin-5-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-(tert-butyl)-4-fluorophenyl)-6-chloro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(3,4-difluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-isopropylphenyl)-5-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-7-fluoro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-7-methoxy-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-6-hydroxy-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-6-methoxy-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-7-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

6-chloro-3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

7-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-chloro-6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-6-(trifluoromethyl)-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-7-(trifluoromethoxy)-1,2,3,4-tetrahydroquinazoline-6-carbonitrile;

1-(4,5-difluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-(tert-butyl)-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-methyl-2-oxo-1,2-dihydropyrimidin-5-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-ethyl-4-fluorophenyl)-6-fluoro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

4-(6-chloro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-3,4-dihydroquinazolin-1(2H)-yl)-3-methylbenzonitrile;

1-(5-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(3-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2,4-difluoro-6-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethyl)-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

3-methyl-4-(3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-6-(trifluoromethoxy)-3,4-dihydroquinazolin-1(2H)-yl)benzonitrile;

8-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-8-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-methoxy-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-hydroxy-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(6-chloro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-3,4-dihydroquinazolin-1(2H)-yl)-2-methylbenzonitrile;

6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

5-(difluoromethyl)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(5-fluoro-2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6,7-difluoro-1-(4-fluoro-2-methoxyphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-hydroxy-4-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-methoxy-4-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-fluoro-6-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-oxo-1,2-dihydropyridin-4-yl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethyl)-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethyl)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-2-methyl-3-(3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-6-(trifluoromethyl)-3,4-dihydroquinazolin-1(2H)-yl)benzonitrile;

6-fluoro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(2-bromo-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluorophenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-oxo-1,2-dihydropyrimidin-5-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-bromo-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-methyl-4-(3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-7-(trifluoromethyl)-3,4-dihydroquinazolin-1(2H)-yl)benzonitrile;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-chloro-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-bromo-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

3-(1-(4-fluoro-2-methylphenyl)-4-oxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-6-oxo-1,6-dihydropyridine-2-carbonitrile;

1-(2,4-difluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-ethoxyphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-oxo-1,2-dihydropyridin-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6,7-difluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6,7-difluoro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((1S,2R)-2-methylcyclohexyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((1R,2S)-2-methylcyclohexyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

N-(3-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-6-oxo-1,6-dihydropyridin-2-yl)acetamide;

3-(2-bromo-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-7-methoxy-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-7-(trifluoromethyl)-1,2,3,4-tetrahydroquinazoline-6-carbonitrile;

6-chloro-7-(difluoromethoxy)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-7-(difluoromethyl)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(4-amino-2-oxo-1,2-dihydropyrimidin-5-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-7-carbonitrile;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-7-carbonitrile;

6-chloro-1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(6-methyl-2-oxo-1,2-dihydropyrimidin-5-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

1-(2-methyl-3-(trifluoromethyl)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(3-chloro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(3,4-difluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(4-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-cyclopropyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-cyclopropyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethoxy)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)quinazoline-2,4(1H,3H)-dione;

7-cyclopropyl-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-(difluoromethoxy)-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-ethyl-4-fluorophenyl)-7-fluoro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

6-chloro-5,7-difluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

1-(2-methyl-4-(trifluoromethyl)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-chloro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

7-(1,1-difluoro-2-hydroxyethyl)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-isopropyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-((2-hydroxyethyl)amino)-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-(dimethylamino)-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-(methylamino)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-(1,1-difluoro-2-hydroxyethyl)-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2,4-dimethylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-oxo-1,2-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-methyl-2-oxo-1,2-dihydropyrimidin-5-yl)-7-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6-chloro-1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-7-carbonitrile;

1-((1S,3S)-3-fluorocyclopentyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-((1R,3R)-3-fluorocyclopentyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(1,2-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-chloro-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-bromo-4-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6-chloro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

5-(1-(4-fluoro-2-methylphenyl)-4-thioxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-6-methylpyridin-2(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methoxyphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-5-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(5-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridazin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluorobenzyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(4-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-4-oxo-3-(6-oxo-1,6-dihydropyridin-3-yl)-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

1-(4-fluoro-2-methoxyphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-5-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-methylthiazol-5-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2,4-dimethoxyphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methoxyphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-chloro-6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(3-methylthiophen-2-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methoxyphenyl)-4-oxo-3-(6-oxo-1,6-dihydropyridin-3-yl)-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(2,2,2-trifluoroethoxy)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-3-(4-chloro-2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

7-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-6-carbonitrile;

6-chloro-1-(4-fluoro-2-methylphenyl)-5-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(3,5-difluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-5-methoxy-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(bicyclo[1.1.1]pentan-1-yl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(3-methyl-2-oxo-1,2-dihydropyridin-4-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

5-(1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-6-methylpyridin-2(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(2-(2,2,2-trifluoroethyl)phenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethoxy)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

6-chloro-1-(2-ethyl-4-fluorophenyl)-3-(3-methylpyridin-4-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

4-(6-Chloro-7-(difluoromethyl)-1-(4-fluoro-2-methylphenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)-3-methylpyridine 1-oxide;

4-(6-chloro-1-(2-ethyl-4-fluorophenyl)-7-fluoro-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)-3-methylpyridine 1-oxide;

4-(6-chloro-7-fluoro-1-(2-methyl-4-(trifluoromethoxy)phenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)-3-methylpyridine 1-oxide;

4-(6-chloro-7-cyano-1-(2-ethyl-4-fluorophenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)-3-methylpyridine 1-oxide;

2-carbamoyl-5-(6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)pyridine 1-oxide;

3-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)pyridine 1-oxide;

3-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-4-methylpyridine 1-oxide;

5-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)pyridazine 1-oxide;

4-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)pyridazine 1-oxide;

3-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-2-methylpyridine 1-oxide;

4-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-3-methylpyridine 1-oxide;

3-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-5-methylpyridine 1-oxide;

3-methyl-4-(1-(2-methyl-4-(trifluoromethoxy)phenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)pyridine 1-oxide;

3-(2-Amino-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(6-Amino-2-methylpyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

2-((5-(6-Chloro-1-(4-fluoro-2-methylphenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)-6-methylpyridin-2-yl)oxy)acetic acid;

1-(4-Fluoro-2-methylphenyl)-3-(2-methoxy-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(6-Aminopyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

4-(1-(4-Fluoro-2-methylphenyl)-4-oxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)benzoic acid;

3-(1-(4-fluoro-2-methylphenyl)-4-oxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)benzoic acid;

1-(4-Fluoro-2-methylphenyl)-3-(2-hydroxy-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(oxetan-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(4-hydroxy-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(4-hydroxy-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluorophenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,4,5,6-tetrahydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-oxohexahydropyrimidin-5-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-methyl-2-oxo-1,2,3,4-tetrahydropyrimidin-5-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(1-(4-Fluoro-2-methylphenyl)-4-oxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)benzamide;

3-(6-chloro-1-(4-fluoro-2-methylphenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)furan-2-carboxamide;

4-Methyl-3-(3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-6-(trifluoromethyl)-3,4-dihydroquinazolin-1(2H)-yl)benzamide;

4-(6-Chloro-1-(4-fluoro-2-methylphenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)furan-2-carboxamide;

3-(1-(4-Fluoro-2-methylphenyl)-4-oxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)benzenesulfonamide;

3-(6-Amino-4-methylpyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((1S,2S)-2-methylcyclohexyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((1R,2R)-2-methylcyclohexyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((3S,4S)-3-methyltetrahydro-2H-pyran-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((3R,4R)-3-methyltetrahydro-2H-pyran-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((3R,4S)-3-methyltetrahydro-2H-pyran-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((3S,4R)-3-methyltetrahydro-2H-pyran-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

rel-(R)-1-(4-fluoro-2-methylphenyl)-2-methyl-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

rel-(R)-1-(4-fluoro-2-methylphenyl)-2-methyl-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-((2S,3S)-2-methyl-6-oxopiperidin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-((2R,3R)-2-methyl-6-oxopiperidin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2,4-Dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2,4-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-Chloro-3-(2,4-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

6-Chloro-3-(2,4-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-(tert-Butyl)-4-fluorophenyl)-6-chloro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-(tert-Butyl)-4-fluorophenyl)-6-chloro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydro quinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydro quinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one; and

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

or a tautomer thereof,

or a pharmaceutically acceptable salt thereof.

11. The compound according to claim 1 which is selected from:

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-bromo-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;


1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one; and

3-methyl-4-(3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-7-(trifluoromethyl)-3,4-dihydroquinazolin-1(2H)-yl)benzonitrile;

or a tautomer thereof,

or a pharmaceutically acceptable salt thereof.

12. A compound which is:



or a tautomer thereof,

or a pharmaceutically acceptable salt thereof.

13. A pharmaceutical composition comprising:
    - a compound of Formula (X) or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof according to claim 1; and
    - one or more pharmaceutically acceptable excipient(s).

14. Use of:
    - a compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or
    - a pharmaceutical composition according to claims 13,

for the manufacture of a medicament for treating and reducing severity of pain and/or or associated disease(s).

15. Use of:
    - a compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or
    - a pharmaceutical composition according to claim 13,

for the manufacture of a medicament for inhibiting a Na_v 1. 8 voltage-gated sodium channel in a patient.

16. A compound or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof according to any one of claims 1 to 12; or a pharmaceutical composition according to claim 13, for use in therapy.

17. A compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or
a pharmaceutical composition according to claim 13,

for use in treating:

- pain-associated disease(s), such as pain caused by a variety of diseases;
- pain caused by trauma; or
- pain caused by iatrogenic, medical or dental procedures, respectively,

wherein:

each type pain defined above, is selected from:

- the chronic, acute or pre-operative associated pain is selected from:
  - neuropathic pain, chronic neuropathic pain, chronic osteoarthritis pain, dental pain or inflammatory pain; or
- the acute, chronic or post-operative associated pain is selected from:
  - bunionectomy pain, hernia repair pair, breast surgery pain or cosmetic surgical pain.

18. A compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or

- a pharmaceutical composition according to claim 13,

for use in treating neuropathic pain and/or disease(s),
respectively,
wherein:

the neuropathic pain and/or disease(s), respectively, is selected from:

peripheral neuropathic pain, central neuropathic pain, inherited erythromelalgia (IEM), small fiber neuralgia (SFN), paroxysmal extreme pain disorder (PEPD), painful diabetic neuropathy, chronic lower back pain, neuropathic back pain, sciatica, non-specific lower back pain, multiple sclerosis pain, HIV-related neuropathy, post-herpetic

neuralgia, trigeminal neuralgia, vulvodynia, pain resulting from physical trauma, post-limb amputation pain, neuroma pain, phantom limb pain, cancer, toxins or chronic inflammatory conditions.

19. A compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or
a pharmaceutical composition according to claim 13,
for use in inhibiting a Na_v 1. 8 voltage-gated sodium channel in a patient.

20. A compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or
a pharmaceutical composition according to claims 13,
for use in the manufacture of a medicament for treating and reducing severity of pain and/or or associated disease(s).

21. A compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or
a pharmaceutical composition according to claim 13,
for use in the manufacture of a medicament for inhibiting a Na_v 1. 8 voltage-gated sodium channel in a patient.