
CLAIMS





What is claimed is:

1. A compound of formula (I)



I ,

or a pharmaceutically acceptable salt thereof, wherein:

A is  ,  ,  , or  ;

L is -O-, a single bond, -O-C(R)$_2$-, -C(R)$_2$-, -C(R)$_2$-O-, or -N(R)-;

each R is independently H, halo, or C$_1$-C$_6$ alkyl;

X$_2$ is N or CR$_2$;X$_4$ is N or CR$_4$;

X$_5$ is N or CR$_5$;

X$_6$ is N or CR$_6$;

X$_7$ is N or CR$_7$;

Y$_1$ is N or CR$_{1a}$;

Y$_2$ is N, $^+$N-O$^-$, or CR$_{2a}$;


Y$_3$ is N or CR$_{3a}$;

R$_2$ is H, halo, C$_1$-C$_6$ alkyl, (C$_1$-C$_6$ alkylene)-NR$_8$R$_9$, C$_2$-C$_6$ alkenyl, C$_1$-C$_6$ alkoxy, (C$_1$-C$_6$ alkylene)-OH, C(O)OR$_8$, or CH(OH)(CH$_2$)$_m$(CHOH)$_n$(CH$_2$)$_p$H;

R$_4$, R$_5$, R$_6$, and R$_7$ are defined as follows:


(i) R$_4$, R$_5$, R$_6$, and R$_7$ are each independently H, halo, C$_1$-C$_6$ alkyl, C$_1$-C$_6$ haloalkyl, or C$_3$-C$_6$ cycloalkyl optionally substituted with one or more alkyl, halo, or OH;

(ii) R$_4$ and R$_7$ are each independently is H, halo, C$_1$-C$_6$ alkyl, C$_1$-C$_6$ haloalkyl, or C$_3$-C$_6$ cycloalkyl optionally substituted with one or more halo; and R$_5$ and R$_6$, together with the carbon atoms to which they are attached, form a ring of formula:



; or

(iii) $R_4$ and $R_7$ are each independently is H, halo, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ haloalkyl, $C_3$-$C_6$ cycloalkyl, or $C_3$-$C_6$ cycloalkyl substituted with one or more halo; and $R_5$ and $R_6$, together with the carbon atoms to which they are attached, form a ring of formula:



;

$R_8$ and $R_9$ are each independently H or $C_1$-$C_6$ alkyl;

each $R_{10}$ is independently H or halo;

$R_{1a}$ is H, halo, CN, $C_1$-$C_6$ alkyl, OH, $C(O)NR_{12}R_{13}$, $C_1$-$C_6$ alkoxy, $NR_{12}R_{13}$, $NR_8C(O)NR_8R_9$, ($C_1$-$C_6$ alkylene)-$C(O)NR_8R_9$, ($C_1$-$C_6$ alkylene)-OH, $C(O)OR_{12}$, $OR_{12}$, $CH(OH)(CH_2)_m(CHOH)_n(CH_2)_pH$, $N=S(=O)(CH_3)_2$, N=S(=O)R'R'', 5-10 membered heteroaryl, or 4-10 membered heterocyclyl, wherein the heterocyclyl or heteroaryl in said 5-10 membered heteroaryl or 4-10 membered heterocyclyl is optionally substutituted with 1-4 substituents selected from OH, halo, oxo, $C(O)NR_8R_9$, $NR_8R_9$, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ alkoxy, ($C_1$-$C_6$ alkylene)-OH, ($C_1$-$C_6$ alkylene)-O-($C_1C_6$ alkyl), and ($C_1$-$C_6$ alkylene)-$NR_8R_9$;

R' and R'', together with the S atom to which they are attached, form a 4-7 membered heterocyclyl;

$R_{11}$, $R_{2a}$, and $R_{3a}$ are each independently H, halo, CN, $C_1$-$C_6$ alkyl, $C(O)NR_8R_9$, or $C_1$-$C_6$ alkoxy;

$R_{12}$ and $R_{13}$ are each independently H, $C(O)(C_1$-$C_6$ alkyl), ($C_1$-$C_6$ alkylene)-$NR_8R_9$, $CH_2CH(OH)(CH_2)_m(CHOH)_n(CH_2)_pH$, $C_1$-$C_6$ alkyl optionally substituted with one or more OH, indanyl, ($C_1$-$C_6$ alkylene)-($C_3$-$C_6$ cycloalkyl), ($C_1$-$C_6$ alkylene)-phenyl, ($C_1$-$C_6$ alkylene)-(5 membered heterocyclyl), $C_4$-$C_7$ cycloalkyl, $C_6$-$C_{10}$ aryl, 5-6 membered heteroaryl, or 4-7 membered heterocyclyl, wherein the indanyl, ($C_1$-$C_6$ alkylene)-($C_3$-$C_6$ cycloalkyl), ($C_1$-$C_6$ alkylene)-phenyl, ($C_1$-$C_6$ alkylene)-(5 membered heterocyclyl), $C_4$-$C_7$ cycloalkyl, $C_6$-$C_{10}$ aryl, 5-6 membered heteroaryl, or 4-7 membered heterocyclyl is optionally substituted with 1-4 substituents selected from OH, oxo, $C_1$-$C_6$ alkyl, ($C_1$-$C_6$ alkylene)-OH, and $C_1$-$C_6$ alkoxy;

$Z_1$ is 3-10 membered cycloalkyl, 3-10 membered cycloalkenyl, phenyl, 4-10 membered heterocyclyl, or 5-6 membered heteroaryl, wherein said 3-10 membered cycloalkyl, 3-10 membered cycloalkenyl, phenyl, 4-10 membered heterocyclyl, or 5-6 membered heteroaryl may be unsubstituted or may be substituted with 1-4 substituents selected from halo, OH, $CD_3$, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ alkoxy, $C_1$-$C_6$ haloalkyl, $CH_2OH$, C(O)H, and $C_1$-$C_6$ haloalkoxy;

*m*, *n*, and *p* are each independently 0 or 1; and

*q* is 1, 2, or 3,




wherein when $X_2$ is N, then:

L is O, and $Z_1$ is phenyl, wherein said phenyl is substituted with 2-4 substituents selected from halo, OH, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ alkoxy, $C_1$-$C_6$ haloalkyl, and $C_1$-$C_6$ haloalkoxy; or

L is a single bond, and $Z_1$ is 4-10 membered heterocyclyl, wherein said 4-10 membered heterocyclyl is substituted with 2-4 substituents selected from halo, OH, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ alkoxy, $C_1$-$C_6$ haloalkyl, and $C_1$-$C_6$ haloalkoxy; and

wherein when $X_2$, $X_4$, $X_5$, $X_6$ and $X_7$ are each CH, L is a single bond, and $Z_1$ is phenyl, then said phenyl is substituted with 1-4 substituents selected from halo, OH, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ alkoxy, $C_1$-$C_6$ haloalkyl, and $C_1$-$C_6$ haloalkoxy.

2. The compound of claim 1, or a pharmaceutically acceptable salt thereof, wherein:

A is , , or ;

$R_{1a}$ is H, halo, CN, $C_1$-$C_6$ alkyl, OH, $C(O)NR_{12}R_{13}$, $C_1$-$C_6$ alkoxy, $NR_{12}R_{13}$, ($C_1$-$C_6$ alkylene)-$C(O)NR_8R_9$, ($C_1$-$C_6$ alkylene)-OH, $C(O)OR_{12}$, $CH(OH)(CH_2)_m(CHOH)_n(CH_2)_pH$, or $N=S(=O)(CH_3)_2$; and

$R_{12}$ and $R_{13}$ are each independently H, $C(O)(C_1$-$C_6$ alkyl), ($C_1$-$C_6$ alkylene)-$NR_8R_9$, $CH_2CH(OH)(CH_2)_m(CHOH)_n(CH_2)_pH$, $C_1$-$C_6$ alkyl optionally substituted with one or more OH.


3. The compound of claim 1 or 2, or a pharmaceutically acceptable salt thereof, wherein:

L is a single bond or $-C(R)_2-$;

$X_2$ is $CR_2$;

$Z_1$ is 4-10 membered cycloalkyl, 3-10 membered cycloalkenyl, phenyl, or 5-6 membered heteroaryl, wherein said 4-10 membered cycloalkyl, 3-10 membered cycloalkenyl, phenyl, or 5-6 membered heteroaryl may be unsubstituted or may be substituted with 1-4 substituents selected from halo, OH, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ alkoxy, $C_1$-$C_6$ haloalkyl, and $C_1$-$C_6$ haloalkoxy.

4. The compound of any one of claims 1-3, wherein the compound has formula (I-A-1)




**I-A-1**

,

or a pharmaceutically acceptable salt thereof.

5. The compound of any one of claims 1-3, wherein the compound has formula (I-A-2)



I-A-2 ,

or a pharmaceutically acceptable salt thereof, wherein:

each $R_{14}$ is selected from halo, OH, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ alkoxy, $C_1$-$C_6$ haloalkyl, and $C_1$-$C_6$ haloalkoxy;

optionally wherein each $R_{14}$ is halo or $C_1$-$C_6$ haloalkyl.

6. The compound of any one of claims 1 to 5, or a pharmaceutically acceptable salt thereof, wherein:

$Y_2$ is N; and/or

$R_4$, $R_5$, $R_6$, and $R_7$ are each independently H, halo, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ haloalkyl, or $C_3$-$C_6$ cycloalkyl optionally substituted with one or more alkyl, halo, or OH; and/or

$Y_1$ is $CR_{1a}$, optionally wherein $R_{1a}$ is $C(O)NR_{12}R_{13}$, and optionally wherein $R_{12}$ and $R_{13}$ are each H; and/or

$R_2$ is H; and/or

L is a single bond.

7. The compound of claim 1 or 2, or a pharmaceutically acceptable salt thereof, wherein:


L is a single bond;

$X_2$ is $CR_2$;

$R_{1a}$ is H, halo, CN, OH, $C(O)NR_{12}R_{13}$, $C_1$-$C_6$ alkoxy, $-NR_{12}R_{13}$, ($C_1$-$C_6$ alkylene)-$C(O)NR_8R_9$, ($C_1$-$C_6$ alkylene)-OH, $C(O)OR_{12}$, $CH(OH)(CH_2)_m(CHOH)_n(CH_2)_pH$, or $N=S(=O)(CH_3)_2$; and

$Z_1$ is 4-10 membered heterocyclyl, wherein said 4-10 membered heterocyclyl may be unsubstituted or may be substituted with 1-4 substituents selected from halo, OH, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ alkoxy, $C_1$-$C_6$ haloalkyl, and $C_1$-$C_6$ haloalkoxy.

8. The compound of claim 7, wherein the compound has formula (I-B-1)




I-B-1

,

or a pharmaceutically acceptable salt thereof.

9. The compound of claim 7, wherein the compound has formula (I-B-2)



I-B-2

,

or a pharmaceutically acceptable salt thereof, wherein:

each $R_{14}$ is selected from halo, OH, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ alkoxy, $C_1$-$C_6$ haloalkyl, and $C_1$-$C_6$ haloalkoxy,

optionally wherein each $R_{14}$ is halo.

10. The compound of any one of claims 7 to 9, or a pharmaceutically acceptable salt thereof, wherein:

$Y_2$ is N; and/or

$R_4$, $R_5$, $R_6$, and $R_7$ are each independently H, halo, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ haloalkyl, or $C_3$-$C_6$ cycloalkyl optionally substituted with one or more alkyl, halo, or OH; and/or

$Y_1$ is $CR_{1a}$, optionally wherein $R_{1a}$ is $C(O)NR_{12}R_{13}$, and optionally wherein $R_{12}$ and $R_{13}$ are each H; and/or


$R_2$ is $C_1$-$C_6$ alkoxy.

11. The compound of claim 1 or 2, or a pharmaceutically acceptable salt thereof, wherein:

L is O, -O-$C(R)_2$-, or -$C(R)_2$-O-;

$Z_1$ is phenyl, 4-10 membered heterocyclyl, or 5-6 membered heteroaryl, wherein said phenyl, 4-10 membered heterocyclyl, or 5-6 membered heteroaryl may be unsubstituted or may be substituted with 1-4 substituents selected from halo, OH, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ alkoxy, $C_1$-$C_6$ haloalkyl, $CH_2OH$, C(O)H, and $C_1$-$C_6$ haloalkoxy.


12. The compound of claim 11, wherein the compound has formula (I-C-1)



I-C-1 ,

or a pharmaceutically acceptable salt thereof.

13. The compound of claim 11, wherein the compound has formula (I-C-2)



I-C-2 ,

or a pharmaceutically acceptable salt thereof, wherein each $R_{14}$ is selected from halo, OH, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ alkoxy, $C_1$-$C_6$ haloalkyl, and $C_1$-$C_6$ haloalkoxy.

14. The compound of any one of claims 11 to 13, or a pharmaceutically acceptable salt thereof, wherein:

$Y_2$ is N; and/or

$R_4$, $R_5$, $R_6$, and $R_7$ are each independently H, halo, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ haloalkyl, or $C_3$-$C_6$ cycloalkyl optionally substituted with one or more alkyl, halo, or OH; and/or

$Y_1$ is $CR_{1a}$, optionally wherein $R_{1a}$ is $C(O)NR_{12}R_{13}$, and optionally wherein $R_{12}$ and $R_{13}$ are each H; and/or

$X_2$ is $CR_2$ and $R_2$ is H.

15. The compound of claim 1, or a pharmaceutically acceptable salt thereof, wherein:

L is –O- or a single bond;


$X_4$ is $CR_4$;

$X_6$ is $CR_6$;

$R_4$, $R_5$, $R_6$, and $R_7$ are each independently H, halo, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ haloalkyl, or $C_3$-$C_6$ cycloalkyl optionally substituted with one or more halo;

$Z_1$ is 3-10 membered cycloalkyl or phenyl wherein said 3-10 membered cycloalkyl or phenyl may be unsubstituted or may be substituted with 1-4 substituents selected from halo, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ alkoxy, and $C_1$-$C_6$ haloalkyl.

16. The compound of claim 15, or a pharmaceutically acceptable salt thereof, wherein:

A is ;

$X_2$ is $CR_2$;

$Y_1$ is $CR_{1a}$;

$Y_2$ is N or $CR_{2a}$;

$Y_3$ is $CR_{3a}$;

$R_{11}$, $R_{2a}$, and $R_{3a}$ are each H;

$R_{1a}$ is $C(O)NR_{12}R_{13}$, $NR_{12}R_{13}$, $NR_8C(O)NR_8R_9$, $OR_{12}$, N=S(=O)R'R'', 5-10 membered heteroaryl, or 4-10 membered heterocyclyl, wherein the heterocyclyl or heteroaryl in said 5-10 membered heteroaryl or 4-10 membered heterocyclyl is optionally substutituted with 1-4 substituents selected from OH, halo, oxo, $C(O)NR_8R_9$, $NR_8R_9$, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ alkoxy, ($C_1$-$C_6$ alkylene)-OH, ($C_1$-$C_6$ alkylene)-O-($C_1C_6$ alkyl), and ($C_1$-$C_6$ alkylene)-$NR_8R_9$;

R' and R'', together with the S atom to which they are attached, form a 4-7 membered heterocyclyl; and

$R_{12}$ and $R_{13}$ are each independently H, C(O)($C_1$-$C_6$ alkyl), ($C_1$-$C_6$ alkylene)-$NR_8R_9$, $CH_2CH(OH)(CH_2)_m(CHOH)_n(CH_2)_pH$, $C_1$-$C_6$ alkyl optionally substituted with one or more OH, indanyl, ($C_1$-$C_6$ alkylene)-($C_3$-$C_6$ cycloalkyl), ($C_1$-$C_6$ alkylene)-phenyl, ($C_1$-$C_6$ alkylene)-(5 membered heterocyclyl), $C_4$-$C_7$ cycloalkyl, $C_6$-$C_{10}$ aryl, 5-6 membered heteroaryl, or 4-7 membered heterocyclyl, wherein the indanyl, ($C_1$-$C_6$ alkylene)-($C_3$-$C_6$ cycloalkyl), ($C_1$-$C_6$ alkylene)-phenyl, ($C_1$-$C_6$ alkylene)-(5 membered heterocyclyl), $C_4$-$C_7$ cycloalkyl, $C_6$-$C_{10}$ aryl, 5-6 membered heteroaryl, or 4-7 membered heterocyclyl is optionally substituted with 1-4 substituents selected from OH, oxo, $C_1$-$C_6$ alkyl, ($C_1$-$C_6$ alkylene)-OH, and $C_1$-$C_6$ alkoxy.

17. The compound of claim 16, or a pharmaceutically acceptable salt thereof, wherein:

(i) $R_{1a}$ is $C(O)NR_{12}R_{13}$; and

$R_{12}$ and $R_{13}$ are each independently H, $C_1$-$C_6$ alkyl optionally substituted with one or more OH, ($C_1$-$C_6$ alkylene)-($C_3$-$C_6$ cycloalkyl), ($C_1$-$C_6$ alkylene)-phenyl, ($C_1$-$C_6$ alkylene)-(5 membered heterocyclyl), $C_4$-$C_7$ cycloalkyl, $C_6$-$C_{10}$ aryl, 5-6 membered heteroaryl, or 4-7 membered heterocyclyl, wherein the ($C_1$-$C_6$ alkylene)-($C_3$-$C_6$ cycloalkyl), ($C_1$-$C_6$ alkylene)-phenyl, ($C_1$-$C_6$ alkylene)-(5 membered heterocyclyl), $C_4$-$C_7$ cycloalkyl, $C_6$-$C_{10}$ aryl, 5-6 membered heteroaryl, or 4-7 membered heterocyclyl is

optionally substituted with 1-4 substituents selected from OH, oxo, $C_1$-$C_6$ alkyl, ($C_1$-$C_6$ alkylene)-OH, and $C_1$-$C_6$ alkoxy; or

(ii) $R_{1a}$ is 4-10 membered heterocyclyl, wherein the heterocyclyl in said 4-10 membered heterocyclyl is optionally substutituted with 1-4 substituents selected from OH, oxo, $C(O)NR_8R_9$, $NR_8R_9$, $C_1$-$C_6$ alkyl, and $C_1$-$C_6$ alkoxy; or

(iii) $R_{1a}$ is 5-10 membered heteroaryl, wherein the heteroaryl in said 5-10 membered heteroaryl is optionally substutituted with 1-4 substituents selected from halo, oxo, $C(O)NR_8R_9$, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ alkoxy, ($C_1$-$C_6$ alkylene)-OH, $C_1$-$C_6$ alkylene)-O-($C_1C_6$ alkyl), and ($C_1$-$C_6$ alkylene)-$NR_8R_9$; or

(iv) $R_{1a}$ is $NR_{12}R_{13}$;

$R_{12}$ is H; and

$R_{13}$ is ($C_1$-$C_6$ alkylene)-(5 membered heterocyclyl), $C_4$-$C_7$ cycloalkyl, $C_6$-$C_{10}$ aryl, 5-6 membered heteroaryl, or 4-7 membered heterocyclyl, wherein the ($C_1$-$C_6$ alkylene)-(5 membered heterocyclyl), $C_4$-$C_7$ cycloalkyl, $C_6$-$C_{10}$ aryl, 5-6 membered heteroaryl, or 4-7 membered heterocyclyl is optionally substituted with 1-4 substituents selected from OH, oxo, $C_1$-$C_6$ alkyl, and ($C_1$-$C_6$ alkylene)-OH; or

(v) $R_{1a}$ is $OR_{12}$; and

$R_{12}$ is $C_3$-$C_6$ cycloalkyl or 5-6 membered heterocyclyl wherein the $C_3$-$C_6$ cycloalkyl or 5-6 membered heterocyclyl is optionally substituted with 1-4 substituents of $C_1$-$C_6$ alkoxy; or

(vi) $R_{1a}$ is $NR_{12}R_{13}$; and



$R_{12}$ and $R_{13}$ are each independently H, $C(O)$($C_1$-$C_6$ alkyl), or ($C_1$-$C_6$ alkylene)-$NR_8R_9$; or

(vii) $R_{1a}$ is N=S(=O)R'R''; and

R' and R'', together with the S atom to which they are attached, form a 4-7 membered heterocyclyl.

18. The compound of claim 1, or a pharmaceutically acceptable salt thereof, wherein:

L is –O-;

A is  or ;

$X_2$ is $CR_2$;

$X_4$ is $CR_4$;

$X_5$ is $CR_5$;

$X_6$ is $CR_6$;

$Y_1$ is $CR_{1a}$;

$Y_3$ is $CR_{3a}$;

$R_2$ is H;

$R_4$, $R_5$, $R_6$, and $R_7$ are each independently H, halo, $C_1$-$C_6$ alkyl, or $C_1$-$C_6$ haloalkyl,;


$R_8$ and $R_9$ are each independently H or $C_1$-$C_6$ alkyl;

$R_{1a}$ is $C(O)NR_{12}R_{13}$ or $NR_8C(O)NR_8R_9$;

$R_{12}$ and $R_{13}$ are each H; and


$Z_1$ is phenyl wherein said phenyl may be unsubstituted or may be substituted with 1-4 substituents selected from halo or $C_1$-$C_6$ alkyl.

19. The compound of claim 18, or a pharmaceutically acceptable salt thereof, wherein:

A is ;


$R_{1a}$ is $NR_8C(O)NR_8R_9$.

20. The compound of claim 18, or a pharmaceutically acceptable salt thereof, wherein:

A is  ; and


$R_{1a}$ is $C(O)NR_{12}R_{13}$.

21. A compound of formula (II) or (III)



II or III ,

or a pharmaceutically acceptable salt thereof, wherein:

B is ;

$L_2$ is a single bond or $-CH_2-$;


$X_{12}$ is CH or N;

$R_{14}$ is H, halo, or $C_1$-$C_6$ alkoxy;

$R_{8a}$ and $R_{9a}$ are defined as follows:

(i) $R_{8a}$ and $R_{9a}$ are each independently H, halo, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ haloalkyl, or $C_3$-$C_6$ cycloalkyl optionally substituted with 1-4 substituents selected from $C_1$-$C_6$ alkyl, halo, and $C_1$-$C_6$ haloalkyl;

(ii) $R_{8a}$ and $R_{9a}$, together with the carbon atoms to which they are attached, form a ring of formula:



, wherein said ring is optionally substituted with 1-4 $C_1$-$C_6$ alkyl;

$R_{10a}$ is H, halo, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ haloalkyl, or $C_3$-$C_6$ cycloalkyl optionally substituted with 1-4 substituents selected from $C_1$-$C_6$ alkyl, halo, and $C_1$-$C_6$ haloalkyl;

$R_{11a}$ is H or $C_1$-$C_6$ alkyl;

$R_{15}$ is C(O)N$R_{16}R_{17}$ or 5 membered heteroaryl wherein the 5 membered heteroaryl is optionally substituted with 1-4 $C_1$-$C_6$ alkyl;

$R_{16}$ and $R_{17}$ are each independently H or $C_1$-$C_6$ alkyl;

$Z_2$ is $C_4$-$C_6$ cycloalkyl or phenyl, wherein said $C_4$-$C_6$ cycloalkyl or phenyl is optionally substituted with 1-4 substituents selected from halo and $C_1$-$C_6$ alkyl; and

$q_2$ is 1, 2, or 3.

22. The compound of formula (II) of claim 21, or a pharmaceutically acceptable salt thereof, wherein $R_{8a}$ and $R_{9a}$ are each independently H, halo, $C_1$-$C_6$ alkyl, $C_1$-$C_6$ haloalkyl, or $C_3$-$C_6$ cycloalkyl optionally substituted with 1-4 substituents selected from $C_1$-$C_6$ alkyl, halo, and $C_1$-$C_6$ haloalkyl;

optionally wherein:

$R_{8a}$ is H, halo, $C_1$-$C_6$ alkyl, or $C_1$-$C_6$ haloalkyl, optionally wherein $R_{8a}$ is H, Br, Cl, -$CF_3$, or methyl;

$R_{9a}$ is $C_1$-$C_6$ alkyl, $C_1$-$C_6$ haloalkyl, or $C_3$-$C_6$ cycloalkyl optionally substituted with 1-4 substituents selected from $C_1$-$C_6$ alkyl, halo, and $C_1$-$C_6$ haloalkyl, optionally wherein $R_{9a}$ is *t*-butyl, -$CH_2CF_3$, or $C_3$-$C_6$ cycloalkyl optionally substituted with 1-4 substituents selected from $C_1$-$C_6$ alkyl, halo, and $C_1$-$C_6$ haloalkyl;

$R_{15}$ is C(O)N$R_{16}R_{17}$; and

$R_{16}$ and $R_{17}$ are each H.

23. The compound of formula (II) of claim 21, or a pharmaceutically acceptable salt thereof, wherein:

$L_2$ is a single bond;

$R_{14}$ is H;

$R_{8a}$ and $R_{9a}$ are each independently $C_1$-$C_6$ alkyl;

$R_{15}$ is a 5 membered heteroaryl wherein the 5 membered heteroaryl is optionally substituted with 1-4 $C_1$-$C_6$ alkyl;

$Z_2$ is $C_4$-$C_6$ cycloalkyl wherein said $C_4$-$C_6$ cycloalkyl is optionally substituted with 1-4 halo substituents.

24. The compound of formula (III) of claim 21, or a pharmaceutically acceptable salt thereof, wherein:

$L_2$ is a single bond;

$R_{14}$ is H;

$R_{10a}$ is H;


$R_{11a}$ is $C_1$-$C_6$ alkyl;

$R_{15}$ is $C(O)NR_{16}R_{17}$;


$R_{16}$ and $R_{17}$ are each H; and

$Z_2$ is $C_4$-$C_6$ cycloalkyl wherein said $C_4$-$C_6$ cycloalkyl is optionally substituted with 1-4 halo substituents.


25. A compound selected from:




2-(2-cyclopropylphenyl)-1*H*-quinolin-4-one,




2-[2-(cyclopropylmethoxy)phenyl]-1*H*-quinolin-4-one,




2-(2-benzyloxyphenyl)-1*H*-quinolin-4-one,




2-[2-[(3-fluorophenyl)methoxy]phenyl]-1*H*-quinolin-4-one,




2-[2-benzyloxy-5-(trifluoromethyl)phenyl]-1*H*-quinolin-4-one,




2-[2-[(4-fluorophenyl)methoxy]phenyl]-1*H*-quinolin-4-one,




2-(2-benzyloxy-4-methyl-phenyl)-1*H*-quinolin-4-one,




2-(2-benzyloxy-4-methyl-phenyl)-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-1*H*-1,5-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-3-methyl-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-6-methyl-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-5-methyl-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-5-hydroxy-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-5-fluoro-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-6-fluoro-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-7-fluoro-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-8-fluoro-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-5-methoxy-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-6-methoxy-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-7-methoxy-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-6-fluoro-3-methyl-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-7-fluoro-3-methyl-1*H*-quinolin-4-one,




2-[2-(4-fluoro-2-methyl-phenoxy)-4,5-dimethyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4-fluoro-2-methyl-phenoxy)-5,6-dimethyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-8-methyl-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-quinazolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-1,5-naphthyridin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-1,8-naphthyridin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-1,6-naphthyridin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-6-oxido-1*H*-1,6-naphthyridin-6-ium-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-6-fluoro-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-8-fluoro-1*H*-quinolin-4-one,




ethyl 2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-4-oxo-1*H*-quinoline-3-carboxylate,




2-[4-(3,4-difluoro-2-methyl-phenoxy)-6-(trifluoromethyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-5-fluoro-3H-quinazolin-4-one,




2-[2-(4-fluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-chloro-2-(4-fluoro-2-methyl-phenoxy)-4-methyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4-fluoro-2-methoxy-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-6-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




ethyl 2-[2-(3,4-difluoro-2-methyl-phenoxy)-6-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,5-naphthyridine-3-carboxylate,




2-[5-(3,4-difluoro-2-methoxy-phenoxy)-2-(trifluoromethyl)-4-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-(3,4-difluoro-2-methyl-phenoxy)-3-methyl-2-(trifluoromethyl)-4-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-(4-fluoro-2-methyl-phenoxy)-3-methyl-2-(trifluoromethyl)-4-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-chloro-2-(3,4-difluoro-2-methyl-phenoxy)-6-(trifluoromethyl)-3-pyridyl]-8-fluoro-1*H*-quinolin-4-one,




2-[5-(3,4-difluoro-2-methoxy-phenoxy)-3-methyl-2-(trifluoromethyl)-4-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-chloro-2-(3,4-difluoro-2-methyl-phenoxy)-6-(trifluoromethyl)-3-pyridyl]-1*H*-quinolin-4-one,




2-[2-fluoro-6-(4-fluoro-2-methyl-phenoxy)-3-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-[2-methoxy-4-(trifluoromethoxy)phenoxy]-3-methyl-2-(trifluoromethyl)-4-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-6-methyl-1*H*-1,6-naphthyridine-4,5-dione,




2-[5-chloro-2-(4-fluoro-2-methyl-phenoxy)-4,6-dimethyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-1*H*-1,6-naphthyridin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




6-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-8-oxo-5H-1,5-naphthyridine-2-carbonitrile,




6-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-8-oxo-5H-1,5-naphthyridine-2-carboxamide,




ethyl 2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,5-naphthyridine-3-carboxylate,




ethyl 2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,5-naphthyridine-3-carboxylate,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-5,7-dimethoxy-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-8-fluoro-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-6-oxido-1*H*-1,6-naphthyridin-6-ium-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-5-methoxy-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-6-fluoro-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-7-fluoro-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-5-hydroxy-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-5-fluoro-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-7-fluoro-3-methyl-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-6-methyl-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-3-methyl-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-6-fluoro-3-methyl-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-6-methoxy-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-1*H*-1,5-naphthyridin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoro-1-piperidyl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-6-(trifluoromethyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[5-chloro-2-(4,4-difluoroazepan-1-yl)-6-(trifluoromethyl)-3-pyridyl]-1*H*-quinolin-4-one,




2-[5-chloro-2-(4,4-difluoroazepan-1-yl)-4,6-dimethyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[2-(4,4-difluoroazepan-1-yl)-5,6,7,8-tetrahydroquinolin-3-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[2-(4,4-difluoroazepan-1-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-3-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-7-fluoro-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(6-azaspiro[2.5]octan-6-yl)-4-methyl-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-5-chloro-2-(4,4-difluoroazepan-1-yl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-2-(4,4-difluoroazepan-1-yl)-5-methyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-5-(trifluoromethyl)-3-pyridyl]-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(6-azaspiro[2.5]octan-6-yl)-6-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-chloro-2-(4,4-difluoroazepan-1-yl)-6-(trifluoromethyl)-3-pyridyl]-8-fluoro-1*H*-quinolin-4-one,




2-[5-chloro-2-(4,4-difluoroazepan-1-yl)-4,6-dimethyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-5,6,7,8-tetrahydroquinolin-3-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-6-fluoro-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(6-azaspiro[2.5]octan-6-yl)-4-methyl-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[2-(4,4-difluoroazepan-1-yl)-6-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-chloro-2-(4,4-difluoroazepan-1-yl)-6-(trifluoromethyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




ethyl 2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-quinoline-3-carboxylate,




2-[6-(3,3-difluorocyclobutyl)-4-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-4-((1*r*,4*r*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-4-((1*s*,4*s*)-4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide (cis isomer),




2-[2-*tert*-butyl-4-(4,4-difluorocyclohexyl)pyrimidin-5-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-2-(4,4-difluorocyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,3-difluorocyclobutyl)-4-(4,4-difluorocyclohexyl)pyrimidin-5-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-*tert*-butyl-2-(4,4-difluorocyclohexen-1-yl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-*tert*-butyl-2-(cyclohexylmethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-(3,3-difluorocyclobutyl)-2-(4,4-difluorocyclohexyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluorocyclohexyl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-2-(4,4-difluorocyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-(cyclohexylmethyl)-6-(3,3-difluorocyclobutyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-2-(4,4-difluorocyclohexyl)-5-methyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-5-chloro-2-(4,4-difluorocyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluorocyclohexyl)-6-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-4-(4,4-difluorocyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[2-*tert*-butyl-4-(4-methoxycyclohexyl)pyrimidin-5-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-*tert*-butyl-4-((1*s*,4*s*)-4-methoxycyclohexyl)pyrimidin-5-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-*tert*-butyl-4-((1*r*,4*r*)-4-methoxycyclohexyl)pyrimidin-5-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




3-bromo-2-[5-chloro-2-(4,4-difluoroazepan-1-yl)-4,6-dimethyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,3-difluorocyclobutyl)-4-[4-(trifluoromethyl)cyclohexyl]pyrimidin-5-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,3-difluorocyclobutyl)-4-((1*s*,4*s*)-4-(trifluoromethyl)cyclohexyl]pyrimidin-5-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,3-difluorocyclobutyl)-4-((1*r*,4*r*)-4-(trifluoromethyl)cyclohexyl]pyrimidin-5-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-(3,3-difluorocyclobutyl)-2-[4-(trifluoromethyl)cyclohexyl]phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-(3,3-difluorocyclobutyl)-2-((1*r*,4*r*)-4-(trifluoromethyl)cyclohexyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-(3,3-difluorocyclobutyl)-2-((1*s*4*s*)-4-(trifluoromethyl)cyclohexyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-4-(4,4-difluorocyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-4-(4,4-difluorocyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-2-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-2-((1s,4s)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-2-((1r,4r)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-*tert*-butyl-2-(4,4-difluorocyclohexyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-4-(4-methoxycyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[6-*tert*-butyl-4-((1*s*,4*s*)-4-methoxycyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[6-*tert*-butyl-4-((1*r*,4*r*)-4-methoxycyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[6-(3,3-difluorocyclobutyl)-4-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[6-(3,3-difluorocyclobutyl)-4-((1*s*,4*s*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[6-(3,3-difluorocyclobutyl)-4-((1*r*,4*r*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[6-*tert*-butyl-4-(4-methoxycyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-4-((1*s*,4*s*)-4-methoxycyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-4-((1*r*,4*r*)-4-methoxycyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-4-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-5-hydroxy-1*H*-1,6-naphthyridin-4-one,




2-[6-(3,3-difluorocyclobutyl)-4-((1*s*,4*s*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-5-hydroxy-1*H*-1,6-naphthyridin-4-one,




2-[6-(3,3-difluorocyclobutyl)-4-((1*r*,4*r*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-5-hydroxy-1*H*-1,6-naphthyridin-4-one,




2-[4-*tert*-butyl-5-chloro-2-(4,4-difluorocyclohexyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(1-methylcyclopropyl)-4-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(1-methylcyclopropyl)-4-((1*s*,4*s*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(1-methylcyclopropyl)-4-((1*r*,4*r*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




methyl 2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxylate,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-fluoro-6-(4-fluoro-2-methoxy-phenoxy)-3-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-chloro-2-(4-fluoro-2-methyl-phenoxy)-4-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-3-methyl-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-3-methyl-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-6-methoxy-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-5-methyl-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-7-methyl-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-7-methyl-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-6-methoxy-4-oxo-1*H*-quinoline-5-carboxamide,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-6-methoxy-4-oxo-1*H*-1,7-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(methylamino)-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(dimethylamino)-1*H*-1,6-naphthyridin-4-one,




5-amino-2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-[(2-hydroxy-1,1-dimethyl-ethyl)amino]-1*H*-1,6-naphthyridin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-5-hydroxy-1*H*-1,6-naphthyridin-4-one,




5-chloro-2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-5-ethoxy-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-5-[2-(dimethylamino)ethylamino]-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-hydroxy-1*H*-1,6-naphthyridin-4-one,




2-[2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridin-5-yl]acetamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(methylamino)-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(dimethylamino)-1*H*-quinolin-4-one,




N-[2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridin-5-yl]acetamide,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-5-[[dimethyl(oxo)-λ6-sulfanylidene]amino]-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-6-methoxy-4-oxo-1*H*-quinoline-5-carbonitrile,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[1-(hydroxymethyl)-2-methyl-propyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[(1*R*)-1-(hydroxymethyl)-2-methyl-propyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[(1*S*)-1-(hydroxymethyl)-2-methyl-propyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-hydroxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4-fluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxylic acid,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxylic acid,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[2,3-dihydroxypropyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[(2*S*)-2,3-dihydroxypropyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[(2*R*)-2,3-dihydroxypropyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-(3-hydroxybutyl)-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




(*S*)-2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-(3-hydroxybutyl)-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




(*R*)-2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-(3-hydroxybutyl)-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[3,4-difluoro-2-(hydroxymethyl)phenoxy]-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-(2-hydroxy-1,1-dimethyl-ethyl)-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[1-(hydroxymethyl)-2,2-dimethyl-propyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




(*R*)-2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[1-(hydroxymethyl)-2,2-dimethyl-propyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




(*S*)-2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[1-(hydroxymethyl)-2,2-dimethyl-propyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(7,7-difluoro-3,3a,4,5,6,7a-hexahydro-1*H*-isoindol-2-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-((3a*R*,7a*S*)-7,7-difluoro-3,3a,4,5,6,7a-hexahydro-1*H*-isoindol-2-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-((3a*S*,7a*R*)-7,7-difluoro-3,3a,4,5,6,7a-hexahydro-1*H*-isoindol-2-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3a*R*,6a*S*)-5,5-difluoro-1,3,3a,4,6,6a-hexahydrocyclopenta[c]pyrrol-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3a*R*,6a*R*)-5,5-difluoro-1,3,3a,4,6,6a-hexahydrocyclopenta[c]pyrrol-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3a*S*,6a*S*)-5,5-difluoro-1,3,3a,4,6,6a-hexahydrocyclopenta[c]pyrrol-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[5,5-difluoro-1,3,3a,4,6,6a-hexahydrocyclopenta[c]pyrrol-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoro-1-piperidyl)-5-(trifluoromethyl)-3-pyridyl]-1*H*-quinolin-4-one,




2-[2-(3,3-difluoropyrrolidin-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,3-difluoropyrrolidin-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[2-(4,4-difluoro-1-piperidyl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,3-dimethylpyrrolidin-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(1,3,3a,4,5,6,7,7a-octahydroisoindol-2-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[3-methoxy-4-methyl-pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*S*,4*R*)-3-methoxy-4-methyl-pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*S*,4*S*)-3-methoxy-4-methyl-pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*R*,4*R*)-3-methoxy-4-methyl-pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*R*,4*S*)-3-methoxy-4-methyl-pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[3-methoxy-4-(trifluoromethyl)pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*S*,4*R*)-3-methoxy-4-(trifluoromethyl)pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*R*,4*S*)-3-methoxy-4-(trifluoromethyl)pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*S*,4*S*)-3-methoxy-4-(trifluoromethyl)pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*R*,4*R*)-3-methoxy-4-(trifluoromethyl)pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-dimethyl-1-piperidyl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4-methyl-1-piperidyl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(6-azaspiro[2.5]octan-6-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(azocan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




4-oxo-2-[2-[4-(trifluoromethyl)-1-piperidyl]-3-quinolyl]-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3a*R*,6a*S*)-3,3a,4,5,6,6a-hexahydro-1*H*-cyclopenta[c]pyrrol-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3a*R*,6a*R*)-3,3a,4,5,6,6a-hexahydro-1*H*-cyclopenta[c]pyrrol-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3a*S*,6a*S*)-3,3a,4,5,6,6a-hexahydro-1*H*-cyclopenta[c]pyrrol-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[cyclobutyl(ethyl)amino]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[3,3a,4,5,6,6a-hexahydro-1*H*-cyclopenta[c]pyrrol-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,3-difluoroazepan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*R*,4*S*)-3,4-dimethylpyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[3,4-dimethylpyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*R*,4*R*)-3,4-dimethylpyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*S*,4*S*)-3,4-dimethylpyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-5-methyl-1*H*-1,6-naphthyridin-4-one,




2-[2-(6-azaspiro[3.5]nonan-6-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(4a*S*,7a*R*)-6,6-difluoro-3,4,4a,5,7,7a-hexahydro-1*H*-cyclopenta[c]pyridin-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(4a*S*,7a*S*)-6,6-difluoro-3,4,4a,5,7,7a-hexahydro-1*H*-cyclopenta[c]pyridin-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(4a*R*,7a*R*)-6,6-difluoro-3,4,4a,5,7,7a-hexahydro-1*H*-cyclopenta[c]pyridin-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(4a*R*,7a*S*)-6,6-difluoro-3,4,4a,5,7,7a-hexahydro-1*H*-cyclopenta[c]pyridin-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[6,6-difluoro-3,4,4a,5,7,7a-hexahydro-1*H*-cyclopenta[c]pyridin-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(1,3,4,4a,5,6,7,7a-octahydrocyclopenta[c]pyridin-2-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-((4a*R*,7a*R*)-1,3,4,4a,5,6,7,7a-octahydrocyclopenta[c]pyridin-2-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-((4a*S*,7a*S*)-1,3,4,4a,5,6,7,7a-octahydrocyclopenta[c]pyridin-2-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[3-(4,4-difluoroazepan-1-yl)-6-(trifluoromethyl)-2-pyridyl]-3*H*-quinazolin-4-one,




2-[2-(azepan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,3a,4,5,6,7,8,8a-octahydro-1*H*-cyclohepta[c]pyrrol-2-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-1*H*-1,5-naphthyridin-4-one,




2-[2-(trifluoromethyl)-5-[4-(trifluoromethyl)cyclohexyl]-4-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[2-(trifluoromethyl)-5-((1*s*,4*s*)-4-(trifluoromethyl)cyclohexyl)-4-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[2-(trifluoromethyl)-5-((1*r*,4*r*)-4-(trifluoromethyl)cyclohexyl)-4-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[6-(trifluoromethyl)-4-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[6-(trifluoromethyl)-4-((1*s*,4*s*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[6-(trifluoromethyl)-4-((1*r*,4*r*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[6-*tert*-butyl-4-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-4-((1*S*,4*S*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-4-((1*R*,4*R*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-chloro-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-chloro-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-chloro-1*H*-quinolin-4-one,




2-[2-[4-fluoro-2-(hydroxymethyl)phenoxy]-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




3-bromo-2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




3-bromo-2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




3-bromo-2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-1*H*-1,6-naphthyridin-4-one,




3-bromo-2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




3-bromo-2-[2-(4,4-difluorocyclohexyl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




3-bromo-2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-quinolin-4-one,




3-bromo-2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-quinolin-4-one,




3-bromo-2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-quinolin-4-one,




methyl 5-carbamoyl-2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-3-carboxylate,




methyl 5-carbamoyl-2-[2-(3,4-difluoro-2-methyl-phenoxy)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-3-carboxylate,




methyl 5-carbamoyl-2-[2-(4,4-difluorocyclohexyl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-3-carboxylate,




2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-3-methoxy-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-6-methyl-5-(trifluoromethyl)-3-pyridyl]-3-methoxy-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-3-methoxy-1*H*-1,6-naphthyridin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-3-methoxy-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-3-methoxy-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-fluoro-2-(4-fluoro-2,3-dimethoxy-phenoxy)-4-(trifluoromethyl)phenyl]-3-methoxy-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-isopropenyl-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-isopropenyl-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-isopropenyl-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-methyl-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-methyl-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-methyl-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-ethyl-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-(1,2-dihydroxyethyl)-1*H*-quinolin-4-one,




(*R*)-2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-(1,2-dihydroxyethyl)-1*H*-quinolin-4-one,




(*S*)-2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-(1,2-dihydroxyethyl)-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-5-(1,2-dihydroxyethyl)-1*H*-1,6-naphthyridin-4-one,




(*R*)-2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-5-(1,2-dihydroxyethyl)-1*H*-1,6-naphthyridin-4-one,




(*S*)-2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-5-(1,2-dihydroxyethyl)-1*H*-1,6-naphthyridin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-(hydroxymethyl)-1*H*-quinolin-4-one,




3-(aminomethyl)-2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-quinolin-4-one,




methyl 2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxylate,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-5-(hydroxymethyl)-1*H*-1,6-naphthyridin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxylic acid,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-(hydroxymethyl)-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-formyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-(2-cyclopropylphenyl)-1*H*-quinolin-4-one,




2-[2-(cyclopropylmethoxy)phenyl]-1*H*-quinolin-4-one,




2-(2-benzyloxyphenyl)-1*H*-quinolin-4-one,




2-[2-[(3-fluorophenyl)methoxy]phenyl]-1*H*-quinolin-4-one,




2-[2-benzyloxy-5-(trifluoromethyl)phenyl]-1*H*-quinolin-4-one,




2-[2-[(4-fluorophenyl)methoxy]phenyl]-1*H*-quinolin-4-one,




2-(2-benzyloxy-4-methyl-phenyl)-1*H*-quinolin-4-one,




2-(2-benzyloxy-4-methyl-phenyl)-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-1*H*-1,5-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-3-methyl-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-6-methyl-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-5-methyl-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-5-hydroxy-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-5-fluoro-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-6-fluoro-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-7-fluoro-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-8-fluoro-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-5-methoxy-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-6-methoxy-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-7-methoxy-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-6-fluoro-3-methyl-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-7-fluoro-3-methyl-1*H*-quinolin-4-one,




2-[2-(4-fluoro-2-methyl-phenoxy)-4,5-dimethyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4-fluoro-2-methyl-phenoxy)-5,6-dimethyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-8-methyl-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-quinazolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-1,5-naphthyridin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-1,8-naphthyridin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-1,6-naphthyridin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-6-oxido-1*H*-1,6-naphthyridin-6-ium-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-6-fluoro-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-8-fluoro-1*H*-quinolin-4-one,




ethyl 2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-4-oxo-1*H*-quinoline-3-carboxylate,




2-[4-(3,4-difluoro-2-methyl-phenoxy)-6-(trifluoromethyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-5-fluoro-3H-quinazolin-4-one,




2-[2-(4-fluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-chloro-2-(4-fluoro-2-methyl-phenoxy)-4-methyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4-fluoro-2-methoxy-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-6-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




ethyl 2-[2-(3,4-difluoro-2-methyl-phenoxy)-6-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,5-naphthyridine-3-carboxylate,




2-[5-(3,4-difluoro-2-methoxy-phenoxy)-2-(trifluoromethyl)-4-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-(3,4-difluoro-2-methyl-phenoxy)-3-methyl-2-(trifluoromethyl)-4-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-(4-fluoro-2-methyl-phenoxy)-3-methyl-2-(trifluoromethyl)-4-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-chloro-2-(3,4-difluoro-2-methyl-phenoxy)-6-(trifluoromethyl)-3-pyridyl]-8-fluoro-1*H*-quinolin-4-one,




2-[5-(3,4-difluoro-2-methoxy-phenoxy)-3-methyl-2-(trifluoromethyl)-4-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-chloro-2-(3,4-difluoro-2-methyl-phenoxy)-6-(trifluoromethyl)-3-pyridyl]-1*H*-quinolin-4-one,




2-[2-fluoro-6-(4-fluoro-2-methyl-phenoxy)-3-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-[2-methoxy-4-(trifluoromethoxy)phenoxy]-3-methyl-2-(trifluoromethyl)-4-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-6-methyl-1*H*-1,6-naphthyridine-4,5-dione,




2-[5-chloro-2-(4-fluoro-2-methyl-phenoxy)-4,6-dimethyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-1*H*-1,6-naphthyridin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




6-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-8-oxo-5H-1,5-naphthyridine-2-carbonitrile,




6-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-8-oxo-5H-1,5-naphthyridine-2-carboxamide,




ethyl 2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,5-naphthyridine-3-carboxylate,




ethyl 2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,5-naphthyridine-3-carboxylate,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-5,7-dimethoxy-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-8-fluoro-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-6-oxido-1*H*-1,6-naphthyridin-6-ium-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-5-methoxy-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-6-fluoro-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-7-fluoro-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-5-hydroxy-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-5-fluoro-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-7-fluoro-3-methyl-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-6-methyl-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-3-methyl-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-6-fluoro-3-methyl-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-6-methoxy-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-1*H*-1,5-naphthyridin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoro-1-piperidyl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-6-(trifluoromethyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[5-chloro-2-(4,4-difluoroazepan-1-yl)-6-(trifluoromethyl)-3-pyridyl]-1*H*-quinolin-4-one,




2-[5-chloro-2-(4,4-difluoroazepan-1-yl)-4,6-dimethyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[2-(4,4-difluoroazepan-1-yl)-5,6,7,8-tetrahydroquinolin-3-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[2-(4,4-difluoroazepan-1-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-3-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-7-fluoro-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(6-azaspiro[2.5]octan-6-yl)-4-methyl-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-5-chloro-2-(4,4-difluoroazepan-1-yl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-2-(4,4-difluoroazepan-1-yl)-5-methyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-5-(trifluoromethyl)-3-pyridyl]-1*H*-quinolin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(6-azaspiro[2.5]octan-6-yl)-6-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-chloro-2-(4,4-difluoroazepan-1-yl)-6-(trifluoromethyl)-3-pyridyl]-8-fluoro-1*H*-quinolin-4-one,




2-[5-chloro-2-(4,4-difluoroazepan-1-yl)-4,6-dimethyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-5,6,7,8-tetrahydroquinolin-3-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-6-fluoro-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(6-azaspiro[2.5]octan-6-yl)-4-methyl-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[2-(4,4-difluoroazepan-1-yl)-6-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-chloro-2-(4,4-difluoroazepan-1-yl)-6-(trifluoromethyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




ethyl 2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-quinoline-3-carboxylate,




2-[6-(3,3-difluorocyclobutyl)-4-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-4-((1*r*,4*r*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-4-((1*s*,4*s*)-4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide (cis isomer),




2-[2-*tert*-butyl-4-(4,4-difluorocyclohexyl)pyrimidin-5-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-2-(4,4-difluorocyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,3-difluorocyclobutyl)-4-(4,4-difluorocyclohexyl)pyrimidin-5-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-*tert*-butyl-2-(4,4-difluorocyclohexen-1-yl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-*tert*-butyl-2-(cyclohexylmethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-(3,3-difluorocyclobutyl)-2-(4,4-difluorocyclohexyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluorocyclohexyl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-2-(4,4-difluorocyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-(cyclohexylmethyl)-6-(3,3-difluorocyclobutyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-2-(4,4-difluorocyclohexyl)-5-methyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-5-chloro-2-(4,4-difluorocyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluorocyclohexyl)-6-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-4-(4,4-difluorocyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[2-*tert*-butyl-4-(4-methoxycyclohexyl)pyrimidin-5-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-*tert*-butyl-4-((1*s*,4*s*)-4-methoxycyclohexyl)pyrimidin-5-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-*tert*-butyl-4-((1*r*,4*r*)-4-methoxycyclohexyl)pyrimidin-5-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




3-bromo-2-[5-chloro-2-(4,4-difluoroazepan-1-yl)-4,6-dimethyl-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,3-difluorocyclobutyl)-4-[4-(trifluoromethyl)cyclohexyl]pyrimidin-5-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,3-difluorocyclobutyl)-4-((1*s*,4*s*)-4-(trifluoromethyl)cyclohexyl]pyrimidin-5-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,3-difluorocyclobutyl)-4-((1*r*,4*r*)-4-(trifluoromethyl)cyclohexyl]pyrimidin-5-yl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-(3,3-difluorocyclobutyl)-2-[4-(trifluoromethyl)cyclohexyl]phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-(3,3-difluorocyclobutyl)-2-((1*r*,4*r*)-4-(trifluoromethyl)cyclohexyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-(3,3-difluorocyclobutyl)-2-((1*s*4*s*)-4-(trifluoromethyl)cyclohexyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-4-(4,4-difluorocyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-4-(4,4-difluorocyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-2-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-2-((1s,4s)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-2-((1r,4r)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-*tert*-butyl-2-(4,4-difluorocyclohexyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-4-(4-methoxycyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[6-*tert*-butyl-4-((1*s*,4*s*)-4-methoxycyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[6-*tert*-butyl-4-((1*r*,4*r*)-4-methoxycyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[6-(3,3-difluorocyclobutyl)-4-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[6-(3,3-difluorocyclobutyl)-4-((1*s*,4*s*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[6-(3,3-difluorocyclobutyl)-4-((1*r*,4*r*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[6-*tert*-butyl-4-(4-methoxycyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-4-((1*s*,4*s*)-4-methoxycyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-4-((1*r*,4*r*)-4-methoxycyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-4-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-5-hydroxy-1*H*-1,6-naphthyridin-4-one,




2-[6-(3,3-difluorocyclobutyl)-4-((1*s*,4*s*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-5-hydroxy-1*H*-1,6-naphthyridin-4-one,




2-[6-(3,3-difluorocyclobutyl)-4-((1*r*,4*r*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-5-hydroxy-1*H*-1,6-naphthyridin-4-one,




2-[4-*tert*-butyl-5-chloro-2-(4,4-difluorocyclohexyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(1-methylcyclopropyl)-4-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(1-methylcyclopropyl)-4-((1*s*,4*s*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-(1-methylcyclopropyl)-4-((1*r*,4*r*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-1*H*-quinolin-4-one




2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




methyl 2-[2-(3,4-difluoro-2-methyl-phenoxy)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxylate,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-fluoro-6-(4-fluoro-2-methoxy-phenoxy)-3-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-chloro-2-(4-fluoro-2-methyl-phenoxy)-4-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-3-methyl-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-3-methyl-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-6-methoxy-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-5-methyl-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-7-methyl-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-7-methyl-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-6-methoxy-4-oxo-1*H*-quinoline-5-carboxamide,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-6-methoxy-4-oxo-1*H*-1,7-naphthyridine-5-carboxamide,




2-[2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(methylamino)-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(dimethylamino)-1*H*-1,6-naphthyridin-4-one,




5-amino-2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-[(2-hydroxy-1,1-dimethyl-ethyl)amino]-1*H*-1,6-naphthyridin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-5-hydroxy-1*H*-1,6-naphthyridin-4-one,




5-chloro-2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-5-ethoxy-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-5-[2-(dimethylamino)ethylamino]-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-hydroxy-1*H*-1,6-naphthyridin-4-one,




2-[2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridin-5-yl]acetamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(methylamino)-1*H*-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(dimethylamino)-1*H*-quinolin-4-one,




N-[2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridin-5-yl]acetamide,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-5-[[dimethyl(oxo)-λ6-sulfanylidene]amino]-1*H*-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-6-methoxy-4-oxo-1*H*-quinoline-5-carbonitrile,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[1-(hydroxymethyl)-2-methyl-propyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[(1*R*)-1-(hydroxymethyl)-2-methyl-propyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[(1*S*)-1-(hydroxymethyl)-2-methyl-propyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-hydroxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4-fluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxylic acid,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxylic acid,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[2,3-dihydroxypropyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[(2*S*)-2,3-dihydroxypropyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[(2*R*)-2,3-dihydroxypropyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-(3-hydroxybutyl)-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




(*S*)-2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-(3-hydroxybutyl)-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




(*R*)-2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-(3-hydroxybutyl)-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[3,4-difluoro-2-(hydroxymethyl)phenoxy]-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-(2-hydroxy-1,1-dimethyl-ethyl)-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[1-(hydroxymethyl)-2,2-dimethyl-propyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




(*R*)-2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[1-(hydroxymethyl)-2,2-dimethyl-propyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




(*S*)-2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-*N*-[1-(hydroxymethyl)-2,2-dimethyl-propyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(7,7-difluoro-3,3a,4,5,6,7a-hexahydro-1*H*-isoindol-2-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-((3a*R*,7a*S*)-7,7-difluoro-3,3a,4,5,6,7a-hexahydro-1*H*-isoindol-2-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-((3a*S*,7a*R*)-7,7-difluoro-3,3a,4,5,6,7a-hexahydro-1*H*-isoindol-2-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3a*R*,6a*S*)-5,5-difluoro-1,3,3a,4,6,6a-hexahydrocyclopenta[c]pyrrol-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3a*R*,6a*R*)-5,5-difluoro-1,3,3a,4,6,6a-hexahydrocyclopenta[c]pyrrol-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3a*S*,6a*S*)-5,5-difluoro-1,3,3a,4,6,6a-hexahydrocyclopenta[c]pyrrol-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[5,5-difluoro-1,3,3a,4,6,6a-hexahydrocyclopenta[c]pyrrol-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoro-1-piperidyl)-5-(trifluoromethyl)-3-pyridyl]-1*H*-quinolin-4-one,




2-[2-(3,3-difluoropyrrolidin-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,3-difluoropyrrolidin-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




2-[2-(4,4-difluoro-1-piperidyl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,3-dimethylpyrrolidin-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(1,3,3a,4,5,6,7,7a-octahydroisoindol-2-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[3-methoxy-4-methyl-pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*S*,4*R*)-3-methoxy-4-methyl-pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*S*,4*S*)-3-methoxy-4-methyl-pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*R*,4*R*)-3-methoxy-4-methyl-pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*R*,4*S*)-3-methoxy-4-methyl-pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[3-methoxy-4-(trifluoromethyl)pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*S*,4*R*)-3-methoxy-4-(trifluoromethyl)pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*R*,4*S*)-3-methoxy-4-(trifluoromethyl)pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*S*,4*S*)-3-methoxy-4-(trifluoromethyl)pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*R*,4*R*)-3-methoxy-4-(trifluoromethyl)pyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-dimethyl-1-piperidyl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4-methyl-1-piperidyl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(6-azaspiro[2.5]octan-6-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(azocan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




4-oxo-2-[2-[4-(trifluoromethyl)-1-piperidyl]-3-quinolyl]-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3a*R*,6a*S*)-3,3a,4,5,6,6a-hexahydro-1*H*-cyclopenta[c]pyrrol-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3a*R*,6a*R*)-3,3a,4,5,6,6a-hexahydro-1*H*-cyclopenta[c]pyrrol-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3a*S*,6a*S*)-3,3a,4,5,6,6a-hexahydro-1*H*-cyclopenta[c]pyrrol-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[cyclobutyl(ethyl)amino]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[3,3a,4,5,6,6a-hexahydro-1*H*-cyclopenta[c]pyrrol-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,3-difluoroazepan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*R*,4*S*)-3,4-dimethylpyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[3,4-dimethylpyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*R*,4*R*)-3,4-dimethylpyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(3*S*,4*S*)-3,4-dimethylpyrrolidin-1-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-5-methyl-1*H*-1,6-naphthyridin-4-one,




2-[2-(6-azaspiro[3.5]nonan-6-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(4a*S*,7a*R*)-6,6-difluoro-3,4,4a,5,7,7a-hexahydro-1*H*-cyclopenta[c]pyridin-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(4a*S*,7a*S*)-6,6-difluoro-3,4,4a,5,7,7a-hexahydro-1*H*-cyclopenta[c]pyridin-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(4a*R*,7a*R*)-6,6-difluoro-3,4,4a,5,7,7a-hexahydro-1*H*-cyclopenta[c]pyridin-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[(4a*R*,7a*S*)-6,6-difluoro-3,4,4a,5,7,7a-hexahydro-1*H*-cyclopenta[c]pyridin-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-[6,6-difluoro-3,4,4a,5,7,7a-hexahydro-1*H*-cyclopenta[c]pyridin-2-yl]-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(1,3,4,4a,5,6,7,7a-octahydrocyclopenta[c]pyridin-2-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-((4a*R*,7a*R*)-1,3,4,4a,5,6,7,7a-octahydrocyclopenta[c]pyridin-2-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-((4a*S*,7a*S*)-1,3,4,4a,5,6,7,7a-octahydrocyclopenta[c]pyridin-2-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[3-(4,4-difluoroazepan-1-yl)-6-(trifluoromethyl)-2-pyridyl]-3*H*-quinazolin-4-one,




2-[2-(azepan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,3a,4,5,6,7,8,8a-octahydro-1*H*-cyclohepta[c]pyrrol-2-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-1*H*-1,5-naphthyridin-4-one,




2-[2-(trifluoromethyl)-5-[4-(trifluoromethyl)cyclohexyl]-4-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[2-(trifluoromethyl)-5-((1*s*,4*s*)-4-(trifluoromethyl)cyclohexyl)-4-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[2-(trifluoromethyl)-5-((1*r*,4*r*)-4-(trifluoromethyl)cyclohexyl)-4-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[6-(trifluoromethyl)-4-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[6-(trifluoromethyl)-4-((1*s*,4*s*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[6-(trifluoromethyl)-4-((1*r*,4*r*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-1*H*-1,6-naphthyridin-4-one,




2-[6-*tert*-butyl-4-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-4-((1*S*,4*S*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[6-*tert*-butyl-4-((1*R*,4*R*)-4-(trifluoromethyl)cyclohexyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-chloro-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-chloro-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-chloro-1*H*-quinolin-4-one,




2-[2-[4-fluoro-2-(hydroxymethyl)phenoxy]-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




3-bromo-2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




3-bromo-2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carbonitrile,




3-bromo-2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-1*H*-1,6-naphthyridin-4-one,




3-bromo-2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




3-bromo-2-[2-(4,4-difluorocyclohexyl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




3-bromo-2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-quinolin-4-one,




3-bromo-2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-quinolin-4-one,




3-bromo-2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-quinolin-4-one,




methyl 5-carbamoyl-2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-3-carboxylate,




methyl 5-carbamoyl-2-[2-(3,4-difluoro-2-methyl-phenoxy)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-3-carboxylate,




methyl 5-carbamoyl-2-[2-(4,4-difluorocyclohexyl)-3-quinolyl]-4-oxo-1*H*-1,6-naphthyridine-3-carboxylate,




2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-3-methoxy-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-6-methyl-5-(trifluoromethyl)-3-pyridyl]-3-methoxy-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluoroazepan-1-yl)-3-quinolyl]-3-methoxy-1*H*-1,6-naphthyridin-4-one,




2-[2-(4,4-difluoroazepan-1-yl)-5-methyl-6-(trifluoromethyl)-3-pyridyl]-3-methoxy-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-3-methoxy-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[5-fluoro-2-(4-fluoro-2,3-dimethoxy-phenoxy)-4-(trifluoromethyl)phenyl]-3-methoxy-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-isopropenyl-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-isopropenyl-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-isopropenyl-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-methyl-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-methyl-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-methyl-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-ethyl-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-(1,2-dihydroxyethyl)-1*H*-quinolin-4-one,




(*R*)-2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-(1,2-dihydroxyethyl)-1*H*-quinolin-4-one,




(*S*)-2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-(1,2-dihydroxyethyl)-1*H*-quinolin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-5-(1,2-dihydroxyethyl)-1*H*-1,6-naphthyridin-4-one,




(*R*)-2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-5-(1,2-dihydroxyethyl)-1*H*-1,6-naphthyridin-4-one,




(*S*)-2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-5-(1,2-dihydroxyethyl)-1*H*-1,6-naphthyridin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-3-(hydroxymethyl)-1*H*-quinolin-4-one,




3-(aminomethyl)-2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-1*H*-quinolin-4-one,




methyl 2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxylate,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-5-(hydroxymethyl)-1*H*-1,6-naphthyridin-4-one,




2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxylic acid,



2-[4-*tert*-butyl-2-(4-fluoro-2-methoxy-phenoxy)-6-methyl-phenyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-(hydroxymethyl)-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide, and




2-[2-(3,4-difluoro-2-formyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1*H*-1,6-naphthyridine-5-carboxamide,

or a pharmaceutically acceptable salt thereof.


26. A compound selected from:




2-[1-tert-butyl-3-(4,4-difluorocyclohexyl)pyrazol-4-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[6-(3,3-difluorocyclobutyl)-4-(3,4-difluoro-2-methyl-phenoxy)-3-pyridyl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1H-quinoline-5-carboxamide,




2-[2-tert-butyl-4-(4-fluoro-2-methyl-phenoxy)pyrimidin-5-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-[(2-methoxy-6-methyl-3-pyridyl)oxy]-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-[(2-methoxy-6-methyl-3-pyridyl)oxy]-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1H-1,6-naphthyridine-5-carbonitrile,




2-[2-[(2-methoxy-3-pyridyl)oxy]-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(3,3-difluorocyclobutyl)-4-(4-methylcyclohexyl)pyrimidin-5-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide (trans isomer),




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-4-oxo- 1H-1,7-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-5-(1H-tetrazol-5-yl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(tetrahydropyran-3-ylamino)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(1,4-oxazepan-4-yl)-1H-1,6-naphthyridin-4-one,




5-[(3aS,6aR)-1,3,3a,4,6,6a-hexahydrofuro[3,4-c]pyrrol-5-yl]-2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-[(3S)-3-methoxypyrrolidin-1-yl]-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(4,6-dihydro-1H-pyrrolo[3,4-c]pyrazol-5-yl)-1H-1,6-naphthyridin-4-one,




(3S)-1-[2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1H-1,6-naphthyridin-5-yl]pyrrolidine-3-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-[3-(dimethylamino)pyrrolidin-1-yl]-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-[(5-oxopyrrolidin-3-yl)methylamino]-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5- (3-hydroxyazetidin-1-yl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-[[(1S,2R)-2-hydroxycyclopentyl]amino]-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-[[(3S)-1-methylpyrrolidin-3-yl]amino]-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(4-isopropylpiperazin-1-yl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-[4-(1-ethylpropyl)piperazin-1-yl]-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-[(3R)-3-(dimethylamino)pyrrolidin-1-yl]-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-[(3-hydroxycyclobutyl)-methyl-amino]-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(4-methyl-1,4-diazepan-1-yl)-1H-1,6-naphthyridin-4- one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-[5-(hydroxymethyl)pyrazol-1-yl]-1H- 1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-5-[2-(dimethylamino)ethylamino]-1H-1,6-naphthyridin-4-one,




5-[5-(aminomethyl)pyrazol-1-yl]-2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(3-methoxycyclobutoxy)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(2-oxopyrrolidin-1-yl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-pyrazol-1-yl-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-tetrahydropyran-4-yloxy-1H-1,6-naphthyridin-4-one,




N-[2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-4-oxo-1H-1,6-naphthyridin-5-yl]acetamide,




1-[2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1H-1,6-naphthyridin-5-yl]-3-methyl-urea,




[2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1H- 1,6-naphthyridin-5-yl]urea,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-5-[(1-oxo-1,4-thiazinan-1-ylidene)amino]-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-5-[(4-methyl-1-oxo-1,4-thiazinan-1-ylidene)amino]-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(2-oxopyrrolidin-1-yl)-1H-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(methylamino)-1H-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(dimethylamino )-1H-quinolin-4-one,




N-[2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-4-oxo-1H-1,6-naphthyridin -5-yl]acetamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(2-pyridyl)-1H-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-imidazol-1-yl-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(1-methylpyrazol-4-yl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(6-oxo-1H-pyridin-3-yl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(1-methyl-2-oxo-3-pyridyl )-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(6-methoxy-2-pyridyl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methoxy-phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl]-5-(1-methylimidazol-2-yl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(1,4-dimethylimidazol -2-yl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(1,4-dimethylpyrazol-3-yl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(1,5-dimethyltriazol-4-yl)-1H-1,6-naphthyridin-4 – one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(1-methyltetrazol-5-yl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(2,5-dimethyl-1,2,4-triazol-3-yl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(2-methyl-1,2,4-triazol-3-yl)-1H -1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(3-methoxy-2-pyridyl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(3-methyl-2-pyridyl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(4-methyl-1,2,4-triazol-3-yl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-[1-(methoxymethyl)tetrazol-5-yl]-1H-1,6-naphthyridin-4- one,




2-[5-tert-butyl-2-(4,4-difluorocyclohexyl)-4-methyl-pyrazol-3-yl]-5-(1,4-dimethylimidazol-2-yl)-1H-1,6-naphthyridin-4-one,




2-[5-tert-butyl-2-(4,4-difluorocyclohexyl)-4-methyl-pyrazol-3-yl]-5-(1-methylimidazol-2-yl)-1H-1,6-naphthyridin-4-one,




2-[5-tert-butyl-2-(4,4-difluorocyclohexyl)-4-methyl-pyrazol-3-yl]-5-(2,5-dimethyl-1,2,4-triazol-3-yl)-1H-1,6-naphthyridin-4-one,




2-[5-tert-butyl-2-(4,4-difluorocyclohexyl)-4-methyl-pyrazol-3-yl]-5-(2-methyl-1,2,4-triazol-3-yl)-1H-1,6-naphthyridin-4-one,




2-[6-(3,3-difluorocyclobutyl)-4-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-5-(1,4-dimethylimidazol-2-yl)-1H-1,6-naphthyridin-4-one (cis isomer),




2-[6-(3,3-difluorocyclobutyl)-4-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-5-(1-methylimidazol-2-yl)-1H-1,6-naphthyridin-4-one (cis isomer),




2-[6-(3,3-difluorocyclobutyl)-4-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-5-(2,5-dimethyl-1,2,4-triazol-3-yl)-1H-1,6- naphthyridin-4-one (cis isomer),




2-[6-(3,3-difluorocyclobutyl)-4-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-5-(2-methyl-1,2,4-triazol-3-yl)-1H-1 ,6-naphthyridin-4-one (cis isomer),




2-[6-(3,3-difluorocyclobutyl)-4-[4-(trifluoromethyl)cyclohexyl]-3-pyridyl]-5-(4,5-dimethyl-1,2,4-triazol-3-yl)-1H-1,6-naphthyridin-4-one (cis isomer),




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-oxazol-2-yl-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(1-methylimidazol-2-yl)-1H-1,6-naphthyridin-4- one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl )-3-pyridyl]-5-(2-pyridyl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(2-methylpyrazol-3-yl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-pyrimidin-2-yl-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(2-methylpyrazol-3-yl)-1H-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-pyrimidin-2-yl-1H-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-tetrahydropyran-2-yl-1H-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-oxazol-2-yl-1H-quinolin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(2-methyltetrazol-5-yl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-[1-(methoxymethyl)imidazol-2-yl]-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(4-methylimidazol-1-yl)-1H-1,6-naphthyridin-4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-5-(1H-imidazol-2-yl)-1H-1,6-naphthyridin -4-one,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-N-methyl-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-N-(3-hydroxy-2-pyridyl)-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




N-[(1S)-1-benzyl-2-hydroxy-ethyl]-2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1H-1,6-naphthyridine -5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-N-[(1R)-1-(2-hydroxyphenyl)ethyl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-N-[(1S,2R)-2-hydroxyindan-1-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-N-[2-hydroxy-1-(3-methoxyphenyl)ethyl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-N-[(1S)-3-hydroxy-1-phenyl-propyl]-4-oxo-1H- 1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-N-[[(1S,2S)-2-hydroxycyclohexyl]methyl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-N-[(1R,2S)-2-hydroxycyclopentyl]-4-oxo-1H-1,6-naphthyridine -5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-N-[(1R,2S)-2-hydroxy-1-methyl-2-phenyl-ethyl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-N-[(1S,2R)-2-hydroxycyclohexyl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-N-[(1R,2R)-2-hydroxycyclopentyl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-N-(3-hydroxycyclobutyl)-4-oxo-1H-1,6-naphthyridine-5-carboxamide (trans isomer),




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-N-[(3R,4S)-4-hydroxytetrahydrofuran-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-N-[(3S,4R)-4-hydroxytetrahydrofuran-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-N-(2-methoxycyclohexyl)-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




N-(2-carbamoyl-4-pyridyl)-2-[2-(3,4-difluoro-2-methyl-phenoxy)-4-methyl-5-(trifluoromethyl)-3-pyridyl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[5-tert-butyl-2-(4,4-difluorocyclohexyl)-4-methyl-pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[5-tert-butyl-2-(4,4-difluorocyclohexyl)-4-(trifluoromethyl)pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[5-tert-butyl-2-[4-(trifluoromethyl)cyclohexyl]pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluorocyclohexyl)-5-[1-(trifluoromethyl)cyclopropyl]pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[5-tert-butyl-2-(4,4-difluorocyclohexyl)pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluorocyclohexyl)-5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[5-(3,3-difluorocyclobutyl)-2-(4,4-difluorocyclohexyl)-4-methyl-pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluorocyclohexyl)-5-[1-(trifluoromethyl)cyclobutyl]pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[5-tert-butyl-2-(4-fluoro-2-methyl-phenyl)-4-methyl-pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluorocyclohexyl)-5-(3,3-difluoro-1-methyl-cyclobutyl)pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluorocyclohexyl)-5-(1-methylcyclobutyl)pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluorocyclohexyl)-4-methyl-5-[1-(trifluoromethyl)cyclobutyl]pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[4-bromo-2-(4,4-difluorocyclohexyl)-5-[1-(trifluoromethyl)cyclobutyl]pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluorocyclohexyl)-5-(3,3-difluoro-1-methyl-cyclobutyl)-4-methyl-pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluorocyclohexyl)-4-methyl-5-(1-methylcyclobutyl)pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluorocyclohexyl)-7,7-dimethyl-5,6-dihydro-4H-indazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[5-tert-butyl-4-methyl-2-[4-(trifluoromethyl)cyclohexyl]pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[4-bromo-2-(4,4-difluorocyclohexyl)-5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[4-bromo-2-(4,4-difluorocyclohexyl)-5-(1-methylcyclobutyl)pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




3-bromo-2-[5-tert-butyl-4-chloro-2-(4,4-difluorocyclohexyl)pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluorocyclohexyl)-4-methyl-5-[1-(trifluoromethyl)cyclopentyl]pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluorocyclohexyl)-4-methyl-5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5 –carboxamide,




2-[4-bromo-2-(4,4-difluorocyclohexyl)-5-(3,3-difluoro-1-methyl-cyclobutyl)pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[5-tert-butyl-4-chloro-2-(4,4-difluorocyclohexyl)pyrazol-3-yl]-3-methoxy-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[5-tert-butyl-4-chloro-2-(4,4-difluorocyclohexyl)pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[4-bromo-5-tert-butyl-2-(4,4-difluorocyclohexyl)pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-[2-(4,4-difluorocyclohexyl)-4-methyl-5-[1-(trifluoromethyl)cyclopropyl]pyrazol-3-yl]-4-oxo- 1H-1,6-naphthyridine-5-carboxamide,




2-[5-tert-butyl-2-(4-fluoro-2-methyl-phenyl)pyrazol-3-yl]-4-oxo-1H-1,6-naphthyridine-5-carboxamide,




2-(3-(tert-butyl)-1-(4-fluorobenzyl)-1H-pyrazol-5-yl)-4-oxo-1,4-dihydro-1,6-naphthyridine -5-carboxamide,




2-(3-(tert-butyl)-1-(4-fluorobenzyl)-4-methyl-1H-pyrazol-5-yl)-4-oxo-1,4-dihydro-1,6-naphthyridine-5-carboxamide,




2-(3-(tert-butyl)-1-((4,4-difluorocyclohexyl)methyl)-4-methyl-1H-pyrazol-5-yl)-4-oxo-1,4-dihydro-1,6-naphthyridine-5-carboxamide,




2-(3-(tert-butyl)-1-((4,4-difluorocyclohexyl)methyl)-1H-pyrazol-5-yl)-4-oxo-1,4-dihydro-1,6-naphthyridine-5-carboxamide,




2-(3-(tert-butyl)-1-(4-fluoro-2-methylbenzyl)-4-methyl-1H-pyrazol-5-yl)-4-oxo-1,4-dihydro-1,6-naphthyridine-5-carboxamide,




2-(3-(tert-butyl)-1-(4-fluoro-2-methylbenzyl)-1H-pyrazol-5-yl)-4-oxo-1,4-dihydro-1,6-naphthyridine-5-carboxamide,




2-(3-(tert-butyl)-1-((3,3-difluorocyclobutyl)methyl)-1H-pyrazol-5-yl)-4-oxo-1,4-dihydro-1,6-naphthyridine-5-carboxamide,




2-(3-(tert-butyl)-1-((3,3-difluorocyclobutyl)methyl)-4-methyl-1H-pyrazol-5-yl)-4-oxo-1,4-dihydro-1,6-naphthyridine-5-carboxamide,




2-(2-(3,4-difluoro-2-methylphenoxy)-4-methyl-5-(trifluoromethyl)pyridin-3-yl)-4-oxo-4l5-1,6-naphthyridine 6-oxide,




2-(2-(3,4-difluoro-2-methylphenoxy)-4-methyl-5-(trifluoromethyl)pyridin-3-yl)-5-(4-methylpiperazin-1-yl)-1,6-naphthyridin-4(1H)-one,




2-(2-(3,4-difluoro-2-methylphenoxy)-4-methyl-5-(trifluoromethyl)pyridin-3-yl)-5-(1H-pyrazol-5-yl)-1,6-naphthyridin-4(1H)-one,




2-(2-(3,4-difluoro-2-methylphenoxy)-4-methyl-5-(trifluoromethyl)pyridin-3-yl)-5-(pyrazin-2-yl)-1,6-naphthyridin-4(1H)-one,




2-(2-(4-fluoro-2-methylphenoxy)-4-methyl-5-(trifluoromethyl)pyridin-3-yl)-4-oxo-1,4-dihydropyrido[2,3-d]pyridazine-5-carboxamide,




2-(2-(3,4-difluoro-2-methoxyphenoxy)-5-fluoro-4-(trifluoromethyl)phenyl)-4-oxo-1,4-dihydropyrido[2,3-d]pyridazine-5-carboxamide,




2-(2-(3,3-difluorocyclobutyl)-4-((1s,4s)-4-(trifluoromethyl)cyclohexyl)pyrimidin-5-yl)-4-oxo-1,4-dihydropyrido[2,3-d]pyridazine-5-carboxamide,




2-(3-(tert-butyl)-4-chloro-1-(4,4-difluorocyclohexyl)-1H-pyrazol-5-yl)-4-oxo-1,4-dihydropyrido[2,3-d]pyridazine-5-carboxamide,




2-(2-(4,4-difluoroazepan-1-yl)quinolin-3-yl)-4-oxo-1,4-dihydropyrido[2,3-d]pyridazine-5-carboxamide,




5-(1,3-dimethyl-1H-1,2,4-triazol-5-yl)-2-(3-(4-fluoro-2-methylphenoxy)-5-methyl-6-(trifluoromethyl)pyridazin-4-yl)-1,6-naphthyridin-4(1H)-one,




2-(3-(4-fluoro-2-methylphenoxy)-5-methyl-6-(trifluoromethyl)pyridazin-4-yl)-4-oxo-1,4-dihydro-1,6-naphthyridine-5-carboxamide,




2-(3-((2-methoxy-6-methylpyridin-3-yl)oxy)-5-methyl-6-(trifluoromethyl)pyridazin-4-yl)-4-oxo-1,4-dihydroquinoline-5-carboxamide,




2-(5-(3,4-difluoro-2-methoxyphenoxy)-3-methylpyridazin-4-yl)-4-oxo-1,4-dihydro-1,6-naphthyridine-5-carboxamide,




2-(4-methyl-2-((5-methylpyridazin-4-yl)oxy)-5-(trifluoromethyl)pyridin-3-yl)-4-oxo-1,4-dihydroquinoline-5-carboxamide,




2-(2-(3,3-difluorocyclobutyl)-4-((3-methoxypyridazin-4-yl)oxy)pyrimidin-5-yl)-4-oxo-1,4-dihydro-1,6-naphthyridine-5-carboxamide,




2-(4-methyl-2-((3-methylpyridazin-4-yl)oxy)-5-(trifluoromethyl)pyridin-3-yl)-4-oxo-1,4-dihydro-1,6-naphthyridine-5-carboxamide,




2-(2-((3-methylpyridazin-4-yl)oxy)quinolin-3-yl)-4-oxo-1,4-dihydro-1,6-naphthyridine-5-carboxamide,




5-(1-methyl-1H-imidazol-2-yl)-2-(3-methyl-5-((3-methylpyridazin-4-yl)oxy)-2-(trifluoromethyl)pyridin-4-yl)-1,6-naphthyridin-4(1H)-one,




2-(4-methyl-2-((4-methylpyridazin-3-yl)oxy)-5-(trifluoromethyl)pyridin-3-yl)-4-oxo-1,4-dihydroquinoline-5-carboxamide,




2-(2-(3,4-difluoro-2-(methyl-$d_3$)phenoxy)-4-methyl-5-(trifluoromethyl)pyridin-3-yl)-4-oxo-1,4-dihydro-1,6-naphthyridine-5-carboxamide,




2-(6-(3,3-difluorocyclobutyl-1-*d*)-2-(4,4-difluorocyclohexyl-1,2-$d_2$)pyridin-3-yl)-4-oxo-1,4-dihydro-1,6-naphthyridine-5-carboxamide,



2-(2-(3,4-difluoro-2-(methoxy-$d_3$)phenoxy)-5-fluoro-4-(trifluoromethyl)phenyl)-3-methoxy-4-oxo-1,4-dihydro-1,6-naphthyridine-5-carboxamide,






2-(5-(3,4-difluoro-2-(methyl-$d_3$)phenoxy)-3-methyl-2-(trifluoromethyl)pyridin-4-yl)-4-oxo-1,4-dihydro-1,6-naphthyridine-5-carboxamide, and















2-(2-(3,4-difluoro-2-(methyl-$d_3$)phenoxy-6-$d$)-4-methyl-5-(trifluoromethyl)pyridin-3-yl)-4-oxo-1,4-dihydro-1,6-naphthyridine-5-carboxamide,










or a pharmaceutically acceptable salt thereof.










27. A compound selected from









,

,

,








,

,

,


,

,

,

,

,

,

,

,

,


,

,

,

,

,

,

,

,

,












,

,

,

,

,

,

,

,

,


,

,

,

,

,

,

,


,

,

,

,

, and

,


or a pharmaceutically acceptable salt thereof.

28. A compound, wherein the compound is selected from


,

,

,

,

,

,

,

,

, and

,

or a pharmaceutically acceptable salt thereof.


29. A compound, wherein the compound is:



,

or a pharmaceutically acceptable salt thereof.


30. A compound, wherein the compound is:



,

or a pharmaceutically acceptable salt thereof.


31. A compound, wherein the compound is:



,

or a pharmaceutically acceptable salt thereof.


32. A compound, wherein the compound is:



,

or a pharmaceutically acceptable salt thereof.


33. A compound, wherein the compound is:





,

or a pharmaceutically acceptable salt thereof.













34. A compound selected from





















, 








, 


,



,

,

,

,

,

,

,

,

,

,

,

,



,

,

,

,

,

,

,

,

,



,

,

,

,

,

,

,

,

,



,

,

,

,

,

,

,




,


,












,


,



, and


.

35. A compound, wherein the compound is selected from



,

,

,

,

,

,

,

,

, and

.

36. A compound, wherein the compound is:





.

37. A compound, wherein the compound is:





.

38. A compound, wherein the compound is:





.

39. A compound, wherein the compound is:



.

40. A compound, wherein the compound is:



.

41. The compound of any one of claims 1 to 33 in non-salt form.

42. A pharmaceutical composition comprising the compound of any one of claims 1 to 33, or a pharmaceutically acceptable salt thereof, or the compound of any one of claims 34 to 41 and one or more pharmaceutically acceptable carriers or vehicles.

43. A method of inhibiting a voltage-gated sodium channel in a subject comprising administering to the subject the compound of any one of claims 1 to 33, or a pharmaceutically acceptable salt thereof, the compound of any one of claims 34 to 41, or the pharmaceutical composition of claim 42.

44. The method of claim 43, wherein the voltage-gated sodium channel is $Na_V1.8$.

45. A method of treating or lessening the severity in a subject of chronic pain, gut pain, neuropathic pain, musculoskeletal pain, acute pain, inflammatory pain, cancer pain, idiopathic pain, postsurgical pain, visceral pain, multiple sclerosis, Charcot-Marie-Tooth syndrome, incontinence, pathological cough, or cardiac arrhythmia comprising administering to the subject an effective amount of the compound of any one of claims 1 to 33, or a pharmaceutically acceptable salt thereof, the compound of any one of claims 34 to 41, or the pharmaceutical composition of claim 42.

46. The method of claim 45, wherein the method comprises treating or lessening the severity in the subject of:

(i) neuropathic pain, optionally wherein:

the neuropathic pain comprises post-herpetic neuralgia; or

the neuropathic pain comprises small-fiber neuropathy; or

the neuropathic pain comprises idiopathic small-fiber neuropathy; or

the neuropathic pain comprises diabetic neuropathy, optionally wherein the diabetic neuropathy comprises diabetic peripheral neuropathy; or

(ii) musculoskeletal pain, optionally wherein the musculoskeletal pain comprises osteoarthritis pain; or

(iii) acute pain, optionally wherein the acute pain comprises acute post-operative pain; or

(iv) postsurgical pain, optionally wherein:

the postsurgical pain comprises bunionectomy pain; or

the postsurgical pain comprises abdominoplasty pain; or

the postsurgical pain comprises herniorrhaphy pain; or

(v) visceral pain in the subject.

47. The method of any one of claims 43 to 46, wherein said subject is treated with one or more additional therapeutic agents administered concurrently with, prior to, or subsequent to treatment with the compound, pharmaceutically acceptable salt, or pharmaceutical composition.

48. Use of the compound of any one of claims 1 to 33, or a pharmaceutically acceptable salt thereof, the compound of any one of claims 34 to 41, or the pharmaceutical composition of claim 42, as a medicament.

49. Use of the compound of any one of claims 1 to 33, or a pharmaceutically acceptable salt thereof, the compound of any one of claims 34 to 41, or the pharmaceutical composition of claim 42, in the manufacture of a medicament for the treatment of pain.