
CLAIMS

What is claimed is:

1. A compound represented by the following Formula (X):



(X)

where:

Y' is selected from: CH_2, C=O and C=S;

X' is N or C-$R^{4'}$;

wherein:

$R^{4'}$ is selected from: hydrogen, halogen, -C≡N, -NR^aR^b, straight or branched-(C_{1-6})-alkyl, -OR^c and -$S(O)_pR^d$,

wherein, when $R^{4'}$ is straight or branched -(C_{1-6})-alkyl or -OR^c, the alkyl chain, when present, is optionally substituted with one to six substituents independently selected from: halogen, -C≡N, oxo, -NR^aR^b, straight or branched-(C_{1-6})-alkyl, straight or branched-(C_{1-6})-haloalkyl and -OR^c;

$R^{1'}$, $R^{2'}$ and $R^{3'}$ are independently selected from: hydrogen, halogen, -C≡N, -NR^aR^b, straight or branched-(C_{1-6})-alkyl, carbocyclic, heterocyclic, bicycloalkyl, -OR^c and -$S(O)_pR^d$,

wherein, when any of $R^{1'}$, $R^{2'}$ and $R^{3'}$ is a straight or branched-(C_{1-6})-alkyl, or -OR^c, the alkyl chain, when present, is optionally substituted with one to six substituents independently selected from: halogen, -C≡N, -NR^aR^b, straight or branched-(C_{1-6})-alkyl, straight or branched-(C_{1-6})-haloalkyl, oxo and -OR^c;

$R^{5'}$ is selected from: carbocyclic, -CH_2-unsaturated carbocyclic, heterocyclic, or bicycloalkyl,

wherein, $R^{5'}$ is optionally substituted with from one to four substituents independently selected from: -C≡N, -NR^aR^b, halogen, oxo, -C(O)NHR^a, -C(O)NR^aR^b, straight or branched-(C_{1-6})-alkyl, -OR^c, and (C_{3-6})cycloalkyl,

wherein each of: straight or branched-(C_{1-6})-alkyl, the alkyl chain of -OR^c, when present, and (C_{3-6})-cycloalkyl is optionally substituted with one to six substituents independently selected from: halogen, oxo,

-OH, -NH_2, -NHC_{1-4}alkyl, -$N(C_{1-4}alkyl)_2$, -OC_{1-4}alkyl and -OC_{1-4}alkyl substituted with from 1 to 6 substituents independently selected from: fluoro, oxo, -OH, -NH_2, -NHC_{1-4}alkyl, -$N(C_{1-4}alkyl)_2$, -OC_{1-3}alkyl, and -OC_{1-3}alkyl substituted 1 to 6 times by fluoro;

$R^{6'}$ is hydrogen, oxo, straight or branched-(C_{1-6})-alkyl or straight or branched-(C_{1-6})-haloalkyl;

B' is selected from: aryl, heterocycloalkyl, and heteroaryl;

each $R^{7'}$ is independently selected from: halogen, oxo, -C≡N, -NR^aR^b, -OR^c, -$S(O)_pR^d$, straight or branched (C_{1-6}) alkyl, bicycloalkyl and (C_{3-6})-cycloalkyl,

wherein, when $R^{7'}$ is a straight or branched -(C_{1-6})-alkyl, or -OR^c, the alkyl chain, when present, is optionally substituted with one to three substituents independently selected from: halogen, -C≡N, -NR^aR^b, straight or branched-(C_{1-6})-alkyl, straight or branched-(C_{1-6})-haloalkyl, oxo and -OR^c;

R^d is hydrogen, -OH, -NR^aR^b, straight or branched-(C_{1-6})-alkyl, straight or branched-(C_{1-6})-haloalkyl or (C_{3-6})-cycloalkyl;

in each occurrence, R^a, R^b and R^c are independently selected from: hydrogen, straight or branched-(C_{1-6})-alkyl, and (C_{3-6})-cycloalkyl,

wherein each of: straight or branched-(C_{1-6})-alkyl, and (C_{3-6})-cycloalkyl is optionally substituted with one to six substituents independently selected from: halogen, oxo, -OH, -NH_2, -NHC_{1-4}alkyl, -$N(C_{1-4}alkyl)_2$, -OC_{1-4}alkyl and -OC_{1-4}alkyl substituted with from 1 to 6 substituents independently selected from: fluoro, oxo, -OH, -NH_2, -NHC_{1-4}alkyl, -$N(C_{1-4}alkyl)_2$, -OC_{1-3}alkyl, and -OC_{1-3}alkyl substituted 1 to 6 times by fluoro;

$z^{1'}$ is an integer from 0 to 5; and

p is 0, 1 or 2;

or a tautomer thereof,

or a pharmaceutically acceptable salt thereof.

2. The compound according to claim 1 wherein B' is selected from: pyridinyl, pyrimidinyl, phenyl, pyridazinyl, tetrahydrothiophenyl, pyrazolyl, piperidinyl, tetrahydrothiopyranyl, dihydropyrimidinyl, tetrahydropyridinyl, pyrazinyl, furanyl and hexahydropyrimidinyl.

3. The compound according to claim 1 or claim 2 wherein $R^{5'}$ is phenyl, where phenyl is

optionally substituted with from one to four substituents independently selected from: -C≡N, -NR^aR^b, halogen, oxo, -$C(O)NHR^a$, -$C(O)NR^aR^b$, straight or branched-(C_{1-6})-alkyl, -OR^c, and (C_{3-6})cycloalkyl,

wherein each of: straight or branched-(C_{1-6})-alkyl, the alkyl chain of -OR^c, when present, and (C_{3-6})-cycloalkyl is optionally substituted with one to six substituents independently selected from: halogen, oxo, -OH, $-NH_2$, -NHC_{1-4}alkyl, -$N(C_{1-4}alkyl)_2$, -OC_{1-4}alkyl and -OC_{1-4}alkyl substituted with from 1 to 6 substituents independently selected from: fluoro, oxo, -OH, $-NH_2$, -NHC_{1-4}alkyl, -$N(C_{1-4}alkyl)_2$, -OC_{1-3}alkyl, and -OC_{1-3}alkyl substituted 1 to 6 times by fluoro.

4. The compound according to any one of claims 1 to 3 wherein X' is N.

5. The compound according to any one of claims 1 to 3 wherein X' is C-H.

6. The compound according to any one of claims 1 to 5 wherein $R^{1'}$, $R^{2'}$ and $R^{3'}$ are independently selected from: hydrogen, fluoro, chloro, bromo, -C≡N, $-CH_3$, $-CF_3$, $-CHF_2$, $-OCH_3$, $-OCH_2CF_3$, $-OCHF_2$, $-OCF_3$, and $-CF_2CH_2OH$.

~~7. The compound according to any one of claims 1 to 6 wherein:~~


~~Y' is O or S;~~

~~$R^{6'}$ is hydrogen; and~~

~~each $R^{7'}$ is independently selected from: fluoro, chloro, NR^aR^b, $-CH_3$, $-CH_2CH_3$, $-CH_2CF_3$, $-CH(CH_3)_2$, $-C(CH_3)_3$, $-CF_3$, $-CF_2CH_2OH$, $-C(O)NH_2$, $-OCH_3$, $-OCH_2CH_3$, $-OCHF_2$, $-OCF_3$, oxo, -C(O)OH, $-C(O)CH_3$, and $-OCH_2C(O)OH$, where R^a and R^b are independently selected from: hydrogen, straight or branched (C_{1-6})-alkyl, and (C_{3-6})-cycloalkyl,~~

~~wherein each of: straight or branched (C_{1-6})-alkyl, and (C_{3-6})-cycloalkyl is optionally substituted with one to six substituents independently selected from: halogen, oxo, -OH, $-NH_2$, $-NHC_{1-4}$alkyl, $-N(C_{1-4}alkyl)_2$, $-OC_{1-4}$alkyl and $-OC_{1-4}$alkyl substituted with from 1 to 6 substituents independently selected from: fluoro, oxo, -OH, $-NH_2$, $-NHC_{1-4}$alkyl, $-N(C_{1-4}alkyl)_2$, $-OC_{1-3}$alkyl, and $-OC_{1-3}$alkyl substituted 1 to 6 times by fluoro.~~

~~8.~~ 7. The compound according to claim 1 represented by the following Formula (XIV):



(XIV)

where:

$X^{4'}$ is N or C-$R^{44'}$;

wherein:


$R^{44'}$ is selected from: hydrogen, fluoro, chloro, bromo, and -CH_3;

$R^{41'}$, $R^{42'}$ and $R^{43'}$ are independently selected from: hydrogen, fluoro, chloro, bromo, -CH_3, -CF_3, -CHF_2, -OCH_3, -OCH_2CF_3, -$OCHF_2$, -OCF_3, -CF_2CH_2OH, -$N(CH_3)_2$, -$NHCH_3$, -C≡N, -OH, -$S(O)_2CH_3$, cyclopropyl, and oxetanyl;

$R^{45'}$ is selected from: phenyl, cyclopentyl, cyclohexyl, , thiophenyl, thiazolyl, pyridyl, tetrahydropyranyl, and -CH_2-phenyl,

wherein, $R^{45'}$ is optionally substituted with from one to four substituents independently selected from: fluoro, chloro, bromo, -CH_3, -CH_2CH_3, -CH_2CF_3, -$CH(CH_3)_2$, -$C(CH_3)_3$, -CF_3, -CF_2CH_2OH, -$C(O)NH_2$, -OCH_3, -NH_2, -OCH_2CH_3, -$OCHF_2$, -OCF_3, -OCH_2CH_2OH, -$N(CH_3)_2$, -$NHCH_3$, -C≡N, -OH, and cyclopropyl; and

$R^{55'}$ is selected from:



or a corresponding tautomer form thereof,

wherein, $R^{48'}$, $R^{49'}$, $R^{50'}$, $R^{51'}$ and $R^{52'}$ are independently selected from: hydrogen, fluoro, chloro, bromo, -CH_3, -CH_2CH_3, -CH_2CF_3, -$CH(CH_3)_2$, -$C(CH_3)_3$, -CF_3, -CF_2CH_2OH, -$C(O)NH_2$, -OCH_3, -NH_2, -OCH_2CH_3, -$OCHF_2$,

$-OCF_3$, $-OCH_2CH_2OH$, $-N(CH_3)_2$, $-NHCH_3$, -C≡N, -OH, -C(O)OH, $-C(O)CH_3$,

$-OCH_2C(O)OH$, $-NC(O)CH_3$, $-NHCH_2CH_2OH$, $-S(O)_2CH_3$, $-S(O)_2NH_2$,

and cyclopropyl;

or a tautomer thereof,

or a pharmaceutically acceptable salt thereof.

~~9.~~8. The compound according to claim ~~8~~ 7 wherein $X^{4'}$ is N.

~~10.~~9. The compound according to claim ~~8~~ 7 wherein $X^{4'}$ is C-H.

~~11.~~10. The compound according to claim 1 which is selected from:

1-(4-fluoro-2-methylphenyl)-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydro quinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(pyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methoxypyrimidin-5-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(1-methyl-1H-pyrazol-5-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

N-(3-(1-(4-fluoro-2-methylphenyl)-4-oxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)phenyl)acetamide;

N-(4-(1-(4-fluoro-2-methylphenyl)-4-oxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)phenyl)acetamide;

5-(6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)picolinamide;

4-(6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)picolinamide;

1-(2-bromo-4-fluorophenyl)-3-(6-methoxy-2-methylpyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-methoxypyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-7-fluoro-1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(3-methylpyridin-4-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-ethyl-4-fluorophenyl)-7-fluoro-3-(3-methylpyridin-4-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(4-(methylsulfonyl)phenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(3-(methylsulfonyl)phenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(1,1-dioxidotetrahydrothiophen-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(3-methylpyridin-4-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(1H-pyrazol-4-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-methoxy-2-methylpyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(4-methyl-6-oxo-1,6-dihydropyridazin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(3-methylpyridin-4-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(6-chloro-4-methylpyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-7-(difluoromethyl)-1-(4-fluoro-2-methylphenyl)-3-(3-methylpyridin-4-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(pyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(4-methylpyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(3-methylpyridazin-4-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-chloro-6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(6-methoxy-2-methylpyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(3-methyl-1H-pyrazol-4-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(1-acetylpiperidin-4-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(pyridazin-4-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(5-methylpyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methylpyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-((2R,3S)-2-methyl-6-oxopiperidin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)piperidine-2,6-dione;

1-(4-Fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-cyclohexyl-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2,6-dimethylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-2-methyl-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-chloro-4-fluorophenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-(2-hydroxyethoxy)phenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2,4-difluorophenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-ethyl-4-fluorophenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

8-chloro-1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-8-methyl-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(2-methylpyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(o-tolyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-6-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-methyl-2-oxo-1,2-dihydropyridin-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(5-methyl-2-oxo-1,2-dihydropyridin-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(3-methyl-2-oxo-1,2-dihydropyridin-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(3-methyl-5-oxo-4,5-dihydropyrazin-2-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-(1-(4-fluoro-2-methylphenyl)-4-oxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)pyrimidine-2,4(1H,3H)-dione;

1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(4-methyl-2-oxo-1,2-dihydropyrimidin-5-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2,4-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-3-(6-methoxy-2,4-dimethylpyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-(dimethylamino)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

7-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(methylamino)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-ethoxy-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethyl)-6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6,7-dichloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6-chloro-5-fluoro-1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-6-carbonitrile;

6-chloro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-3-hydroxy-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(methylsulfonyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-3-(2,4-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(5-oxo-4,5-dihydropyrazin-2-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-phenyl-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(o-tolyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

5-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-5-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-cyclopropyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methoxyphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-5-oxo-2,5-dihydro-1H-pyrazol-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-fluoro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(4,6-dimethyl-2-oxo-1,2-dihydropyrimidin-5-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-(tert-butyl)-4-fluorophenyl)-6-chloro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(3,4-difluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-isopropylphenyl)-5-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-7-fluoro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-7-methoxy-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-6-hydroxy-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-6-methoxy-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-7-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

6-chloro-3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

7-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-chloro-6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-6-(trifluoromethyl)-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-7-(trifluoromethoxy)-1,2,3,4-tetrahydroquinazoline-6-carbonitrile;

1-(4,5-difluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-(tert-butyl)-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-methyl-2-oxo-1,2-dihydropyrimidin-5-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-ethyl-4-fluorophenyl)-6-fluoro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

4-(6-chloro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-3,4-dihydroquinazolin-1(2H)-yl)-3-methylbenzonitrile;

1-(5-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(3-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2,4-difluoro-6-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethyl)-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

3-methyl-4-(3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-6-(trifluoromethoxy)-3,4-dihydroquinazolin-1(2H)-yl)benzonitrile;

8-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-8-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-methoxy-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-hydroxy-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(6-chloro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-3,4-dihydroquinazolin-1(2H)-yl)-2-methylbenzonitrile;

6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

5-(difluoromethyl)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(5-fluoro-2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6,7-difluoro-1-(4-fluoro-2-methoxyphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-hydroxy-4-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-methoxy-4-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-fluoro-6-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-oxo-1,2-dihydropyridin-4-yl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethyl)-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethyl)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-2-methyl-3-(3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-6-(trifluoromethyl)-3,4-dihydroquinazolin-1(2H)-yl)benzonitrile;

6-fluoro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(2-bromo-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluorophenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-oxo-1,2-dihydropyrimidin-5-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-bromo-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-methyl-4-(3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-7-(trifluoromethyl)-3,4-dihydroquinazolin-1(2H)-yl)benzonitrile;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-chloro-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-bromo-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

3-(1-(4-fluoro-2-methylphenyl)-4-oxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-6-oxo-1,6-dihydropyridine-2-carbonitrile;

1-(2,4-difluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-ethoxyphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-oxo-1,2-dihydropyridin-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6,7-difluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6,7-difluoro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((1S,2R)-2-methylcyclohexyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((1R,2S)-2-methylcyclohexyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

N-(3-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-6-oxo-1,6-dihydropyridin-2-yl)acetamide;

3-(2-bromo-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-7-methoxy-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-7-(trifluoromethyl)-1,2,3,4-tetrahydroquinazoline-6-carbonitrile;

6-chloro-7-(difluoromethoxy)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-7-(difluoromethyl)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(4-amino-2-oxo-1,2-dihydropyrimidin-5-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-7-carbonitrile;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-7-carbonitrile;

6-chloro-1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(6-methyl-2-oxo-1,2-dihydropyrimidin-5-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

1-(2-methyl-3-(trifluoromethyl)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(3-chloro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(3,4-difluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(4-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-cyclopropyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-cyclopropyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethoxy)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)quinazoline-2,4(1H,3H)-dione;

7-cyclopropyl-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-(difluoromethoxy)-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-ethyl-4-fluorophenyl)-7-fluoro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

6-chloro-5,7-difluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

1-(2-methyl-4-(trifluoromethyl)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-chloro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

7-(1,1-difluoro-2-hydroxyethyl)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-isopropyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-((2-hydroxyethyl)amino)-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-(dimethylamino)-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-(methylamino)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-(1,1-difluoro-2-hydroxyethyl)-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2,4-dimethylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-oxo-1,2-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-methyl-2-oxo-1,2-dihydropyrimidin-5-yl)-7-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6-chloro-1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-7-carbonitrile;

1-((1S,3S)-3-fluorocyclopentyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-((1R,3R)-3-fluorocyclopentyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(1,2-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-chloro-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-bromo-4-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6-chloro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

5-(1-(4-fluoro-2-methylphenyl)-4-thioxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-6-methylpyridin-2(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methoxyphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-5-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(5-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridazin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluorobenzyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(4-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-4-oxo-3-(6-oxo-1,6-dihydropyridin-3-yl)-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

1-(4-fluoro-2-methoxyphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-5-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-methylthiazol-5-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2,4-dimethoxyphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methoxyphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-chloro-6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(3-methylthiophen-2-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methoxyphenyl)-4-oxo-3-(6-oxo-1,6-dihydropyridin-3-yl)-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(2,2,2-trifluoroethoxy)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-3-(4-chloro-2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

7-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-6-carbonitrile;

6-chloro-1-(4-fluoro-2-methylphenyl)-5-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(3,5-difluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-5-methoxy-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(bicyclo[1.1.1]pentan-1-yl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(3-methyl-2-oxo-1,2-dihydropyridin-4-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

5-(1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-6-methylpyridin-2(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(2-(2,2,2-trifluoroethyl)phenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethoxy)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

6-chloro-1-(2-ethyl-4-fluorophenyl)-3-(3-methylpyridin-4-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

4-(6-Chloro-7-(difluoromethyl)-1-(4-fluoro-2-methylphenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)-3-methylpyridine 1-oxide;

4-(6-chloro-1-(2-ethyl-4-fluorophenyl)-7-fluoro-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)-3-methylpyridine 1-oxide;

4-(6-chloro-7-fluoro-1-(2-methyl-4-(trifluoromethoxy)phenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)-3-methylpyridine 1-oxide;

4-(6-chloro-7-cyano-1-(2-ethyl-4-fluorophenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)-3-methylpyridine 1-oxide;

2-carbamoyl-5-(6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)pyridine 1-oxide;

3-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)pyridine 1-oxide;

3-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-4-methylpyridine 1-oxide;

5-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)pyridazine 1-oxide;

4-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)pyridazine 1-oxide;

3-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-2-methylpyridine 1-oxide;

4-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-3-methylpyridine 1-oxide;

3-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-5-methylpyridine 1-oxide;

3-methyl-4-(1-(2-methyl-4-(trifluoromethoxy)phenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)pyridine 1-oxide;

3-(2-Amino-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(6-Amino-2-methylpyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

2-((5-(6-Chloro-1-(4-fluoro-2-methylphenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)-6-methylpyridin-2-yl)oxy)acetic acid;

1-(4-Fluoro-2-methylphenyl)-3-(2-methoxy-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(6-Aminopyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

4-(1-(4-Fluoro-2-methylphenyl)-4-oxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)benzoic acid;

3-(1-(4-fluoro-2-methylphenyl)-4-oxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)benzoic acid;

1-(4-Fluoro-2-methylphenyl)-3-(2-hydroxy-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(oxetan-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(4-hydroxy-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(4-hydroxy-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluorophenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,4,5,6-tetrahydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-oxohexahydropyrimidin-5-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-methyl-2-oxo-1,2,3,4-tetrahydropyrimidin-5-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(1-(4-Fluoro-2-methylphenyl)-4-oxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)benzamide;

3-(6-chloro-1-(4-fluoro-2-methylphenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)furan-2-carboxamide;

4-Methyl-3-(3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-6-(trifluoromethyl)-3,4-dihydroquinazolin-1(2H)-yl)benzamide;

4-(6-Chloro-1-(4-fluoro-2-methylphenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)furan-2-carboxamide;

3-(1-(4-Fluoro-2-methylphenyl)-4-oxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)benzenesulfonamide;

3-(6-Amino-4-methylpyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((1S,2S)-2-methylcyclohexyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((1R,2R)-2-methylcyclohexyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((3S,4S)-3-methyltetrahydro-2H-pyran-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((3R,4R)-3-methyltetrahydro-2H-pyran-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((3R,4S)-3-methyltetrahydro-2H-pyran-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((3S,4R)-3-methyltetrahydro-2H-pyran-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

rel-(R)-1-(4-fluoro-2-methylphenyl)-2-methyl-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

rel-(R)-1-(4-fluoro-2-methylphenyl)-2-methyl-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-((2S,3S)-2-methyl-6-oxopiperidin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-((2R,3R)-2-methyl-6-oxopiperidin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2,4-Dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2,4-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-Chloro-3-(2,4-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

6-Chloro-3-(2,4-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-(tert-Butyl)-4-fluorophenyl)-6-chloro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-(tert-Butyl)-4-fluorophenyl)-6-chloro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydro quinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydro quinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one; and

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

or a tautomer thereof,

or a pharmaceutically acceptable salt thereof.

~~12.~~11. The compound according to claim 1 which is selected from:

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-bromo-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;


1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one; and

3-methyl-4-(3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-7-(trifluoromethyl)-3,4-dihydroquinazolin-1(2H)-yl)benzonitrile;

or a tautomer thereof,

or a pharmaceutically acceptable salt thereof.

12. A compound which is:



or a tautomer thereof,

or a pharmaceutically acceptable salt thereof.

13. A pharmaceutical composition comprising:

- a compound of Formula (X) or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof according to claim 1; and

- one or more pharmaceutically acceptable excipient(s).

~~14. A method for treating:~~

- ~~pain-associated disease(s);~~
- ~~pain caused by trauma; or~~
- ~~pain caused by iatrogenic, medical or dental procedures,~~

~~comprising administering a therapeutically effective amount of:~~

- ~~a compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof; or~~
- ~~a pharmaceutical composition according to claims 13;~~
- ~~to a human in need thereof.~~

~~15. The method according to claim 14, wherein:~~

- ~~the pain-associated disease(s);~~
- ~~the pain caused by trauma; or~~
- ~~the pain caused by iatrogenic, medical or dental procedures, respectively,~~

~~is selected from:~~

- ~~chronic pain;~~
- ~~acute pain;~~
- ~~neuropathic pain;~~
- ~~inflammatory pain of varied physiologic origins;~~
- ~~nociceptive pain;~~
- ~~neurologic, neuropathy or neuronal injury associated or related pain disorders caused by diseases; neuralgias and associated acute or chronic pain;~~
- ~~post-herpetic neuralgia;~~
- ~~musculoskeletal pain; lower back and neck pain; sprains and strains;~~
- ~~myofascial pain; myositis or muscle inflammation;~~
- ~~repetitive motion pain;~~
- ~~complex regional pain syndrome;~~
- ~~chronic or acute arthritic pain;~~
- ~~sympathetically maintained pain;~~
- ~~cancer, toxins and chemotherapy related pain;~~
- ~~postsurgical pain syndromes and/or associated phantom limb pain;~~
- ~~post-operative medical or dental procedures or treaments pain; or~~

- pain associated with HIV, pain induced by HIV treatment.

16. The method according to claim 15, wherein:

- nociceptive pain is selected from post-surgical pain, cancer pain, back and craniofacial pain, osteoarthritis pain, dental pain or diabetic peripheral neuropathy;

- inflammatory pain is selected from pain associated with rheumatoid arthritis, osteoarthritis, rheumatoid spondylitis, gouty arthritis or juvenile arthritis;

- musculoskeletal pain selected from bone and joint pain, osteoarthritis; lower back and neck pain; pain resulting from physical trauma or amputation;

- neurologic or neuronal injury associated or related pain disorders caused by diseases selected from neuropathy, pain associated nerve injury, pain associated root avulsions, painful traumatic mononeuropathy, painful polyneuropathy, erythromelalgia, paroxysmal extreme pain disorder (PEPD), burning mouth syndrome; central pain syndromes caused by a lesion at a level of nervous system); traumatic nerve injury, nerve compression or entrapment, congenital insensitivity to pain (CIP), dysmenorrheal, primary erythromelalgia; HIV peripheral sensory neuropathy; pudendal neuralgia, spinal nerve injury, chronic inflammatory demyelinating polyneuropathy (CIDP), carpal tunnel syndrome or vasculitic neuropathy; or

- inflammatory pain of varied origins selected from:
osteoarthritis, rheumatoid arthritis, rheumatic disorder, teno-synovitis and gout, shoulder tendonitis or bursitis, gouty arthritis, and polymyalgia rheumatica, primary hyperalgesia, secondary hyperalgesia, primary allodynia, secondary allodynia, or other pain caused by central sensitization; complex regional pain syndrome, chronic arthritic pain and related neuralgias or acute pain.

17. The method according to claim 16, wherein:

- the pain-associated disease(s);
- the pain caused by trauma; or
- the pain caused by iatrogenic, medical or dental procedures, respectively,

~~is selected from:~~

- ~~chronic, acute or pre-operative associated pain; or~~
- ~~acute, chronic or post-operative associated pain.~~

~~18. The method according to claim 16, wherein:~~

- ~~the chronic, acute or pre-operative associated pain is selected from neuropathic pain or chronic neuropathic pain, chronic osteoarthritis pain, dental pain or inflammatory pain; or~~

- ~~the acute, chronic or post-operative associated pain is selected from bunionectomy pain, hernia repair pair, breast surgery pain or cosmetic surgical pain.~~

~~19. The method according to claim 18, wherein:~~

- ~~neuropathic pain or chronic neuropathic pain is selected from small fiber-mediated diabetic neuropathy, small fiber neuropathy, idiopathic small fiber neuropathy, painful diabetic neuropathy or polyneuropathy; or~~
- ~~inflammatory pain selected from osteoarthritis, chronic osteoarthritis knee pain or chronic inflammatory demyelinating polyneuropathy.~~

~~20. Use of:~~

- ~~a compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or~~
- ~~a pharmaceutical composition according to claim 13,~~

~~for treating:~~

- ~~pain-associated disease(s), such as pain caused by a variety of diseases;~~
- ~~pain caused by trauma; or~~
- ~~pain caused by iatrogenic, medical or dental procedures, respectively,~~

~~wherein:~~

~~each type pain defined above, is selected from:~~

- ~~the chronic, acute or pre-operative associated pain is selected from:~~
  - ~~neuropathic pain, chronic neuropathic pain, chronic osteoarthritis pain, dental pain or inflammatory pain; or~~

~~• the acute, chronic or post-operative associated pain is selected from:~~

~~• bunionectomy pain, hernia repair pair, breast surgery pain or cosmetic surgical pain.~~

~~21. Use of:~~

~~- a compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or~~

~~- a pharmaceutical composition according to claim 13,~~

~~for treating neuropathic pain and/or disease(s), respectively,~~

~~wherein:~~

~~the neuropathic pain and/or disease(s), respectively, is selected from:~~

~~peripheral neuropathic pain, central neuropathic pain, inherited erythromelalgia (IEM), small fiber neuralgia (SFN), paroxysmal extreme pain disorder (PEPD), painful diabetic neuropathy, chronic lower back pain, neuropathic back pain, sciatica, non-specific lower back pain, multiple sclerosis pain, HIV-related neuropathy, post-herpetic neuralgia, trigeminal neuralgia, vulvodynia, pain resulting from physical trauma, post-limb amputation pain, neuroma pain, phantom limb pain, cancer, toxins or chronic inflammatory conditions.~~

~~22. Use of:~~

~~- a compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or~~

~~- a pharmaceutical composition according to claim 13,~~

~~for inhibiting a Na_v 1. 8 voltage-gated sodium channel in a patient.~~

~~23.~~14. Use of:

- a compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or
- a pharmaceutical composition according to claims 13,

for the manufacture of a medicament for treating and reducing severity of pain and/or or associated disease(s).

~~24.~~15. Use of:

- a compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or
- a pharmaceutical composition according to claim 13,

for the manufacture of a medicament for inhibiting a Na_v 1. 8 voltage-gated sodium channel in a patient.

~~25.~~16. A compound or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof according to any one of claims 1 to 12; or a pharmaceutical composition according to claim 13, for use in therapy.

~~26.~~17. A compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or
a pharmaceutical composition according to claim 13,

for use in treating:

- pain-associated disease(s), such as pain caused by a variety of diseases;
- pain caused by trauma; or
- pain caused by iatrogenic, medical or dental procedures, respectively,

wherein:

each type pain defined above, is selected from:

- the chronic, acute or pre-operative associated pain is selected from:
  - neuropathic pain, chronic neuropathic pain, chronic osteoarthritis pain, dental pain or inflammatory pain; or
- the acute, chronic or post-operative associated pain is selected from:
  - bunionectomy pain, hernia repair pair, breast surgery pain or cosmetic surgical pain.

~~27.~~18. A compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or

- a pharmaceutical composition according to claim 13,

for use in treating neuropathic pain and/or disease(s),
respectively,
wherein:

the neuropathic pain and/or disease(s), respectively, is selected from:

peripheral neuropathic pain, central neuropathic pain, inherited erythromelalgia (IEM), small fiber neuralgia (SFN), paroxysmal extreme pain disorder (PEPD), painful diabetic neuropathy, chronic lower back pain, neuropathic back pain, sciatica, non-specific lower back pain, multiple sclerosis pain, HIV-related neuropathy, post-herpetic neuralgia, trigeminal neuralgia, vulvodynia, pain resulting from physical trauma, post-limb amputation pain, neuroma pain, phantom limb pain, cancer, toxins or chronic inflammatory conditions.

~~28.~~19. A compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or
a pharmaceutical composition according to claim 13,
for use in inhibiting a Na_v 1. 8 voltage-gated sodium channel in a patient.

~~29.~~20. A compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or
a pharmaceutical composition according to claims 13,
for use in the manufacture of a medicament for treating and reducing severity of pain and/or or associated disease(s).

~~30.~~21. A compound according to any one of claims 1 to 12 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or
a pharmaceutical composition according to claim 13,
for use in the manufacture of a medicament for inhibiting a Na_v 1. 8 voltage-gated sodium channel in a patient.