SEQUENCE TABLE:

SEQ ID NO: 1 Flag-CERT-SA coding region ~~(2373 bp fragment generated using primers CMV sense (SEQ ID NO: 2) and Terminator anti-sense (SEQ ID NO: 3)~~

SEQ ID NO: 2 Primer CMV sense

SEQ ID NO: 3 Primer Terminator anti-sense

SEQ ID NO: 4 Primer CERT-for

SEQ ID NO: 5 Primer CERT-rev

SEQ ID NO: 6 660 bp PCR product obtained with primers CERT-for (SEQ ID NO: 4) and CERT-rev (SEQ ID NO: 5)

REFERENCE LIST:

Fallaux,F.J., Bout,A., van,d.V., I, van den Wollenberg,D.J., Hehir,K.M., Keegan,J., Auger,C., Cramer,S.J., van,O.H., van der Eb,A.J., Valerio,D., and Hoeben,R.C. (1998). New helper cells and matched early region 1-deleted adenovirus vectors prevent generation of replication-competent adenoviruses. Hum. Gene Ther. *9*, 1909-1917.

Florin,L., Pegel,A., Becker,E., Hausser,A., Olayioye,M.A., and Kaufmann,H. Heterologous expression of the lipid transfer protein CERT increases therapeutic protein productivity of mammalian cells. Journal of Biotechnology *In Press, Corrected Proof.*

Hanada,K., Kumagai,K., Yasuda,S., Miura,Y., Kawano,M., Fukasawa,M., and Nishijima,M. (2003). Molecular machinery for non-vesicular trafficking of ceramide. Nature *426*, 803-809.

Urlaub,G., Kas,E., Carothers,A.M., and Chasin,L.A. (1983). Deletion of the diploid dihydrofolate reductase locus from cultured mammalian cells. Cell *33*, 405-412.