

Figure 1




Figure 2




Figure 3

FIG. 3A




Figure 3 (continued)

FIG. 3B




Figure 3 (continued)

FIG. 3C




Figure 3 (continued)

FIG. 3D




Figure 4 (continued)

FIG. 4A




Figure 4 (continued)

FIG. 4B

Urinary Biomarker Outperforms Standard Disease Biomarkers in Lupus Nephritis*						
	AUC (95% CI)	P value	Sensitivity	Specificity	PPV	NPV
Urinary ALCAM	0.91 (0.86 - 0.96)	< 0.0001	0.91	0.82	0.88	0.86
Positive anti- dsDNA	NA		0.38	0.57	0.57	0.38
Low complement	NA		0.56	0.55	0.65	0.46

*Performance of urinary protein markers in differentiating active lupus nephritis (N=89) from inactive lupus nephritis (N=60) in African American and Hispanic systemic lupus erythematosus patients - UT Southwestern Medical Center, TX

Figure 5

FIG. 5A




FIG. 5B




FIG. 5C





FIG. 5D



10/23




Figure 5 (continued)**FIG. 5E****FIG. 5F****FIG. 5G**


Figure 6

Figure 7





Figure 8



14/23

Figure 8 (continued)

FIG. 8H




FIG. 8I




Figure 9

FIG. 9A




FIG. 9B




Figure 10

FIG. 10A




FIG. 10B




Figure 11

FIG. 11A




FIG. 11B




FIG. 11C




Figure 12

FIG. 12A





Figure 12 (continued)

FIG. 12B

Vehicle



Anti-mCD6




FIG. 12C




FIG. 12D




Figure 12 (continued)




Figure 13




Figure 14





Figure 15

