affective disorders such as depression, anxiety and obsessive compulsive disorders, motion or motor disorders such as Parkinson's disease and epilepsy, migraine, sleep disorders (including disturbances of the Circadian rhythm), feeding disorders, such as anorexia and bulimia, certain gastrointestinal disorders such as Irritable Bowel Syndrome, diseases associated with neurodegeneration, such as stroke, spinal or head trauma and head injuries, such as hydrocephalus, drug addiction and obesity.


There is still an ongoing need for providing compounds having high affinity and selectivity for the 5-HT_6 receptor. In particular the compounds should have low affinity to adrenergic receptors, such as the α_1-adrenergic receptor, histamine receptors, such as the H_1-receptor, and dopaminergic receptors, such as the D_2-receptor, in order to avoid or reduce side effects associated with modulation of these receptors, such as postural hypotension, reflex tachycardia, potentiation of the antihypertensive effect of prazosin, terazosin, doxazosin and labetalol or dizziness associated with the blockade of the α_1-adrenergic receptor, weight gain, sedation, drowsiness or potentiation of central depressant drugs associated with the blockade of the H_1-receptor, or extrapyramidal movement disorder, such as dystonia, parkinsonism, akathisia, tardive dyskinesia or rabbit syndrome, or endocrine effects, such as prolactin elevation (galactorrhea, gynecomastia, mentstrual changes, sexual dysfunction in males), associated with the blockade of the D_2-receptor.

The present invention provides compounds which have an affinity for the 5-HT_{2C} or 5-HT_6 receptor or both the 5-HT_{2C} and 5-HT_6 receptors, thus allowing the treatment of disorders related to or affected by the 5-HT_{2C} or 5-HT_6 receptors or both the 5-HT_{2C} and 5-HT_6 receptors.

SUMMARY OF THE INVENTION

The invention is directed to aryl- and heteroaryl-fused decahydropyrroloazepine, and octahydro-1*H*-oxepino[4,5-*c*]pyrrole, octahydropyrrolothiazepine dioxide, decahydrocyclohepta[*c*]pyrrole, and octahydrocyclohepta[*c*]pyrrole derivatives, compositions comprising such compounds, and methods of using such compounds and compositions.


In one aspect, there is provided a compound of formula (I):




(I)

or a pharmaceutically acceptable salt thereof, wherein

A is selected from the group consisting of




(i)



(ii)

and



(iii)

;

R^1, R^3, R^4, and R^5 are independently selected from the group consisting of hydrogen, alkenyl, alkyl, haloalkyl, G^1, G^2, $-(CR^{4a}R^{5a})_m-G^1$, and $-(CR^{4a}R^{5a})_m-G^2$;

R^{4a} and R^{5a}, at each occurrence, are each independently hydrogen, halogen, alkyl, or haloalkyl;

G^1, at each occurrence, is independently aryl or heteroaryl, wherein each G^1 is independently unsubstituted or substituted with 1, 2, 3, 4, or 5 substituents selected from the group consisting of alkyl, alkenyl, alkynyl, halogen, cyano, $-NO_2$, $-OR^{1b}$, $-OC(O)R^{1b}$, $-OC(O)N(R^b)(R^{3b})$, $-SR^{1b}$, $-S(O)R^{2b}$, $-S(O)_2R^{2b}$, $-S(O)_2N(R^b)(R^{3b})$, $-C(O)R^{1b}$, $-C(O)OR^{1b}$, $-C(O)N(R^b)(R^{3b})$, $-N(R^b)(R^{3b})$, $-N(R^a)C(O)R^{1b}$, $-N(R^a)C(O)O(R^{1b})$, $-N(R^a)C(O)N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-NO_2$, $-N(R^b)S(O)_2(R^{2b})$, $-(CR^{4b}R^{5b})_m-OR^{1b}$, $-C(OH)[(CR^{4b}R^{5b})_m-R^{4b}]_2$, $-(CR^{4b}R^{5b})_m-OC(O)R^{1b}$, $-(CR^{4b}R^{5b})_m-OC(O)N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-SR^{1b}$, $-(CR^{4b}R^{5b})_m-S(O)R^{2b}$, $-(CR^{4b}R^{5b})_m-S(O)_2R^{2b}$, $-(CR^{4b}R^{5b})_m-S(O)_2N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-C$

(O)R^{1b}, -$(CR^{4b}R^{5b})_m$-C(O)OR^{1b}, -$(CR^{4b}R^{5b})_m$-C(O)$N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-$N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-$N(R^a)$C(O)R^{1b}, -$(CR^{4b}R^{5b})_m$-$N(R^a)$C(O)$O(R^{1b})$, -$(CR^{4b}R^{5b})_m$-$N(R^a)$C(O)$N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-$N(R^b)S(O)_2(R^{2b})$, cyanoalkyl, and haloalkyl;

G^2 is cycloalkyl, cycloalkenyl, or heterocycle unsubstituted or substituted with 1, 2, 3, 4, or 5 substituents selected from the group consisting of alkyl, alkenyl, alkynyl, halogen, cyano, oxo, -SR^{1b}, -S(O)R^{2b}, -$S(O)_2R^{2b}$, -$S(O)_2N(R^b)(R^{3b})$, -C(O)R^{1b}, -C(O)OR^{1b}, -C(O)$N(R^b)(R^{3b})$, -$N(R^b)(R^{3b})$, -$N(R^a)$C(O)R^{1b}, -$N(R^a)$C(O)$O(R^{1b})$, -$N(R^a)$C(O)$N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-NO_2, -$N(R^b)S(O)_2(R^{2b})$, -$(CR^{4b}R^{5b})_m$-OR^{1b}, -$(CR^{4b}R^{5b})_m$-OC(O)R^{1b}, -$(CR^{4b}R^{5b})_m$-OC(O)$N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-SR^{1b}, -$(CR^{4b}R^{5b})_m$-S(O)R^{2b}, -$(CR^{4b}R^{5b})_m$-$S(O)_2R^{2b}$, -$(CR^{4b}R^{5b})_m$-$S(O)_2N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-C(O)R^{1b}, -$(CR^{4b}R^{5b})_m$-C(O)OR^{1b}, -$(CR^{4b}R^{5b})_m$-C(O)$N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-$N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-$N(R^a)$C(O)R^{1b}, -$(CR^{4b}R^{5b})_m$-$N(R^a)$C(O)$O(R^{1b})$, -$(CR^{4b}R^{5b})_m$-$N(R^a)$C(O)$N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-$N(R^b)S(O)_2(R^{2b})$, cyanoalkyl, and haloalkyl;

R^a and R^b, at each occurrence, are each independently hydrogen, alkyl, or haloalkyl;

R^{1b} and R^{3b}, at each occurrence, are each independently hydrogen, alkyl, or haloalkyl;

R^{2b}, at each occurrence, is independently alkyl or haloalkyl;

R^{4b} and R^{5b}, at each occurrence, are each independently hydrogen, halogen, alkyl, or haloalkyl;

m, at each occurrence, is independently 1, 2, 3, 4, or 5;

R^2 is selected from the group consisting of hydrogen, alkoxyalkyl, alkyl, alkylcarbonyl, haloalkyl, -$(CR^{4a}R^{5a})_m$-G^1, -$(CR^{4a}R^{5a})_p$-O-G^1, -C(O)-G^1, -$(CR^{4a}R^{5a})_m$-G^2, -$(CR^{4a}R^{5a})_p$-O-G^2, -C(O)-G^2, -$S(O)_2R^6$, and -$C(O)NR^7R^8$;

p, at each occurrence, is independently 2, 3, 4, or 5;

R^6 and R^7 are independently selected from the group consisting of alkyl, haloalkyl, G^1, -$(CR^{4a}R^{5a})_m$-G^1, G^2 and -$(CR^{4a}R^{5a})_m$-G^2;

R^8 is selected from the group consisting of hydrogen, alkyl, and haloalkyl; or

R^7 and R^8 taken together with the nitrogen to which they are attached form a heterocycle;

X^1 is N or CR^9;


X^2 is N or CR^{10};

X^3 is N or CR^{11};


X^4 is N or CR^{12};

provided that only one or two of X^1, X^2, X^3, or X^4 can be N;


R^9, R^{10}, R^{11}, R^{12}, R^{13}, R^{14}, R^{15} and R^{16} are each independently hydrogen, alkyl, alkenyl, alkynyl, halogen, cyano, $-G^1$, $-G^2$, $-NO_2$, $-OR^{1a}$, $-OC(O)R^{1a}$,$-OC(O)N(R^b)(R^{3a})$, $-SR^{1a}$, $-S(O)R^{2a}$, $-S(O)_2R^{2a}$, $-S(O)_2N(R^b)(R^{3a})$, $-C(O)R^{1a}$, $-C(O)G^3$, $-C(O)OR^{1a}$, $-C(O)N(R^b)(R^{3a})$, $-N(R^b)(R^{3a})$, $-N(R^a)C(O)R^{1a}$, $-N(R^a)C(O)O(R^{1a})$, $-N(R^a)C(O)N(R^b)(R^{3a})$, $-N(R^a)S(O)_2(R^{2a})$, $-(CR^{4a}R^{5a})_m-NO_2$, $-(CR^{4a}R^{5a})_m-OR^{1a}$, $-(CR^{4a}R^{5a})_m-OC(O)R^{1a}$, $-(CR^{4a}R^{5a})_m-OC(O)N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-SR^{1a}$, $-(CR^{4a}R^{5a})_m-S(O)R^{2a}$, $-(CR^{4a}R^{5a})_m-S(O)_2R^{2a}$, $-(CR^{4a}R^{5a})_m-S(O)_2N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-C(O)R^{1a}$, $-(CR^{4a}R^{5a})_m-C(O)OR^{1a}$, $-(CR^{4a}R^{5a})_m-C(O)N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-N(R^a)C(O)R^{1a}$, $-(CR^{4a}R^{5a})_m-N(R^a)C(O)O(R^{1a})$, $-(CR^{4a}R^{5a})_m-N(R^a)C(O)N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-G^1$, $-CR^{4a}=CR^{5a}-G^1$, $-(CR^{4a}R^{5a})_m-G^2$, $-CR^{4a}=CR^{5a}-G^2$, $-CR^{6a}=C(R^{7a})_2$, cyanoalkyl, haloalkyl, (v), (vi), (vii) or (vi); wherein




(v)



(vi)



(vii)



(viii)

R^{1a} and R^{3a}, at each occurrence, are each independently hydrogen, alkyl, haloalkyl, G^1, $-(CR^{4a}R^{5a})_m-G^1$, G^2, or $-(CR^{4a}R^{5a})_m-G^2$;

R^{2a}, at each occurrence, is independently alkyl, haloalkyl, G^1, or $-(CR^{4a}R^{5a})_m-G^1$;

R^{6a} is alkyl or haloalkyl;

R^{7a}, at each occurrence, is independently hydrogen, alkyl, or haloalkyl;

G^3 is a heterocyclic ring attached to the adjacent carbonyl moiety through a nitrogen atom contained within the heterocycle;

q is 1 or 2; or

R^9 and R^{10}, R^{10} and R^{11}, R^{11} and R^{12}, or R^{13} and R^{14} taken together with the carbon atoms to which they are attached form a substituted or unsubstituted phenyl, cycloalkyl, heterocycle, or heteroaryl ring;

Y^1 is NR^{17}, $CR^{18}R^{19}$, C(O), $S(O)_n$, or O;

Y^2 is NR^{20}, $CR^{18}R^{19}$, C(O), or $S(O)_n$;

Y^3 is NR^{17}, $CR^{18}R^{19}$, C(O), or $S(O)_n$; or

Y^1 and Y^2 together are CR^{18}=CR^{19}, provided Y^3 is other than NR^{17}; or

Y^2 and Y^3 together are CR^{18}=CR^{19}, provided Y^1 is other than NR^{17} or O;

n is 1 or 2;

provided that only one of Y^1 and Y^3 can be NR^{17}; or Y^1 and Y^3 are other than NR^{17} when Y^2 is NR^{20}; or only one of Y^1, Y^2, or Y^3 can be C(O) or $S(O)_n$; or Y^2 is other than NR^{20} or $S(O)_n$ when Y^1 is O; or Y^3 is other than NR^{17} when Y^1 is O;

R^{17} is selected from the group consisting of hydrogen, alkyl, alkylcarbonyl, haloalkyl, -C(O)-G^1, -$(CR^{4a}R^{5a})_m$-G^1, -C(O)-G^2, and -$(CR^{4a}R^{5a})_m$-G^2;

R^{18} and R^{19} are independently selected from the group consisting of hydrogen, alkyl, and haloalkyl; and

R^{20} is selected from the group consisting of hydrogen, alkyl, alkylcarbonyl, haloalkyl, -C(O)-G^1, -C(O)NR^a-G^1, -$S(O)_n$-G^1, -$(CR^{4a}R^{5a})_m$-G^1, -C(O)-G^2, -C(O)NR^a-G^2, -$S(O)_n$-G^2, and -$(CR^{4a}R^{5a})_m$-G^2.

In one aspect, there is provided the use of a therapeutically effective amount of the compound as defined herein, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for treating or preventing conditions, disorders or deficits modulated by a 5-HT_{2C} receptor, a 5-HT_6 receptor or both 5-HT_{2C} and 5-HT_6 receptors wherein the condition, disorder or deficit is selected from the group consisting of a cognitive dysfunction, attention deficit/hyperactivity syndrome, personality disorders, affective disorders, motion or motor disorders, migraine, sleep disorders, feeding disorders, gastrointestinal disorders, diseases associated with neurodegeneration, addiction diseases, obesity, diabetes, psoriasis, or ocular hypertension.

In one aspect, there is provided the use of the compound as defined herein, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for treating a disorder or condition modulated by the 5-HT_{2C} receptor selected from the group consisting of bipolar disorder, depression, anxiety, schizophrenia, cognitive deficits of schizophrenia, obsessive compulsive disorder, migraine, epilepsy, substance abuse, eating disorders, obesity, diabetes, sexual dysfunction/erectile dysfunction, sleep disorders, psoriasis, Parkinson's disease, pain and spinal cord injury, pain, bladder dysfunction/urinary incontinence, smoking cessation, ocular hypertension and Alzheimer's disease.

In one aspect, there is provided the use of the compound as defined herein, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for treating a disorder modulated by the 5-HT_6 receptor selected from the group consisting of deficits in memory and cognition and learning, Alzheimer's disease, age-related cognitive decline, mild cognitive impairment, attention deficit/hyperactivity syndrome, schizophrenia, cognitive deficits of schizophrenia, depression, anxiety, obsessive compulsive disorders, Parkinson's disease, epilepsy, migraine, sleep disorders, anorexia, bulimia,


irritable bowel syndrome, stroke, spinal or head trauma and head injuries, drug addiction, and obesity.

In one aspect, there is provided a pharmaceutical composition comprising a therapeutically effective amount of the compound as defined herein, or a pharmaceutically acceptable salt thereof, in combination with one or more pharmaceutically acceptable carriers.

In one aspect, the present invention relates to compounds of having a formula of (I):

WHAT IS CLAIMED IS:


1. A compound of formula (I):




(I)

or a pharmaceutically acceptable salt thereof, wherein

A is selected from the group consisting of




(i)



(ii)

and



(iii)

;

R^1, R^3, R^4, and R^5 are independently selected from the group consisting of hydrogen, alkenyl, alkyl, haloalkyl, G^1, G^2, $-(CR^{4a}R^{5a})_m-G^1$, and $-(CR^{4a}R^{5a})_m-G^2$;

R^{4a} and R^{5a}, at each occurrence, are each independently hydrogen, halogen, alkyl, or haloalkyl;

G^1, at each occurrence, is independently aryl or heteroaryl, wherein each G^1 is independently unsubstituted or substituted with 1, 2, 3, 4, or 5 substituents selected from the group consisting of alkyl, alkenyl, alkynyl, halogen, cyano, $-NO_2$, $-OR^{1b}$, $-OC(O)R^{1b}$, $-OC(O)N(R^b)(R^{3b})$, $-SR^{1b}$, $-S(O)R^{2b}$, $-S(O)_2R^{2b}$, $-S(O)_2N(R^b)(R^{3b})$, $-C(O)R^{1b}$, $-C(O)OR^{1b}$, $-C(O)N(R^b)(R^{3b})$, $-N(R^b)(R^{3b})$, $-N(R^a)C(O)R^{1b}$, $-N(R^a)C(O)O(R^{1b})$, $-N(R^a)C(O)N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-NO_2$, $-N(R^b)S(O)_2(R^{2b})$, $-(CR^{4b}R^{5b})_m-OR^{1b}$, $-C(OH)[(CR^{4b}R^{5b})_m-R^{4b}]_2$, $-(CR^{4b}R^{5b})_m-OC(O)R^{1b}$, $-(CR^{4b}R^{5b})_m-OC(O)N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-SR^{1b}$, $-(CR^{4b}R^{5b})_m-S(O)R^{2b}$, $-(CR^{4b}R^{5b})_m-S(O)_2R^{2b}$, $-(CR^{4b}R^{5b})_m-S(O)_2N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-C$

(O)R^{1b}, -($CR^{4b}R^{5b}$)$_m$-C(O)OR^{1b}, -($CR^{4b}R^{5b}$)$_m$-C(O)$N(R^b)(R^{3b})$, -($CR^{4b}R^{5b}$)$_m$-$N(R^b)(R^{3b})$, -($CR^{4b}R^{5b}$)$_m$-$N(R^a)$C(O)R^{1b}, -($CR^{4b}R^{5b}$)$_m$-$N(R^a)$C(O)O(R^{1b}), -($CR^{4b}R^{5b}$)$_m$-$N(R^a)$C(O)$N(R^b)(R^{3b})$, -($CR^{4b}R^{5b}$)$_m$-$N(R^b)S(O)_2(R^{2b})$, cyanoalkyl, and haloalkyl;

G^2 is cycloalkyl, cycloalkenyl, or heterocycle unsubstituted or substituted with 1, 2, 3, 4, or 5 substituents selected from the group consisting of alkyl, alkenyl, alkynyl, halogen, cyano, oxo, -SR^{1b}, -S(O)R^{2b}, -$S(O)_2R^{2b}$, -$S(O)_2N(R^b)(R^{3b})$, -C(O)R^{1b}, -C(O)OR^{1b}, -C(O)$N(R^b)(R^{3b})$, -$N(R^b)(R^{3b})$, -$N(R^a)$C(O)R^{1b}, -$N(R^a)$C(O)O(R^{1b}), -$N(R^a)$C(O)$N(R^b)(R^{3b})$, -($CR^{4b}R^{5b}$)$_m$-NO_2, -$N(R^b)S(O)_2(R^{2b})$, -($CR^{4b}R^{5b}$)$_m$-OR^{1b}, -($CR^{4b}R^{5b}$)$_m$-OC(O)R^{1b}, -($CR^{4b}R^{5b}$)$_m$-OC(O)$N(R^b)(R^{3b})$, -($CR^{4b}R^{5b}$)$_m$-SR^{1b}, -($CR^{4b}R^{5b}$)$_m$-S(O)R^{2b}, -($CR^{4b}R^{5b}$)$_m$-$S(O)_2R^{2b}$, -($CR^{4b}R^{5b}$)$_m$-$S(O)_2N(R^b)(R^{3b})$, -($CR^{4b}R^{5b}$)$_m$-C(O)R^{1b}, -($CR^{4b}R^{5b}$)$_m$-C(O)OR^{1b}, -($CR^{4b}R^{5b}$)$_m$-C(O)$N(R^b)(R^{3b})$, -($CR^{4b}R^{5b}$)$_m$-$N(R^b)(R^{3b})$, -($CR^{4b}R^{5b}$)$_m$-$N(R^a)$C(O)R^{1b}, -($CR^{4b}R^{5b}$)$_m$-$N(R^a)$C(O)O(R^{1b}), -($CR^{4b}R^{5b}$)$_m$-$N(R^a)$C(O)$N(R^b)(R^{3b})$, -($CR^{4b}R^{5b}$)$_m$-$N(R^b)S(O)_2(R^{2b})$, cyanoalkyl, and haloalkyl;

R^a and R^b, at each occurrence, are each independently hydrogen, alkyl, or haloalkyl;

R^{1b} and R^{3b}, at each occurrence, are each independently hydrogen, alkyl, or haloalkyl;

R^{2b}, at each occurrence, is independently alkyl or haloalkyl;

R^{4b} and R^{5b}, at each occurrence, are each independently hydrogen, halogen, alkyl, or haloalkyl;

m, at each occurrence, is independently 1, 2, 3, 4, or 5;

R^2 is selected from the group consisting of hydrogen, alkoxyalkyl, alkyl, alkylcarbonyl, haloalkyl, -($CR^{4a}R^{5a}$)$_m$-G^1, -($CR^{4a}R^{5a}$)$_p$-O-G^1, -C(O)-G^1, -($CR^{4a}R^{5a}$)$_m$-G^2, -($CR^{4a}R^{5a}$)$_p$-O-G^2, -C(O)-G^2, -$S(O)_2R^6$, and -$C(O)NR^7R^8$;

p, at each occurrence, is independently 2, 3, 4, or 5;

R^6 and R^7 are independently selected from the group consisting of alkyl, haloalkyl, G^1, -($CR^{4a}R^{5a}$)$_m$-G^1, G^2 and -($CR^{4a}R^{5a}$)$_m$-G^2;

R^8 is selected from the group consisting of hydrogen, alkyl, and haloalkyl; or

R^7 and R^8 taken together with the nitrogen to which they are attached form a heterocycle;

X^1 is N or CR^9;


X^2 is N or CR^{10};

X^3 is N or CR^{11};


X^4 is N or CR^{12};

provided that only one or two of X^1, X^2, X^3, or X^4 can be N;


R^9, R^{10}, R^{11}, R^{12}, R^{13}, R^{14}, R^{15} and R^{16} are each independently hydrogen, alkyl, alkenyl, alkynyl, halogen, cyano, $-G^1$, $-G^2$, $-NO_2$, $-OR^{1a}$, $-OC(O)R^{1a}$,$-OC(O)N(R^b)(R^{3a})$, $-SR^{1a}$, $-S(O)R^{2a}$, $-S(O)_2R^{2a}$, $-S(O)_2N(R^b)(R^{3a})$, $-C(O)R^{1a}$, $-C(O)G^3$, $-C(O)OR^{1a}$, $-C(O)N(R^b)(R^{3a})$, $-N(R^b)(R^{3a})$, $-N(R^a)C(O)R^{1a}$, $-N(R^a)C(O)O(R^{1a})$, $-N(R^a)C(O)N(R^b)(R^{3a})$, $-N(R^a)S(O)_2(R^{2a})$, $-(CR^{4a}R^{5a})_m-NO_2$, $-(CR^{4a}R^{5a})_m-OR^{1a}$, $-(CR^{4a}R^{5a})_m-OC(O)R^{1a}$, $-(CR^{4a}R^{5a})_m-OC(O)N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-SR^{1a}$, $-(CR^{4a}R^{5a})_m-S(O)R^{2a}$, $-(CR^{4a}R^{5a})_m-S(O)_2R^{2a}$, $-(CR^{4a}R^{5a})_m-S(O)_2N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-C(O)R^{1a}$, $-(CR^{4a}R^{5a})_m-C(O)OR^{1a}$, $-(CR^{4a}R^{5a})_m-C(O)N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-N(R^a)C(O)R^{1a}$, $-(CR^{4a}R^{5a})_m-N(R^a)C(O)O(R^{1a})$, $-(CR^{4a}R^{5a})_m-N(R^a)C(O)N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-G^1$, $-CR^{4a}=CR^{5a}-G^1$, $-(CR^{4a}R^{5a})_m-G^2$, $-CR^{4a}=CR^{5a}-G^2$, $-CR^{6a}=C(R^{7a})_2$, cyanoalkyl, haloalkyl, (v), (vi), (vii) or (vi); wherein




(v)



(vi)



(vii)



(viii)

R^{1a} and R^{3a}, at each occurrence, are each independently hydrogen, alkyl, haloalkyl, G^1, $-(CR^{4a}R^{5a})_m-G^1$, G^2, or $-(CR^{4a}R^{5a})_m-G^2$;

R^{2a}, at each occurrence, is independently alkyl, haloalkyl, G^1, or $-(CR^{4a}R^{5a})_m-G^1$;

R^{6a} is alkyl or haloalkyl;

R^{7a}, at each occurrence, is independently hydrogen, alkyl, or haloalkyl;

G^3 is a heterocyclic ring attached to the adjacent carbonyl moiety through a nitrogen atom contained within the heterocycle;

q is 1 or 2; or

R^9 and R^{10}, R^{10} and R^{11}, R^{11} and R^{12}, or R^{13} and R^{14} taken together with the carbon atoms to which they are attached form a substituted or unsubstituted phenyl, cycloalkyl, heterocycle, or heteroaryl ring;

Y^1 is NR^{17}, $CR^{18}R^{19}$, C(O), $S(O)_n$, or O;

Y^2 is NR^{20}, $CR^{18}R^{19}$, C(O), or $S(O)_n$;

Y^3 is NR^{17}, $CR^{18}R^{19}$, C(O), or $S(O)_n$; or

Y^1 and Y^2 together are $CR^{18}=CR^{19}$, provided Y^3 is other than NR^{17}; or

Y^2 and Y^3 together are $CR^{18}=CR^{19}$, provided Y^1 is other than NR^{17} or O;

n is 1 or 2;

provided that only one of Y^1 and Y^3 can be NR^{17}; or Y^1 and Y^3 are other than NR^{17} when Y^2 is NR^{20}; or only one of Y^1, Y^2, or Y^3 can be C(O) or $S(O)_n$; or Y^2 is other than NR^{20} or $S(O)_n$ when Y^1 is O; or Y^3 is other than NR^{17} when Y^1 is O;

R^{17} is selected from the group consisting of hydrogen, alkyl, alkylcarbonyl, haloalkyl, -C(O)-G^1, -$(CR^{4a}R^{5a})_m$-G^1, -C(O)-G^2, and -$(CR^{4a}R^{5a})_m$-G^2;

R^{18} and R^{19} are independently selected from the group consisting of hydrogen, alkyl, and haloalkyl; and

R^{20} is selected from the group consisting of hydrogen, alkyl, alkylcarbonyl, haloalkyl, -C(O)-G^1, -C(O)NR^a-G^1, -$S(O)_n$-G^1, -$(CR^{4a}R^{5a})_m$-G^1, -C(O)-G^2, -C(O)NR^a-G^2, -$S(O)_n$-G^2, and -$(CR^{4a}R^{5a})_m$-G^2.

2. The compound of claim 1, wherein the compound is selected from the group consisting of:

trans-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one;

trans-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2,3-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2,5-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2-bromophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-bromophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(naphthalen-1-ylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-chloro-4-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2,5-dimethoxyphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-(trifluoromethyl)phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2,5-dimethylphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-methoxyphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-chlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2-cyanophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-(3,5-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,5-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,4-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,4-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-methylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,3-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-methoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-methoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

3-((*trans*-6-oxo-1,3a,4,5,6,10b-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-2(3*H*)-yl)methyl)benzonitrile;

trans-2-(2,5-dimethoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,5-dimethoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,3-dichlorophenylsulfonyl)-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one;

cis-2-(3,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-(3-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-(3-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-(naphthalen-1-ylmethyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3aR,10bS)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-chloro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3aR,10bS)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-10-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-9-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahyrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8,9-dichloro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-2-benzyl-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-benzyl-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-9-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-9-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-benzyl-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-methyl-3-((6-oxo-1,3a,4,5,6,10b-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-2(3*H*)-yl)methyl)benzoate;

trans-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(5-chloro-2-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-5-(phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

cis-2-methyl-5-(phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-5-(3-fluorophenylsulfonyl)-2-(4-methoxybenzyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-(4-fluorobenzyl)-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3,4-difluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(trifluoromethyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(naphthalen-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-*m*-tolyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-*p*-tolyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-c]azepin-6(10b*H*)-one;

trans-2-methyl-8-styryl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-phenyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-phenethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-methyl 2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxylate;

trans-10-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

cis-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2-benzyl-2,3,3a,4,5,11c-hexahydro[1]benzothieno[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(1*H*)-one;

trans-2-benzyl-8,10-dimethoxy-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2,3,3a,4,5,11c-hexahydro[1]benzothieno[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(1*H*)-one;

trans-8,10-dimethoxy-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-benzyl-6,6a,7,8,9,9a-hexahydropyrrolo[3,4-*e*]thieno[3,2-*c*]azepin-4(5*H*)-one;

trans-2-benzyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-6,6a,7,8,9,9a-hexahydropyrrolo[3,4-*e*]thieno[3,2-*c*]azepin-4(5*H*)-one;

(3a*S*,10b*S*)-2-benzyl-8,10-difluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8,10-difluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-phenyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3,4-*d*][1,2]benzothiazepine 6,6-dioxide;

(3a*R*,10b*R*)-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-7-phenyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-hydroxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-(3-fluorophenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-((*S*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-phenethoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(piperidine-1-carbonyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-phenethoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorophenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-*N*,2-dimethyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-phenethyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-(3-(trifluoromethyl)phenethyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-phenyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-methyl 2-benzyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxylate;

cis-2-benzyl-8-methoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(trifluoromethoxy)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-isobutoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-methoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-(1,3,4-oxadiazol-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-isopropylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-ethylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(trifluoromethoxy)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-amino-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-amino-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(pyridin-3-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-amino-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-amino-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-(trifluoromethyl)benzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*S*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*R*)-1-phenylethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-benzyl-7,7a,8,9,10,10a-hexahydropyrido[2,3-*e*]pyrrolo[3,4-*c*]azepin-5(6*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydropyrido[3,4-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7,7a,8,9,10,10a-hexahydropyrido[2,3-*e*]pyrrolo[3,4-*c*]azepin-5(6*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydropyrido[3,2-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*S*)-1-phenylethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-1,2,3,3a,4,5-hexahydropyrido[3,2-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8,10-difluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-fluoro-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-*sec*-butoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isobutoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(cyclohexylmethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2,6-difluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(isopentyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-*sec*-butoxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(isopentyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isobutoxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(cyclohexylmethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(pyridin-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxypyrimidin-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(thiophen-3-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(1,1,1-trifluoro-2-hydroxypropan-2-yl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxypropan-2-yl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-acetylphenyl)-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-methoxy-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-methoxy-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-acetylphenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(1-hydroxyethyl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxypropan-2-yl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(benzo[*c*][1,2,5]oxadiazol-5-yl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isopropyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(2-methylprop-1-enyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-3-(2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-8-yl)benzaldehyde;

(3a*S*,10b*S*)-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-hydroxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclopentenyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3,3,3-trifluoroprop-1-en-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(5-methylfuran-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclohexyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclopentyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3,5-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2,6-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3,4-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2,3-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-8-(2,3,6-trifluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-bromo-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-phenyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-(benzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-1,2,3,3a,4,10b-hexahydrobenzo[b]pyrrolo[3,4-d]azepin-5(6*H*)-one;

trans -2-benzyl-1,2,3,3a,4,10b-hexahydrobenzo[d]pyrrolo[3,4-b]azepin-5(6*H*)-one;

trans-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

N,*N*-dimethyl-3-(*trans* -6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzamide;

trans -8-(2-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(2-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-9-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*R*,10b*S*)-9-chloro-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*R*,10b*S*)-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-(3-acetylphenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one hydrochloride;

trans-8-(3-acetylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

3-(*trans*-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzonitrile;

3-(*trans*-2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzonitrile;

trans-8-(3,6-dihydro-2H-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3,6-dihydro-2H-pyran-4-yl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(4-fluorophenoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-isobutyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3,5-dimethylisoxazol-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4,4-dimethylcyclohexyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-oxo-2,3-dihydro-1H-inden-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-((*S*)-1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-((*R*)-1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(ethylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-oxo-2,3-dihydro-1H-inden-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[b]pyrrolo[3,4-d]azepine;

trans-8-(3-(ethylsulfonyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

trans-1,2,3,3a,4,5-hexahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

trans-1,2,3,3a,4,5,8,9,10,11-decahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

(3a*R*,10b*S*)-9-methoxy-2,3,3a,4,5,10b-hexahydrobenzo[3,4]cyclohepta[1,2-*c*]pyrrol-6(1*H*)-one;

2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-2-benzyl-9-methoxy-2,3,3a,4,5,10b-hexahydrobenzo[3,4]cyclohepta[1,2-*c*]pyrrol-6(1*H*)-one;

trans-2-benzyl-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-9-methoxy-1,2,3,3a,4,5,6,10b-octahydrobenzo[3,4]cyclohepta[1,2-*c*]pyrrole;

trans-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-8-(tetrahydro-2*H*-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-9-methoxy-1,2,3,3a,4,10b-hexahydrobenzo[3,4]cyclohepta[1,2-*c*]pyrrole;

trans-2-methyl-8-(tetrahydro-2*H*-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-2,3,3a,4,5,10b-hexahydro-1H-pyrrolo[3',4':4,5]oxepino[2,3-b]pyridine;

cis-2-methyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[3,4]cyclohepta[1,2-*c*]pyrrole;

(3a*R*,10b*S*)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*S*,10b*R*)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-10-methoxy-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-10-methoxy-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*S*,10b*S*)-8-(benzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2,6-difluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;


(3a*S*,10b*S*)-8-(cyclopropylmethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-acetylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one; and

cis-8-fluoro-9-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

or a pharmaceutically acceptable salt or amide thereof.

3. The compound according to claim 1 of formula (Ia):



(Ia)

or a pharmaceutically acceptable salt thereof, wherein

R^{20} is hydrogen or alkyl.

4. The compound according to claim 3, wherein the compound is:

trans-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,5-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,5-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,4-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,4-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-methylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,3-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-methoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-methoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

3-((*trans*-6-oxo-1,3a,4,5,6,10b-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-2(3*H*)-yl)methyl)benzonitrile;

trans-2-(2,5-dimethoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,5-dimethoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one ;

cis-2-(3,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one ;

cis-2-(3-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-(3-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-(naphthalen-1-ylmethyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one ;

(3aR,10bS)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-chloro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3aR,10bS)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-10-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-9-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8,9-dichloro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-2-benzyl-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-benzyl-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-9-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-9-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-benzyl-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-methyl-3-((6-oxo-1,3a,4,5,6,10b-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-2(3*H*)-yl)methyl)benzoate;

trans-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(5-chloro-2-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3,4-difluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(trifluoromethyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(naphthalen-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-*m*-tolyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-*p*-tolyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-styryl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-phenyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-phenethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-methyl 2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxylate;

trans-10-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8,10-dimethoxy-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8,10-dimethoxy-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-benzyl-8,10-difluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8,10-difluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-7-phenyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-hydroxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-(3-fluorophenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-((*S*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-phenethoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(piperidine-1-carbonyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-phenethoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorophenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-*N*,2-dimethyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-phenethyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-(3-(trifluoromethyl)phenethyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-phenyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-methyl 2-benzyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxylate;

cis-2-benzyl-8-methoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(trifluoromethoxy)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-isobutoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-methoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

rans-2-benzyl-8-(1,3,4-oxadiazol-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-isopropylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-ethylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(trifluoromethoxy)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-amino-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-amino-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(pyridin-3-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-amino-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-amino-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-(trifluoromethyl)benzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*S*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*R*)-1-phenylethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-benzyl-7,7a,8,9,10,10a-hexahydropyrido[2,3-*e*]pyrrolo[3,4-*c*]azepin-5(6*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydropyrido[3,4-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7,7a,8,9,10,10a-hexahydropyrido[2,3-*e*]pyrrolo[3,4-*c*]azepin-5(6*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydropyrido[3,2-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*S*)-1-phenylethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-1,2,3,3a,4,5-hexahydropyrido[3,2-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8,10-difluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-fluoro-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-*sec*-butoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isobutoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(cyclohexylmethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2,6-difluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(isopentyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-*sec*-butoxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(isopentyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isobutoxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(cyclohexylmethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(pyridin-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxypyrimidin-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(thiophen-3-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(1,1,1-trifluoro-2-hydroxypropan-2-yl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxypropan-2-yl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-acetylphenyl)-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-methoxy-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-methoxy-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-acetylphenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(1-hydroxyethyl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxypropan-2-yl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(benzo[*c*][1,2,5]oxadiazol-5-yl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isopropyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(2-methylprop-1-enyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-3-(2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-8-yl)benzaldehyde;

(3a*S*,10b*S*)-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-hydroxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclopentenyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3,3,3-trifluoroprop-1-en-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(5-methylfuran-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclohexyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclopentyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3,5-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2,6-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3,4-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2,3-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-8-(2,3,6-trifluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(benzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

N,*N*-dimethyl-3-(*trans* -6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzamide;

trans -8-(2-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(2-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-acetylphenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one hydrochloride;

trans-8-(3-acetylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

3-(*trans*-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzonitrile;

3-(*trans*-2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzonitrile;

trans-8-(3,6-dihydro-2H-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3,6-dihydro-2H-pyran-4-yl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(4-fluorophenoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-isobutyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3,5-dimethylisoxazol-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4,4-dimethylcyclohexyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-oxo-2,3-dihydro-1H-inden-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-((*S*)-1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-((*R*)-1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(ethylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-oxo-2,3-dihydro-1H-inden-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(ethylsulfonyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

trans-1,2,3,3a,4,5-hexahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

trans-1,2,3,3a,4,5,8,9,10,11-decahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

trans-8-(tetrahydro-2*H*-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(tetrahydro-2*H*-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(benzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;


trans-8-(2,6-difluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(cyclopropylmethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-acetylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one; or

cis-8-fluoro-9-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one; or a pharmaceutically acceptable salt or amide thereof.

5. The compound according to claim 1 of formula (Ib):



(Ib)

or a pharmaceutically acceptable salt thereof, wherein

R^{20} is hydrogen or alkyl.

6. The compound according to claim 5 wherein the compound is:


trans-2-benzyl-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one;

trans-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one; or

trans-2-(2,3-dichlorophenylsulfonyl)-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one;

or a pharmaceutically acceptable salt or amide thereof.

7. The compound according to claim 1 of formula (Ic):



(Ic)

or a pharmaceutically acceptable salt thereof, wherein

Y^1 is $CR^{18}R^{19}$ or $S(O)_2$.

8. The compound according to claim 7 wherein the compound is:

trans-2-benzyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(2,3-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(2,5-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(2-bromophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(3-bromophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(naphthalen-1-ylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(3-chloro-4-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(2,5-dimethoxyphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(3-(trifluoromethyl)phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(2,5-dimethylphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-methoxyphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(2-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-chlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2-cyanophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahyrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-methyl-5-(phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;


cis-2-methyl-5-(phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-5-(3-fluorophenylsulfonyl)-2-(4-methoxybenzyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-(4-fluorobenzyl)-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine; or

trans-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3,4-*d*][1,2]benzothiazepine 6,6-dioxide; or a pharmaceutically acceptable salt or amide thereof.

9. The compound according to claim 1 of formula (Id):



(Id)

or a pharmaceutically acceptable salt thereof.

10. The compound according to claim 9 wherein the compound is:

trans-2-benzyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

cis-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2-benzyl-8-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-phenyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-bromo-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-phenyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*R*,10b*S*)-9-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*R*,10b*S*)-9-chloro-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*R*,10b*S*)-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-2-benzyl-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-2-methyl-2,3,3a,4,5,10b-hexahydro-1H-pyrrolo[3',4':4,5]oxepino[2,3-b]pyridine;


(3a*R*,10b*S*)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*S*,10b*R*)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-10-methoxy-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole; or

trans-10-methoxy-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;
or a pharmaceutically acceptable salt or amide thereof.

11. The compound according to claim 1 of formula (Ih):




(Ih)

or a pharmaceutically acceptable salt thereof.

12. The compound according to claim 11 wherein the compound is:
trans-2-benzyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[b]pyrrolo[3,4-d]azepine;
or a pharmaceutically acceptable salt or amide thereof.

13. The compound according to claim 1 of formula (Ii):




(Ii)

or a pharmaceutically acceptable salt thereof.

14. The compound according to claim 13 wherein the compound is:
trans -2-benzyl-1,2,3,3a,4,10b-hexahydrobenzo[b]pyrrolo[3,4-d]azepin-5(6*H*)-one;

or a pharmaceutically acceptable salt or amide thereof.

15. The compound according to claim 1 of formula (Ie):



(Ie)

or a pharmaceutically acceptable salt thereof.


16. The compound according to claim 15 wherein the compound is:

trans-8-benzyl-6,6a,7,8,9,9a-hexahydropyrrolo[3,4-*e*]thieno[3,2-*c*]azepin-4(5*H*)-one; or

trans-6,6a,7,8,9,9a-hexahydropyrrolo[3,4-*e*]thieno[3,2-*c*]azepin-4(5*H*)-one;

or a pharmaceutically acceptable salt or amide thereof.

17. The compound according to claim 1 of formula (If):



(If)

or a pharmaceutically acceptable salt thereof.

18. The compound according to claim 17 wherein the compound is:

trans-2-benzyl-2,3,3a,4,5,11c-hexahydro[1]benzothieno[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(1*H*)-one; or

trans-2,3,3a,4,5,11c-hexahydro[1]benzothieno[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(1*H*)-one;

or a pharmaceutically acceptable salt or amide thereof.

19. Use of a therapeutically effective amount of the compound of claim 2, or a pharmaceutically acceptable salt or amide thereof, in the manufacture of a medicament for treating or preventing conditions, disorders or deficits modulated by a 5-HT_{2C} receptor, a 5-HT_6 receptor or both 5-HT_{2C} and 5-HT_6 receptors wherein the condition, disorder or deficit is selected from the group consisting of a cognitive dysfunction, attention deficit/hyperactivity syndrome, personality disorders, affective disorders, motion or motor disorders, migraine, sleep disorders, feeding disorders, gastrointestinal disorders, diseases associated with neurodegeneration, addiction diseases, obesity, diabetes, psoriasis, or ocular hypertension.

20. Use of the compound of claim 2, or a pharmaceutically acceptable salt or amide thereof, in the manufacture of a medicament for treating a disorder or condition modulated by the 5-HT_{2C} receptor selected from the group consisting of bipolar disorder, depression, anxiety, schizophrenia, cognitive deficits of schizophrenia, obsessive compulsive disorder, migraine, epilepsy, substance abuse, eating disorders, obesity, diabetes, sexual dysfunction/erectile dysfunction, sleep disorders, psoriasis, Parkinson's disease, pain and spinal cord injury, pain, bladder dysfunction/urinary incontinence, smoking cessation, ocular hypertension and Alzheimer's disease.

21. The use according to claim 20 wherein the disorder modulated by the 5-HT_{2c} receptor is schizophrenia or cognitive deficits of schizophrenia, said use comprising the step of administering to a subject in need thereof the compound of claim 15, or a pharmaceutically acceptable salt or amide thereof.


22. Use of the compound of claim 2, or a pharmaceutically acceptable salt or amide thereof, in the manufacture of a medicament for treating a disorder modulated by the 5-HT_6 receptor selected from the group consisting of deficits in memory and cognition and learning, Alzheimer's disease, age-related cognitive decline, mild cognitive impairment, attention deficit/hyperactivity syndrome, schizophrenia, cognitive deficits of schizophrenia, depression, anxiety, obsessive compulsive disorders, Parkinson's disease, epilepsy, migraine, sleep disorders, anorexia, bulimia,

irritable bowel syndrome, stroke, spinal or head trauma and head injuries, drug addiction, and obesity.

23. A pharmaceutical composition comprising a therapeutically effective amount of the compound of claim 2, or a pharmaceutically acceptable salt or amide thereof, in combination with one or more pharmaceutically acceptable carriers.

WHAT IS CLAIMED IS:


1. A compound of formula (I):




(I)

or a pharmaceutically acceptable salt thereof, wherein

A is selected from the group consisting of




(i)



(ii)

and



(iii)

;

R^1, R^3, R^4, and R^5 are independently selected from the group consisting of hydrogen, alkenyl, alkyl, haloalkyl, G^1, G^2, $-(CR^{4a}R^{5a})_m-G^1$, and $-(CR^{4a}R^{5a})_m-G^2$;

R^{4a} and R^{5a}, at each occurrence, are each independently hydrogen, halogen, alkyl, or haloalkyl;

G^1, at each occurrence, is independently aryl or heteroaryl, wherein each G^1 is independently unsubstituted or substituted with 1, 2, 3, 4, or 5 substituents selected from the group consisting of alkyl, alkenyl, alkynyl, halogen, cyano, $-NO_2$, $-OR^{1b}$, $-OC(O)R^{1b}$,$-OC(O)N(R^b)(R^{3b})$,$-SR^{1b}$, $-S(O)R^{2b}$, $-S(O)_2R^{2b}$, $-S(O)_2N(R^b)(R^{3b})$, $-C(O)R^{1b}$, $-C(O)OR^{1b}$, $-C(O)N(R^b)(R^{3b})$, $-N(R^b)(R^{3b})$, $-N(R^a)C(O)R^{1b}$, $-N(R^a)C(O)O(R^{1b})$, $-N(R^a)C(O)N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-NO_2$, $-N(R^b)S(O)_2(R^{2b})$, $-(CR^{4b}R^{5b})_m-OR^{1b}$, $-C(OH)[(CR^{4b}R^{5b})_m-R^{4b}]_2$, $-(CR^{4b}R^{5b})_m-OC(O)R^{1b}$, $-(CR^{4b}R^{5b})_m-OC(O)N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-SR^{1b}$, $-(CR^{4b}R^{5b})_m-S(O)R^{2b}$, $-(CR^{4b}R^{5b})_m-S(O)_2R^{2b}$, $-(CR^{4b}R^{5b})_m-S(O)_2N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-C$

(O)R^{1b}, -$(CR^{4b}R^{5b})_m$-C(O)OR^{1b}, -$(CR^{4b}R^{5b})_m$-C(O)$N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-$N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-$N(R^a)$C(O)R^{1b}, -$(CR^{4b}R^{5b})_m$-$N(R^a)$C(O)$O(R^{1b})$, -$(CR^{4b}R^{5b})_m$-$N(R^a)$C(O)$N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-$N(R^b)S(O)_2(R^{2b})$, cyanoalkyl, and haloalkyl;

G^2 is cycloalkyl, cycloalkenyl, or heterocycle unsubstituted or substituted with 1, 2, 3, 4, or 5 substituents selected from the group consisting of alkyl, alkenyl, alkynyl, halogen, cyano, oxo, -SR^{1b}, -S(O)R^{2b}, -$S(O)_2R^{2b}$, -$S(O)_2N(R^b)(R^{3b})$, -C(O)R^{1b}, -C(O)OR^{1b}, -C(O)$N(R^b)(R^{3b})$, -$N(R^b)(R^{3b})$, -$N(R^a)$C(O)R^{1b}, -$N(R^a)$C(O)$O(R^{1b})$, -$N(R^a)$C(O)$N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-NO_2, -$N(R^b)S(O)_2(R^{2b})$, -$(CR^{4b}R^{5b})_m$-OR^{1b}, -$(CR^{4b}R^{5b})_m$-OC(O)R^{1b}, -$(CR^{4b}R^{5b})_m$-OC(O)$N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-SR^{1b}, -$(CR^{4b}R^{5b})_m$-S(O)R^{2b}, -$(CR^{4b}R^{5b})_m$-$S(O)_2R^{2b}$, -$(CR^{4b}R^{5b})_m$-$S(O)_2N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-C(O)R^{1b}, -$(CR^{4b}R^{5b})_m$-C(O)OR^{1b}, -$(CR^{4b}R^{5b})_m$-C(O)$N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-$N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-$N(R^a)$C(O)R^{1b}, -$(CR^{4b}R^{5b})_m$-$N(R^a)$C(O)$O(R^{1b})$, -$(CR^{4b}R^{5b})_m$-$N(R^a)$C(O)$N(R^b)(R^{3b})$, -$(CR^{4b}R^{5b})_m$-$N(R^b)S(O)_2(R^{2b})$, cyanoalkyl, and haloalkyl;

R^a and R^b, at each occurrence, are each independently hydrogen, alkyl, or haloalkyl;

R^{1b} and R^{3b}, at each occurrence, are each independently hydrogen, alkyl, or haloalkyl;

R^{2b}, at each occurrence, is independently alkyl or haloalkyl;

R^{4b} and R^{5b}, at each occurrence, are each independently hydrogen, halogen, alkyl, or haloalkyl;

m, at each occurrence, is independently 1, 2, 3, 4, or 5;

R^2 is selected from the group consisting of hydrogen, alkoxyalkyl, alkyl, alkylcarbonyl, haloalkyl, -$(CR^{4a}R^{5a})_m$-G^1, -$(CR^{4a}R^{5a})_p$-O-G^1, -C(O)-G^1, -$(CR^{4a}R^{5a})_m$-G^2, -$(CR^{4a}R^{5a})_p$-O-G^2, -C(O)-G^2, -$S(O)_2R^6$, and -C(O)NR^7R^8;

p, at each occurrence, is independently 2, 3, 4, or 5;

R^6 and R^7 are independently selected from the group consisting of alkyl, haloalkyl, G^1, -$(CR^{4a}R^{5a})_m$-G^1, G^2 and -$(CR^{4a}R^{5a})_m$-G^2;

R^8 is selected from the group consisting of hydrogen, alkyl, and haloalkyl; or

R^7 and R^8 taken together with the nitrogen to which they are attached form a heterocycle;

X^1 is N or CR^9;


X^2 is N or CR^{10};

X^3 is N or CR^{11};


X^4 is N or CR^{12};

provided that only one or two of X^1, X^2, X^3, or X^4 can be N;


R^9, R^{10}, R^{11}, R^{12}, R^{13}, R^{14}, R^{15} and R^{16} are each independently hydrogen, alkyl, alkenyl, alkynyl, halogen, cyano, $-G^1$, $-G^2$, $-NO_2$, $-OR^{1a}$, $-OC(O)R^{1a}$,$-OC(O)N(R^b)(R^{3a})$, $-SR^{1a}$, $-S(O)R^{2a}$, $-S(O)_2R^{2a}$, $-S(O)_2N(R^b)(R^{3a})$, $-C(O)R^{1a}$, $-C(O)G^3$, $-C(O)OR^{1a}$, $-C(O)N(R^b)(R^{3a})$, $-N(R^b)(R^{3a})$, $-N(R^a)C(O)R^{1a}$, $-N(R^a)C(O)O(R^{1a})$, $-N(R^a)C(O)N(R^b)(R^{3a})$, $-N(R^a)S(O)_2(R^{2a})$, $-(CR^{4a}R^{5a})_m-NO_2$, $-(CR^{4a}R^{5a})_m-OR^{1a}$, $-(CR^{4a}R^{5a})_m-OC(O)R^{1a}$, $-(CR^{4a}R^{5a})_m-OC(O)N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-SR^{1a}$, $-(CR^{4a}R^{5a})_m-S(O)R^{2a}$, $-(CR^{4a}R^{5a})_m-S(O)_2R^{2a}$, $-(CR^{4a}R^{5a})_m-S(O)_2N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-C(O)R^{1a}$, $-(CR^{4a}R^{5a})_m-C(O)OR^{1a}$, $-(CR^{4a}R^{5a})_m-C(O)N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-N(R^a)C(O)R^{1a}$, $-(CR^{4a}R^{5a})_m-N(R^a)C(O)O(R^{1a})$, $-(CR^{4a}R^{5a})_m-N(R^a)C(O)N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-G^1$, $-CR^{4a}=CR^{5a}-G^1$, $-(CR^{4a}R^{5a})_m-G^2$, $-CR^{4a}=CR^{5a}-G^2$, $-CR^{6a}=C(R^{7a})_2$, cyanoalkyl, haloalkyl, (v), (vi), (vii) or (vi); wherein




(v)



(vi)



(vii)



(viii)

R^{1a} and R^{3a}, at each occurrence, are each independently hydrogen, alkyl, haloalkyl, G^1, $-(CR^{4a}R^{5a})_m-G^1$, G^2, or $-(CR^{4a}R^{5a})_m-G^2$;

R^{2a}, at each occurrence, is independently alkyl, haloalkyl, G^1, or $-(CR^{4a}R^{5a})_m-G^1$;

R^{6a} is alkyl or haloalkyl;

R^{7a}, at each occurrence, is independently hydrogen, alkyl, or haloalkyl;

G^3 is a heterocyclic ring attached to the adjacent carbonyl moiety through a nitrogen atom contained within the heterocycle;

q is 1 or 2; or

R^9 and R^{10}, R^{10} and R^{11}, R^{11} and R^{12}, or R^{13} and R^{14} taken together with the carbon atoms to which they are attached form a substituted or unsubstituted phenyl, cycloalkyl, heterocycle, or heteroaryl ring;

Y^1 is NR^{17}, $CR^{18}R^{19}$, C(O), $S(O)_n$, or O;

Y^2 is NR^{20}, $CR^{18}R^{19}$, C(O), or $S(O)_n$;

Y^3 is NR^{17}, $CR^{18}R^{19}$, C(O), or $S(O)_n$; or

Y^1 and Y^2 together are CR^{18}=CR^{19}, provided Y^3 is other than NR^{17}; or

Y^2 and Y^3 together are CR^{18}=CR^{19}, provided Y^1 is other than NR^{17} or O;

n is 1 or 2;

provided that only one of Y^1 and Y^3 can be NR^{17}; or Y^1 and Y^3 are other than NR^{17} when Y^2 is NR^{20}; or only one of Y^1, Y^2, or Y^3 can be C(O) or $S(O)_n$; or Y^2 is other than NR^{20} or $S(O)_n$ when Y^1 is O; or Y^3 is other than NR^{17} when Y^1 is O;

R^{17} is selected from the group consisting of hydrogen, alkyl, alkylcarbonyl, haloalkyl, -C(O)-G^1, -$(CR^{4a}R^{5a})_m$-G^1, -C(O)-G^2, and -$(CR^{4a}R^{5a})_m$-G^2;

R^{18} and R^{19} are independently selected from the group consisting of hydrogen, alkyl, and haloalkyl; and

R^{20} is selected from the group consisting of hydrogen, alkyl, alkylcarbonyl, haloalkyl, -C(O)-G^1, -C(O)NR^a-G^1, -$S(O)_n$-G^1, -$(CR^{4a}R^{5a})_m$-G^1, -C(O)-G^2, -C(O)NR^a-G^2, -$S(O)_n$-G^2, and -$(CR^{4a}R^{5a})_m$-G^2.

2. The compound of claim 1, wherein the compound is selected from the group consisting of:

trans-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one;

trans-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2,3-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2,5-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2-bromophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-bromophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(naphthalen-1-ylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-*c*hloro-4-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2,5-dimethoxyphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-(trifluoromethyl)phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2,5-dimethylphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-methoxyphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-*c*hlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2-*c*yanophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-(3,5-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,5-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,4-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,4-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-methylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,3-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-methoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-methoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

3-((*trans*-6-oxo-1,3a,4,5,6,10b-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-2(3*H*)-yl)methyl)benzonitrile;

trans-2-(2,5-dimethoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,5-dimethoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,3-dichlorophenylsulfonyl)-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one;

cis-2-(3,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-(3-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-(3-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-(naphthalen-1-ylmethyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3aR,10bS)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-chloro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3aR,10bS)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-10-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-9-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahyrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8,9-dichloro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-2-benzyl-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-benzyl-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-9-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-9-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-benzyl-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-methyl-3-((6-oxo-1,3a,4,5,6,10b-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-2(3*H*)-yl)methyl)benzoate;

trans-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(5-*c*hloro-2-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-5-(phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

cis-2-methyl-5-(phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-5-(3-fluorophenylsulfonyl)-2-(4-methoxybenzyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-(4-fluorobenzyl)-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3,4-difluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(trifluoromethyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(naphthalen-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-*m*-tolyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-*p*-tolyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-styryl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-phenyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-phenethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-methyl 2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxylate;

trans-10-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

cis-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2-benzyl-2,3,3a,4,5,11c-hexahydro[1]benzothieno[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(1*H*)-one;

trans-2-benzyl-8,10-dimethoxy-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2,3,3a,4,5,11c-hexahydro[1]benzothieno[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(1*H*)-one;

trans-8,10-dimethoxy-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-benzyl-6,6a,7,8,9,9a-hexahydropyrrolo[3,4-*e*]thieno[3,2-*c*]azepin-4(5*H*)-one;

trans-2-benzyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-6,6a,7,8,9,9a-hexahydropyrrolo[3,4-*e*]thieno[3,2-*c*]azepin-4(5*H*)-one;

(3a*S*,10b*S*)-2-benzyl-8,10-difluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8,10-difluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-phenyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3,4-*d*][1,2]benzothiazepine 6,6-dioxide;

(3a*R*,10b*R*)-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-7-phenyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-hydroxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-(3-fluorophenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-((*S*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-phenethoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(piperidine-1-carbonyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-phenethoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorophenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-*N*,2-dimethyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-phenethyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-(3-(trifluoromethyl)phenethyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-phenyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-methyl 2-benzyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxylate;

cis-2-benzyl-8-methoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(trifluoromethoxy)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-isobutoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-methoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-(1,3,4-oxadiazol-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-isopropylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-ethylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(trifluoromethoxy)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-amino-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-amino-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(pyridin-3-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-amino-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-amino-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-(trifluoromethyl)benzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*S*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*R*)-1-phenylethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-benzyl-7,7a,8,9,10,10a-hexahydropyrido[2,3-*e*]pyrrolo[3,4-*c*]azepin-5(6*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydropyrido[3,4-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7,7a,8,9,10,10a-hexahydropyrido[2,3-*e*]pyrrolo[3,4-*c*]azepin-5(6*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydropyrido[3,2-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*S*)-1-phenylethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-1,2,3,3a,4,5-hexahydropyrido[3,2-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S)*-8,10-difluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-fluoro-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-*sec*-butoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isobutoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(cyclohexylmethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2,6-difluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(isopentyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-*sec*-butoxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(isopentyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isobutoxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(cyclohexylmethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(pyridin-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxypyrimidin-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(thiophen-3-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(1,1,1-trifluoro-2-hydroxypropan-2-yl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxypropan-2-yl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-acetylphenyl)-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-methoxy-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-methoxy-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-acetylphenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(1-hydroxyethyl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxypropan-2-yl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(benzo[*c*][1,2,5]oxadiazol-5-yl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isopropyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(2-methylprop-1-enyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-3-(2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-8-yl)benzaldehyde;

(3a*S*,10b*S*)-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-hydroxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclopentenyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3,3,3-trifluoroprop-1-en-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(5-methylfuran-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclohexyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclopentyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3,5-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2,6-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3,4-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2,3-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-8-(2,3,6-trifluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-bromo-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-phenyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-(benzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-1,2,3,3a,4,10b-hexahydrobenzo[b]pyrrolo[3,4-d]azepin-5(6*H*)-one;

trans -2-benzyl-1,2,3,3a,4,10b-hexahydrobenzo[d]pyrrolo[3,4-b]azepin-5(6*H*)-one;

trans-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

N,*N*-dimethyl-3-(*trans* -6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzamide;

trans -8-(2-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(2-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-9-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*R*,10b*S*)-9-chloro-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*R*,10b*S*)-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-(3-acetylphenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one hydrochloride;

trans-8-(3-acetylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

3-(*trans*-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzonitrile;

3-(*trans*-2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzonitrile;

trans-8-(3,6-dihydro-2H-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3,6-dihydro-2H-pyran-4-yl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(4-fluorophenoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-isobutyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3,5-dimethylisoxazol-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4,4-dimethylcyclohexyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-oxo-2,3-dihydro-1H-inden-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-((*S*)-1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-((*R*)-1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(ethylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-oxo-2,3-dihydro-1H-inden-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[b]pyrrolo[3,4-d]azepine;

trans-8-(3-(ethylsulfonyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

trans-1,2,3,3a,4,5-hexahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

trans-1,2,3,3a,4,5,8,9,10,11-decahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

(3a*R*,10b*S*)-9-methoxy-2,3,3a,4,5,10b-hexahydrobenzo[3,4]cyclohepta[1,2-*c*]pyrrol-6(1*H*)-one;

2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-2-benzyl-9-methoxy-2,3,3a,4,5,10b-hexahydrobenzo[3,4]cyclohepta[1,2-*c*]pyrrol-6(1*H*)-one;

trans-2-benzyl-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-9-methoxy-1,2,3,3a,4,5,6,10b-octahydrobenzo[3,4]cyclohepta[1,2-*c*]pyrrole;

trans-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-8-(tetrahydro-2*H*-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-9-methoxy-1,2,3,3a,4,10b-hexahydrobenzo[3,4]cyclohepta[1,2-*c*]pyrrole;

trans-2-methyl-8-(tetrahydro-2*H*-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-2,3,3a,4,5,10b-hexahydro-1H-pyrrolo[3',4':4,5]oxepino[2,3-b]pyridine;

cis-2-methyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[3,4]cyclohepta[1,2-c]pyrrole;

(3a*R*,10b*S*)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*S*,10b*R*)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-10-methoxy-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-10-methoxy-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*S*,10b*S*)-8-(benzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2,6-difluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;


(3a*S*,10b*S*)-8-(cyclopropylmethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-acetylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one; and

cis-8-fluoro-9-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

or a pharmaceutically acceptable salt thereof.

3. The compound according to claim 1 of formula (Ia):



(Ia)

or a pharmaceutically acceptable salt thereof, wherein

R^{20} is hydrogen or alkyl.

4. The compound according to claim 3, wherein the compound is:

trans-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,5-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,5-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,4-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,4-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-methylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,3-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-methoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-methoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

3-((*trans*-6-oxo-1,3a,4,5,6,10b-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-2(3*H*)-yl)methyl)benzonitrile;

trans-2-(2,5-dimethoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,5-dimethoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one ;

cis-2-(3,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one ;

cis-2-(3-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-(3-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-(naphthalen-1-ylmethyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one ;

(3aR,10bS)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-chloro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3aR,10bS)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-10-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-9-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8,9-dichloro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-2-benzyl-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-benzyl-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-9-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-9-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-benzyl-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-methyl-3-((6-oxo-1,3a,4,5,6,10b-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-2(3*H*)-yl)methyl)benzoate;

trans-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(5-chloro-2-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3,4-difluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(trifluoromethyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(naphthalen-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-*m*-tolyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-*p*-tolyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-styryl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-phenyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-phenethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-methyl 2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxylate;

trans-10-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8,10-dimethoxy-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8,10-dimethoxy-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-benzyl-8,10-difluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8,10-difluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-7-phenyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-hydroxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-(3-fluorophenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-((*S*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-phenethoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(piperidine-1-carbonyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-phenethoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorophenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-*N*,2-dimethyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-phenethyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-(3-(trifluoromethyl)phenethyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-phenyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-methyl 2-benzyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxylate;

cis-2-benzyl-8-methoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(trifluoromethoxy)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-isobutoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-methoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

rans-2-benzyl-8-(1,3,4-oxadiazol-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-isopropylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-ethylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(trifluoromethoxy)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-amino-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-amino-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(pyridin-3-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-amino-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-amino-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-(trifluoromethyl)benzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*S*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*R*)-1-phenylethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-benzyl-7,7a,8,9,10,10a-hexahydropyrido[2,3-*e*]pyrrolo[3,4-*c*]azepin-5(6*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydropyrido[3,4-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7,7a,8,9,10,10a-hexahydropyrido[2,3-*e*]pyrrolo[3,4-*c*]azepin-5(6*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydropyrido[3,2-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*S*)-1-phenylethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-1,2,3,3a,4,5-hexahydropyrido[3,2-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S)*-8,10-difluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-fluoro-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-*sec*-butoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isobutoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(cyclohexylmethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2,6-difluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(isopentyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-*sec*-butoxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(isopentyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isobutoxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(cyclohexylmethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(pyridin-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxypyrimidin-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S)*-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(thiophen-3-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(1,1,1-trifluoro-2-hydroxypropan-2-yl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxypropan-2-yl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-acetylphenyl)-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-methoxy-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-methoxy-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-acetylphenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(1-hydroxyethyl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxypropan-2-yl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(benzo[*c*][1,2,5]oxadiazol-5-yl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isopropyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(2-methylprop-1-enyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-3-(2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-8-yl)benzaldehyde;

(3a*S*,10b*S*)-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-hydroxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclopentenyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3,3,3-trifluoroprop-1-en-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(5-methylfuran-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclohexyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclopentyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3,5-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2,6-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3,4-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2,3-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-8-(2,3,6-trifluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(benzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

N,*N*-dimethyl-3-(*trans* -6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzamide;

trans -8-(2-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(2-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-acetylphenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one hydrochloride;

trans-8-(3-acetylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

3-(*trans*-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzonitrile;

3-(*trans*-2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzonitrile;

trans-8-(3,6-dihydro-2H-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3,6-dihydro-2H-pyran-4-yl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(4-fluorophenoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-isobutyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3,5-dimethylisoxazol-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4,4-dimethylcyclohexyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-oxo-2,3-dihydro-1H-inden-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-((*S*)-1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-((*R*)-1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(ethylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-oxo-2,3-dihydro-1H-inden-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(ethylsulfonyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

trans-1,2,3,3a,4,5-hexahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

trans-1,2,3,3a,4,5,8,9,10,11-decahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

trans-8-(tetrahydro-2*H*-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(tetrahydro-2*H*-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(benzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;


trans-8-(2,6-difluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(cyclopropylmethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-acetylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one; or

cis-8-fluoro-9-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one; or a pharmaceutically acceptable salt thereof.

5. The compound according to claim 1 of formula (Ib):



(Ib)

or a pharmaceutically acceptable salt thereof, wherein

R^{20} is hydrogen or alkyl.

6. The compound according to claim 5 wherein the compound is:


trans-2-benzyl-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one;

trans-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one; or

trans-2-(2,3-dichlorophenylsulfonyl)-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one;

or a pharmaceutically acceptable salt thereof.

7. The compound according to claim 1 of formula (Ic):



(Ic)

or a pharmaceutically acceptable salt thereof, wherein

Y^1 is $CR^{18}R^{19}$ or $S(O)_2$.

8. The compound according to claim 7 wherein the compound is:

trans-2-benzyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(2,3-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(2,5-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(2-bromophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(3-bromophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(naphthalen-1-ylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(3-*c*hloro-4-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(2,5-dimethoxyphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(3-(trifluoromethyl)phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(2,5-dimethylphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-methoxyphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(2-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-*c*hlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2-*c*yanophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahyrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-methyl-5-(phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

cis-2-methyl-5-(phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;


trans-5-(3-fluorophenylsulfonyl)-2-(4-methoxybenzyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-(4-fluorobenzyl)-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine; or

trans-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3,4-*d*][1,2]benzothiazepine 6,6-dioxide;

or a pharmaceutically acceptable salt thereof.

9. The compound according to claim 1 of formula (Id):



(Id)

or a pharmaceutically acceptable salt thereof.

10. The compound according to claim 9 wherein the compound is:

trans-2-benzyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

cis-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2-benzyl-8-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-phenyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-bromo-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-phenyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*R*,10b*S*)-9-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*R*,10b*S*)-9-chloro-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*R*,10b*S*)-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-2-benzyl-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-2-methyl-2,3,3a,4,5,10b-hexahydro-1H-pyrrolo[3',4':4,5]oxepino[2,3-b]pyridine;


(3a*R*,10b*S*)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*S*,10b*R*)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-10-methoxy-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole; or

trans-10-methoxy-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole; or a pharmaceutically acceptable salt thereof.

11. The compound according to claim 1 of formula (Ih):




(Ih)

or a pharmaceutically acceptable salt thereof.

12. The compound according to claim 11 wherein the compound is:

trans-2-benzyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[b]pyrrolo[3,4-d]azepine; or a pharmaceutically acceptable salt thereof.

13. The compound according to claim 1 of formula (Ii):



(Ii)


or a pharmaceutically acceptable salt thereof.

14. The compound according to claim 13 wherein the compound is:

trans -2-benzyl-1,2,3,3a,4,10b-hexahydrobenzo[b]pyrrolo[3,4-d]azepin-5(6*H*)-one;

or a pharmaceutically acceptable salt thereof.

15. The compound according to claim 1 of formula (Ie):



(Ie)

or a pharmaceutically acceptable salt thereof.


16. The compound according to claim 15 wherein the compound is:

trans-8-benzyl-6,6a,7,8,9,9a-hexahydropyrrolo[3,4-*e*]thieno[3,2-*c*]azepin-4(5*H*)-one; or

trans-6,6a,7,8,9,9a-hexahydropyrrolo[3,4-*e*]thieno[3,2-*c*]azepin-4(5*H*)-one;

or a pharmaceutically acceptable salt thereof.

17. The compound according to claim 1 of formula (If):



(If)

or a pharmaceutically acceptable salt thereof.

18. The compound according to claim 17 wherein the compound is:

trans-2-benzyl-2,3,3a,4,5,11c-hexahydro[1]benzothieno[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(1*H*)-one; or

trans-2,3,3a,4,5,11c-hexahydro[1]benzothieno[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(1*H*)-one;

or a pharmaceutically acceptable salt thereof.

19. Use of a therapeutically effective amount of the compound of claim 2, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for treating or preventing conditions, disorders or deficits modulated by a 5-HT_{2C} receptor, a 5-HT_6 receptor or both 5-HT_{2C} and 5-HT_6 receptors wherein the condition, disorder or deficit is selected from the group consisting of a cognitive dysfunction, attention deficit/hyperactivity syndrome, personality disorders, affective disorders, motion or motor disorders, migraine, sleep disorders, feeding disorders, gastrointestinal disorders, diseases associated with neurodegeneration, addiction diseases, obesity, diabetes, psoriasis, or ocular hypertension.

20. Use of the compound of claim 2, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for treating a disorder or condition modulated by the 5-HT_{2C} receptor selected from the group consisting of bipolar disorder, depression, anxiety, schizophrenia, cognitive deficits of schizophrenia, obsessive compulsive disorder, migraine, epilepsy, substance abuse, eating disorders, obesity, diabetes, sexual dysfunction/erectile dysfunction, sleep disorders, psoriasis, Parkinson's disease, pain and spinal cord injury, pain, bladder dysfunction/urinary incontinence, smoking cessation, ocular hypertension and Alzheimer's disease.

21. The use according to claim 20 wherein the disorder modulated by the 5-HT_{2c} receptor is schizophrenia or cognitive deficits of schizophrenia, said use comprising the step of administering to a subject in need thereof the compound of claim 15, or a pharmaceutically acceptable salt thereof.

22. Use of the compound of claim 2, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for treating a disorder modulated by the 5-HT_6 receptor selected from the group consisting of deficits in memory and cognition and learning, Alzheimer's disease, age-related cognitive decline, mild cognitive impairment, attention deficit/hyperactivity syndrome, schizophrenia, cognitive deficits of schizophrenia, depression, anxiety, obsessive compulsive disorders, Parkinson's disease, epilepsy, migraine, sleep disorders, anorexia, bulimia,

irritable bowel syndrome, stroke, spinal or head trauma and head injuries, drug addiction, and obesity.

23. A pharmaceutical composition comprising a therapeutically effective amount of the compound of claim 2, or a pharmaceutically acceptable salt thereof, in combination with one or more pharmaceutically acceptable carriers.