
CLAIMS


What is claimed is:

1. A compound of Formula (I):



(I)

or stereoisomers, tautomers, or salts thereof, wherein:

R is  ;

L is –O–, $–CH_2–$, $–C(CH_3)_2–$, $–CF_2–$, –NH–, $–N(CH_3)–$, or  ;

Ring A is phenyl, naphthalenyl, or benzo[*b*]thiophenyl;

R_1 is $–OCH_3$, $–OCH_2CH_3$, $–OCH(CH_3)_2$, $–OCH_2CH(CH_3)_2$, $–OCHF_2$, $–OCH_2C(CH_3)_2OH$, $–OCH_2CH_2OCH_3$, $–OCH_2C(O)OCH_3$, $–OCH_2C(O)NH_2$, $–OCH_2C(O)N(CH_3)_2$, $–OCH_2C(O)N(CH_3)(CH_2CH_3)$, $–OCH_2CH_2CH_2$(phenyl), $–OCH_2C(O)$(morpholinyl), –O(C_{4-6} cycloalkyl), –O(hydroxycyclohexyl), –O(oxetanyl), –O(tetrahydrofuranyl), –O(tetrahydropyranyl), –O(oxepanyl), –O(phenyl), –O(pyridinyl), or –O(acetylpiperidinyl);


R_2 is F, Cl, $–CH_3$, or $–OCH_3$;

each R_3 is independently F, Cl, Br, $–CH_3$, $–CD_3$, $–CHF_2$, $–CF_3$, $–OCH_3$, or cyclopropyl;

m is zero or 1; and

n is zero, 1, 2, or 3.

2. The compound according to claim 1, or stereoisomers, tautomers, or salts thereof, wherein

R is  ;

R_1 is $–OCH_3$, $–OCH_2CH_3$, $–OCH(CH_3)_2$, $–OCHF_2$, or –O(phenyl); and

each R_3 is independently F, Cl, Br, $–CH_3$, or $–OCH_3$.

3. The compound according to claim 1, or stereoisomers, tautomers, or salts thereof, wherein

Ring A is phenyl.

4. The compound according to claim 1, or stereoisomers, tautomers, or salts thereof, wherein L is –O–.

5. The compound according to claim 1, or stereoisomers, tautomers, or salts thereof, wherein:

Ring A is phenyl; and

L is –O–.


6. The compound according to claim 1, or stereoisomers, tautomers, or salts thereof, wherein R_1 is $–OCH_3$, $–OCH_2CH_3$, or $–OCH(CH_3)_2$.

7. The compound according to claim 1, or stereoisomers, tautomers, or salts thereof, wherein Ring A is phenyl;

L is –O–; and


R_1 is $–OCH_3$.

8. The compound according to claim 1, or stereoisomers or tautomers thereof, having the structure:




.


9. A compound or tautomers thereof, having the structure:




10. A compound or tautomers thereof, having the structure:




11. The compound according to claim 1, or stereoisomers or tautomers thereof, having the structure:




12. A compound or tautomers thereof, having the structure:



13. A compound or tautomers thereof, having the structure:




14. The compound according to claim 1, or stereoisomers or tautomers thereof, having the structure:




.

15. A compound or tautomers thereof, having the structure:



.

16. A compound or tautomers thereof, having the structure:



.

17. The compound according to claim 1, or tautomers or pharmaceutically acceptable salts thereof, wherein said compound is:

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (1);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-(4-phenoxyphenyl)carbamate (2);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3-chlorophenoxy)phenyl]carbamate (3);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3-fluorophenoxy)phenyl]carbamate (4);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2,4-difluorophenoxy)phenyl]carbamate (5);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-{4-[(3-fluorophenyl)methyl]phenyl}carbamate (6);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl

N-[4-(1-phenylcyclopropyl)phenyl]carbamate (7);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-{4-[(3-fluorophenyl)(methyl)amino]phenyl}carbamate (8);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-{4-[(3-fluorophenyl)amino]phenyl}carbamate (9);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3-bromophenoxy)phenyl]carbamate (10);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3-methylphenoxy)phenyl]carbamate (11);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,5-dimethylphenoxy)phenyl]carbamate (12);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,5-difluorophenoxy)phenyl]carbamate (13);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3-chloro-4-fluorophenoxy)phenyl]carbamate (14);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[2-fluoro-4-(3,4,5-trifluorophenoxy)phenyl]carbamate (15);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[2-fluoro-4-(3-fluorophenoxy)phenyl]carbamate (16);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-{4-[(3,4-difluorophenyl)methyl]phenyl}carbamate (17);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-{4-[(3,4-difluorophenyl)methyl]-2-methylphenyl}carbamate (18);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-{4-[(3,4,5-trifluorophenyl)methyl]phenyl}carbamate (19);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-{2-fluoro-4-[(3-fluorophenyl)methyl]phenyl}carbamate (20);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-{4-[(3-chloro-4-fluorophenyl)methyl]phenyl}carbamate (21);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2,3-difluorophenoxy)-2-fluorophenyl]carbamate (22);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl

N-[4-(3,4-difluorophenoxy)-2-fluorophenyl]carbamate (23);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,5-difluorophenoxy)-2-fluorophenyl]carbamate (24);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[2-chloro-4-(3,4,5-trifluorophenoxy)phenyl]carbamate (25);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3-chlorophenoxy)-2-fluorophenyl]carbamate (26);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[2-chloro-4-(3-fluorophenoxy)phenyl]carbamate (27);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[2-fluoro-4-(4-fluorophenoxy)phenyl]carbamate (28);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-{4-[difluoro(phenyl)methyl]phenyl}carbamate (29);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2,4-difluorophenoxy)-2-fluorophenyl]carbamate (30);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-methoxyphenoxy)phenyl]carbamate (31);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3-methoxyphenoxy)phenyl]carbamate (32);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(4,5-difluoro-2-methoxyphenoxy)-2-methylphenyl]carbamate (33);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[2-methoxy-4-(2,4,5-trifluorophenoxy)phenyl]carbamate (34);

{2-[(3S)-2,6-dioxopiperidin-3-yl]-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl} methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (35);

{2-[(3R)-2,6-dioxopiperidin-3-yl]-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl} methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (36);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(4-fluorophenoxy)-2-methoxyphenyl]carbamate (37);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4-difluorophenoxy)-2-methylphenyl]carbamate (38);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl

N-[4-(3-fluorophenoxy)-2-methylphenyl]carbamate (39);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[2-methyl-4-(3,4,5-trifluorophenoxy)phenyl]carbamate (40);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-phenylpropan-2-yl)phenyl]carbamate (41);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2,4-difluorophenoxy)-2-methylphenyl]carbamate (42);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[2-fluoro-4-(2,4,5-trifluorophenoxy)phenyl]carbamate (43);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2,4,5-trifluorophenoxy)phenyl]carbamate (44);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[2-methyl-4-(2,4,5-trifluorophenoxy)phenyl]carbamate (45);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[2-chloro-4-(3,4-difluorophenoxy)phenyl]carbamate (46);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4-difluorophenoxy)-2-methoxyphenyl]carbamate (47);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3-fluorophenoxy)-2-methoxyphenyl]carbamate (48);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2,4-difluorophenoxy)-2-methoxyphenyl]carbamate (49);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(4-fluoro-2-methoxyphenoxy)-2-methoxyphenyl]carbamate (50);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(4-fluorophenoxy)-2-methylphenyl]carbamate (51);

[2-(2,6-dioxopiperidin-3-yl)-4-ethoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-(4-phenoxyphenyl)carbamate (52);

[2-(2,6-dioxopiperidin-3-yl)-4-ethoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (53);

[2-(2,6-dioxopiperidin-3-yl)-4-ethoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3-chlorophenoxy)phenyl]carbamate (54);

[2-(2,6-dioxopiperidin-3-yl)-4-ethoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-

[4-(3-fluorophenoxy)phenyl]carbamate (55);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-(propan-2-yloxy)-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (56);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-(propan-2-yloxy)-2,3-dihydro-1H-isoindol-5-yl] methyl N-(4-phenoxyphenyl)carbamate (57);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-(propan-2-yloxy)-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3-chlorophenoxy)phenyl]carbamate (58);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-(propan-2-yloxy)-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(4-fluorophenoxy)phenyl]carbamate (59);

[4-(difluoromethoxy)-2-(2,6-dioxopiperidin-3-yl)-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-(4-phenoxyphenyl)carbamate (60);

[4-(difluoromethoxy)-2-(2,6-dioxopiperidin-3-yl)-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (61);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-phenoxy-2,3-dihydro-1H-isoindol-5-yl]methyl N-(4-phenoxyphenyl)carbamate (62);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-phenoxy-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (63);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-phenoxy-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3-fluorophenoxy)phenyl]carbamate (64);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-phenoxy-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-fluorophenoxy)phenyl]carbamate (65);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-phenoxy-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-chlorophenoxy)phenyl]carbamate (66);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-phenoxy-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2,4-difluorophenoxy)phenyl]carbamate (67);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-phenoxy-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2,3-difluorophenoxy)phenyl]carbamate (68);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-phenoxy-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4-difluorophenoxy)-2-fluorophenyl]carbamate (69);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-phenoxy-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-chloro-4-fluorophenoxy)phenyl]carbamate (70);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl

N-[4-(4-chloro-3-fluorophenoxy)phenyl]carbamate (71);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[2-methoxy-4-(3,4,5-trifluorophenoxy)phenyl]carbamate (72);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(4,5-difluoro-2-methylphenoxy)-2-methoxyphenyl]carbamate (73);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(4,5-difluoro-2-methylphenoxy)-2-methylphenyl]carbamate (74);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(4-fluoro-2-methylphenoxy)-2-methoxyphenyl]carbamate (75);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(4-fluoro-2-methylphenoxy)-2-methylphenyl]carbamate (76);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4,5-trifluorophenoxy)phenyl]carbamate (77);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(4,5-difluoro-2-methylphenoxy)phenyl]carbamate (78);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-fluorophenoxy)phenyl]carbamate (79);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-chlorophenoxy)phenyl]carbamate (80);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(4-fluoro-2-methylphenoxy)phenyl]carbamate (81);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(4-fluoro-3-methylphenoxy)-2-methylphenyl]carbamate (82);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3-chloro-4-fluorophenoxy)-2-methylphenyl]carbamate (83);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(4-fluorophenoxy)phenyl]carbamate (84);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-{4-[2-(difluoromethyl)phenoxy]phenyl}carbamate (85);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-{4-[2-(difluoromethyl)phenoxy]-2-fluorophenyl}carbamate (86);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl

N-[4-(2-cyclopropylphenoxy)phenyl]carbamate (87);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-{4-[2-(difluoromethyl)phenoxy]-2-methoxyphenyl}carbamate (88);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-{4-[2-(difluoromethyl)-4-fluorophenoxy]phenyl}carbamate (89);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-{2-chloro-4-[2-(trifluoromethyl)phenoxy]phenyl}carbamate (90);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(4-chloro-3-fluorophenoxy)-2-fluorophenyl]carbamate (91);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-{4-[2-(^{2}H3)methylphenoxy]phenyl}carbamate (92);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-(2-methoxy-4-phenoxyphenyl)carbamate (93);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(4,5-difluoro-2-methylphenoxy)-2-fluorophenyl]carbamate (94);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[2-fluoro-4-(4-fluoro-2-methylphenoxy)phenyl]carbamate (95);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(4-fluoro-3-methylphenoxy)phenyl]carbamate (96);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(4-fluoro-3-methylphenoxy)-2-methoxyphenyl]carbamate (97);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3-chloro-4-fluorophenoxy)-2-fluorophenyl]carbamate (98);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[2-fluoro-4-(4-fluoro-3-methylphenoxy)phenyl]carbamate (99);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3-chloro-4-fluorophenoxy)-2-methoxyphenyl]carbamate (100);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-methylphenoxy)phenyl]carbamate (101);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-chloro-4-fluorophenoxy)phenyl]carbamate (102);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl

N-[4-(2-chloro-4-fluorophenoxy)-2-methylphenyl]carbamate (103);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-chloro-4-fluorophenoxy)-2-methoxyphenyl]carbamate (104);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-chloro-4-fluorophenoxy)-2-fluorophenyl]carbamate (105);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-chloro-5-fluorophenoxy)phenyl]carbamate (106);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-chlorophenoxy)-2-fluorophenyl]carbamate (107);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-chloro-4,5-difluorophenoxy)-2-methoxyphenyl]carbamate (108);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-chloro-4,5-difluorophenoxy)-2-fluorophenyl]carbamate (109);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2,3-difluorophenoxy)phenyl]carbamate (110);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-chloro-3-fluorophenoxy)phenyl]carbamate (111);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2,6-difluorophenoxy)phenyl]carbamate (112);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(naphthalen-1-yloxy)phenyl]carbamate (113);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(1-benzothiophen-5-yloxy)phenyl]carbamate (114);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(1-benzothiophen-6-yloxy)phenyl]carbamate (115);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2,3-dichlorophenoxy)-2-fluorophenyl]carbamate (116);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4-dichlorophenoxy)-2-fluorophenyl]carbamate (117);

[2-(2,6-dioxopiperidin-3-yl)-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,5-dichlorophenoxy)-2-fluorophenyl]carbamate (118);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-(propan-2-yloxy)-2,3-dihydro-1H-isoindol-5-yl]

methyl N-[4-(3,4-difluorophenoxy)-2-fluorophenyl]carbamate (119);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-(propan-2-yloxy)-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(2,3-difluorophenoxy)phenyl]carbamate (120);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-(propan-2-yloxy)-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(2-fluorophenoxy)phenyl]carbamate (121);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-(propan-2-yloxy)-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(2-chlorophenoxy)phenyl]carbamate (122);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-(propan-2-yloxy)-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3-fluorophenoxy)phenyl]carbamate (123);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-(propan-2-yloxy)-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(2-chloro-4-fluorophenoxy)phenyl]carbamate (124);

{2-[(3S)-2,6-dioxopiperidin-3-yl]-3-oxo-4-(propan-2-yloxy)-2,3-dihydro-1H-isoindol-5-yl}methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (125);

[4-cyclobutoxy-2-(2,6-dioxopiperidin-3-yl)-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (126);

[4-cyclobutoxy-2-(2,6-dioxopiperidin-3-yl)-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-chlorophenoxy)phenyl]carbamate (127);

[4-cyclobutoxy-2-(2,6-dioxopiperidin-3-yl)-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-chloro-4-fluorophenoxy)phenyl]carbamate (128);

[2-(2,6-dioxopiperidin-3-yl)-4-(oxetan-3-yloxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (129);

[2-(2,6-dioxopiperidin-3-yl)-4-(oxan-4-yloxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (130);

[2-(2,6-dioxopiperidin-3-yl)-4-(oxan-4-yloxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(2-chlorophenoxy)phenyl]carbamate (131);

[2-(2,6-dioxopiperidin-3-yl)-4-(oxan-4-yloxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3,4-difluorophenoxy)-2-fluorophenyl]carbamate (132);

[2-(2,6-dioxopiperidin-3-yl)-4-(oxan-4-yloxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(4-fluorophenoxy)phenyl]carbamate (133);

[2-(2,6-dioxopiperidin-3-yl)-4-(oxan-4-yloxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-(4-phenoxyphenyl)carbamate (134);

[2-(2,6-dioxopiperidin-3-yl)-4-(oxan-4-yloxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl]

methyl N-[2-fluoro-4-(4-fluorophenoxy)phenyl]carbamate (135);

[2-(2,6-dioxopiperidin-3-yl)-4-(oxan-4-yloxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(2,4-difluorophenoxy)-2-fluorophenyl]carbamate (136);

[4-(cyclohexyloxy)-2-(2,6-dioxopiperidin-3-yl)-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (137);

[2-(2,6-dioxopiperidin-3-yl)-4-(2-methylpropoxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (138);

[2-(2,6-dioxopiperidin-3-yl)-4-(oxan-4-yloxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(2,4-difluorophenoxy)phenyl]carbamate (139);

[2-(2,6-dioxopiperidin-3-yl)-4-(oxan-4-yloxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3,5-difluorophenoxy)-2-fluorophenyl]carbamate (140);

[2-(2,6-dioxopiperidin-3-yl)-4-[(3R)-oxan-3-yloxy]-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (141);

[2-(2,6-dioxopiperidin-3-yl)-4-[(3R)-oxan-3-yloxy]-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-(4-phenoxyphenyl)carbamate (142);

[2-(2,6-dioxopiperidin-3-yl)-4-[(3R)-oxan-3-yloxy]-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3-fluorophenoxy)phenyl]carbamate (143);

[2-(2,6-dioxopiperidin-3-yl)-4-[(3R)-oxan-3-yloxy]-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(4-fluorophenoxy)phenyl]carbamate (144);

[2-(2,6-dioxopiperidin-3-yl)-4-[(3R)-oxan-3-yloxy]-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(2,4-difluorophenoxy)phenyl]carbamate (145);

[2-(2,6-dioxopiperidin-3-yl)-4-[(3R)-oxan-3-yloxy]-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3,4-difluorophenoxy)-2-fluorophenyl]carbamate (146);

[2-(2,6-dioxopiperidin-3-yl)-4-[(3R)-oxan-3-yloxy]-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[2-fluoro-4-(4-fluorophenoxy)phenyl]carbamate (147);

[2-(2,6-dioxopiperidin-3-yl)-4-[(3R)-oxan-3-yloxy]-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(2,4-difluorophenoxy)-2-fluorophenyl]carbamate (148);

[2-(2,6-dioxopiperidin-3-yl)-4-[(3R)-oxan-3-yloxy]-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3,5-difluorophenoxy)-2-fluorophenyl]carbamate (149);

[2-(2,6-dioxopiperidin-3-yl)-4-[(3R)-oxan-3-yloxy]-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[2-fluoro-4-(3,4,5-trifluorophenoxy)phenyl]carbamate (150);

[4-(cyclopentyloxy)-2-(2,6-dioxopiperidin-3-yl)-3-oxo-2,3-dihydro-1H-isoindol-5-yl]

methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (151);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-[(3S)-oxolan-3-yloxy]-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (152);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-[(3R)-oxolan-3-yloxy]-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (153);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-[(3R)-oxolan-3-yloxy]-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4-difluorophenoxy)-2-fluorophenyl]carbamate (154);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-[(3R)-oxolan-3-yloxy]-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2-chloro-4-fluorophenoxy)phenyl]carbamate (155);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-[(3R)-oxolan-3-yloxy]-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2,3-difluorophenoxy)phenyl]carbamate (156);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-[(3R)-oxolan-3-yloxy]-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2,4-difluorophenoxy)phenyl]carbamate (157);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-[(3R)-oxolan-3-yloxy]-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3-chlorophenoxy)phenyl]carbamate (158);

[2-(2,6-dioxopiperidin-3-yl)-4-(2-hydroxy-2-methylpropoxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (159);

[2-(2,6-dioxopiperidin-3-yl)-4-(2-hydroxy-2-methylpropoxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-(4-phenoxyphenyl)carbamate (160);

[2-(2,6-dioxopiperidin-3-yl)-4-(2-hydroxy-2-methylpropoxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4-difluorophenoxy)-2-fluorophenyl]carbamate (161);

[2-(2,6-dioxopiperidin-3-yl)-4-(2-hydroxy-2-methylpropoxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[2-fluoro-4-(4-fluorophenoxy)phenyl]carbamate (162);

[2-(2,6-dioxopiperidin-3-yl)-4-(2-hydroxy-2-methylpropoxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(2,4-difluorophenoxy)-2-fluorophenyl]carbamate (163);

[2-(2,6-dioxopiperidin-3-yl)-4-(2-hydroxy-2-methylpropoxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,5-difluorophenoxy)-2-fluorophenyl]carbamate (164);

[2-(2,6-dioxopiperidin-3-yl)-4-(2-hydroxy-2-methylpropoxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[2-fluoro-4-(3,4,5-trifluorophenoxy)phenyl]carbamate (165);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-{[(1r,4r)-4-hydroxycyclohexyl]oxy}-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (166);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-{[(1s,4s)-4-hydroxycyclohexyl]oxy}-2,3-

dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (167);

[2-(2,6-dioxopiperidin-3-yl)-4-(2-methoxyethoxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (168);

[2-(2,6-dioxopiperidin-3-yl)-4-(2-methoxyethoxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3,4-difluorophenoxy)-2-fluorophenyl]carbamate (169);

[2-(2,6-dioxopiperidin-3-yl)-4-(oxepan-4-yloxy)-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (170);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-(pyridin-3-yloxy)-2,3-dihydro-1H-isoindol-5-yl] methyl N-(4-phenoxyphenyl)carbamate (171);

[2-(2,6-dioxopiperidin-3-yl)-3-oxo-4-(pyridin-3-yloxy)-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (172);

{2-[(3S)-2,6-dioxopiperidin-3-yl]-3-oxo-4-(3-phenylpropoxy)-2,3-dihydro-1H-isoindol-5-yl}methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (173);

methyl 2-({5-[({[4-(3,4-difluorophenoxy)phenyl]carbamoyl}oxy)methyl]-2-(2,6-dioxopiperidin-3-yl)-3-oxo-2,3-dihydro-1H-isoindol-4-yl}oxy)acetate (174);

{4-[(dimethylcarbamoyl)methoxy]-2-(2,6-dioxopiperidin-3-yl)-3-oxo-2,3-dihydro-1H-isoindol-5-yl}methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (175);

[4-(carbamoylmethoxy)-2-(2,6-dioxopiperidin-3-yl)-3-oxo-2,3-dihydro-1H-isoindol-5-yl] methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (176);

[2-(2,6-dioxopiperidin-3-yl)-4-{[ethyl(methyl)carbamoyl]methoxy}-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (177);

[2-(2,6-dioxopiperidin-3-yl)-4-[2-(morpholin-4-yl)-2-oxoethoxy]-3-oxo-2,3-dihydro-1H-isoindol-5-yl]methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (178);

{4-[(1-acetylpiperidin-4-yl)oxy]-2-(2,6-dioxopiperidin-3-yl)-3-oxo-2,3-dihydro-1H-isoindol-5-yl}methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (179); or

{2-[(3S)-2,6-dioxo(3,4,4,5,5-$^{2}H_5$)piperidin-3-yl]-4-methoxy-3-oxo-2,3-dihydro-1H-isoindol-5-yl}methyl N-[4-(3,4-difluorophenoxy)phenyl]carbamate (180).

18. A pharmaceutical composition comprising a compound according to any one of claims 1, 9-13 and 15-16 or tautomers or a pharmaceutically acceptable salt thereof; and a pharmaceutically acceptable carrier.

19. A compound, a tautomer or a pharmaceutically acceptable salt thereof according to any one of claims 1, 9-13 and 15-16 for use in therapy.

20. Use of a compound, a tautomer or a pharmaceutically acceptable salt thereof according to any one of claim 1, 9-13 and 15-16 in the manufacture of a medicament for the treatment of cancer in a patient.

21. The use according to claim 20 wherein said cancer is selected from cancer of the colon, gastric, pancreatic cancer, breast cancer, prostate cancer, lung cancer, ovarian cancer, cervical cancer, renal cancer, cancer of the head and neck, lymphoma, leukemia, and melanoma.

22. The use according to claim 20, wherein a second agent is to be further administered to said patient, wherein said second agent is selected from an antagonist of PD1/PD-L1 axis, an antagonist of CTLA4, a chemotherapeutic agent, radiation, or an anti-tumor vaccine, prior to, simultaneously with or after administration of said compound.