FIG. 1


Particle size distributions of crystals according to Example 1 and Aspisol crystals, measured using a Malvern 2600D apparatus
Transmission (%)
0
2
4
6
8
10
12
14
10
100
1000
Particle size (µm)
Aspisol
Example 1

FIG. 2


Particle size distributions of crystals according to Example 1 and Aspisol crystals, measured using a Malvern 2600D apparatus
Transmission (%)
100
90
80
70
60
50
40
30
20
10
0
10
100
1000
Particle size (µm)
Aspisol
Example 1

FIG. 3


Xylitol-containing chewable tablet
Sorbitol-containing chewable tablet
Composition according to Ex.3
Limit
Salicylic acid content [%]
Storage [weeks]
0
1
2
3
4
5
6
7
0
2
4
6
8
10
12

FIG. 4


Sorbitol-containing tablets
Xylitol-containing tablets
Mannitol-containing tablets
Composition according to Ex.3
Limit
Salicylic acid content [%]
Storage [weeks]
0
1
2
3
4
5
6
7
0
2
4
6
8
10
12

FIG. 5


MHPC capsules, dried
Hard gelatin capsules
Composition according to Ex.3
Limit
Salicylic acid content [%]
Storage [weeks]
0
1
2
3
4
5
6
7
0
2
4
6
8
10
12