

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

Outer packaging label sample draft of drug for washout during screening period

Investigational drug of Cyclosporine A Ophthalmic Gel (Visit 1) (For clinical study only, prevent children from taking it by mistake, please return the remaining drugs and packaging in time)	
Batch number:	2016L01275 Protocol number: ZKY-CSA-202001
Indications: Moderate to severe dry eyes	Storage condition: 15-25 °C Strength: details inside
Containing 1 bottle of hypromellose eye drops and 25 pieces of investigational drugs of Cyclosporine A Ophthalmic Gel	
Drug batch number:	Expiry Date:
Supplier: Zhaoke (Guangzhou) Ophthalmology Pharmaceutical Limited	

Small box label sample draft of drug for washout during screening period

Investigational drug of Cyclosporine A Ophthalmic Gel (Visit 1) (For clinical study only, prevent children from taking it by mistake, please return the remaining drugs and packaging in time)		
Batch number: 2016L01275	Protocol number: ZKY-CSA-202001	
Drug batch number:	Quantity: 25 pcs	
Indications: Moderate to severe dry eyes		
Usage and dosage: Once a day, use it every night before going to bed, and put one drop into the affected eye		
Strength: 0.3 g, 0mg	Expiry Date:	Storage condition: 15-25 °C
Supplier: Zhaoke (Guangzhou) Ophthalmology Pharmaceutical Limited		

Bottle label sample draft of drug for washout during screening period

Investigational drug of Cyclosporine A Ophthalmic Gel	Investigational drug of Cyclosporine A Ophthalmic Gel
Drug batch number:	Drug batch number:
Strength: 0.3 g, 0 mg	Drug name: Hypromellose eye drops
Dosage and administration: Once a day, use it every night before going to bed, and put one drop into the affected eye	Strength: 10 mL:50 mg
Expiry Date:	Usage and dosage: 3 times a day, 1 to 2 drops each time
	Storage condition: Airtight preservation
	Expiry Date:

Large package label sample draft of study drug during treatment period

Investigational drug of Cyclosporine A Ophthalmic Gel (For clinical study only, prevent children from taking it by mistake, please return the remaining drugs and packaging in time)		
Batch number: 2016L01275	Protocol number: ZKY-CSA-202001	Drug No.
Indications: Moderate to severe dry eyes	Storage condition: 15-25 °C	Strength: details inside
Containing study drugs of visit 2, visit 3, visit 4		
Drug batch number:	Expiry Date:	
Supplier: Zhaoke (Guangzhou) Ophthalmology Pharmaceutical Limited		

Fig. 7

Packaging label sample draft of study drug for each visit during treatment period

Investigational drug of Cyclosporine A Ophthalmic Gel (Visit 2) (For clinical study only, prevent children from taking it by mistake, please return the remaining drugs and packaging in time)		
Batch number: 2016L01275	Protocol number: ZKY-CSA-202001	Drug No.
Indications: Moderate to severe dry eyes	Storage condition: 15-25 °C	Strength: details inside
Containing 1 bottle of hypromellose eye drops and 20 pieces of investigational drugs of Cyclosporine A Ophthalmic Gel		
Drug batch number:	Expiry Date:	
Supplier: Zhaoke (Guangzhou) Ophthalmology Pharmaceutical Limited		

Investigational drug of Cyclosporine A Ophthalmic Gel (Visit 3) (For clinical study only, prevent children from taking it by mistake, please return the remaining drugs and packaging in time)		
Batch number: 2016L01275	Protocol number: ZKY-CSA-202001	Drug No.
Indications: Moderate to severe dry eyes	Storage condition: 15-25 °C	Strength: details inside
Containing 2 bottles of hypromellose eye drops and 35 pieces of investigational drugs of Cyclosporine A Ophthalmic Gel		
Drug batch number:	Expiry Date:	
Supplier: Zhaoke (Guangzhou) Ophthalmology Pharmaceutical Limited		

Investigational drug of Cyclosporine A Ophthalmic Gel (Visit 4) (For clinical study only, prevent children from taking it by mistake, please return the remaining drugs and packaging in time)		
Batch number: 2016L01275	Protocol number: ZKY-CSA-202001	Drug No.
Indications: Moderate to severe dry eyes	Storage condition: 15-25 °C	Strength: details inside
Containing 3 bottles of hypromellose eye drops and 55 pieces of investigational drugs of Cyclosporine A Ophthalmic Gel		
Drug batch number:	Expiry Date:	
Supplier: Zhaoke (Guangzhou) Ophthalmology Pharmaceutical Limited		

Fig. 8

Small box label sample draft of study drug for each visit during treatment period

Investigational drug of Cyclosporine A Ophthalmic Gel (Visit 2) (For clinical study only, prevent children from taking it by mistake, please return the remaining drugs and packaging in time)		
Batch number: 2016L01275	Protocol number: ZKY-CSA-202001	
Drug batch number:	Drug No.	Quantity: 20 pcs
Indications: Moderate to severe dry eyes		
Usage and dosage: Once a day, use it every night before going to bed, and put one drop into the affected eye		
Strength: 0.3 g:0.15 mg/0.3 g:0 mg	Expiry Date:	Storage condition: 15-25 °C
Supplier: Zhaoke (Guangzhou) Ophthalmology Pharmaceutical Limited		

Investigational drug of Cyclosporine A Ophthalmic Gel (Visit 3) (For clinical study only, prevent children from taking it by mistake, please return the remaining drugs and packaging in time)		
Batch number: 2016L01275	Protocol number: ZKY-CSA-202001	
Drug batch number:	Drug No.	Quantity: 35 pcs
Indications: Moderate to severe dry eyes		
Usage and dosage: Once a day, use it every night before going to bed, and put one drop into the affected eye		
Strength: 0.3 g:0.15 mg/0.3 g:0 mg	Expiry Date:	Storage condition: 15-25 °C
Supplier: Zhaoke (Guangzhou) Ophthalmology Pharmaceutical Limited		

Investigational drug of Cyclosporine A Ophthalmic Gel (Visit 4) (For clinical study only, prevent children from taking it by mistake, please return the remaining drugs and packaging in time)		
Batch number: 2016L01275	Protocol number: ZKY-CSA-202001	
Drug batch number:	Drug No.	Quantity: 55 pcs
Indications: Moderate to severe dry eyes		
Usage and dosage: Once a day, use it every night before going to bed, and put one drop into the affected eye		
Strength: 0.3 g:0.15 mg/0.3 g:0 mg	Expiry Date:	Storage condition: 15-25 °C
Supplier: Zhaoke (Guangzhou) Ophthalmology Pharmaceutical Limited		

Investigational drug of Cyclosporine A Ophthalmic Gel (Visit 2) (For clinical study only, prevent children from taking it by mistake, please return the remaining drugs and packaging in time)		
Batch number: 2016L01275	Protocol number: ZKY-CSA-202001	
Drug batch number:	Drug No.	Quantity: 1 bottle
Indications: Moderate to severe dry eyes		
Usage and dosage: 3 times a day, 1 to 2 drops each time		
Strength: 10 mL:50 mg	Expiry Date:	Storage condition: Airtight preservation
Supplier: Zhaoke (Guangzhou) Ophthalmology Pharmaceutical Limited		

(continued)

Investigational drug of Cyclosporine A Ophthalmic Gel (Visit 3) (For clinical study only, prevent children from taking it by mistake, please return the remaining drugs and packaging in time)			
Batch number: 2016L01275		Protocol number: ZKY-CSA-202001	
Drug batch number:		Drug No.	Quantity: 2 bottles
Indications: Moderate to severe dry eyes			
Usage and dosage: 3 times a day, 1 to 2 drops each time			
Strength: 10 mL 50 mg		Expiry Date:	Storage condition: Airtight preservation
Supplier: Zhaoke (Guangzhou) Ophthalmology Pharmaceutical Limited			

Investigational drug of Cyclosporine A Ophthalmic Gel (Visit 4) (For clinical study only, prevent children from taking it by mistake, please return the remaining drugs and packaging in time)			
Batch number: 2016L01275		Protocol number: ZKY-CSA-202001	
Drug batch number:		Drug No.	Quantity: 3 bottles
Indications: Moderate to severe dry eyes			
Usage and dosage: 3 times a day, 1 to 2 drops each time			
Strength: 10 mL 50 mg		Expiry Date:	Storage condition: Airtight preservation
Supplier: Zhaoke (Guangzhou) Ophthalmology Pharmaceutical Limited			

Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13



PANEL			Grade	Criteria
A 			0	Equal to or less than panel A
B 			I	Equal to or less than panel B, greater than A
C 			II	Equal to or less than panel C, greater than B
D 			III	Equal to or less than panel D, greater than C
E 			IV	Equal to or less than panel E, greater than D
>E 			V	Greater than E
From 0-5	From 0-5	From 0-5	TOTAL SCORE:	From 0-15

Fig. 14

Proportion of patients whose corneal fluorescein staining score (ICSS) decreased by ≥ 2 points from baseline at D14, D42 and D84




Fig. 15




Fig. 16