

FIG. 1A




FIG. 1B

Please rate the extent to which you had any of the following symptoms after vaccination.

	Not at all	A little bit	Somewhat	Quite a bit	Very much
POINTS	0	1	2	3	4
Pain at injection site	☐	☐	☐	☐	☐
Soreness at injection site	☐	☐	☐	☐	☐
Redness at injection site	☐	☐	☐	☐	☐
Weak or tired	☐	☐	☐	☐	☐
Headache	☐	☐	☐	☐	☐
Body aches or pains	☐	☐	☐	☐	☐
Felt hot	☐	☐	☐	☐	☐
Felt cold	☐	☐	☐	☐	☐
Chills or shivering	☐	☐	☐	☐	☐
Joint pains	☐	☐	☐	☐	☐
Felt nauseous (feeling like you want to throw up)	☐	☐	☐	☐	☐
Swollen lymph nodes	☐	☐	☐	☐	☐

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7A

Symptoms experienced after first vaccination

Symptom	Presence of symptoms	Symptom score			
		1	2	3	4
Soreness at injection site ^a	173 (92.0%)	31 (16.5%)	57 (30.3%)	60 (31.9%)	25 (13.3%)
Pain at injection site ^a	139 (73.9%)	36 (19.1%)	45 (23.9%)	42 (22.3%)	16 (8.5%)
Weak or tired ^b	78 (41.5%)	31 (16.5%)	22 (11.7%)	21 (11.2%)	4 (2.1%)
Headache ^b	58 (30.9%)	22 (11.7%)	14 (7.4%)	17 (9.0%)	5 (2.7%)
Body aches or pains ^b	49 (26.1%)	14 (7.4%)	13 (6.9%)	14 (7.4%)	8 (4.3%)
Redness at injection site ^a	42 (22.3%)	29 (15.4%)	10 (5.3%)	1 (0.5%)	2 (1.1%)
Joint pains ^b	25 (13.3%)	8 (4.3%)	7 (3.7%)	4 (2.1%)	6 (3.2%)
Felt hot ^b	18 (9.6%)	7 (3.7%)	7 (3.7%)	2 (1.1%)	2 (1.1%)
Felt cold ^b	18 (9.6%)	6 (3.2%)	8 (4.3%)	3 (1.6%)	1 (0.5%)
Chills or shivering ^b	18 (9.6%)	3 (1.6%)	8 (4.3%)	5 (2.7%)	2 (1.1%)
Felt nauseous ^b	16 (8.5%)	9 (4.8%)	4 (2.1%)	2 (1.1%)	1 (0.5%)
Swollen lymph nodes ^c	8 (4.3%)	4 (2.1%)	3 (1.6%)	0 (0%)	1 (0.5%)

^aLocal symptoms^bSystemic symptoms^cNonlocal/nonsystemic symptoms

FIG. 7B

Symptoms experienced after second vaccination

Symptom	Presence of symptoms	Symptom score			
		1	2	3	4
Soreness at injection site ^a	153 (81.4%)	52 (27.7%)	47 (25.0%)	36 (19.1%)	18 (9.6%)
Pain at injection site ^a	119 (63.3%)	53 (28.2%)	30 (16.0%)	22 (11.7%)	14 (7.4%)
Weak or tired ^b	116 (61.7%)	28 (14.9%)	25 (13.3%)	34 (18.1%)	29 (15.4%)
Body aches or pains ^b	98 (52.1%)	12 (6.4%)	27 (14.4%)	34 (18.1%)	25 (13.3%)
Headache ^b	93 (49.5%)	30 (16.0%)	27 (14.4%)	15 (8.0%)	21 (11.2%)
Joint pains ^b	61 (32.4%)	15 (8.0%)	13 (6.9%)	22 (11.7%)	11 (5.9%)
Chills or shivering ^b	52 (27.7%)	9 (4.8%)	11 (5.9%)	20 (10.6%)	12 (6.4%)
Felt hot ^b	52 (27.7%)	17 (9.0%)	11 (5.9%)	14 (7.4%)	10 (5.3%)
Felt cold ^b	50 (26.6%)	13 (6.9%)	16 (8.5%)	16 (8.5%)	5 (2.7%)
Redness at injection site ^a	34 (18.1%)	17 (9.0%)	8 (4.3%)	6 (3.2%)	3 (1.6%)
Felt nauseous ^b	34 (18.1%)	17 (9.0%)	8 (4.3%)	4 (2.1%)	5 (2.7%)
Swollen lymph nodes ^c	30 (16.0%)	8 (4.3%)	7 (3.7%)	9 (4.8%)	6 (3.2%)

^aLocal symptoms^bSystemic symptoms^cNonlocal/nonsystemic symptoms

FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

