









FIG. 1a





Kyphotic
lumbar spine

FIG. 1e



Lordotic
lumbar spine

FIG. 1g




FIG. 1f




FIG. 1h




FIG. 2a




FIG. 2b




FIG. 2c




FIG. 2d

5/48




FIG. 2e




FIG. 2f




FIG. 2g




FIG. 2h

6/48




FIG. 3a

7/48




FIG. 3b

8/48




FIG. 3c

9/48




FIG. 3d

10/48




FIG. 3e

11/48





FIG. 4a

12/48



A	B	C	D	E	F
1.50 mm	1.75 mm	2.00 mm	2.50 mm	3.00 mm	3.50 mm

FIG. 4b




FIG. 4c

14/48








FIG. 5



16/48



17/48




FIG. 6e




FIG. 6f

18/48




FIG. 6g




FIG. 6h

19/48




FIG. 6i






FIG. 6j



21/48




FIG. 6m

22/48






FIG. 6o



23/48




FIG. 7a




FIG. 7b








FIG. 7c








FIG. 9

27/48




FIG. 10a




FIG. 10b

28/48




FIG. 10c




FIG. 10d

29/48




FIG. 10e




FIG. 10f

30/48




FIG. 11a




FIG. 11b

31/48




FIG. 12a




FIG. 12b

32/48




FIG. 12c




FIG. 12e




FIG. 12g




FIG. 12d




FIG. 12f




FIG. 13a

FIG. 13b

35/48




FIG. 14a




FIG. 14b




FIG. 14c

36/48




FIG. 14d




FIG. 14e




FIG. 14f

37/48




FIG. 14g




FIG. 14h




FIG. 14i




FIG. 15

39/48




FIG. 16a

40/48




FIG. 16b

41/48




FIG. 16c

42/48




FIG. 17a




FIG. 17b

43/48




FIG. 18a

44/48




FIG. 18b




FIG. 18c




FIG. 18d

45/48




FIG. 18e




FIG. 18f




FIG. 18g




FIG. 18h




FIG. 18i




FIG. 18j




FIG. 18k




FIG. 18l




FIG. 18m




FIG. 18n

48/48




FIG. 19