


THIS SHEET HAS BEEN
REPLACED**Abstract**

A method of treatment and/or prophylaxis of anxiety and/or mania, and/or depression and/or the effects associated with withdrawal from substances of abuse, and/or disorders treatable and/or preventable with anti-convulsive agents, comprising administering to the sufferer in need thereof an effective or prophylactic amount of a compound of formula (I) or pharmaceutically acceptable salt thereof:



10 wherein:

either Y is N and R₂ is hydrogen, or Y is C-R₁

where:

15

either one of R₁ and R₂ is hydrogen and the other is selected from the class of hydrogen, C₃₋₈ cycloalkyl, C₁₋₆ alkyl optionally interrupted by oxygen or substituted by hydroxy, C₁₋₆ alkoxy or substituted aminocarbonyl, C₁₋₆ alkylcarbonyl, C₁₋₆ alkoxy carbonyl, C₁₋₆ alkylcarbonyloxy, C₁₋₆ alkoxy, nitro, cyano, halo, trifluoromethyl, CF₃S, or a group CF₃-A-, where A is -CF₂-, -CO-, -CH₂- or CH(OH), trifluoromethoxy, C₁₋₆ alkylsulphinyl, C₁₋₆ alkylsulphonyl, C₁₋₆ alkoxy sulphinyl, C₁₋₆ alkoxy sulphonyl, aryl, heteroaryl, arylcarbonyl, heteroarylcarbonyl, arylsulphinyl, heteroarylsulphinyl, arylsulphonyl, heteroarylsulphonyl in which any aromatic moiety is optionally substituted, C₁₋₆ alkylcarbonylamino, C₁₋₆ alkoxy carbonylamino, C₁₋₆ alkyl-thiocarbonyl, C₁₋₆ alkoxy-thiocarbonyl, C₁₋₆ alkyl-thiocarbonyloxy, 1-mercapto C₂₋₇ alkyl, formyl, or aminosulphinyl, aminosulphonyl or aminocarbonyl, any amino moiety being optionally substituted by one or two C₁₋₆ alkyl groups, or C₁₋₆ alkylsulphinylamino, C₁₋₆ alkylsulphonylamino, C₁₋₆ alkoxy sulphinylamino or C₁₋₆ alkoxy sulphonylamino, or ethylenyl terminally substituted by C₁₋₆ alkylcarbonyl, nitro or cyano, or -C(C₁₋₆ alkyl)NOH or -C(C₁₋₆ alkyl)NNH₂, or one of R₁ and R₂ is nitro, cyano or C₁₋₃ alkylcarbonyl and

This Sheet Has Been Replaced



the other is methoxy or amino optionally substituted by one or two C₁₋₆ alkyl or by C₂₋₇ alkanoyl;

- 5 one of R₃ and R₄ is hydrogen or C₁₋₄ alkyl and the other is C₁₋₄ alkyl or R₃ and R₄ together are C₂₋₅ polymethylene;

- 10 R₅ is C₁₋₆ alkylcarbonyloxy, benzoyloxy, ONO₂, benzyloxy, phenyloxy or C₁₋₆ alkoxy and R₆ and R₉ are hydrogen or R₅ is hydroxy and R₆ is hydrogen or C₁₋₂ alkyl and R₉ is hydrogen;

R₇ is fluorophenyl;

R₈ is hydrogen or C₁₋₆ alkyl;

- 15 the R₈-N-CO-R₇ group being trans to the R₅ group;

and X is oxygen or NR₁₀ where R₁₀ is hydrogen or C₁₋₆ alkyl.

This Sheet Has Been Replaced

