

Fig. 1




Fig. 2




Fig. 3 a.




Fig. 3 c.





Fig. 3 b.








Fig. 7a




Fig. 7b






Fig. 7c



5/18

Fig. 8






6/18

Fig. 9a

20%PP - 80%LLDPE

As extruded


Hotdrawn 3,00:1 at 130°C
Not ColdrawnHotdrawn 3,00:1 at 115°C
Not Coldrawn

7/18


Fig. 9b

20%PP – 80%LLDPE

Hotdrawn 3,00:1 at 130°C
Coldrawn at 2,00:1



Hotdrawn 3,00:1 at 115°C
Coldrawn at 2,00:1




8/18


Fig. 9c

20%PP – 80%LLDPE

Hotdrawn 3,00:1 at 130°C
Coldrawn at 1,50:1



Hotdrawn 3,00:1 at 115°C
Coldrawn at 1,50:1






9/18

Fig. 10a

33%PP – 67%LLDPE

As extruded


Hotdrawn 3,00:1 at 130°C
Not ColdrawnHotdrawn 3,00:1 at 115°C
Not Coldrawn

10/18


Fig. 10b

33%PP - 67%LLDPE

Hotdrawn 3,00:1 at 130°C
Coldrawn at 2,00:1



Hotdrawn 3,00:1 at 115°C
Coldrawn at 2,00:1




11/18


Fig. 10c

33%PP - 67%LLDPE

Hotdrawn 3,00:1 at 130°C
Coldrawn at 1,50:1



Hotdrawn 3,00:1 at 115°C
Coldrawn at 1,50:1






12/18

Fig. 11a

50%PP – 50%LLDPE

As extruded


Hotdrawn 3,00:1 at 130°C
Not ColdrawnHotdrawn 3,00:1 at 115°C
Not Coldrawn

13/18


Fig. 11b

50%PP - 50%LLDPE

Hotdrawn 3,00:1 at 130°C
Coldrawn at 2,00:1



Hotdrawn 3,00:1 at 115°C
Coldrawn at 2,00:1




14/18


Fig. 11c

50%PP - 50%LLDPE

Hotdrawn 3,00:1 at 130°C
Coldrawn at 1,50:1




Hotdrawn 3,00:1 at 115°C
Coldrawn at 1,50:1



15/18




Fig. 12a

Shrinktest – No Hotdrawing, Coldrawing 3,00:1




16/18

Fig. 12b

Shrinktest 20%PP – Hotdrawn 3,00:1, Coldrawn 1:1**Shrinktest 20%PP – Hotdrawn 3,00:1, Coldrawn 1,5:1****Shrinktest 20%PP – Hotdrawn 3,00:1, Coldrawn 2:1**

17/18

Fig. 12c



18/18

Fig. 12d

