CLAIMS

1. Use of a composition comprising glycyrrhizin, hyaluronic acid or a salt or a derivative thereof, and a viscosizing agent, for the manufacture of a medicament for the treatment of ocular affections, wherein said viscosizing agent is tamarind seed polysaccharide, carboxymethylcellulose, or a mixture thereof or said viscosizing agent comprises a mixture of tamarind seed polysaccharide, with one or more of PVP, carboxyvinyl polymers, xanthan gum, carboxymethylcellulose, hydroxyethyl cellulose, hydroxypropyl methylcellulose, mucopolysaccharides, cellulose and esters, natural gums and their esters, pectins, polyacrylates.

2. The use of claim 1, wherein, in the composition, said glycyrrhizin is in concentration up to 5.0 wt%, preferably 0.05-3.0 wt%, based on the weight of the composition.

3. The use of claim 1 or 2, wherein, in the composition, said hyaluronic acid or a salt or a derivative thereof is in concentration up to 5.0 wt%, preferably 0.01-3.0 wt%, based on the weight of the composition.

4. The use of any one of claims 1-3, wherein, in the composition, said viscosity agent is in a concentration up to 5.0 wt%, preferably 0.01-3.0 wt%, based on the weight of the composition.

5. The use of any one of claims 1-4, wherein, in the composition, said viscosizing agent is tamarind seed polysaccharide, carboxymethylcellulose, or a mixture thereof, preferably in a concentration of 0.05-2.0 wt%, based on the weight of the composition.

6. The use of any one of claims 1-5, wherein, in the composition, glycyrrhizin and hyaluronic acid or a salt or a derivative thereof are in a weight ratio of 1:1 to 1:20, preferably 1:1 to 1:10, more preferably 1:1 to 1:5.

7. The use of any one of claims 1-6, wherein, in the composition, glycyrrhizin and viscosizing agent are in a weight ratio of 5:1 to 1:15, preferably 3:1 to 1:10, more

preferably 2:1 to 1:5.

8. The use of any one of claims 1-7, wherein, in the composition, hyaluronic acid or a salt or a derivative thereof and viscosity agent are in a weight ratio of 1:2 to 10:1, preferably 1:1 to 5: 1, more preferably 1:1 to 3:1.

9. The use of any one of claims 1-8, said composition having a pH of 4-7, preferably 5.5-6.5.

10. The use of any one of claims 1-9, the composition further comprising a buffer, said buffer being selected from citric acid-sodium citrate, acetic acid-sodium acetate, boric-sodium borate acid, citric acid-disodium hydrogen phosphate (also known as' buffer McIlvaine'), citric acid-monopotassium phosphate-boric acid-diethylbarbituric acid, TRIS-borate, and their mixtures, preferably said buffer, is citric acid-sodium citrate.

11. A composition comprising glycyrrhizin, hyaluronic acid or a salt or a derivative thereof, and a viscosizing agent, wherein said viscosizing agent is tamarind seed polysaccharide, or a mixture of tamarind seed polysaccharide with one or more of PVP, carboxyvinyl polymers, xanthan gum, carboxymethylcellulose, hydroxyethyl cellulose, hydroxypropyl methylcellulose, mucopolysaccharides, cellulose and esters, natural gums and their esters, pectins, polyacrylates.

12. An ophthalmic product comprising the composition of any one of the claims 1-10 and ophthalmologically acceptable excipients.

13. The ophthalmic product of claim 12, said ophthalmic product being a tear substitute, a collyrium, a suspension, an eye spray, a foam, an impregnated wipe, a spray patch, or a combination thereof, preferably being a tear substitute.

14. The composition of claim 11 for use in the topical treatment of dermatological, gynecological, otorhinolaryngological or dental pathologies.

15. Cosmetic use of the composition of claim 11 as a soothing agent in products for external topical use.