



[图 1]

细则 26,  
15.10.2024

■注：1~6为舒筋草对照药材溶液；7~12为舒筋草配方颗粒溶液。

[图 2]


细则 26,  
15.10.2024



注:1 为黑芝麻对照药材溶液; 2 为阴性溶液; 3-5 为舒筋草配方颗粒溶液。

[图 3]


细则 26,  
15.10.2024



注:1 为舒筋草对照药材溶液; 2-4 为舒筋草配方颗粒溶液。

[图 4]


细则 26,  
15.10.2024



注:1 为舒筋草对照药材溶液; 2-4 为舒筋草配方颗粒溶液。


[图 5]

细则 26,  
15.10.2024




注:1 为舒筋草对照药材溶液; 2-4 为舒筋草配方颗粒溶液。

[图 6]


细则 26,  
15.10.2024

[图 7]



细则 26,  
15.10.2024


[图 8]




细则 26,  
15.10.2024

[图 9]


细则 26,  
15.10.2024



[图 10]


细则 26,  
15.10.2024

[图 11]




细则 26,  
15.10.2024

[图 12]



细则 26,  
15.10.2024

[图 13]



← 溶剂前沿  
(9.8 cm)

←  $R_f=0.591$

← 原点  
(1.5 cm)

细则 26,  
15.10.2024

[图 14]



25°C  
RH=63%

← 溶剂前沿  
(13.4cm)

← 原点

细则 26,  
15.10.2024

[图 15]



细则 26,  
15.10.2024