
The patent applications WO2010/052569, WO2007/084786 and WO2008/098058 describe certain analogous triazines and pyrimidines derivatives having PI3K and mTOR inhibiting properties, and their use as pharmaceuticals.

Summary

In one aspect, the present disclosure refers to a compound of formula (I),



(I)


wherein

X^1, X^2 and X^3 are, independently of each other, N or CH; with the proviso that at least two of X^1, X^2 and X^3 are N;

Y is N or CH;

R^1 and R^2 are independently of each other


(i) a morpholinyl of formula (II)



(II)

wherein the arrow denotes the bond in formula (I); and

wherein R^3 and R^4 are independently of each other H, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, CN, or C(O)O-C_1-C_2alkyl; or R^3 and R^4 form together a bivalent residue – R^5R^6– selected from C_1-C_3alkylene optionally substituted with 1 to 4 F, -CH_2-O-CH_2-, -CH_2-NH-CH_2-, or any of the structures



;

wherein the arrows denote the bonds in formula (II);

(ii) phenyl optionally substituted with 1 to 3 R^7, wherein R^7 is independently at each occurrence halogen, -OH, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, C_3-C_6cycloalkyl, -NH_2, $NHCH_3$ or $N(CH_3)_2$;

(iii) a 5- to 6-membered heteroaryl ring **W** containing one to four heteroatoms independently selected from N, O and S, optionally substituted by 1 to 3 R^8, wherein R^8 is independently at each occurrence halogen, -OH, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, C_3-C_6cycloalkyl, -NH_2, $NHCH_3$ or $N(CH_3)_2$;

(iv) a saturated 4- to 6-membered heterocyclic ring **Z** containing 1 to 3 heteroatoms independently selected from N, O and S, optionally substituted by 1 to 3 R^9; wherein R^9 is independently at each occurrence halogen, -OH, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, C_3-C_6cycloalkyl, =O, -NH_2, $NHCH_3$ or $N(CH_3)_2$; or two R^9 substituents form together a bivalent residue –$R^{10}R^{11}$– selected from C_1-C_3alkylene optionally substituted with 1 to 4 F, -CH_2-O-CH_2- or -O-CH_2CH_2-O-;

(v) OR^{12}, wherein R^{12} is C_1-C_3alkyl, C_1-C_3haloalkyl, C_1-C_3alkoxy, C_3-C_6cycloalkyl, C_1-C_2alkyleneC_3-C_6cycloalkyl; Cycle-P or C_1-C_2alkyleneCycle-P, wherein Cycle-P represents a saturated 4- to 6-membered heterocyclic ring containing 1 to 3 heteroatoms independently selected from N, O and S, optionally substituted by 1 to 3 R^{13}, wherein R^{13} is independently at each occurrence halogen, -OH, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, C_3-C_6cycloalkyl, -NH_2, $NHCH_3$ or $N(CH_3)$; Cycle-Q or C_1-C_2alkyleneCycle-Q, wherein Cycle-Q represents 5- to 6-membered heteroaryl ring containing one to four heteroatoms independently selected from N, O and S, optionally substituted by 1 to 3 R^{14}, wherein R^{14} is independently at each occurrence halogen, -OH, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, C_3-C_6cycloalkyl, -NH_2, $NHCH_3$ or $N(CH_3)$; or

(vi) $NR^{15}R^{16}$; wherein R^{15} and R^{16} are independently of each other H, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl; Cycle-P or C_1-C_2alkyleneCycle-P, wherein Cycle-P represents a saturated 4- to 6-membered heterocyclic ring containing 1 to 3 heteroatoms independently selected from N, O and S, optionally substituted by 1 to 3 R^{13}, wherein R^{13} is independently at each occurrence halogen, -OH, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, C_3-C_6cycloalkyl, -NH_2, $NHCH_3$ or $N(CH_3)$; Cycle-Q or C_1-C_2alkyleneCycle-Q, wherein Cycle-Q represents 5- to 6-membered heteroaryl ring containing one to four heteroatoms independently selected from N, O and S, optionally substituted by 1 to 3 R^{14}, wherein R^{14} is independently at each occurrence halogen, -OH, C_1-C_3alkyl optionally substituted with one or two OH,

C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, C_3-C_6cycloalkyl, -NH_2, $NHCH_3$ or $N(CH_3)$;

with the proviso that at least one of R^1 and R^2 is a morpholinyl of formula II;


and prodrugs, metabolites, tautomers, solvates and pharmaceutically acceptable salts thereof.

In another aspect, the present disclosure provides a pharmaceutical composition comprising a compound of formula (I) as disclosed herein and a pharmaceutically acceptable carrier.

In another aspect, the present disclosure provides a compound of formula (I) as disclosed herein for use in therapy.

In another aspect, the present disclosure provides the use of a compound of formula (I) as disclosed herein in the manufacture of a medicament for the treatment or prevention of a disease or condition modulated by PI3Ks and/or mTOR and/or PIKKs in a mammal.

The disclosure relates in a first example to difluoromethyl-substituted heteroaromatic compounds of formula (I),



(I)


wherein

X^1, X^2 and X^3 are, independently of each other, N or CH; with the proviso that at least two of X^1, X^2 and X^3 are N;

Y is N or CH;

R^1 and R^2 are independently of each other


(i) a morpholinyl of formula (II)



(II)

wherein the arrow denotes the bond in formula (I); and

wherein R^3 and R^4 are independently of each other H, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, CN, or C(O)O-C_1-C_2alkyl; or R^3 and R^4 form together a bivalent residue –R^5R^6– selected from C_1-C_3alkylene optionally substituted with 1 to 4 F, -CH_2-O-CH_2-, -CH_2-NH-CH_2-, or any of the structures



;

wherein the arrows denote the bonds in formula (II);

(ii) phenyl optionally substituted with 1 to 3 R^7, wherein R^7 is independently at each occurrence halogen, -OH, C_1-C_3alkyl optionally substituted with one or two OH,

ring containing one to four heteroatoms independently selected from N, O and S, optionally substituted by 1 to 3 R^{14}, wherein R^{14} is independently at each occurrence halogen, -OH, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, C_3-C_6cycloalkyl, -NH_2, $NHCH_3$ or $N(CH_3)$;

with the proviso that at least one of R^1 and R^2 is a morpholinyl of formula II;

and prodrugs, metabolites, tautomers, solvates and pharmaceutically acceptable salts thereof.

In further examples, the disclosure relates to pharmaceutical compositions comprising a compound of formula (I) as defined hereinbefore, and to methods of preventing or treating a disease or disorder modulated by PI3Ks, mTOR and PIKKs, in particular treating a hyperproliferative disorder, comprising administering to a mammal in need of such treatment an effective amount of a compound of formula (I) as defined hereinbefore. An additional example of the disclosure is the use of a compound of formula (I) as defined hereinbefore for the treatment or prevention of a disease or condition modulated by PI3Ks, mTOR and PIKKs in a mammal, and the use of a compound of formula (I) as defined hereinbefore in the preparation of a medicament for the treatment or prevention of a disease or condition modulated by PI3Ks, mTOR and PIKKs, in a mammal.

In again further examples, the disclosure relates to the use of an effective amount of compounds of formula (I) as defined hereinbefore in combination with standard treatment, such as chemotherapy, radiotherapy, targeted therapy or immunotherapy of a disease or disorder modulated by PI3Ks, mTOR and PIKKs, in particular hyperproliferative disorders.

Further the disclosure relates to the synthesis of compounds of formula (I) as defined hereinbefore including tautomers, solvates, intermediates, prodrugs and salts of said compounds.


Further aspects and embodiments of the present disclosure will be become apparent as this description continues.

Detailed Description of the Invention

Reference will now be made in detail to the presented and further aspects and the presented and further embodiments of the invention, examples of which are illustrated in

Claims

1. A compound of formula (I),



(I)


wherein

X^1, X^2 and X^3 are, independently of each other, N or CH; with the proviso that at least two of X^1, X^2 and X^3 are N;

Y is N or CH;

R^1 and R^2 are independently of each other


(i) a morpholinyl of formula (II)



(II)

wherein the arrow denotes the bond in formula (I); and

wherein R^3 and R^4 are independently of each other H, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, CN, or C(O)O-C_1-C_2alkyl; or R^3 and R^4 form together a bivalent residue –R^5R^6– selected from C_1-C_3alkylene optionally substituted with 1 to 4 F, -CH_2-O-CH_2-, -CH_2-NH-CH_2-, or any of the structures



;

wherein the arrows denote the bonds in formula (II);

(ii) phenyl optionally substituted with 1 to 3 R^7, wherein R^7 is independently at each occurrence halogen, -OH, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, C_3-C_6cycloalkyl, -NH_2, $NHCH_3$ or $N(CH_3)_2$;

(iii) a 5- to 6-membered heteroaryl ring **W** containing one to four heteroatoms independently selected from N, O and S, optionally substituted by 1 to 3 R^8, wherein R^8 is independently at each occurrence halogen, -OH, C_1-C_3alkyl

optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, C_3-C_6cycloalkyl, -NH_2, $NHCH_3$ or $N(CH_3)_2$;

(iv) a saturated 4- to 6-membered heterocyclic ring **Z** containing 1 to 3 heteroatoms independently selected from N, O and S, optionally substituted by 1 to 3 R^9; wherein R^9 is independently at each occurrence halogen, -OH, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, C_3-C_6cycloalkyl, =O, -NH_2, $NHCH_3$ or $N(CH_3)_2$; or two R^9 substituents form together a bivalent residue –$R^{10}R^{11}$– selected from C_1-C_3alkylene optionally substituted with 1 to 4 F, -CH_2-O-CH_2- or -O-CH_2CH_2-O-;

(v) OR^{12}, wherein R^{12} is C_1-C_3alkyl, C_1-C_3haloalkyl, C_1-C_3alkoxy, C_3-C_6cycloalkyl, C_1-C_2alkyleneC_3-C_6cycloalkyl; Cycle-P or C_1-C_2alkyleneCycle-P, wherein Cycle-P represents a saturated 4- to 6-membered heterocyclic ring containing 1 to 3 heteroatoms independently selected from N, O and S, optionally substituted by 1 to 3 R^{13}, wherein R^{13} is independently at each occurrence halogen, -OH, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, C_3-C_6cycloalkyl, -NH_2, $NHCH_3$ or $N(CH_3)$; Cycle-Q or C_1-C_2alkyleneCycle-Q, wherein Cycle-Q represents 5- to 6-membered heteroaryl ring containing one to four heteroatoms independently selected from N, O and S, optionally substituted by 1 to 3 R^{14}, wherein R^{14} is independently at each occurrence halogen, -OH, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, C_3-C_6cycloalkyl, -NH_2, $NHCH_3$ or $N(CH_3)$; or


(vi) $NR^{15}R^{16}$; wherein R^{15} and R^{16} are independently of each other H, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl; Cycle-P or C_1-C_2alkyleneCycle-P, wherein Cycle-P represents a saturated 4- to 6-membered heterocyclic ring containing 1 to 3 heteroatoms independently selected from N, O and S, optionally substituted by 1 to 3 R^{13}, wherein R^{13} is independently at each occurrence halogen, -OH, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, C_3-C_6cycloalkyl, -NH_2, $NHCH_3$ or $N(CH_3)$; Cycle-Q or C_1-C_2alkyleneCycle-Q, wherein Cycle-Q represents 5- to 6-membered heteroaryl ring containing one to four heteroatoms independently selected from N, O and S, optionally substituted by 1 to 3 R^{14}, wherein R^{14} is independently at each occurrence halogen, -OH, C_1-C_3alkyl optionally substituted with one or two OH, C_1-C_2fluoroalkyl, C_1-C_2alkoxy, C_1-C_2alkoxyC_1-C_3alkyl, C_3-C_6cycloalkyl, -NH_2, $NHCH_3$ or $N(CH_3)$;


with the proviso that at least one of R^1 and R^2 is a morpholinyl of formula II;
and prodrugs, metabolites, tautomers, solvates and pharmaceutically acceptable salts thereof.


2. The compound of formula (I) according to claim 1, wherein X^1, X^2 and X^3 are N; and tautomers, solvates and pharmaceutically acceptable salts thereof.

3. The compound of formula (I) according to claim 1 or claim 2, wherein said R^1 and said R^2 are independently of each other (i) a morpholinyl of formula (II); (ii) said 5- to 6-membered heteroaryl ring **W**; (iii) said saturated 4- to 6-membered heterocyclic ring **Z**; (iv) said OR^{12}; or (v) said $NR^{15}R^{16}$.


4. The compound of formula (I) according to any one of the claims 1 to 3, wherein said R^1 and said R^2 are independently of each other selected from










5. The compound of formula (I) according to any one of the claims 1 to 3, wherein said R^1 and said R^2 are independently of each other selected from








6. The compound of formula (I) according to any one of the claims 1 to 3, wherein R^1 and R^2 are independently of each other selected from



7. The compound of formula (I) according to any one of the claims 1 to 3, wherein R^1 and R^2 are independently of each other selected from



8. The compound of formula (I) according to claim 1, wherein said compound is selected from

4-(difluoromethyl)-5-(4,6-dimorpholino-1,3,5-triazin-2-yl)pyridin-2-amine;

4-(difluoromethyl)-5-(4,6-dimorpholino-1,3,5-triazin-2-yl)pyrimidin-2-amine;

5-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-6-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyridin-2-amine;

5-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-6-morpholino-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyridin-2-amine;

5-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-6-morpholino-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyrimidin-2-amine;

5-(4,6-bis((*S*)-3-methylmorpholino)-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyridin-2-amine;

5-(4,6-bis((*S*)-3-methylmorpholino)-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyrimidin-2-amine;

(*S*)-4-(difluoromethyl)-5-(4-(3-methylmorpholino)-6-morpholino-1,3,5-triazin-2-yl)pyridin-2-amine;

(*S*)-4-(difluoromethyl)-5-(4-(3-methylmorpholino)-6-morpholino-1,3,5-triazin-2-yl)pyrimidin-2-amine;

5-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-6-((*S*)-3-methylmorpholino)-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyridin-2-amine;

5-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-6-((*S*)-3-methylmorpholino)-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyrimidin-2-amine;

4-(difluoromethyl)-5-(4-morpholino-6-(piperazin-1-yl)-1,3,5-triazin-2-yl)pyridin-2-amine;

4-(difluoromethyl)-5-(4-morpholino-6-(piperazin-1-yl)-1,3,5-triazin-2-yl)pyrimidin-2-amine;

(*S*)-4-(difluoromethyl)-5-(4-(3-methylmorpholino)-6-(piperazin-1-yl)-1,3,5-triazin-2-

yl)pyridin-2-amine;
(*S*)-4-(difluoromethyl)-5-(4-(3-methylmorpholino)-6-(piperazin-1-yl)-1,3,5-triazin-2-yl)pyrimidin-2-amine;
4-(difluoromethyl)-5-(2,6-dimorpholinopyrimidin-4-yl)pyridin-2-amine;
4'-(difluoromethyl)-2,6-dimorpholino-[4,5'-bipyrimidin]-2'-amine;
4-(difluoromethyl)-5-(4,6-dimorpholinopyrimidin-2-yl)pyridin-2-amine;
4'-(difluoromethyl)-4,6-dimorpholino-[2,5'-bipyrimidin]-2'-amine;
4-(difluoromethyl)-5-(4-morpholino-6-thiomorpholino-1,3,5-triazin-2-yl)pyridin-2-amine;
4-(difluoromethyl)-5-(4-morpholino-6-thiomorpholino-1,3,5-triazin-2-yl)pyrimidin-2-amine;
5-(6-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-2-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)pyrimidin-4-yl)-4-(difluoromethyl)pyridin-2-amine;
5-(2-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-6-morpholinopyrimidin-4-yl)-4-(difluoromethyl)pyridin-2-amine;
2-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-4′-(difluoromethyl)-6-morpholino-[4,5′-bipyrimidin]-2′-amine;
5-(2,6-bis((*S*)-3-methylmorpholino)pyrimidin-4-yl)-4-(difluoromethyl)pyridin-2-amine;
4'-(difluoromethyl)-2,6-bis((*S*)-3-methylmorpholino)-[4,5'-bipyrimidin]-2'-amine;
(*S*)-4-(difluoromethyl)-5-(6-(3-methylmorpholino)-2-morpholinopyrimidin-4-yl)pyridin-2-amine;
(*S*)-4'-(difluoromethyl)-6-(3-methylmorpholino)-2-morpholino-[4,5'-bipyrimidin]-2'-amine;
5-(4-(8-Oxa-3-azabicyclo[3.2.1]octan-3-yl)-6-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyridin-2-amine;
5-[4,6-bis(2,2-dimethylmorpholin-4-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
(*S*)-4-(difluoromethyl)-5-(2-(3-methylmorpholino)-6-morpholinopyrimidin-4-yl)pyridin-2-amine;
(*S*)-4'-(difluoromethyl)-2-(3-methylmorpholino)-6-morpholino-[4,5'-bipyrimidin]-2'-amine;
4-(difluoromethyl)-5-[4-[(2S,6R)-2,6-dimethylmorpholin-4-yl]-6-[(3R)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
5-[4,6-bis[(2R,6S)-2,6-dimethylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
4-[4-[6-amino-4-(difluoromethyl)-3-pyridyl]-6-morpholino-1,3,5-triazin-2-yl]morpholin-3-one;
4-[4-[2-amino-4-(difluoromethyl)pyrimidin-5-yl]-6-morpholino-1,3,5-triazin-2-yl]morpholin-3-one;
5-[4,6-bis(3,7-dioxa-9-azabicyclo[3.3.1]nonan-9-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;

4-(difluoromethyl)-5-[4-(3,7-dioxa-9-azabicyclo[3.3.1]nonan-9-yl)-6-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
5-[4,6-bis(3,3-dimethylmorpholin-4-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
5-[4,6-bis[(3*R*,5*S*)-3,5-dimethylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
5-[4,6-bis[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-morpholino-1,3,5-triazin-2-yl]pyridin-2-amine;
5-[4-[6-amino-4-(difluoromethyl)-3-pyridyl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*,5*S*)-3,5-dimethylmorpholin-4-yl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-(methoxymethyl)morpholin-4-yl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-(3,7-dioxa-9-azabicyclo[3.3.1]nonan-9-yl)-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
(4*S*,5*R*)-3-[4-[2-amino-4-(difluoromethyl)pyrimidin-5-yl]-6-morpholino-1,3,5-triazin-2-yl]-4-(hydroxymethyl)-5-methyl-oxazolidin-2-one;
(4*S*,5*R*)-3-[6-[2-amino-4-(difluoromethyl)pyrimidin-5-yl]-2-morpholino-pyrimidin-4-yl]-4-(hydroxymethyl)-5-methyl-oxazolidin-2-one;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(3-oxa-6-azabicyclo[3.1.1]heptan-6-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-[(1*R*,4*R*)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-[(1*S*,4*S*)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
5-[4,6-bis[(3*R*)-3-ethylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
5-[4,6-bis(8-oxa-5-azaspiro[3.5]nonan-5-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
5-[4,6-bis[(3*R*)-3-isopropylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;

4-[6-amino-4-(difluoromethyl)-3-pyridyl]-N-methyl-6-[(3*R*)-3-methylmorpholin-4-yl]-N-(2,2,2-trifluoroethyl)-1,3,5-triazin-2-amine;

4-[6-amino-4-(difluoromethyl)-3-pyridyl]-6-[(3*R*)-3-methylmorpholin-4-yl]-N-(2,2,2-trifluoroethyl)-1,3,5-triazin-2-amine;

4-[6-amino-4-(difluoromethyl)-3-pyridyl]-N-(cyclopropylmethyl)-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-amine;

4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(2,2,2-trifluoroethoxy)-1,3,5-triazin-2-yl]pyridin-2-amine;

5-[4-(2,2-difluoroethoxy)-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;

5-[4-[(3a*R*,6a*S*)-1,3,3a,4,6,6a-hexahydrofuro[3,4-c]pyrrol-5-yl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;

5-[4-[(4a*S*,7a*R*)-2,3,4a,5,7,7a-hexahydro-[1,4]dioxino[2,3-c]pyrrol-6-yl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;

4-(difluoromethyl)-5-[4-(4,4-difluoro-1-piperidyl)-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(2-oxa-7-azaspiro[3.5]nonan-7-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-[(3*R*,5*S*)-3,5-dimethylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-[(3*R*)-3-(methoxymethyl)morpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;

[(3*R*)-4-[4-[6-amino-4-(difluoromethyl)-3-pyridyl]-6-(3,3-dimethylmorpholin-4-yl)-1,3,5-triazin-2-yl]morpholin-3-yl]methanol;

4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-(3,7-dioxa-9-azabicyclo[3.3.1]nonan-9-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;

5-[4-(4-cyclopropylpiperazin-1-yl)-6-(3,3-dimethylmorpholin-4-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;

4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-[4-(2-methoxyethyl)piperazin-1-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-(oxetan-3-yloxy)-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-[(3*S*)-tetrahydrofuran-3-yl]oxy-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-[(3*R*)-tetrahydrofuran-3-yl]oxy-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-tetrahydropyran-4-yloxy-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-(1,1-dioxo-1,4-thiazinan-4-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;

[(3*R*)-4-[4-[6-amino-4-(difluoromethyl)-3-pyridyl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]morpholin-3-yl]methanol;

4-(difluoromethyl)-5-[4-[(3*R*,5*R*)-3,5-dimethylmorpholin-4-yl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-[(3*S*,5*S*)-3,5-dimethylmorpholin-4-yl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-morpholino-6-(3-oxa-9-azabicyclo[3.3.1]nonan-9-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;

5-[4,6-bis(3-oxa-9-azabicyclo[3.3.1]nonan-9-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;

5-[4-[6-amino-4-(difluoromethyl)-3-pyridyl]-6-(3,7-dioxa-9-azabicyclo[3.3.1]nonan-9-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;

4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(4-morpholino-1-piperidyl)-1,3,5-triazin-2-yl]pyridin-2-amine;

5-[4-(4-cyclopropylpiperazin-1-yl)-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;

5-[4-(4-cyclopropylpiperazin-1-yl)-6-[(3*S*,5*R*)-3,5-dimethylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;

4-(difluoromethyl)-5-[4-[4-(2-methoxyethyl)piperazin-1-yl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-[(3*S*,5*R*)-3,5-dimethylmorpholin-4-yl]-6-[4-(2-methoxyethyl)piperazin-1-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-[(3*R*,5*S*)-3,5-dimethylmorpholin-4-yl]-6-(4-morpholino-1-piperidyl)-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-(1,1-dioxo-1,4-thiazinan-4-yl)-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-[(3*S*,5*R*)-3,5-dimethylmorpholin-4-yl]-6-(1,1-dioxo-1,4-thiazinan-4-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-tetrahydropyran-4-yloxy-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-[(3*S*,5*R*)-3,5-dimethylmorpholin-4-yl]-6-tetrahydropyran-4-yloxy-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-[(3*S*)-tetrahydrofuran-3-yl]oxy-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-[(3*R*)-tetrahydrofuran-3-yl]oxy-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*S*,5*R*)-3,5-dimethylmorpholin-4-yl]-6-[(3*S*)-tetrahydrofuran-3-yl]oxy-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*S*,5*R*)-3,5-dimethylmorpholin-4-yl]-6-[(3*R*)-tetrahydrofuran-3-yl]oxy-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(oxetan-3-yloxy)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*S*,5*R*)-3,5-dimethylmorpholin-4-yl]-6-(oxetan-3-yloxy)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*,5*S*)-3,5-dimethylmorpholin-4-yl]-6-(3,7-dioxa-9-azabicyclo[3.3.1]nonan-9-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
3-[4-[6-amino-4-(difluoromethyl)-3-pyridyl]-6-[(3*R*,5*S*)-3,5-dimethylmorpholin-4-yl]-1,3,5-triazin-2-yl]oxazolidin-2-one;
5-(4-((1*R*,2*R*,4*S*,5*S*)-7-oxa-9-azatricyclo[3.3.1.$0^{2,4}$]nonan-9-yl)-6-((2*R*,4*S*)-7-oxa-9-azatricyclo[3.3.1.$0^{2,4}$]nonan-9-yl)-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyridin-2-amine;
5-[4,6-bis(6,6-difluoro-3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
5-[4,6-bis(6,7-difluoro-3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
5-[4-(6-amino-3-pyridyl)-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
4-(difluoromethyl)-5-[4-[4-(difluoromethyl)-3-pyridyl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(3-pyridyl)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-pyrazin-2-yl-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(1H-pyrazol-3-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(1H-pyrazol-4-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(1,2,4-triazol-1-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(1H-1,2,4-triazol-3-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(2H-tetrazol-5-yl)-1,3,5-triazin-2-yl]pyridin-2-amine.

9. The compound of formula (I) according to claim 1, wherein said compound is selected from
4-(difluoromethyl)-5-(4,6-dimorpholino-1,3,5-triazin-2-yl)pyridin-2-amine;
4-(difluoromethyl)-5-(4,6-dimorpholino-1,3,5-triazin-2-yl)pyrimidin-2-amine;
5-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-6-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyridin-2-amine;
5-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-6-morpholino-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyridin-2-amine;
5-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-6-morpholino-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyrimidin-2-amine;
5-(4,6-bis((*S*)-3-methylmorpholino)-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyridin-2-amine;
5-(4,6-bis((*S*)-3-methylmorpholino)-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyrimidin-2-amine;
(*S*)-4-(difluoromethyl)-5-(4-(3-methylmorpholino)-6-morpholino-1,3,5-triazin-2-yl)pyridin-2-amine;
(*S*)-4-(difluoromethyl)-5-(4-(3-methylmorpholino)-6-morpholino-1,3,5-triazin-2-yl)pyrimidin-2-amine;
5-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-6-((*S*)-3-methylmorpholino)-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyridin-2-amine;
5-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-6-((*S*)-3-methylmorpholino)-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyrimidin-2-amine;
4-(difluoromethyl)-5-(4-morpholino-6-(piperazin-1-yl)-1,3,5-triazin-2-yl)pyridin-2-amine;
4-(difluoromethyl)-5-(4-morpholino-6-(piperazin-1-yl)-1,3,5-triazin-2-yl)pyrimidin-2-amine;
(*S*)-4-(difluoromethyl)-5-(4-(3-methylmorpholino)-6-(piperazin-1-yl)-1,3,5-triazin-2-yl)pyridin-2-amine;
(*S*)-4-(difluoromethyl)-5-(4-(3-methylmorpholino)-6-(piperazin-1-yl)-1,3,5-triazin-2-yl)pyrimidin-2-amine;
4-(difluoromethyl)-5-(2,6-dimorpholinopyrimidin-4-yl)pyridin-2-amine;
4'-(difluoromethyl)-2,6-dimorpholino-[4,5'-bipyrimidin]-2'-amine;
4-(difluoromethyl)-5-(4,6-dimorpholinopyrimidin-2-yl)pyridin-2-amine;
4'-(difluoromethyl)-4,6-dimorpholino-[2,5'-bipyrimidin]-2'-amine;
4-(difluoromethyl)-5-(4-morpholino-6-thiomorpholino-1,3,5-triazin-2-yl)pyridin-2-amine;

4-(difluoromethyl)-5-(4-morpholino-6-thiomorpholino-1,3,5-triazin-2-yl)pyrimidin-2-amine;
5-(6-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-2-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)pyrimidin-4-yl)-4-(difluoromethyl)pyridin-2-amine;
5-(2-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-6-morpholinopyrimidin-4-yl)-4-(difluoromethyl)pyridin-2-amine;
2-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-4′-(difluoromethyl)-6-morpholino-[4,5′-bipyrimidin]-2′-amine;
5-(2,6-bis((*S*)-3-methylmorpholino)pyrimidin-4-yl)-4-(difluoromethyl)pyridin-2-amine;
4'-(difluoromethyl)-2,6-bis((*S*)-3-methylmorpholino)-[4,5'-bipyrimidin]-2'-amine;
(*S*)-4-(difluoromethyl)-5-(6-(3-methylmorpholino)-2-morpholinopyrimidin-4-yl)pyridin-2-amine;
(*S*)-4'-(difluoromethyl)-6-(3-methylmorpholino)-2-morpholino-[4,5'-bipyrimidin]-2'-amine;
5-(4-(8-Oxa-3-azabicyclo[3.2.1]octan-3-yl)-6-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyridin-2-amine;
5-[4,6-bis(2,2-dimethylmorpholin-4-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
(*S*)-4-(difluoromethyl)-5-(2-(3-methylmorpholino)-6-morpholinopyrimidin-4-yl)pyridin-2-amine;
(*S*)-4'-(difluoromethyl)-2-(3-methylmorpholino)-6-morpholino-[4,5'-bipyrimidin]-2'-amine;
4-(difluoromethyl)-5-[4-[(2S,6R)-2,6-dimethylmorpholin-4-yl]-6-[(3R)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
5-[4,6-bis[(2R,6S)-2,6-dimethylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine.

10. The compound of formula (I) according to claim 1, wherein said compound is selected from
4-[4-[6-amino-4-(difluoromethyl)-3-pyridyl]-6-morpholino-1,3,5-triazin-2-yl]morpholin-3-one;
4-[4-[2-amino-4-(difluoromethyl)pyrimidin-5-yl]-6-morpholino-1,3,5-triazin-2-yl]morpholin-3-one;
5-[4,6-bis(3,7-dioxa-9-azabicyclo[3.3.1]nonan-9-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
4-(difluoromethyl)-5-[4-(3,7-dioxa-9-azabicyclo[3.3.1]nonan-9-yl)-6-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
5-[4,6-bis(3,3-dimethylmorpholin-4-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
5-[4,6-bis[(3*R*,5*S*)-3,5-dimethylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;

5-[4,6-bis[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;

4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-morpholino-1,3,5-triazin-2-yl]pyridin-2-amine;

5-[4-[6-amino-4-(difluoromethyl)-3-pyridyl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;

4-(difluoromethyl)-5-[4-[(3*R*,5*S*)-3,5-dimethylmorpholin-4-yl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-[(3*R*)-3-(methoxymethyl)morpholin-4-yl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-(3,7-dioxa-9-azabicyclo[3.3.1]nonan-9-yl)-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;

(4*S*,5*R*)-3-[4-[2-amino-4-(difluoromethyl)pyrimidin-5-yl]-6-morpholino-1,3,5-triazin-2-yl]-4-(hydroxymethyl)-5-methyl-oxazolidin-2-one;

(4*S*,5*R*)-3-[6-[2-amino-4-(difluoromethyl)pyrimidin-5-yl]-2-morpholino-pyrimidin-4-yl]-4-(hydroxymethyl)-5-methyl-oxazolidin-2-one;

4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(3-oxa-6-azabicyclo[3.1.1]heptan-6-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-[(1*R*,4*R*)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;

4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-[(1*S*,4*S*)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;

5-[4,6-bis[(3*R*)-3-ethylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;

5-[4,6-bis(8-oxa-5-azaspiro[3.5]nonan-5-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;

5-[4,6-bis[(3*R*)-3-isopropylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;

4-[6-amino-4-(difluoromethyl)-3-pyridyl]-N-methyl-6-[(3*R*)-3-methylmorpholin-4-yl]-N-(2,2,2-trifluoroethyl)-1,3,5-triazin-2-amine;

4-[6-amino-4-(difluoromethyl)-3-pyridyl]-6-[(3*R*)-3-methylmorpholin-4-yl]-N-(2,2,2-trifluoroethyl)-1,3,5-triazin-2-amine;

4-[6-amino-4-(difluoromethyl)-3-pyridyl]-N-(cyclopropylmethyl)-6-[(3*R*)-3-methylmorpholin-

4-yl]-1,3,5-triazin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(2,2,2-trifluoroethoxy)-1,3,5-triazin-2-yl]pyridin-2-amine;
5-[4-(2,2-difluoroethoxy)-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
5-[4-[(3a*R*,6a*S*)-1,3,3a,4,6,6a-hexahydrofuro[3,4-c]pyrrol-5-yl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
5-[4-[(4a*S*,7a*R*)-2,3,4a,5,7,7a-hexahydro-[1,4]dioxino[2,3-c]pyrrol-6-yl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
4-(difluoromethyl)-5-[4-(4,4-difluoro-1-piperidyl)-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(2-oxa-7-azaspiro[3.5]nonan-7-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-[(3*R*,5*S*)-3,5-dimethylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-[(3*R*)-3-(methoxymethyl)morpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
[(3*R*)-4-[4-[6-amino-4-(difluoromethyl)-3-pyridyl]-6-(3,3-dimethylmorpholin-4-yl)-1,3,5-triazin-2-yl]morpholin-3-yl]methanol;
4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-(3,7-dioxa-9-azabicyclo[3.3.1]nonan-9-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
5-[4-(4-cyclopropylpiperazin-1-yl)-6-(3,3-dimethylmorpholin-4-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-[4-(2-methoxyethyl)piperazin-1-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-(oxetan-3-yloxy)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-[(3*S*)-tetrahydrofuran-3-yl]oxy-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-[(3*R*)-tetrahydrofuran-3-yl]oxy-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-tetrahydropyran-4-yloxy-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-(1,1-dioxo-1,4-thiazinan-4-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
[(3*R*)-4-[4-[6-amino-4-(difluoromethyl)-3-pyridyl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-

triazin-2-yl]morpholin-3-yl]methanol;
4-(difluoromethyl)-5-[4-[(3*R*,5*R*)-3,5-dimethylmorpholin-4-yl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*S*,5*S*)-3,5-dimethylmorpholin-4-yl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-morpholino-6-(3-oxa-9-azabicyclo[3.3.1]nonan-9-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
5-[4,6-bis(3-oxa-9-azabicyclo[3.3.1]nonan-9-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
5-[4-[6-amino-4-(difluoromethyl)-3-pyridyl]-6-(3,7-dioxa-9-azabicyclo[3.3.1]nonan-9-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(4-morpholino-1-piperidyl)-1,3,5-triazin-2-yl]pyridin-2-amine;
5-[4-(4-cyclopropylpiperazin-1-yl)-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
5-[4-(4-cyclopropylpiperazin-1-yl)-6-[(3*S*,5*R*)-3,5-dimethylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
4-(difluoromethyl)-5-[4-[4-(2-methoxyethyl)piperazin-1-yl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*S*,5*R*)-3,5-dimethylmorpholin-4-yl]-6-[4-(2-methoxyethyl)piperazin-1-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*,5*S*)-3,5-dimethylmorpholin-4-yl]-6-(4-morpholino-1-piperidyl)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-(1,1-dioxo-1,4-thiazinan-4-yl)-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*S*,5*R*)-3,5-dimethylmorpholin-4-yl]-6-(1,1-dioxo-1,4-thiazinan-4-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-tetrahydropyran-4-yloxy-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*S*,5*R*)-3,5-dimethylmorpholin-4-yl]-6-tetrahydropyran-4-yloxy-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-[(3*S*)-tetrahydrofuran-3-yl]oxy-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-[(3*R*)-tetrahydrofuran-3-yl]oxy-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*S*,5*R*)-3,5-dimethylmorpholin-4-yl]-6-[(3*S*)-tetrahydrofuran-3-

yl]oxy-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*S*,5*R*)-3,5-dimethylmorpholin-4-yl]-6-[(3*R*)-tetrahydrofuran-3-yl]oxy-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(oxetan-3-yloxy)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*S*,5*R*)-3,5-dimethylmorpholin-4-yl]-6-(oxetan-3-yloxy)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*,5*S*)-3,5-dimethylmorpholin-4-yl]-6-(3,7-dioxa-9-azabicyclo[3.3.1]nonan-9-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
3-[4-[6-amino-4-(difluoromethyl)-3-pyridyl]-6-[(3*R*,5*S*)-3,5-dimethylmorpholin-4-yl]-1,3,5-triazin-2-yl]oxazolidin-2-one;
5-(4-((1*R*,2*R*,4*S*,5*S*)-7-oxa-9-azatricyclo[3.3.1.$0^{2,4}$]nonan-9-yl)-6-((2*R*,4*S*)-7-oxa-9-azatricyclo[3.3.1.$0^{2,4}$]nonan-9-yl)-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyridin-2-amine;
5-[4,6-bis(6,6-difluoro-3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
5-[4,6-bis(6,7-difluoro-3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
5-[4-(6-amino-3-pyridyl)-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
4-(difluoromethyl)-5-[4-[4-(difluoromethyl)-3-pyridyl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(3-pyridyl)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-pyrazin-2-yl-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(1H-pyrazol-3-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(1H-pyrazol-4-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(1,2,4-triazol-1-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(1H-1,2,4-triazol-3-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-methylmorpholin-4-yl]-6-(2H-tetrazol-5-yl)-1,3,5-triazin-2-yl]pyridin-2-amine.

11. The compound of formula (I) according to claim 1, wherein said compound is selected from the group consisting of

- 4-(difluoromethyl)-5-(4,6-dimorpholino-1,3,5-triazin-2-yl)pyrimidin-2-amine;
- 5-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-6-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyridin-2-amine;
- 5-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-6-morpholino-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyridin-2-amine;
- 5-(4,6-bis((S)-3-methylmorpholino)-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyrimidin-2-amine;
- (S)-4-(difluoromethyl)-5-(4-(3-methylmorpholino)-6-morpholino-1,3,5-triazin-2-yl)pyridin-2-amine;
- 4-(difluoromethyl)-5-(4-morpholino-6-(piperazin-1-yl)-1,3,5-triazin-2-yl)pyrimidin-2-amine;
- 4-(difluoromethyl)-5-(4,6-dimorpholino-1,3,5-triazin-2-yl)pyridin-2-amine; and
- (S)-4-(difluoromethyl)-5-(4-(3-methylmorpholino)-6-morpholino-1,3,5-triazin-2-yl)pyrimidin-2-amine;

and tautomers, solvates and pharmaceutically acceptable salts thereof.

12. The compound of formula (I) according to claim 1, wherein said compound is selected from,

- 4-(difluoromethyl)-5-(4,6-dimorpholino-1,3,5-triazin-2-yl)pyrimidin-2-amine;
- 5-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-6-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,3,5-triazin-2-yl)-4-(difluoromethyl)pyridin-2-amine;
- (S)-4-(difluoromethyl)-5-(4-(3-methylmorpholino)-6-morpholino-1,3,5-triazin-2-yl)pyridin-2-amine;

and tautomers, solvates and pharmaceutically acceptable salts thereof.

13. The compound of formula (I) according to claim 1, wherein said compound is selected from

4-[4-[6-amino-4-(difluoromethyl)-3-pyridyl]-6-morpholino-1,3,5-triazin-2-yl]morpholin-3-one;

4-[4-[2-amino-4-(difluoromethyl)pyrimidin-5-yl]-6-morpholino-1,3,5-triazin-2-yl]morpholin-3-one;

5-[4,6-bis(3,7-dioxa-9-azabicyclo[3.3.1]nonan-9-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;

4-(difluoromethyl)-5-[4-(3,7-dioxa-9-azabicyclo[3.3.1]nonan-9-yl)-6-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,3,5-triazin-2-yl]pyridin-2-amine;

5-[4,6-bis(3,3-dimethylmorpholin-4-yl)-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
5-[4,6-bis[(3*R*,5*S*)-3,5-dimethylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
5-[4,6-bis[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-morpholino-1,3,5-triazin-2-yl]pyridin-2-amine;
5-[4-[6-amino-4-(difluoromethyl)-3-pyridyl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]-4-(difluoromethyl)pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*,5*S*)-3,5-dimethylmorpholin-4-yl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-(3,3-dimethylmorpholin-4-yl)-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-[(3*R*)-3-(methoxymethyl)morpholin-4-yl]-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
4-(difluoromethyl)-5-[4-(3,7-dioxa-9-azabicyclo[3.3.1]nonan-9-yl)-6-[(3*R*)-3-methylmorpholin-4-yl]-1,3,5-triazin-2-yl]pyridin-2-amine;
(4*S*,5*R*)-3-[4-[2-amino-4-(difluoromethyl)pyrimidin-5-yl]-6-morpholino-1,3,5-triazin-2-yl]-4-(hydroxymethyl)-5-methyl-oxazolidin-2-one;

14. The compound of formula (I) according to any one of the claims 1 to 13, wherein R^1 and R^2 are independently of each other a morpholinyl of formula (II).

15. The compound of formula (I) according to claim 14, wherein R^1 is equal to R^2.

16. The compound of formula (I) according to claim 14, wherein R^1 is not equal to R^2.

17. The compound of formula (I) according to any one of the claims 1 to 13, wherein R^1 and R^2 are independently of each other
(a) a morpholinyl of formula (II) and said 5- to 6-membered heteroaryl ring **W**,
(b) a morpholinyl of formula (II) and said saturated 4- to 6-membered heterocyclic ring **Z**,
(c) a morpholinyl of formula (II) and said OR^{12}, or
(d) a morpholinyl of formula (II) and said $NR^{15}R^{16}$.

18. A pharmaceutical composition comprising a compound of formula (I) according to any one of the claims 1 to 17 and a pharmaceutically acceptable carrier.

19. A compound of formula (I) according to any one of the claims 1 to 17 for use in therapy.

20. Use of a compound of formula (I) according to any one of the claims 1 to 17 in the manufacture of a medicament for the treatment or prevention of a disease or condition modulated by PI3Ks and/or mTOR and/or PIKKs in a mammal.

21. The use of claim 20, wherein said disease or condition is in a human.

22. The use of claim 20, wherein said disease or condition is a hyperproliferative disorder.