
What is claimed:

1. A compound of formula (I):



(I),

or a pharmaceutically acceptable salt thereof,

wherein n= 1, 2, or 3;

m = 0, 1, 2, or 3;

each $R^1$ is independently H, CN, or optionally substituted $C_1$-$C_6$alkyl;
each $R^2$ is independently H, CN, or optionally substituted $C_1$-$C_6$alkyl;

or two $R^1$ groups attached to the same carbon atom, together with the carbon atom to which they are both attached form an optionally substituted 3-7 membered spirocycloalkyl ring or an optionally substituted 3-7 membered spiroheterocycloalkyl ring;

or two $R^1$ groups attached to the same carbon atom, together with that carbon atom, represent a carbonyl group (C=O);

or two $R^2$ groups attached to the same carbon atom, together with the carbon atom to which they are both attached form an optionally substituted 3-7 membered spirocycloalkyl ring or an optionally substituted 3-7 membered spiroheterocycloalkyl ring;

or two $R^2$ groups attached to the same carbon atom, together with that carbon atom, represent a carbonyl group (C=O);

or two $R^1$ groups attached to different carbon atoms, together with the carbon atoms to which they are attached, form a 3-7 membered cycloalkyl ring;

or two $R^2$ groups attached to different carbon atoms, together with the carbon atoms to which they are attached, form a 3-7 membered cycloalkyl ring;

or an $R^1$ group and an $R^2$ group are attached to form a 6-9 membered bridged bicyclic ring;

A = N or CH;

Z = $S(O)_2$; S(O); O, $NR^3$ or $CR^4R^{4'}$;

$R^3$ is H; optionally substituted $C_1$-$C_6$alkyl, 3-5 membered cycloalkyl, 3-5 membered heterocycloalkyl, $-C(O)NR^aR^b$; $-C(O)OR^c$; $-C(O)R^c$; $-S(O)_2R^c$; or $-S(O)_2NR^aR^b$;

or $R^3$ together with an $R^1$ or an $R^2$ form an optionally substituted 3- to 7- membered heterocycloalkyl ring;

$R^a$ is H or $C_1$-$C_6$alkyl;

$R^b$ is H or $C_1$-$C_6$alkyl;

or $R^a$ and $R^b$ together with the N atom to which they are both attached, form an optionally substituted 3 to 7 membered heterocycloalkyl ring;

$R^c$ is optionally substituted $C_1$-$C_6$alkyl, or cycloalkyl;

$R^4$ is H, -F, or optionally substituted $C_1$-$C_6$alkyl;

$R^{4'}$ is H, -F, -OH, -CN, $-NH_2$, $-NH(C_1$-$C_3$alkyl), $-N(C_1$-$C_3$alkyl$)_2$, $-N(C_1$-$C_3$alkyl$)$-$SO_2(C_1$-$C_3$alkyl), $-C_1$-$C_6$haloalkyl, optionally substituted $C_1$-$C_6$alkyl, or optionally substituted $C_1$-$C_6$alkoxyl;

or $R^4$ and $R^{4'}$ together with the C atom to which they are both attached, form an optionally substituted 3 to 7 membered heterocycloalkyl ring or an optionally substituted 3 to 7 membered cycloalkyl ring;

or $R^4$ and $R^{4'}$, together with the carbon atom to which they are both attached, form an oxo group;

or $R^{4'}$ together with an $R^1$ or an $R^2$ form an optionally substituted 3- to 7- membered heterocycloalkyl ring or an optionally substituted 3- to 7- membered cycloalkyl ring;

Y is a 5- or 6- membered heteroaryl ring, or a 6-membered aryl ring;

$Q^5$, $Q^6$, $Q^7$, $Q^8$, and $Q^9$, are each independently N or $CR^5$, wherein one or two of $Q^5$, $Q^6$, $Q^7$, $Q^8$, and $Q^9$ is N and the remainder are $CR^5$;

$R^5$ is H, halogen, $C_1$-$C_3$alkyl; $C_1$-$C_3$alkoxyl, or cycloalkyl;

X = O, S, or NR wherein R is H or $C_1$-$C_3$alkyl;

$R^6$ is $C_1$-$C_6$alkyl;

$R^7$ is H, halogen, -$C_1$-$C_6$alkyl; -$C_1$-$C_6$ alkoxyl, or -cycloalkyl; and

$R^8$ is H, halogen, -$C_1$-$C_6$alkyl; -$C_1$-$C_6$ alkoxyl, or -cycloalkyl.

2. The compound of claim 1,

wherein n = 1, 2, or 3;

m = 1, 2, or 3;

each $R^1$ is independently H or optionally substituted $C_1$-$C_6$alkyl;

each $R^2$ is independently H or optionally substituted $C_1$-$C_6$alkyl;

or two $R^1$ groups attached to the same carbon atom, together with the carbon atom to which they are both attached form an optionally substituted 3-7 membered spirocycloalkyl ring or an optionally substituted 3-7 membered spiroheterocycloalkyl ring;

or two $R^1$ groups attached to the same carbon atom, together with that carbon atom, represent a carbonyl group (C=O);

or two $R^2$ groups attached to the same carbon atom, together with the carbon atom to which they are both attached form an optionally substituted 3-7 membered spirocycloalkyl ring or an optionally substituted 3-7 membered spiroheterocycloalkyl ring;

or two $R^2$ groups attached to the same carbon atom, together with that carbon atom, represent a carbonyl group (C=O);

or two $R^1$ groups attached to different carbon atoms, together with the carbon atoms to which they are attached, form a 3-7 membered cycloalkyl ring;

or two $R^2$ groups attached to different carbon atoms, together with the carbon atoms to which they are attached, form a 3-7 membered cycloalkyl ring;

or an $R^1$ group and an $R^2$ group are attached to form a 6-9 membered bridged bicyclic ring;

A = N or CH;

Z = $S(O)_2$; S(O); O, $NR^3$ or $CR^4R^{4'}$;

$R^3$ is H; optionally substituted $C_1$-$C_6$alkyl, 3-5-membered cycloalkyl, 3-5 membered heterocycloalkyl, $-C(O)NR^aR^b$; $-C(O)OR^c$; $-C(O)R^c$; $-S(O)_2R^c$; or $-S(O)_2NR^aR^b$;

$R^a$ is H or $C_1$-$C_6$alkyl;

$R^b$ is H or $C_1$-$C_6$alkyl;

or $R^a$ and $R^b$ together with the N atom to which they are both attached, form an optionally substituted 3 to 7 membered heterocycloalkyl ring;

$R^c$ is optionally substituted $C_1$-$C_6$alkyl, or cycloalkyl;

$R^4$ is H or optionally substituted $C_1$-$C_6$alkyl;

$R^{4'}$ is H, -OH, or optionally substituted $C_1$-$C_6$alkyl;

or $R^4$ and $R^{4'}$ together with the C atom to which they are both attached, form an optionally substituted 3 to 7 membered heterocycloalkyl ring;

Y is a 5- or 6- membered heteroaryl ring;

$Q^5$, $Q^6$, $Q^7$, $Q^8$, and $Q^9$, are each independently N or $CR^5$, wherein one or two of $Q^5$, $Q^6$, $Q^7$, $Q^8$, and $Q^9$ is N and the remainder are $CR^5$;

$R^5$ is H, halogen, $C_1$-$C_3$alkyl; $C_1$-$C_3$ alkoxyl, or cycloalkyl;

X = O, S, or NR wherein R is H or $C_1$-$C_3$alkyl;


$R^6$ is $C_1$-$C_6$alkyl;

$R^7$ is H, halogen, -$C_1$-$C_6$alkyl; -$C_1$-$C_6$ alkoxyl, or -cycloalkyl; and

$R^8$ is H, halogen, -$C_1$-$C_6$alkyl; -$C_1$-$C_6$ alkoxyl, or -cycloalkyl.

3. The compound according to claim 1 or claim 2, wherein Y is a 6- membered heteroaryl ring.

4. The compound according to claim 3, wherein the compound of formula (I) is a compound of formula (IA):



(IA)

wherein one or two of $Q^1$, $Q^2$, $Q^3$, $Q^4$ is N and the others are each independently $CR^{5a}$ wherein $R^{5a}$ is H, halogen, -CN, or $C_1$-$C_3$alkyl.

5. The compound according to any one of claims 1-4, wherein X is O.

6. The compound according to any one of claims 1-5, wherein $Q^5$ and $Q^9$ are each $CR^5$ wherein each $R^5$ is halogen; $Q^6$ and $Q^8$ are each $CR^5$ wherein each $R^5$ is H; and $Q^7$ is N; or

wherein $Q^5$ and $Q^9$ are each $CR^5$ wherein each $R^5$ is halogen; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is $CR^5$ wherein $R^5$ is $C_1$-$C_3$alkyl; and $Q^7$ is N; or

wherein $Q^5$ and $Q^9$ are each $CR^5$ wherein each $R^5$ is -Cl; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is $CR^5$ wherein $R^5$ is -$CH_3$; and $Q^7$ is N; or

wherein $Q^5$ and $Q^9$ are each $CR^5$ wherein each $R^5$ is halogen; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is N; and $Q^7$ is $CR^5$ wherein $R^5$ is H; or

wherein $Q^5$ and $Q^9$ are each $CR^5$ wherein each $R^5$ is -Cl; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is N; and $Q^7$ is $CR^5$ wherein $R^5$ is H; or

wherein $Q^5$ and $Q^9$ are each $CR^5$ wherein each $R^5$ is halogen; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is N; and $Q^7$ is N; or

wherein $Q^5$ and $Q^9$ are each $CR^5$ wherein each $R^5$ is -Cl; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is N; and $Q^7$ is N; or


wherein $Q^5$ and $Q^9$ are each $CR^5$ wherein each $R^5$ is $C_1$-$C_3$alkyl; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is N; and $Q^7$ is N; or

wherein $Q^5$ and $Q^9$ are each $CR^5$ wherein each $R^5$ is $-CH_3$; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is N; and $Q^7$ is N; or

wherein $Q^5$, $Q^8$, and $Q^9$ are each independently $CR^5$ wherein each $R^5$ is halogen; $Q^6$ is $CR^5$ wherein $R^5$ is H; and $Q^7$ is N; or

wherein $Q^5$ and $Q^9$ are each independently $CR^5$ wherein each $R^5$ is -Cl; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is $CR^5$ wherein $R^5$ is -F; and $Q^7$ is N.

7. The compound according to claim 4, wherein the compound of formula (IA) is a compound of formula (IA-1):





(IA-1).

8. The compound according to any one of claims 1-4, wherein $R^6$ is $-CH_3$.

9. The compound according to claim 4, wherein $Q^3$ is $CR^{5a}$, optionally wherein $R^{5a}$ is halogen, optionally wherein the halogen is -F.

10. The compound according to claim 7, wherein the compound of formula (IA-1) is a compound of formula (IA-2):




(IA-2).

11. The compound according to any one of claims 1-4, wherein n = 2 and m = 2; or wherein n = 1 and m = 1; or wherein n = 1 and m = 2; or wherein n = 3 and m = 2.

12. The compound according to claim 10, wherein the compound of formula (IA-2) is

(a) a compound of formula (IA-3):



(IA-3);

optionally wherein each $R^1$ and each $R^2$ is independently H or optionally substituted $C_1$-$C_6$alkyl; or


wherein each $R^1$ and each $R^2$ is H, or

wherein each $R^1$ is H, and two $R^2$ groups attached to the same carbon atom, together with the carbon atom to which they are both attached form a 3-7 membered spirocycloalkyl ring, optionally wherein said 3-7 membered spirocycloalkyl ring is a 3-membered spirocycloalkyl ring; or

wherein one $R^1$ group and one $R^2$ group are attached to form 6-9 membered bridged bicyclic ring, the other $R^1$ is H, and the other $R^2$ is H, optionally wherein said 6-9 membered bridged bicyclic ring is a 7-membered bridged bicyclic ring; or

wherein each $R^1$ is H, and two $R^2$ groups attached to the same carbon atom represent a carbonyl group (C=O);


(b) a compound of formula (IA-4):




(IA-4);

optionally wherein the two $R^2$ groups attached to the same carbon atom represent a carbonyl group (C=O);

(c) a compound of formula (IA-5):



(IA-5);


optionally wherein each $R^1$ and each $R^2$ is independently H or optionally substituted $C_1$-$C_6$alkyl; or

wherein each $R^1$ and each $R^2$ is H; or

wherein each $R^1$ is H, and two $R^2$ groups attached to the same carbon atom, together with the carbon atom to which they are both attached form a 3-7 membered spirocycloalkyl ring, optionally wherein said 3-7 membered spirocycloalkyl ring is a 3-membered spirocycloalkyl ring; or

wherein one $R^1$ group and one $R^2$ group are attached to form 6-9 membered bridged bicyclic ring, the other $R^1$ is H, and the other $R^2$ is H, optionally wherein said 6-9 membered bridged bicyclic ring is a 7-membered bridged bicyclic ring;

(d) a compound of formula (IA-6):




(IA-6);

optionally wherein the two $R^1$ groups attached to the same carbon atom represent a carbonyl group (C=O); or

wherein the two $R^2$ groups attached to the same carbon atom, together with the carbon atom to which they are both attached form an optionally substituted 3-7 membered spirocycloalkyl ring or an optionally substituted 3-7 membered spiroheterocycloalkyl ring,

optionally wherein the two $R^2$ groups attached to the same carbon atom, together with the carbon atom to which they are both attached form an optionally substituted 3-7 membered spiroheterocycloalkyl ring, optionally wherein said optionally substituted 3-7 membered spiroheterocycloalkyl ring is an optionally substituted azetinyl ring, an optionally substituted pyrrolidinyl ring, or an optionally substituted piperidinyl ring, optionally wherein said optionally substituted 3-7 membered spiroheterocycloalkyl ring is an azetinyl ring, a pyrrolidinyl ring, a piperidinyl ring, an N-methylpiperidinyl ring, or an N-(methylsulfonyl)piperidinyl ring;


(e) a compound of formula (IA-7):




(IA-7);

optionally wherein each $R^1$ is H; wherein the two $R^1$ groups attached to the same carbon atom represent a carbonyl group (C=O); or wherein each $R^2$ is H; or wherein the two $R^2$ groups attached to the same carbon atom represent a carbonyl group (C=O).

13. The compound according to claim 1 or claim 2, wherein the compound of formula (I) is a compound of formula (IA-8):



(IA-8),


wherein $R^9$ is -$C_1$-$C_6$alkyl, -$C_1$-$C_6$haloalkyl, -C(O)$C_1$-$C_6$haloalkyl, -C(O)O$C_1$-$C_6$alkyl, -C(O)$C_1$-$C_6$alkyl, -C(O)N($C_1$-$C_6$alkyl)$_2$, or -$SO_2$-$C_1$-$C_6$alkyl;

optionally wherein $R^9$ is -$CH_2CF_3$, -$CH_2CHF_2$, -C(O)$CF_3$, -C(O)$OCH_3$, -C(O)$OCH_2CH_3$, -$SO_2CH_2CH_3$, or -$SO_2CH(CH_3)_2$.

14. The compound according to any one of claims 7 - 13, wherein $Q^2$ is N; or wherein $Q^4$ is N; or wherein $Q^4$ is $CR^{5a}$; optionally wherein $R^{5a}$ is H, or wherein $R^{5a}$ is halogen, or wherein the halogen is -F.

15. The compound according to claim 1, wherein Y is a 5- membered heteroaryl ring;

optionally wherein the compound of formula (I) is a compound of formula IB:



(IB);

optionally wherein X is O, or

wherein $Q^5$ and $Q^9$ are each independently $CR^5$ wherein each $R^5$ is halogen; $Q^6$ and $Q^8$ are $CR^5$ wherein $R^5$ is H; and $Q^7$ is N, or

wherein $Q^5$ and $Q^9$ are each independently $CR^5$ wherein each $R^5$ is halogen; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is $CR^5$ wherein $R^5$ is $C_1$-$C_3$alkyl; and $Q^7$ is N, or

wherein $Q^5$ and $Q^9$ are each independently $CR^5$ wherein each $R^5$ is -Cl; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is $CR^5$ wherein $R^5$ is $-CH_3$; and $Q^7$ is N, or

wherein $Q^5$ and $Q^9$ are each independently $CR^5$ wherein each $R^5$ is halogen; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is N; and $Q^7$ is $CR^5$ wherein $R^5$ is H, or

wherein $Q^5$ and $Q^9$ are each independently $CR^5$ wherein each $R^5$ is -Cl; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is N; and $Q^7$ is $CR^5$ wherein $R^5$ is H, or

wherein $Q^5$ and $Q^9$ are each independently $CR^5$ wherein each $R^5$ is halogen; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is N; and $Q^7$ is N, or

wherein $Q^5$ and $Q^9$ are each independently $CR^5$ wherein each $R^5$ is -Cl; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is N; and $Q^7$ is N, or


wherein $Q^5$ and $Q^9$ are each independently $CR^5$ wherein each $R^5$ is $C_1$-$C_3$alkyl; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is N; and $Q^7$ is N, or

wherein $Q^5$ and $Q^9$ are each independently $CR^5$ wherein each $R^5$ is $-CH_3$; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is N; and $Q^7$ is N, or

wherein $Q^5$, $Q^8$, and $Q^9$ are each independently $CR^5$ wherein each $R^5$ is halogen; $Q^6$ is $CR^5$ wherein $R^5$ is H; and $Q^7$ is N, or


wherein $Q^5$ and $Q^9$ are each independently $CR^5$ wherein each $R^5$ is -Cl; $Q^6$ is $CR^5$ wherein $R^5$ is H; $Q^8$ is $CR^5$ wherein $R^5$ is -F; and $Q^7$ is N;

or wherein the compound of formula (IB) is a compound of formula IB-1:



(IB-1);

or wherein the compound of formula (IB-1) is a compound of formula IB-2:



(IB-2);

optionally wherein n = 2 and m = 2; or

wherein n = 1 and m = 1; or

wherein n = 1 and m = 2; or

wherein n = 3 and m = 2; or

wherein each $R^1$ is H, and each $R^2$ is H.

16. The compound according to any one of claims 1-4, wherein A is N; or wherein A is CH; or wherein Z is $S(O)_2$; or wherein Z is S(O); or wherein Z is O.

17. The compound according to any one of claims 1-4, wherein

Z is $NR^3$, optionally wherein

$R^3$ is H; or

$R^3$ is $-C(O)NR^aR^b$, or $-S(O)_2NR^aR^b$,

optionally wherein $R^a$ is H and $R^b$ is H, or $R^a$ is H and $R^b$ is $C_1$-$C_6$alkyl, or $R^a$ is $C_1$-$C_6$alkyl and $R^b$ is $C_1$-$C_6$alkyl, or $R^a$ and $R^b$, together with the N atom to which they are both attached, form an optionally substituted 3 to 7 membered heterocycloalkyl ring,

optionally wherein said optionally substituted 3 to 7 membered heterocycloalkyl ring is an optionally substituted piperidinyl, optionally substituted piperazinyl, or optionally substituted morpholinyl ring, or

wherein said optionally substituted 3 to 7 membered heterocycloalkyl ring is a 4-methylpiperazin-1-yl, or a morpholinyl ring; or

$R^3$ is -C(O)$OR^c$, or -C(O)$R^c$, or -$S(O)_2R^c$,

optionally wherein $R^c$ is -$CH_3$, or

$R^c$ is -$CH_2CH_3$; or

$R^3$ is $C_1$-$C_6$alkyl, optionally wherein said $C_1$-$C_6$alkyl is -$CH_3$; or

$R^3$ is a 3-5 membered heterocycloalkyl, optionally wherein said 3-5 membered heterocycloalkyl is oxetanyl; or

Z is $CR^4R^{4'}$

optionally wherein $R^4$ and $R^{4'}$ are each H, or

wherein $R^4$ and $R^{4'}$ are each optionally substituted $C_1$-$C_6$alkyl; or

wherein $R^4$ is H and $R^{4'}$ is -OH, or

wherein $R^4$ and $R^{4'}$ together with the C atom to which they are both attached, form an optionally substituted 3 to 7 membered heterocycloalkyl ring,

optionally wherein the optionally substituted 3 to 7 membered heterocycloalkyl ring is an optionally substituted 4-membered heterocycloalkyl ring,optionally wherein the optionally substituted 4 membered heterocycloalkyl ring is an azetidinyl ring, optionally wherein the azetidinyl ring is not substituted, or wherein the azetidinyl ring is N- substituted,

optionally wherein the N- substituent is -$C_1$-$C_6$alkyl, -$C_1$-$C_6$haloalkyl, -C(O)$C_1$-$C_6$haloalkyl, -C(O)O$C_1$-$C_6$alkyl, -C(O)$C_1$-$C_6$alkyl, -C(O)N($C_1$-$C_6$alkyl)$_2$, or -$SO_2$-$C_1$-$C_6$alkyl, or

wherein the N- substituent is -$CH_2CF_3$, -$CH_2CHF_2$, -C(O)$CF_3$, -C(O)$OCH_3$, -C(O)$OCH_2CH_3$, -$SO_2CH_2CH_3$, -$SO_2CH(CH_3)_2$, -$CH_3$, -$CH(CH_3)_2$, -C(O)N($CH_3$)$_2$, or -$SO_2CH_3$, or

wherein the N- substituent is -$CH_3$, -CH(CH3)$_2$, -C(O)$OCH_2CH_3$, -C(O)N($CH_3$)$_2$, -$SO_2CH_3$, -$SO_2CH(CH_3)_2$, or -$SO_2CH_2CH_3$; or

wherein the optionally substituted 4 membered heterocycloalkyl ring is an optionally substituted thietane 1,1-dioxide ring; or

wherein the optionally substituted 3 to 7 membered heterocycloalkyl ring is an optionally substituted 5-membered heterocycloalkyl ring;

optionally wherein the optionally substituted 5-membered heterocycloalkyl ring is an unsubstituted pyrrolidinyl ring, N- substituted pyrrolidinyl ring, unsubstituted pyrrolidinyl-2-one ring, N- substituted pyrrolidinyl-2-one ring, unsubstituted pyrrolo-2,5-dione ring, N-substituted pyrrolo-2,5-dione ring, unsubstituted imidazolidinyl-2-one ring, N-substituted imidazolidinyl-2-one ring, a tetrahydrofuranyl ring, or a tetrahydrothiophene-1,1-dioxide ring;

optionally wherein said N- substituent is -$C_1$-$C_6$alkyl, -C(O)O$C_1$-$C_6$alkyl, -C(O)$C_1$-$C_6$alkyl, or -$SO_2C_1$-$C_6$alkyl,

or wherein said N- substituent is -$CH_3$, -C(O)$OCH_3$, -C(O)$OCH_2CH_3$, -C(O)O$CH(CH_3)_2$, or -$SO_2CH_3$; or

wherein the optionally substituted 3 to 7 membered heterocycloalkyl ring is an optionally substituted 6-membered heterocycloalkyl ring; optionally wherein the optionally substituted 6-membered heterocycloalkyl ring is an unsubstituted

piperiziny-2-one ring, an N-substituted piperiziny-2-one ring, an N-substituted or unsubstituted piperidine ring, or a tetrahydro-2H-thiopyran 1,1-dioxide ring;

optionally wherein the N-substituent is -$C_1$-$C_6$alkyl, -C(O)O$C_1$-$C_6$alkyl, -C(O)$C_1$-$C_6$alkyl, or -$SO_2C_1$-$C_6$alkyl; or

wherein the N-substituent is -$CH_3$, -C(O)O$CH_3$, -C(O)O$CH_2CH_3$, -C(O)O$CH(CH_3)_2$, -$SO_2CH_2CH_3$, or -$SO_2CH_3$; or

wherein the N-substituent is -$SO_2CH_2CH_3$.

18. The compound of claim 1, or a pharmaceutically acceptable salt thereof, wherein the compound is

4-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-1,4-thiazinane 1,1-dioxide;

(R)-5-(1-(3,5-Dichloropyridin-4-yl)ethoxy)-3-(6-(piperazin-1-yl)pyridin-3-yl)-1H-indazole dihydrochloride;

[4-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]piperazin-1-yl]-morpholino-methanone;

[4-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]piperazin-1-yl]-(4-methylpiperazin-1-yl)methanone;

4-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-N,N-dimethyl-piperazine-1-carboxamide;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[6-(4-methylsulfonylpiperazin-1-yl)-3-pyridyl]-1H-indazole;

Methyl 4-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]piperazine-1-carboxylate;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[6-[4-(4-methylpiperazin-1-yl)sulfonylpiperazin-1-yl]-3-pyridyl]-1H-indazole;

1-[4-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]piperazin-1-yl]propan-1-one;

5-[(1R)-1-(3,5-Dichloro-4-pyridyl)ethoxy]-3-(5-fluoro-6-piperazin-1-yl-3-pyridyl)-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-(2-piperazin-1-ylpyrimidin-5-yl)-1H-indazole;

4-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]piperazine-1-carboxamide;

[4-[5-[5-[(1R)-1-(3,5-Dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-3-fluoro-2-pyridyl]piperazin-1-yl]-(4-methylpiperazin-1-yl)methanone;

5-[(1R)-1-(3,5-Dichloro-4-pyridyl)ethoxy]-3-[2-(4-methylsulfonylpiperazin-1-yl)pyrimidin-5-yl]-1H-indazole;

[4-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]piperazin-1-yl]-(4-methylpiperazin-1-yl)methanone;

3-[6-(3,6-Diazabicyclo[3.1.1]heptan-3-yl)-3-pyridyl]-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazole;

5-[(1R)-1-(3,5-Dichloro-4-pyridyl)ethoxy]-3-[5-fluoro-6-(4-methylsulfonyl-piperazin-1-yl)-3-pyridyl]-1H-indazole;

3-(6-Chloro-3-pyridyl)-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazole;

4-[5-[5-[(1R)-1-(3,5-Dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-N,N-dimethyl-piperazine-1-carboxamide;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[6-(6-methylsulfonyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)-3-pyridyl]-1H-indazole;

3-[6-(4,7-diazaspiro[2.5]octan-7-yl)-3-pyridyl]-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[6-(4-methylsulfonyl-4,7-diazaspiro[2.5]octan-7-yl)-3-pyridyl]-1H-indazole;

(R)-7-(5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)pyridin-2-yl)-N,N-dimethyl-4,7-diazaspiro[2.5]octane-4-carboxamide;

7-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-4,7-diazaspiro[2.5]octane-4-carboxamide;

5-[(1R)-1-(3,5-Dichloro-4-pyridyl)ethoxy]-3-(6-fluoro-3-pyridyl)-1H-indazole;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-1-oxa-8-azaspiro[4.5]decane;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,8-diazaspiro[4.5]decan-1-one;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2-oxa-8-azaspiro[4.5]decane;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-1,8-diazaspiro[4.5]decan-2-one;

1-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-1,4-diazepan-5-one;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[6-(2-isopropyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2-methyl-2,8-diazaspiro[4.5]decane;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-1-methyl-1,8-diazaspiro[4.5]decane;

9-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-1-methyl-1,4,9-triazaspiro[5.5]undecan-5-one;

4-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-1,4-diazepan-2-one;

4-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]piperazin-2-one;

1-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]piperazin-2-one;

1-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-4-methyl-piperazin-2-one;

1-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-4-methylsulfonyl-piperazin-2-one;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-1-methyl-1,8-diazaspiro[4.5]decan-2-one;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-3-fluoro-2-pyridyl]-1,8-diazaspiro[4.5]decan-2-one;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-3-fluoro-2-pyridyl]-1,8-diazaspiro[4.5]decan-2-one;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-3-fluoro-2-pyridyl]-1-methyl-1,8-diazaspiro[4.5]decan-2-one;

9-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-3-fluoro-2-pyridyl]-1-methyl-1,4,9-triazaspiro[5.5]undecan-5-one;

3-[6-(2,6-diazaspiro[3.3]heptan-2-yl)-3-pyridyl]-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

6-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-N,N-dimethyl-2,6-diazaspiro[3.3]heptane-2-carboxamide;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-1,8-diazaspiro[4.5]decan-2-one;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-2,8-diazaspiro[4.5]decan-3-one;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-2,8-diazaspiro-[4.5]decane-1,3-dione;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-2-methyl-2,8-diazaspiro[4.5]decan-1-one;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-1-methyl-1,8-diazaspiro[4.5]decane;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-1,3,8-triazaspiro-[4.5]decan-2-one;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-1-methyl-1,8-diazaspiro[4.5]decan-2-one;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-2,8-diazaspiro-[4.5]decan-1-one;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-1,8-diazaspiro[4.5]decane;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-2λ⁶-thia-8-azaspiro[4.5]decane 2,2-dioxide;

9-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-1-methyl-1,4,9-triazaspiro[5.5]undecan-5-one;

5-[(1R)-1-(3,5-Dichloro-4-pyridyl)ethoxy]-3-[2-[4-(oxetan-3-yl)-1,4-diazepan-1-yl]pyrimidin-5-yl]-1H-indazole;

3-[2-(1,4-Diazepan-1-yl)pyrimidin-5-yl]-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazole;

4-[5-[5-[(1R)-1-(3,5-Dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-1,4-diazepane-1-carboxamide;

5-[(1R)-1-(3,5-Dichloro-4-pyridyl)ethoxy]-3-[2-(4-methylsulfonyl-1,4-diazepan-1-yl)pyrimidin-5-yl]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[1-(4-piperidyl)pyrazol-4-yl]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[1-(1-methyl-4-piperidyl)pyrazol-4-yl]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[1-(1-methylsulfonyl-4-piperidyl)pyrazol-4-yl]-1H-indazole;

4-[4-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrazol-1-yl]-N,N-dimethyl-piperidine-1-carboxamide;

4-[4-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrazol-1-yl]piperidine-1-carboxamide;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[6-(4-piperidyl)-3-pyridyl]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[6-(1-methylsulfonyl-4-piperidyl)-3-pyridyl]-1H-indazole;

4-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-N,N-dimethyl-piperidine-1-carboxamide;

4-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]piperidine-1-carboxamide;

7-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-5-oxa-2,7-diazaspiro[3.4]octan-6-one;

3-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-1-oxa-3,8-diazaspiro[4.5]decan-2-one;

3-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-8-methyl-1-oxa-3,8-diazaspiro[4.5]decan-2-one;

3-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-8-methylsulfonyl-1-oxa-3,8-diazaspiro[4.5]decan-2-one;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-3-fluoro-2-pyridyl]-2λ⁶-thia-8-azaspiro[4.5]decane 2,2-dioxide;

8-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]--2-pyridyl]-2λ⁶-thia-8-azaspiro[4.5]decane 2,2-dioxide;

2-[4-[4-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrazol-1-yl]-1-piperidyl]ethanol;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-3-[1-(1-methyl-4-piperidyl)pyrazol-4-yl]-1H-indazole;

1-[4-[4-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrazol-1-yl]-1-piperidyl]-2-(dimethylamino)ethanone;

1-[4-[4-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrazol-1-yl]-1-piperidyl]-3-(dimethylamino)propan-1-one;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[1-(1-isopropyl-4-piperidyl)pyrazol-4-yl]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[(1R)-1-(1-isopropylpyrrolidin-3-yl)pyrazol-4-yl]-1H-indazole;

3-[1-(azetidin-3-yl)pyrazol-4-yl]-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[1-(1-isopropylazetidin-3-yl)pyrazol-4-yl]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[1-[1-(oxetan-3-yl)-4-piperidyl]pyrazol-4-yl]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[1-[(3S)-pyrrolidin-3-yl]pyrazol-4-yl]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[1-[(3S)-1-ethylpyrrolidin-3-yl]pyrazol-4-yl]-1H-indazole;

3-[1-(1-cyclobutyl-4-piperidyl)pyrazol-4-yl]-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[1-[(3R)-1-ethylpyrrolidin-3-yl]pyrazol-4-yl]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-3-[1-(4-piperidyl)pyrazol-4-yl]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-3-[1-(1-isopropyl-4-piperidyl)pyrazol-4-yl]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-3-[1-[1-(oxetan-3-yl)-4-piperidyl]pyrazol-4-yl]-1H-indazole;

3-[1-(1-cyclobutyl-4-piperidyl)pyrazol-4-yl]-5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[6-(1-methyl-1,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

9-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-4-methyl-1,4,9-triazaspiro[5.5]undecan-2-one;

9-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-1,4-dimethyl-1,4,9-triazaspiro[5.5]undecan-2-one;

3-[6-(1,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[6-(1-methylsulfonyl-1,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

4-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-3-methyl-2-pyridyl]morpholine;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-morpholino-pyridine-3-carbonitrile;

4-[6-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-3-pyridyl]morpholine;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-3-(1-tetrahydropyran-4-ylpyrazol-4-yl)-1H-indazole;

4-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-3-methoxy-2-pyridyl]morpholine;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-(1-tetrahydropyran-4-ylpyrazol-4-yl)-1H-indazole;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

5-[1-(2,4-dichloro-3-pyridyl)ethoxy]-3-[1-[1-(oxetan-3-yl)-4-piperidyl]pyrazol-4-yl]-1H-indazole;

5-[1-(2,4-dichloro-3-pyridyl)ethoxy]-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

3-[6-(2,7-diazaspiro[3.5]nonan-2-yl)-3-pyridyl]-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[6-(7-methylsulfonyl-2,7-diazaspiro[3.5]nonan-2-yl)-3-pyridyl]-1H-indazole;

6-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2λ⁶-thia-6-azaspiro[3.3]heptane 2,2-dioxide;

2-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-7λ⁶-thia-2-azaspiro[3.5]nonane 7,7-dioxide;

4-[4-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrazol-1-yl]thiane 1,1-dioxide;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[6-(7-methylsulfonyl-2,7-diazaspiro[3.4]octan-2-yl)-3-pyridyl]-1H-indazole;

4-[4-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrazol-1-yl]thiane 1,1-dioxide;

2-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-6λ⁶-thia-2-azaspiro[3.4]octane 6,6-dioxide;

3-[2-(2,6-diazaspiro[3.3]heptan-2-yl)pyrimidin-5-yl]-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[2-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)pyrimidin-5-yl]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[2-(2-isopropylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)pyrimidin-5-yl]-1H-indazole;

ethyl 6-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,6-diazaspiro[3.3]heptane-2-carboxylate;

2-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-6λ⁶-thia-2-azaspiro[3.4]octane 6,6-dioxide;

methyl 6-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,6-diazaspiro[3.3]heptane-2-carboxylate;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[6-(2-ethylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

methyl 2-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,7-diazaspiro[3.5]nonane-7-carboxylate;

ethyl 2-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-2,7-diazaspiro[3.5]nonane-7-carboxylate;

7-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-2λ⁶-thia-7-azaspiro[4.4]nonane 2,2-dioxide;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[2-(2-ethylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)pyrimidin-5-yl]-1H-indazole;

2-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-6λ⁶-thia-2-azaspiro[3.5]nonane 6,6-dioxide;

ethyl 2-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,7-diazaspiro[3.5]nonane-7-carboxylate;

ethyl 2-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-2,8-diazaspiro[3.5]nonane-8-carboxylate;

3-[2-(2,8-diazaspiro[3.5]nonan-2-yl)pyrimidin-5-yl]-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazole;

3-[2-(2,7-diazaspiro[3.5]nonan-2-yl)pyrimidin-5-yl]-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[2-(8-methylsulfonyl-2,8-diazaspiro[3.5]nonan-2-yl)pyrimidin-5-yl]-1H-indazole;

isopropyl 2-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-2,8-diazaspiro[3.5]nonane-8-carboxylate;

methyl 2-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-2,7-diazaspiro[3.5]nonane-7-carboxylate;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[2-(7-methylsulfonyl-2,7-diazaspiro[3.5]nonan-2-yl)pyrimidin-5-yl]-1H-indazole;

methyl 2-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-2,8-diazaspiro[3.5]nonane-8-carboxylate;

5-[(1R)-1-(3,5-dimethyl-4-pyridyl)ethoxy]-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

5-[(1S)-1-(3,5-dimethyl-4-pyridyl)ethoxy]-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

2-[5-[5-[(1R)-1-(3,5-Dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-6λ⁶-thia-2-azaspiro[3.4]octane 6,6-dioxide ;

2-[5-[5-[(1S)-1-(3,5-Dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-6λ⁶-thia-2-azaspiro[3.4]octane 6,6-dioxide ;

2-[5-[5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-6λ⁶-thia-2-azaspiro[3.4]octane 6,6-dioxide;

ethyl 6-[5-[5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,6-diazaspiro[3.3]heptane-2-carboxylate;

methyl 6-[5-[5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-2,6-diazaspiro[3.3]heptane-2-carboxylate;

2-[5-[5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-6λ⁶-thia-2-azaspiro[3.4]octane 6,6-dioxide;

2-[5-[5-[(1S)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-6λ⁶-thia-2-azaspiro[3.4]octane 6,6-dioxide;

ethyl 6-[5-[5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-2,6-diazaspiro[3.3]heptane-2-carboxylate;

2-[5-[5-[(1S)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-6λ⁶-thia-2-azaspiro[3.4]octane 6,6-dioxide;

5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

5-[(1S)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

methyl 6-[5-[5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,6-diazaspiro[3.3]heptane-2-carboxylate;

ethyl 6-[5-[5-[(1S)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,6-diazaspiro[3.3]heptane-2-carboxylate;

8-[5-[5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-2λ⁶-thia-8-azaspiro[4.5]decane 2,2-dioxide;

methyl 6-[5-[5-[(1S)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,6-diazaspiro[3.3]heptane-2-carboxylate;

8-[5-[5-[(1S)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-2λ⁶-thia-8-azaspiro[4.5]decane 2,2-dioxide;

5-[(1S)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-3-[2-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)pyrimidin-5-yl]-1H-indazole;

5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-3-[2-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)pyrimidin-5-yl]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[2-(7-methylsulfonyl-2,7-diazaspiro[3.4]octan-2-yl)pyrimidin-5-yl]-1H-indazole;

3-[2-(2,7-diazaspiro[3.4]octan-2-yl)pyrimidin-5-yl]-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazole;

2-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-6λ⁶-thia-2-azaspiro[3.5]nonane 6,6-dioxide;

5-[(1S)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

3-[6-(2,8-diazaspiro[3.5]nonan-2-yl)-3-pyridyl]-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[6-(8-methylsulfonyl-2,8-diazaspiro[3.5]nonan-2-yl)-3-pyridyl]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[6-(7-methylsulfonyl-2,7-diazaspiro[3.4]octan-2-yl)-3-pyridyl]-1H-indazole;

3-[6-(2,7-diazaspiro[3.4]octan-2-yl)-3-pyridyl]-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazole;

methyl 2-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,8-diazaspiro[3.5]nonane-8-carboxylate;

5-[(1R)-1-(3,5-difluorophenyl)ethoxy]-3-[1-(4-piperidyl)pyrazol-4-yl]-1H-indazole;

3-[1-(1-cyclobutyl-4-piperidyl)pyrazol-4-yl]-5-[(1R)-1-(3,5-difluorophenyl)ethoxy]-1H-indazole;

5-[(1R)-1-(3,5-difluorophenyl)ethoxy]-3-[1-[1-(oxetan-3-yl)-4-piperidyl]pyrazol-4-yl]-1H-indazole;

3-[6-(2,6-diazaspiro[3.3]heptan-2-yl)-3-pyridyl]-5-[(1R)-1-(3,5-difluorophenyl)ethoxy]-1H-indazole;

5-[(1R)-1-(2,6-dichlorophenyl)ethoxy]-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

4-[4-[5-[(1R)-1-(3,5-difluorophenyl)ethoxy]-1H-indazol-3-yl]pyrazol-1-yl]thiane 1,1-dioxide;

5-[(1R)-1-(3,5-difluorophenyl)ethoxy]-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

5-[5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]-2-pyrrolidin-1-yl-pyridine-3-carbonitrile;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-6-methoxy-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole. ;

5-[(1S)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-6-methoxy-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

Ethyl 6-[5-[5-[(1S)-1-(3,5-dichloro-2-fluoro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,6-diazaspiro[3.3]heptane-2-carboxylate;

5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-6-methoxy-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-4-methoxy-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

(R)-5-(5-(1-(3,5-dimethylpyridazin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)-2-(2-oxa-6-azaspiro[3.3]heptan-6-yl)nicotinonitrile;

(R)-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-3-(3,5-difluoro-4-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)-6-methoxy-1H-indazole;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-6-fluoro-1H-indazol-3-yl]-2-(6,6-dioxo-6λ⁶-thia-2-azaspiro[3.5]nonan-2-yl)pyridine-3-carbonitrile;

3-[6-[(8aS)-3,4,6,7,8,8a-hexahydro-1H-pyrrolo[1,2-a]pyrazin-2-yl]-3-pyridyl]-5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazole;

Example 175;

3-[6-[(8aR)-3,4,6,7,8,8a-hexahydro-1H-pyrrolo[1,2-a]pyrazin-2-yl]-3-pyridyl]-5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazole;

(7R,8aS)-2-[5-[5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-3,4,6,7,8,8a-hexahydro-1H-pyrrolo[1,2-a]pyrazin-7-ol;

3-[6-(2,6-diazaspiro[3.3]heptan-2-yl)-3-pyridyl]-5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazole;

(7R,8aS)-2-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-3,4,6,7,8,8a-hexahydro-1H-pyrrolo[1,2-a]pyrazin-7-ol;

3-[2-(2,6-diazaspiro[3.3]heptan-2-yl)pyrimidin-5-yl]-5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-3-[6-(2-ethylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-3-[2-(2-ethylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)pyrimidin-5-yl]-1H-indazole;

ethyl 2-[5-[5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,8-diazaspiro[3.5]nonane-8-carboxylate;

3-[6-[(8aS)-3,4,6,7,8,8a-hexahydro-1H-pyrrolo[1,2-a]pyrazin-2-yl]-3-pyridyl]-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazole;

3-[6-[(8aR)-3,4,6,7,8,8a-hexahydro-1H-pyrrolo[1,2-a]pyrazin-2-yl]-3-pyridyl]-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazole;

ethyl 6-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyrimidin-2-yl]-2,6-diazaspiro[3.3]heptane-2-carboxylate;

5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-3-[6-(8-ethylsulfonyl-2,8-diazaspiro[3.5]nonan-2-yl)-3-pyridyl]-1H-indazole;

methyl 2-[5-[5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,8-diazaspiro[3.5]nonane-8-carboxylate;

5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-3-[6-(8-methylsulfonyl-2,8-diazaspiro[3.5]nonan-2-yl)-3-pyridyl]-1H-indazole;

isopropyl 2-[5-[5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,8-diazaspiro[3.5]nonane-8-carboxylate;

ethyl 6-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,6-diazaspiro[3.3]heptane-2-carboxylate;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-6-methoxy-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

5-[(1S)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-6-methoxy-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

ethyl 6-[5-[5-[(1S)-1-(3,5-dichloro-2-fluoro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,6-diazaspiro[3.3]heptane-2-carboxylate;

5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-6-methoxy-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

methyl 6-[5-[5-[(1R)-1-(3,5-dichloro-2-fluoro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,6-diazaspiro[3.3]heptane-2-carboxylate;

ethyl 6-[5-[5-[(1R)-1-(3,5-dichloro-2-fluoro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,6-diazaspiro[3.3]heptane-2-carboxylate;

5-[(1R)-1-(3,5-dichloro-2-fluoro-4-pyridyl)ethoxy]-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

methyl 6-[5-[5-[(1S)-1-(3,5-dichloro-2-fluoro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,6-diazaspiro[3.3]heptane-2-carboxylate;

5-[(1S)-1-(3,5-dichloro-2-fluoro-4-pyridyl)ethoxy]-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-4-methoxy-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

6-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2-oxa-6-azaspiro[3.3]heptane;

6-[5-[5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-6-methoxy-1H-indazol-3-yl]-2-pyridyl]-2-oxa-6-azaspiro[3.3]heptane;

6-[5-[5-[(1R)-1-(3,5-dichloro-2-fluoro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2-oxa-6-azaspiro[3.3]heptane;

(R)-2-(5-(5-(1-(3,5-dichloro-2-fluoropyridin-4-yl)ethoxy)-1H-indazol-3-yl)pyridin-2-yl)-6-oxa-2-azaspiro[3.4]octane;

6-[5-[5-[(1R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2-oxa-6-azaspiro[3.3]heptane;

(R)-2-(5-(5-(1-(3,5-dimethylpyridazin-4-yl)ethoxy)-1H-indazol-3-yl)pyridin-2-yl)-6-oxa-2-azaspiro[3.4]octane;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-6-methoxy-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

1-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-6-methoxy-1H-indazol-3-yl]-2-pyridyl]azetidin-3-ol;

(3R)-1-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-6-methoxy-1H-indazol-3-yl]-2-pyridyl]pyrrolidin-3-ol;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-3-[6-(3-methoxy-3-methyl-azetidin-1-yl)-3-pyridyl]-1H-indazole;

6-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-6-methoxy-1H-indazol-3-yl]-2-pyridyl]-2-oxa-6-azaspiro[3.3]heptane;

3-[6-(2-azaspiro[3.3]-heptan-2-yl)-3-pyridyl]-5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazole;

3-(5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)pyridin-2-yl)-6-ethyl-3,6-diazabicyclo[3.1.1]heptane;

1-(3-(5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)-3-methylpyridin-2-yl)-3,6-diazabicyclo[3.1.1]heptan-6-yl)-2-methylpropan-2-ol;

2-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-6-methoxy-1H-indazol-3-yl]-2-pyridyl]-1,3,4,7,8,8a-hexahydropyrrolo[1,2-a]pyrazin-6-one;

2-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-6-oxa-2-azaspiro[3.4]octane;

2-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]-3-methyl-2-pyridyl]-6-oxa-2-azaspiro[3.4]octane;

(R)-5-(5-(1-(3,5-dimethylpyridazin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)-2-(2-oxa-6-azaspiro[3.3]heptan-6-yl)nicotinonitrile;

(R)-6-(5-(5-(1-(3,5-dimethylpyridazin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)-3-methylpyridin-2-yl)-2-oxa-6-azaspiro[3.3]heptane;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-6-methoxy-3-(6-pyrrolidin-1-yl-3-pyridyl)-1H-indazole;

(3S)-1-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-6-methoxy-1H-indazol-3-yl]-2-pyridyl]pyrrolidin-3-ol ;

1-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-3-methyl-azetidin-3-ol;

(R)-2-(5-(5-(1-(3,5-dichloropyridazin-4-yl)ethoxy)-1H-indazol-3-yl)pyridin-2-yl)-6-oxa-2-azaspiro[3.4]octane;

(R)-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-3-(6-(6-(2,2,2-trifluoroethyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-1H-indazole;

2-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-1,3,4,7,8,8a-hexahydropyrrolo[1,2-a]pyrazin-6-one;

2-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-5-oxa-2-azaspiro[3.4]octane;

2-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2-azaspiro[3.3]heptan-6-ol;

7-(5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)pyridin-2-yl)hexahydroimidazo[1,5-a]pyrazin-3(2H)-one;

(R)-6-(5-(5-(1-(3,5-dichloropyridazin-4-yl)ethoxy)-1H-indazol-3-yl)pyridin-2-yl)-2-oxa-6-azaspiro[3.3]heptane;

(R)-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-3-(6-(6-(2,2-difluoroethyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-1H-indazole;

7-(5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-1H-indazol-3-yl)-3-methylpyridin-2-yl)hexahydroimidazo[1,5-a]pyrazin-3(2H)-one;

[(2R)-1-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]pyrrolidin-2-yl]methanol;

(R)-5-(1-(3,5-dichloropyridazin-4-yl)ethoxy)-3-(6-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-1H-indazole;

[1-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]-3-methyl-2-pyridyl]-3-(hydroxymethyl)azetidin-3-yl]methanol;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-3-[5-methyl-6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

((R)-1-(5-(5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)pyridin-2-yl)pyrrolidin-2-yl)methanol;

((S)-1-(5-(5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)pyridin-2-yl)pyrrolidin-2-yl)methanol;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-3-[6-(6-methoxy-2-azaspiro[3.3]heptan-2-yl)-3-pyridyl]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-6-methoxy-3-[2-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)pyrimidin-5-yl]-1H-indazole;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-6-methoxy-3-[2-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)pyrimidin-5-yl]-1H-indazole;

[(2S)-1-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]pyrrolidin-2-yl]methanol;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[5-fluoro-6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-6-methoxy-1H-indazole;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-3-[5-fluoro-6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-6-methoxy-1H-indazole;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-3-[5-fluoro-6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

1-[6-[5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2,6-diazaspiro[3.3]heptan-2-yl]-2,2,2-trifluoro-ethanone;

(R)-5-(1-(3,5-dichloropyridazin-4-yl)ethoxy)-3-(6-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-1H-indazole;

2-[5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyridyl]-2-azaspiro[3.4]octan-6-ol;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-3-[5-methyl-6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

(R)-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-3-(6-(3-(trifluoromethyl)azetidin-1-yl)pyridin-3-yl)-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-6-methoxy-3-[5-methyl-6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

(R)-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-6-methyl-3-(6-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-1H-indazole;

(R)-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-3-(6-(3-(difluoromethyl)azetidin-1-yl)pyridin-3-yl)-1H-indazole;

(R)-1-(5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)pyridin-2-yl)azetidine-3-carbonitrile;

(S)-5-(1-(3,5-dichloropyridazin-4-yl)ethoxy)-3-(5-fluoro-6-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-6-methyl-1H-indazole;

(R)-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-6-fluoro-3-(6-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-1H-indazole;

5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-6-fluoro-3-[5-fluoro-6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

(R)-1-(5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)pyridin-2-yl)-3-methylazetidin-3-amine;

(R)-5-(1-(3,5-dichloropyridazin-4-yl)ethoxy)-6-fluoro-3-(5-fluoro-6-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-1H-indazole;

(R)-5-(1-(3,5-dichloropyridazin-4-yl)ethoxy)-3-(5-fluoro-6-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-6-methyl-1H-indazole;

(R)-6-chloro-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-3-(6-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-1H-indazole;

(R)-5-(1-(3,5-dichloropyridazin-4-yl)ethoxy)-6-methoxy-3-(6-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-1H-indazole;

(R)-5-(1-(3,5-dichloropyridazin-4-yl)ethoxy)-6-fluoro-3-(6-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-1H-indazole;

(R)-6-chloro-5-(1-(3,5-dichloropyridazin-4-yl)ethoxy)-3-(6-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-1H-indazole;

(R)-6-chloro-5-(1-(3,5-dichloropyridazin-4-yl)ethoxy)-3-(5-fluoro-6-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-1H-indazole;

(R)-1-(5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-3-fluoropyridin-2-yl)-3-methylazetidin-3-amine;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-6-fluoro-3-[6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-3-(5-fluoro-6-((R)-2-methylazetidin-1-yl)pyridin-3-yl)-6-methoxy-1H-indazole;

(R)-3-(6-(azetidin-1-yl)-5-fluoropyridin-3-yl)-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-6-methoxy-1H-indazole;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-6-fluoro-3-[5-fluoro-6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

6-chloro-5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-3-[5-fluoro-6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-1H-indazole;

5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-3-(5-fluoro-6-((S)-2-methylazetidin-1-yl)pyridin-3-yl)-6-methoxy-1H-indazole;

6-chloro-5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-3-(5-fluoro-6-((R)-2-methylazetidin-1-yl)pyridin-3-yl)-1H-indazole;

5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-3-[5-fluoro-6-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-3-pyridyl]-6-methyl-1H-indazole;

3-[6-(azetidin-1-yl)-5-fluoro-3-pyridyl]-6-chloro-5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazole;

1-[5-[6-chloro-5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]-3-fluoro-2-pyridyl]-N,3-dimethyl-azetidin-3-amine;

(R)-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-3-(6-(3,3-dimethylazetidin-1-yl)-5-fluoropyridin-3-yl)-6-methoxy-1H-indazole;

6-chloro-5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-3-(5-fluoro-6-((S)-2-methylazetidin-1-yl)pyridin-3-yl)-1H-indazole;

(R)-3-(6-(azetidin-1-yl)-5-fluoropyridin-3-yl)-6-chloro-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazole;

(R)-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-3-(3,5-difluoro-4-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)-6-methoxy-1H-indazole;

(R)-3-(4-(azetidin-1-yl)-3,5-difluorophenyl)-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-6-methoxy-1H-indazole;

(R)-1-(5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)-3-fluoropyridin-2-yl)-N,N,3-trimethylazetidin-3-amine;

(R)-N-(1-(5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)-3-fluoropyridin-2-yl)-3-methylazetidin-3-yl)-N-methylmethanesulfonamide;

(S)-2-(azetidin-1-yl)-5-(5-(1-(3,5-dichloro-2-fluoropyridin-4-yl)ethoxy)-1H-indazol-3-yl)nicotinonitrile;

5-(5-((R)-1-(3,5-dichloro-2-fluoropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-((R)-3-hydroxypyrrolidin-1-yl)nicotinonitrile;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-pyrrolidin-1-yl-pyridine-3-carbonitrile;

(R)-2-(azetidin-1-yl)-5-(5-(1-(3,5-dichloro-2-fluoropyridin-4-yl)ethoxy)-1H-indazol-3-yl)nicotinonitrile;

(R)-5-(5-(1-(3,5-dichloro-2-fluoropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(3-hydroxyazetidin-1-yl)nicotinonitrile;

5-(5-((R)-1-(3,5-dichloro-2-fluoropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-((S)-3-hydroxypyrrolidin-1-yl)nicotinonitrile;

2-(azetidin-1-yl)-5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyridine-3-carbonitrile;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-[(3S)-3-(1-hydroxy-1-methyl-ethyl)pyrrolidin-1-yl]pyridine-3-carbonitrile;

(S)-5-(5-(1-(3,5-dichloro-2-fluoropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(3-hydroxyazetidin-1-yl)nicotinonitrile;

(R)-5-(5-(1-(3,5-dichloro-2-fluoropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(pyrrolidin-1-yl)nicotinonitrile;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-[(3S)-3-hydroxypyrrolidin-1-yl]pyridine-3-carbonitrile;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-[(3R)-3-(1-hydroxy-1-methyl-ethyl)pyrrolidin-1-yl]pyridine-3-carbonitrile;

5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-[3-(2,2,2-trifluoroethyl)azetidin-1-yl]pyridine-3-carbonitrile;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-[3-(2,2,2-trifluoroethyl)azetidin-1-yl]pyridine-3-carbonitrile;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-[(3R)-3-hydroxypyrrolidin-1-yl]pyridine-3-carbonitrile;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-(4-hydroxy-1-piperidyl)pyridine-3-carbonitrile;

2-(3,6-diazabicyclo[3.1.1]heptan-3-yl)-5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-1H-indazol-3-yl)nicotinonitrile;

3-(5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-1H-indazol-3-yl)-3-methoxypyridin-2-yl)-3,6-diazabicyclo[3.1.1]heptane;

5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-1H-indazol-3-yl)-2-((S)-3-(2-hydroxypropan-2-yl)pyrrolidin-1-yl)nicotinonitrile;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-(3-hydroxyazetidin-1-yl)pyridine-3-carbonitrile;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-[4-(1-hydroxy-1-methyl-ethyl)-1-piperidyl]pyridine-3-carbonitrile;

(R)-3-(6-(azetidin-1-yl)-5-methoxypyridin-3-yl)-5-(1-(3,5-dimethylpyridazin-4-yl)ethoxy)-1H-indazole;

(R)-5-(1-(3,5-dimethylpyridazin-4-yl)ethoxy)-3-(5-methoxy-6-(pyrrolidin-1-yl)pyridin-3-yl)-1H-indazole;

5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-1H-indazol-3-yl)-2-((S)-3-hydroxypyrrolidin-1-yl)nicotinonitrile;

5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-1H-indazol-3-yl)-2-((R)-3-(2-hydroxypropan-2-yl)pyrrolidin-1-yl)nicotinonitrile;

5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-(3-hydroxyazetidin-1-yl)pyridine-3-carbonitrile;

2-(azetidin-1-yl)-5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyridine-3-carbonitrile;

(R)-3-(6-(azetidin-1-yl)pyridin-3-yl)-5-(1-(3,5-dimethylpyridazin-4-yl)ethoxy)-6-methoxy-1H-indazole;

5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)-2-((S)-3-hydroxypyrrolidin-1-yl)nicotinonitrile;

5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(6-(2-hydroxy-2-methylpropyl)-3,6-diazabicyclo[3.1.1]heptan-3-yl)nicotinonitrile;

5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-1H-indazol-3-yl)-2-((R)-3-hydroxypyrrolidin-1-yl)nicotinonitrile;

3-(5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)pyridin-2-yl)-3,6-diazabicyclo[3.1.1]heptane;

(R)-5-(1-(3,5-dimethylpyridazin-4-yl)ethoxy)-6-methoxy-3-(6-(pyrrolidin-1-yl)pyridin-3-yl)-1H-indazole;

5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)-2-((S)-3-(2-hydroxypropan-2-yl)pyrrolidin-1-yl)nicotinonitrile;

3-(5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)-3-methylpyridin-2-yl)-3,6-diazabicyclo[3.1.1]heptane;

(R)-5-(5-(1-(3,5-dimethylpyridazin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(3-hydroxyazetidin-1-yl)nicotinonitrile;

5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)-2-((R)-3-hydroxypyrrolidin-1-yl)nicotinonitrile;

(R)-5-(5-(1-(3,5-dimethylpyridazin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)-2-(3-hydroxyazetidin-1-yl)nicotinonitrile;

5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)-2-((R)-3-(2-hydroxypropan-2-yl)pyrrolidin-1-yl)nicotinonitrile;

(R)-2-(azetidin-1-yl)-5-(5-(1-(3,5-dimethylpyridazin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)nicotinonitrile;

1-(3-(5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-1H-indazol-3-yl)-3-methoxypyridin-2-yl)-3,6-diazabicyclo[3.1.1]heptan-6-yl)-2-methylpropan-2-ol;

(R)-5-(5-(1-(3,5-dimethylpyridazin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)-2-(2-oxa-6-azaspiro[3.3]heptan-6-yl)nicotinonitrile;

5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(3-oxohexahydroimidazo[1,5-a]pyrazin-7(1H)-yl)nicotinonitrile;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-6-methoxy-1H-indazol-3-yl]-2-(3-hydroxyazetidin-1-yl)pyridine-3-carbonitrile;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-6-methoxy-1H-indazol-3-yl]-2-[(3S)-3-hydroxypyrrolidin-1-yl]pyridine-3-carbonitrile;

7-(5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-1H-indazol-3-yl)-3-methoxypyridin-2-yl)hexahydroimidazo[1,5-a]pyrazin-3(2H)-one;

(R)-5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(6-(2,2,2-trifluoroethyl)-2,6-diazaspiro[3.3]heptan-2-yl)nicotinonitrile;

(R)-5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(6-(2,2-difluoroethyl)-2,6-diazaspiro[3.3]heptan-2-yl)nicotinonitrile;

5-(5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(6-hydroxy-3-azabicyclo[3.1.0]hexan-3-yl)nicotinonitrile;

5-(5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-((R)-2-(hydroxymethyl)pyrrolidin-1-yl)nicotinonitrile;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-6-methoxy-1H-indazol-3-yl]-2-pyrrolidin-1-yl-pyridine-3-carbonitrile;

5-(5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-((S)-2-(hydroxymethyl)pyrrolidin-1-yl)nicotinonitrile;

5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-1H-indazol-3-yl)-2-((R)-2-(hydroxymethyl)pyrrolidin-1-yl)nicotinonitrile;

5-(5-((R)-1-(3,5-dimethylpyridazin-4-yl)ethoxy)-1H-indazol-3-yl)-2-((S)-2-(hydroxymethyl)pyrrolidin-1-yl)nicotinonitrile;

(R)-5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)nicotinonitrile;

(R)-5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(6-(methylsulfonyl)-2,6-diazaspiro[3.5]nonan-2-yl)nicotinonitrile;

(R)-5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)-2-(6,6-dioxido-6-thia-2-azaspiro[3.4]octan-2-yl)nicotinonitrile;

(R)-5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(6,6-dioxido-6-thia-2-azaspiro[3.5]nonan-2-yl)nicotinonitrile;

5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-6-methoxy-1H-indazol-3-yl]-2-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)pyridine-3-carbonitrile;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-6-methoxy-1H-indazol-3-yl]-2-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)pyridine-3-carbonitrile;

(R)-5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(6,6-dioxido-6-thia-2-azaspiro[3.4]octan-2-yl)nicotinonitrile;

(R)-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-3-(5-methoxy-6-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-1H-indazole;

(R)-5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(3-(difluoromethyl)azetidin-1-yl)nicotinonitrile;

(R)-5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)-2-(6,6-dioxido-6-thia-2-azaspiro[3.5]nonan-2-yl)nicotinonitrile;

(R)-5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(3-(trifluoromethyl)azetidin-1-yl)nicotinonitrile;

(R)-2-(3-cyanoazetidin-1-yl)-5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)nicotinonitrile;

5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-(6,6-dioxo-6λ⁶-thia-2-azaspiro[3.5]nonan-2-yl)pyridine-3-carbonitrile;

5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-1H-indazol-3-yl]-2-(8-methylsulfonyl-2,8-diazaspiro[3.5]nonan-2-yl)pyridine-3-carbonitrile;

5-(5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-((R)-2-(hydroxymethyl)azetidin-1-yl)nicotinonitrile;

(R)-5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-6-methyl-1H-indazol-3-yl)-2-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)nicotinonitrile;

(R)-5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(3,3-difluoroazetidin-1-yl)nicotinonitrile;

5-(5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-((S)-2-(hydroxymethyl)azetidin-1-yl)nicotinonitrile;

(R)-5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-6-fluoro-1H-indazol-3-yl)-2-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)nicotinonitrile;

(R)-1-(5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-N,N-dimethylmethanamine;

(R)-1-(5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)-2-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-N,N-dimethylmethanamine;

(R)-2-(3-amino-3-methylazetidin-1-yl)-5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)nicotinonitrile;

(R)-5-(6-chloro-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)nicotinonitrile;

(R)-2-(azetidin-1-yl)-5-(5-(1-(3,5-dichloropyridazin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)nicotinonitrile;

(R)-2-(azetidin-1-yl)-5-(5-(1-(3,5-dichloropyridazin-4-yl)ethoxy)-1H-indazol-3-yl)nicotinonitrile;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-6-fluoro-1H-indazol-3-yl]-2-(6,6-dioxo-6λ⁶-thia-2-azaspiro[3.5]nonan-2-yl)pyridine-3-carbonitrile;

5-(5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(2-((dimethylamino)methyl)azetidin-1-yl)nicotinonitrile;

(R)-5-(6-chloro-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(3,3-dimethylazetidin-1-yl)nicotinonitrile;

5-(6-chloro-5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-((S)-2-methylazetidin-1-yl)nicotinonitrile;

(R)-1-(2-(azetidin-1-yl)-5-(6-chloro-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)pyridin-3-yl)-N,N-dimethylmethanamine;

(R)-3-(6-(azetidin-1-yl)-5-(methylsulfonyl)pyridin-3-yl)-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-6-methoxy-1H-indazole;

(R)-1-(5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-N-methylmethanamine;

(R)-1-(5-(5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-6-methoxy-1H-indazol-3-yl)-2-(6-(methylsulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyridin-3-yl)-N-methylmethanamine;

(R)-3-(6-(azetidin-1-yl)-5-(methylsulfonyl)pyridin-3-yl)-6-chloro-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazole;

(R)-1-(5-(6-chloro-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-(3,3-dimethylazetidin-1-yl)pyridin-3-yl)-N,N-dimethylmethanamine;

5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-6-methoxy-3-(6-((R)-2-methylazetidin-1-yl)-5-(methylsulfonyl)pyridin-3-yl)-1H-indazole;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-6-fluoro-1H-indazol-3-yl]-2-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)pyridine-3-carbonitrile;

5-(6-chloro-5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-2-((R)-2-methylazetidin-1-yl)nicotinonitrile;

5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-6-methoxy-3-(6-((S)-2-methylazetidin-1-yl)-5-(methylsulfonyl)pyridin-3-yl)-1H-indazole;

(R)-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-3-(6-(3,3-dimethylazetidin-1-yl)-5-(methylsulfonyl)pyridin-3-yl)-6-methoxy-1H-indazole;

2-(azetidin-1-yl)-5-[6-chloro-5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-1H-indazol-3-yl]pyridine-3-carbonitrile;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-6-fluoro-1H-indazol-3-yl]-2-(6,6-dioxo-6λ⁶-thia-2-azaspiro[3.4]octan-2-yl)pyridine-3-carbonitrile;

5-[5-[(1R)-1-(3,5-dichloro-2-methyl-4-pyridyl)ethoxy]-6-fluoro-1H-indazol-3-yl]-2-(2-methylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)pyridine-3-carbonitrile;

5-[5-[(1R)-1-(3,5-dichloro-4-pyridyl)ethoxy]-6-fluoro-1H-indazol-3-yl]-2-(8-methylsulfonyl-2,8-diazaspiro[3.5]nonan-2-yl)pyridine-3-carbonitrile;

(R)-6-chloro-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-3-(6-(3,3-dimethylazetidin-1-yl)-5-(methylsulfonyl)pyridin-3-yl)-1H-indazole;

(R)-1-(2-(azetidin-1-yl)-5-(6-chloro-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)pyridin-3-yl)-N-methylmethanamine;

(R)-3-(6-(azetidin-1-yl)-5-(trifluoromethyl)pyridin-3-yl)-6-chloro-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazole;

6-chloro-5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-3-(6-((S)-2-methylazetidin-1-yl)-5-(trifluoromethyl)pyridin-3-yl)-1H-indazole;

(R)-1-(5-(6-chloro-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-3-(trifluoromethyl)pyridin-2-yl)-N,N,3-trimethylazetidin-3-amine;

6-chloro-5-((R)-1-(3,5-dichloropyridin-4-yl)ethoxy)-3-(6-((R)-2-methylazetidin-1-yl)-5-(trifluoromethyl)pyridin-3-yl)-1H-indazole; or

(R)-1-(5-(6-chloro-5-(1-(3,5-dichloropyridin-4-yl)ethoxy)-1H-indazol-3-yl)-3-(methylsulfonyl)pyridin-2-yl)-N,N,3-trimethylazetidin-3-amine.

19. A pharmaceutical composition comprising a compound of any one of claims 1-4, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable excipient.

20. Use of a compound of any one of claims 1 to 4, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for the treatment of cancer in a subject in need thereof, optionally

wherein the cancer is urothelial carcinoma, breast carcinoma, endometrial adenocarcinoma, ovarian carcinoma, primary glioma, cholangiocarcinoma, gastric adenocarcinoma, non-small cell lung carcinoma, pancreatic exocrine carcinoma, oral, prostate, bladder, colorectal carcinoma, renal cell carcinoma, neuroendocrine carcinoma, myeloproliferative neoplasms, head and neck (squamous), melanoma, leiomyosarcoma, and/or sarcomas, or

wherein the cancer is an intrahepatic cholangiocarcinoma; or

wherein the cancer is an FGFR-mutant cancer.

21. Use of a compound of any one of claims 1 to 4, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for treating achondroplasia, chondrodysplasia syndromes, hypochondroplasia (Hch), severe achondroplasia with developmental delay and acanthosis nigricans (SADDAN), or thanatophoric dysplasia (TD) in a subject in need thereof.