

(12) 按照专利合作条约所公布的国际申请

(19) 世界知识产权组织
国际局

(43) 国际公布日
2023 年 8 月 24 日 (24.08.2023)



(10) 国际公布号
WO 2023/155822 A1

(51) 国际专利分类号:
G06F 3/04883 (2022.01) **G06F 3/14** (2006.01)

(21) 国际申请号: PCT/CN2023/076331

(22) 国际申请日: 2023 年 2 月 16 日 (16.02.2023)

(25) 申请语言: 中文

(26) 公布语言: 中文

(30) 优先权:
202210153210.9 2022 年 2 月 18 日 (18.02.2022) CN

(71) 申请人: 北京字跳网络技术有限公司
(**BEIJING ZITIAO NETWORK TECHNOLOGY CO., LTD.**) [CN/CN]; 中国北京市海淀区紫金数码园 4 号楼 2 层 0207, Beijing 100190 (CN)。

(72) 发明人: 万世奇(**WAN, Shiqi**); 中国北京市海淀区知春路 63 号中国卫星通信大厦今日头条小邮局, Beijing 100086 (CN)。 赵育萱(**ZHAO, Yuxuan**); 中国北京市海淀区知春路 63 号中国卫星通信大厦今日头条小邮局, Beijing 100086 (CN)。

(74) 代理人: 中国贸促会专利商标事务所有限有限公司 (**CCPIT PATENT AND TRADEMARK LAW OFFICE**); 中国北京市西城区复兴门内大街 158 号远洋大厦 F10 层, Beijing 100031 (CN)。

(81) 指定国(除另有指明, 要求每一种可提供的国家保护): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CV, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IQ, IR, IS, IT, JM, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, WS, ZA, ZM, ZW。

(84) 指定国(除另有指明, 要求每一种可提供的地区保护): ARIPO (BW, CV, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), 欧亚 (AM, AZ, BY, KG, KZ, RU, TJ, TM), 欧洲 (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, ME, MK, MT, NL, NO,

(54) **Title:** SESSION METHOD AND APPARATUS, ELECTRONIC DEVICE, AND STORAGE MEDIUM

(54) 发明名称: 会话的方法、装置、电子设备和存储介质

在会话页面接收第二用户发送的预设消息, 所述预设消息被配置为能够触发预设功能设置的入口

响应于所述预设功能设置的入口被触发, 显示预设功能设置区域

响应于在所述预设功能设置区域对预设功能的设置操作, 对所述第一用户客户端的所述预设功能进行设置

110 Receive, on a session page, a preset message transmitted by a second user, the preset message being configured to be capable of triggering an entrance for preset function setting

120 In response to the fact that the entrance for the preset function setting is triggered, display a preset function setting region

130 In response to a setting operation for a preset function in the preset function setting region, set the preset function of a first user client

图 1

(57) **Abstract:** Embodiments of the present disclosure disclose a session method and apparatus, an electronic device, and a storage medium. The method is applied to a first user client, and comprises: receiving, on a session page, a preset message transmitted by a second user, the preset message being configured to trigger an entrance for preset function setting; in response to the fact that the entrance for the preset function setting is triggered, displaying a preset function setting region; and in response to a setting operation for a preset function in the preset function setting region, setting the preset function of a first user client.

(57) **摘要:** 本公开实施例公开了一种会话的方法、装置、电子设备和存储介质, 该方法应用于第一用户客户端, 包括: 在会话页面接收第二用户发送的预设消息, 所述预设消息被配置为触发预设功能设置的入口; 响应于所述预设功能设置的入口被触发, 显示预设功能设置区域; 响应于在所述预设功能设置区域对预设功能的设置操作, 对所述第一用户客户端的所述预设功能进行设置。

[见续页]

WO 2023/155822 A1

PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG)。

本国际公布：

— 包括国际检索报告(条约第21条(3))。