







FIG. 1A







36





FIG. 5






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14





FIG. 15






FIG. 17




FIG. 18




FIG. 19




FIG. 20





FIG. 21






FIG. 23




FIG. 24




FIG. 25A




FIG. 25B




FIG. 26A




FIG. 26B




FIG. 27A




FIG. 27B




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33





FIG. 34






FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50

REVIEW PARAMETERS

MODE:	STANDARD	NEG UF LIMIT:	50%
TWO CHAMBER BAG:	YES	POS UF LIMIT:	OFF
MIN DRAIN VOLUME:	85%	TIDAL FULL DRAINS:	YES
MIN DRAIN TIME:	2 MINS	FLUSH:	YES
SMART DWELLS:	YES	PROGRAM LOCKED:	YES
HEATER BAG EMPTY:	YES	LANGUAGE:	ENGLISH
TIDAL FULL DRAINS:	YES		

BACK

CONFIRM

464

466

FIG. 51





FIG. 52






FIG. 54




FIG. 55A




FIG. 55B





FIG. 55C






FIG. 57




FIG. 57A