FIG. 1



Initial
6 months under accelerated storage conditions
Impurity %
1.00
0.80
0.60
0.40
0.20
0.00
Ex. 1
Ex. 2
Ex. 3
Ex. 4
Ex. 5
Ex. 6
Ex. 7
Ex. 8
Comp. Ex. 1
Comp. Ex. 2
Comp. Ex. 3
Comp. Ex. 4
Comp. Ex. 5
Comp. Ex. 6
Comp. Ex. 7

FIG. 2



Initial
6 months under accelerated storage conditions
Impurity %
1.00
0.80
0.60
0.40
0.20
0.00
Ex. 1
Ex. 2
Ex. 3
Ex. 4
Ex. 5
Ex. 6
Ex. 7
Ex. 8
Comp. Ex. 1
Comp. Ex. 2
Comp. Ex. 3
Comp. Ex. 4
Comp. Ex. 5
Comp. Ex. 6
Comp. Ex. 7

FIG. 3



Initial
6 months under accelerated storage conditions
Impurity %
1.00
0.80
0.60
0.40
0.20
0.00
Ex. 1
Ex. 2
Ex. 3
Ex. 4
Ex. 5
Ex. 6
Ex. 7
Ex. 8
Comp. Ex. 1
Comp. Ex. 2
Comp. Ex. 3
Comp. Ex. 4
Comp. Ex. 5
Comp. Ex. 6
Comp. Ex. 7

FIG. 4



Impurity %
1.00
0.80
0.60
0.40
0.20
0.00
Initial
6 months under accelerated storage conditions
Ex. 1
Ex. 2
Ex. 3
Ex. 4
Ex. 5
Ex. 6
Ex. 7
Comp. Ex. 1
Comp. Ex. 2
Comp. Ex. 3
Comp. Ex. 4
Comp. Ex. 5
Comp. Ex. 6
Comp. Ex. 7

FIG. 5



Impurity %
1.00
0.80
0.60
0.40
0.20
0.00
Initial
6 months under accelerated storage conditions
Ex. 1
Ex. 2
Ex. 3
Ex. 4
Ex. 5
Ex. 6
Ex. 7
Ex. 8
Comp. Ex. 1
Comp. Ex. 2
Comp. Ex. 3
Comp. Ex. 4
Comp. Ex. 5
Comp. Ex. 6
Comp. Ex. 7

FIG. 6



Impurity %
3.50
3.00
2.50
2.00
1.50
1.00
0.50
0.00
Initial
6 months under accelerated storage conditions
Ex. 1
Ex. 2
Ex. 3
Ex. 4
Ex. 5
Ex. 6
Ex. 7
Ex. 8
Comp. Ex. 1
Comp. Ex. 2
Comp. Ex. 3
Comp. Ex. 4
Comp. Ex. 5
Comp. Ex. 6
Comp. Ex. 7

FIG. 7



Initial
6 months under accelerated storage conditions
Impurity %
1.00
0.80
0.60
0.40
0.20
0.00
Ex. 1
Ex. 2
Ex. 3
Ex. 4
Ex. 5
Ex. 6
Ex. 7
Ex. 8
Comp. Ex. 1
Comp. Ex. 2
Comp. Ex. 3
Comp. Ex. 4
Comp. Ex. 5
Comp. Ex. 6
Comp. Ex. 7

FIG. 8



Initial
6 months under accelerated storage conditions
Impurity %
1.00
0.80
0.60
0.40
0.20
0.00
Ex. 1
Ex. 2
Ex. 3
Ex. 4
Ex. 5
Ex. 6
Ex. 7
Ex. 8
Comp. Ex. 1
Comp. Ex. 2
Comp. Ex. 3
Comp. Ex. 4
Comp. Ex. 5
Comp. Ex. 6
Comp. Ex. 7

FIG. 9



Impurity %
1.00
0.80
0.60
0.40
0.20
0.00
Initial
6 months under accelerated storage conditions
Ex. 1
Ex. 2
Ex. 3
Ex. 4
Ex. 5
Ex. 6
Ex. 7
Ex. 8
Comp. Ex. 1
Comp. Ex. 2
Comp. Ex. 3
Comp. Ex. 4
Comp. Ex. 5
Comp. Ex. 6
Comp. Ex. 7

FIG. 10




Ex. 1
Comp. Ex. 3
Time(hr)
0
2
4
6
8
10
12
levocetirizine (ng/mL)
0
20
40
60
80
100
120

FIG. 11


Montelukast (ng/mL)
1200
1000
800
600
400
200
0
0
2
4
6
8
10
12
Time(hr)
Ex. 1
Comp. Ex. 3