## CLAIMS

1. An assembly including:

a bag for medical use,

at least one tubing connected to the bag for medical use, the tubing composed of PVC and variable in length when subjected to a sterilization process,

at least one accessory, said bag for medical use, said at least one tubing and said at least one accessory being linked together,

a tray comprising an upper surface, a lower surface opposite the upper surface, a first recess in which the bag is received, and a second recess in which the tubing is received, wherein the tubing is displaceable along a length-wise axis thereof within the second recess, and

a package wrapping said tray, the package includes an upper film made of transparent plastic material, and a lower film made of porous material.

2. The assembly of claim 1, wherein the package is peelable.

3. The assembly of claim 1, wherein the tray is made of polycarbonate.

4. The assembly of claim 1, wherein a length of displacement of the tubing within the second recess is decreased by between 5% and 25% of a length of the tubing.

5. The assembly of claim 1, wherein a length of displacement of the tubing within the second recess is decreased by between 10% and 20% of a length of the tubing.

6. The assembly of claim 1, wherein at least one of the recesses is configured to prevent displacement of the tubing along an axis normal to a plane of the tray.

7. The assembly of claim 1, wherein at least one of the recesses includes an abutment configured to block the tubing in one position along an axis normal to a plane of the tray.

8. The assembly of claim 1, wherein at least one of the recesses is configured to block the accessory in a predetermined position.

9. The assembly of claim 1, wherein:

a base of the recess configured to receive the bag for medical use is located in a first plane;

a base of the recess configured to receive the tubing is located in a second plane; and

a base of the recess configured to receive the accessory is located in a third plane,

wherein the first plane is distinct from the second and third planes and is parallel to the second and third planes.

10. The assembly of claim 1, wherein the bag for medical use, the tubing and the accessory are located in one same plane.

11. The assembly of claim 1, wherein the tray is thermoformed.

12. The assembly of claim 1, wherein the tray is produced by a plastic injection method.

13. The assembly of claim 1, wherein the tray is produced by stamping.

14. The assembly of claim 1, wherein the first recess has a base lying in a plane recessed relative to a plane of the upper surface and the second recess has a base lying in a plane recessed relative to each of the plane of the upper surface and the plane of the first recess such that the bag disposed on the base of the first recess is positioned over the tubing disposed on the base of the second recess.

15. The assembly of claim 14, wherein the plane in which the base of the first recess lies extends parallel to the plane of the upper surface and the plane in which the base of the second recess lies.

16. The assembly of claim 14, wherein the tray comprises a third recess, the third recess having a base lying in a plane recessed relative to each of the plane of the upper surface of the tray, the plane of the first recess, and the plane of the second recess, and wherein the bag is positioned over the third recess.