



WE CLAIM:

1. A compound of Formula (I):



wherein:

ring C is selected from:



wherein the wavy lines (~~~) indicate the points of attachment of the C₁ carbon to the carbonyl of C(O)-OR¹, and the C₂ carbon to L;

L is S;

Ring A is C₃₋₈ cycloalkyl, C₈₋₁₁ spirocycloalkyl, 5-8 membered heterocycloalkyl, pyrazolyl, imidazolyl, triazolyl, thiazolyl, thienyl, phenyl, naphthyl, indanyl, tetrahydronaphthyl, dihydronaphthyl, pyridyl, indolyl, benzothiazolyl, quinoliny, isoquinoliny, indoliny, isoindoliny, tetrahydroquinoliny, dihydroisoquinoliny, tetrahydroisoquinoliny, 2,3-dihydrobenzo[b][1,4]dioxiny, or tetrahydro-methanonaphthaleny;

wherein Ring A is optionally substituted with one or two groups independently selected from halo, alkyl, alkoxy, cyano, hydroxy, haloalkoxy, (cycloalkyl)alkoxy, and cycloalkyl;

Ring B is cycloalkyl, heterocycloalkyl, aryl, or heteroaryl; wherein each is optionally substituted with one or two R^B groups;

each R^B is independently halo; cyano; alkyl; haloalkyl; alkoxy; haloalkoxy; alkylcarbonyl; alkoxyalkoxy; aminocarbonyl; alkylcarbonylaminoalkoxy; cycloalkyl; (cycloalkyl)alkyl; cycloalkyloxy; (cycloalkyl)alkoxy; cycloalkylcarbonyl; cycloalkylcarbonyloxy; heterocycloalkyl optionally substituted with 1 or 2 alkyl, alkylcarbonyl or a halo; (5-6-membered heterocycloalkyl-one)alkyl; (heterocycloalkyl)alkyl; or heterocycloalkylcarbonyl;

R¹ is hydrogen, alkyl, cycloalkyl, heterocycloalkyl, or W; wherein W is alkyl substituted with amino, alkylamino, dialkylamino, alkylcarbonyloxy, alkoxyacetyl, phenylcarbonyloxy, aminocarbonyloxy, alkylaminocarbonyloxy, dialkylaminocarbonyloxy, alkoxyacetyl, cycloalkylcarbonyloxy, -N(R^{1A})C(O)R^{1B}, -N(R^{1A})C(O)OR^{1B}, or -N(R^{1A})C(O)NR^{1B}R^{1C}; wherein R^{1A}, R^{1B}, and R^{1C} are each independently hydrogen or C₁₋₆ alkyl;

R² and R³ are independently hydrogen, alkyl, phenyl, benzyl, or alkoxy-substituted benzyl; wherein the alkyl is optionally substituted with halo, alkoxy, haloalkoxy, alkylcarbonyloxy, cycloalkylcarbonyloxy, or heterocycloalkylcarbonyloxy optionally substituted with alkoxyacetyl;

provided when Ring A is phenyl, then Ring B cannot be halo-substituted phenyl;

and

optionally a single stereoisomer or mixture of stereoisomers thereof and additionally optionally a pharmaceutically acceptable salt thereof.

2. The compound, single stereoisomer or mixture of stereoisomers or pharmaceutically acceptable salt of claim 1, wherein


Ring A is C₃₋₇ cycloalkyl, 5-6 membered heterocycloalkyl, phenyl, or naphthyl, wherein Ring A is optionally substituted with halo or haloalkoxy;

Ring B is cycloalkyl, heterocycloalkyl, phenyl, tetrahydronaphthyl, tetrahydroquinolyl, quinolyl, or, isoquinolyl; wherein each Ring B is optionally substituted with one or two R^B groups;

each R^B is independently halo; cyano; haloalkyl; haloalkoxy; alkoxyalkoxy; aminocarbonyl; alkylcarbonylaminoalkoxy; cycloalkyl; (cycloalkyl)alkoxy; heterocycloalkyl optionally substituted with 1 or 2 alkyl, alkylcarbonyl or halo; or (5-6-membered heterocycloalkyl-one)alkyl; and


R¹ is hydrogen or W; wherein W is alkyl substituted with alkylcarbonyloxy, dialkylaminocarbonyloxy, cycloalkylcarbonyloxy, or phenylcarbonyloxy.

3. The compound, single stereoisomer or mixture of stereoisomers or pharmaceutically acceptable salt of claim 1, wherein the compound is a compound of Formula (VI):



wherein:

Ring C is selected from:



wherein the wavy lines (~~~~) indicate the points of attachment of the C₁ carbon to the carbonyl of C(O)-OR¹, and the C₂ carbon to S;

Ring A is C₃₋₈ cycloalkyl, C₈₋₁₁ spirocycloalkyl, 5-8 membered heterocycloalkyl, phenyl, naphthyl, pyrazolyl, imidazolyl, triazolyl, thiazolyl, pyridyl, indolyl, quinolinyl, isoquinolinyl, indolinyl, isoindolinyl, dihydroisoquinolinyl, tetrahydroisoquinolinyl, or 2,3-dihydrobenzo[b][1,4]dioxinyl; each is substituted with one or two R^{AB} groups;

Ring B is present; wherein:

each R^{AB} is independently halo; alkyl; hydroxy; alkoxy; haloalkoxy; (cycloalkyl)alkoxy;

Ring B is cycloalkyl, heterocycloalkyl, aryl, or heteroaryl; wherein each is optionally substituted with one or two R^B groups;

each R^B is independently halo; cyano; alkyl; haloalkyl; alkoxy; haloalkoxy; alkylcarbonyl; alkoxyalkoxy; aminocarbonyl; alkylcarbonylaminoalkoxy; cycloalkyl; (cycloalkyl)alkyl; cycloalkyloxy; (cycloalkyl)alkoxy; cycloalkylcarbonyl; cycloalkylcarbonyloxy; heterocycloalkyl optionally substituted with 1 or 2 alkyl, alkylcarbonyl or halo; (5-6 membered heterocycloalkyl-one)alkyl; (heterocycloalkyl)alkyl; or heterocycloalkylcarbonyl;

R¹ is hydrogen, alkyl, cycloalkyl, heterocycloalkyl, or W; wherein W is alkyl substituted with amino, alkylamino, dialkylamino, alkylcarbonyloxy, alkoxy carbonyl, phenylcarbonyloxy, aminocarbonyloxy, alkylaminocarbonyloxy, dialkylaminocarbonyloxy, alkoxy carbonyloxy, cycloalkylcarbonyloxy, -N(R^{1A})C(O)R^{1B}, -N(R^{1A})C(O)OR^{1B}, or

$-N(R^{1A})C(O)NR^{1B}R^{1C}$; wherein R^{1A} , R^{1B} , and R^{1C} are each independently hydrogen or C_{1-6} alkyl;

R^2 and R^3 are independently hydrogen, alkyl, phenyl, benzyl, or alkoxy-substituted benzyl; wherein the alkyl is optionally substituted with halo, alkoxy, haloalkoxy, alkylcarbonyloxy, cycloalkylcarbonyloxy, or heterocycloalkylcarbonyloxy optionally substituted with alkoxycarbonyl;

provided when Ring A is phenyl, then Ring B cannot be halo-substituted phenyl.

4. The compound, single stereoisomer or mixture of stereoisomers or pharmaceutically acceptable salt of claim 1, wherein Ring A is C_{3-7} cycloalkyl, 5-6 membered heterocycloalkyl, or phenyl.

5. The compound, single stereoisomer or mixture of stereoisomers or pharmaceutically acceptable salt of claim 4, wherein Ring A is C_{3-7} cycloalkyl.

6. The compound, single stereoisomer or mixture of stereoisomers or pharmaceutically acceptable salt of claim 4, wherein Ring A is 5-6 membered heterocycloalkyl.

7. The compound, single stereoisomer or mixture of stereoisomers or pharmaceutically acceptable salt of claim 4, wherein Ring A is phenyl.

8. The compound, single stereoisomer or mixture of stereoisomers or pharmaceutically acceptable salt of claim 1, wherein R^1 is hydrogen or W.

9. The compound, single stereoisomer or mixture of stereoisomers or pharmaceutically acceptable salt of claim 1, wherein R^2 and R^3 are independently hydrogen.

10. The compound, single stereoisomer or mixture of stereoisomers or pharmaceutically acceptable salt of claim 1, wherein Ring B is cycloalkyl.

11. The compound, single stereoisomer or mixture of stereoisomers or pharmaceutically acceptable salt of claim 1, wherein Ring B is heterocycloalkyl.

12. The compound, single stereoisomer or mixture of stereoisomers or pharmaceutically acceptable salt of claim 1, wherein Ring B is heteroaryl.

13. A compound, single stereoisomer or mixture of stereoisomers or pharmaceutically acceptable salt thereof, wherein the compound is selected from the group consisting of compounds ethyl 4-((4-(3,4-dichlorophenyl)thiazol-2-yl)thio)-1H-1,2,3-triazole-5-carboxylate, 4-((4-(3,4-dichlorophenyl)thiazol-2-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid, 4-((5-(3,4-dichlorophenyl)thiazol-2-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid, 5-((3-(4-methylpiperazin-1-yl)phenyl)thio)-1H-1,2,3-triazole-4-carboxylic acid, 4-((4-(piperidin-1-yl)phenyl)thio)-1H-1,2,3-triazole-5-carboxylic acid, 4-((2-(3,4-dichlorophenyl)thiazol-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid, cyclobutyl 4-((4-(3,4-dichlorophenyl)thiazol-2-yl)thio)-1H-1,2,3-triazole-5-carboxylate, 4-((4-(4-methylpiperazin-1-yl)phenyl)thio)-1H-1,2,3-triazole-5-carboxylic acid, isopropyl 4-((4-(3,4-dichlorophenyl)thiazol-2-yl)thio)-1H-1,2,3-triazole-5-carboxylate, 4-((5-(4-bromophenyl)pyridin-2-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid, 4-((5-(3,4-dichlorophenyl)-4H-1,2,4-triazol-3-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid, 4-((4'-methoxy-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid, 4-((4-(3-chloro-4-methoxyphenyl)thiazol-2-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid, 4-((4'-(trifluoromethoxy)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid, methyl 4-((4-(3,4-dichlorophenyl)thiazol-2-yl)thio)-1H-1,2,3-triazole-5-carboxylate, 4-((4-(3-chloro-4-cyclopropoxyphenyl)thiazol-2-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid, cyclopropyl 4-((4-(3,4-dichlorophenyl)thiazol-2-yl)thio)-1H-1,2,3-triazole-5-carboxylate, 4-((6-(3,4-dichlorophenyl)pyridin-2-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid, 4-((2-(4-chloro-3-methoxyphenyl)thiazol-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid, 4-((2-(4-chloro-3-isopropoxyphenyl)thiazol-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid, 5-((2-(3-chloro-4-methoxyphenyl)thiazol-4-yl)thio)-1-(4-methoxybenzyl)-1H-1,2,3-triazole-4-carboxylic acid, 4-((2-(3-chloro-4-methoxyphenyl)thiazol-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,

4-((2-(2,4-dichlorophenyl)thiazol-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-((2-(3-chloro-4-isopropoxyphenyl)thiazol-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-((5-(3,4-dichlorophenyl)-4-methyl-4H-1,2,4-triazol-3-yl)thio)-1H-1,2,3-triazole-5-carboxylic
 acid · 2,2,2-trifluoroacetate,
 4-((4'-chloro-3'-(trifluoromethoxy)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic
 acid,
 4-((2'-chloro-3'-(trifluoromethoxy)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic
 acid,
 4-((3'-chloro-4'-(trifluoromethoxy)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic
 acid,
 methyl 4-((4'-(trifluoromethoxy)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylate,
 4-((2-(3,4-dichlorophenyl)-1-methyl-1H-imidazol-5-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-((5-(3,4-dichlorophenyl)thiophen-3-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 2-(dimethylamino)ethyl 4-((4'-(trifluoromethoxy)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-
 carboxylate,
 N,N,N-trimethyl-2-(((4'-(trifluoromethoxy)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-
 carbonyl)oxy)ethan-1-aminium iodide,
 4-((2-(3-chloro-4-(trifluoromethoxy)phenyl)thiazol-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic
 acid,
 methyl 4-((2-(3-chloro-4-(trifluoromethoxy)phenyl)thiazol-4-yl)thio)-1H-1,2,3-triazole-5-
 carboxylate,
 4-((4'-(trifluoromethoxy)-[1,1'-biphenyl]-3-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-((4-(3-chloro-4-(trifluoromethoxy)phenyl)thiazol-2-yl)thio)-1H-1,2,3-triazole-5-carboxylic
 acid,
 methyl 4-((4-(3-chloro-4-(trifluoromethoxy)phenyl)thiazol-2-yl)thio)-1H-1,2,3-triazole-5-
 carboxylate,
 oxetan-3-yl 4-((4'-(trifluoromethoxy)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylate,
 1-((pivaloyloxy)methyl)-4-((4'-(trifluoromethoxy)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-
 carboxylic acid,
 1-((isobutyryloxy)methyl)-4-((4'-(trifluoromethoxy)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-
 5-carboxylic acid,

(pivaloyloxy)methyl 4-((4'-(trifluoromethoxy)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylate,
 (isobutyryloxy)methyl 4-((4'-(trifluoromethoxy)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylate,
 4-((3'-(piperidin-1-yl)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-((4'-(piperidin-1-yl)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2,-trifluoroacetate,
 4-((3'-(cyclopropylmethoxy)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2,-trifluoroacetate,
 4-((4-(1-methyl-1,2,3,4-tetrahydroquinolin-6-yl)phenyl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate,
 (isobutyryloxy)methyl 4-((4'-(piperidin-1-yl)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylate,
 4-((3'-cyclohexyl-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 (benzoyloxy)methyl 4-((4'-(piperidin-1-yl)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylate,
 (propionyloxy)methyl 4-((4'-(piperidin-1-yl)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylate,
 4-((3-(4-(trifluoromethoxy)phenyl)cyclopentyl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 ((cyclohexanecarbonyl)oxy)methyl 4-((4'-(piperidin-1-yl)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylate 2,2,2-trifluoroacetate,
 4-((4'-(4,4-difluoropiperidin-1-yl)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate,
 4-((5-(trifluoromethoxy)-2,3-dihydro-1H-inden-2-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-((4-(5-(trifluoromethoxy)pyridin-2-yl)phenyl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate,
 4-((1-(3,4-dichlorophenyl)piperidin-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate,
 4-((1-(4-(trifluoromethyl)phenyl)piperidin-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-((1-(3,5-dichlorophenyl)piperidin-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-((4-(3-(trifluoromethoxy)phenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid,

4-((4-(3-(trifluoromethyl)phenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-((1-(2,5-dichlorophenyl)piperidin-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-(((cis)-4-(3,5-dichlorophenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-(((cis)-4-(4-(trifluoromethyl)phenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-(((cis)-4-(3-chloro-5-(trifluoromethoxy)phenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-((1-(3-chloro-5-(trifluoromethoxy)phenyl)piperidin-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-((4-(4,4-difluoropiperidin-1-yl)phenyl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate,
 4-((4-(3-(piperidin-1-yl)phenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate,
 4-(((cis)-4-(4-(4-methylpiperazin-1-yl)phenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-((2-chloro-4'-(piperidin-1-yl)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-((1-(4-cyanophenyl)piperidin-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate,
 4-(((cis)-4-(3,4-dichlorophenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate,
 4-((1-(3-chloro-4-(trifluoromethoxy)phenyl)piperidin-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-(((cis)-4-(4-(pyrrolidin-1-yl)phenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate,
 4-(((cis)-4-(4-(trifluoromethoxy)phenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-((4'-(2-methylpiperidin-1-yl)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate,
 4-(((cis)-4-(4-cyanophenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-((3'-chloro-4'-(piperidin-1-yl)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-((1-(5-chloro-2-(trifluoromethoxy)phenyl)piperidin-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,
 4-((4'-cyano-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,

4-((4'-chloro-2-(cyclopentylmethoxy)-[1,1'-biphenyl]-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,

4-(((1-(2-chloro-5-(trifluoromethoxy)phenyl)piperidin-4-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,

4-(((trans)-4-(quinolin-6-yl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate,

4-(((trans)-4-(2-chloro-5-(trifluoromethoxy)phenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid,

4-(((trans)-3-(4-cyanophenyl)cyclobutyl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate,

4-(((trans)-4-(4-(trifluoromethoxy)phenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid,

4-(((3aR,5s,6aS)-2-(3,4-dichlorophenyl)octahydrocyclopenta[c]pyrrol-5-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid,

4-(((trans)-4-(5-chloro-2-(trifluoromethoxy)phenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid,

4-(((trans)-4-(4-(piperidin-1-yl)phenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate,

4-(((trans)-3-(4-(piperidin-1-yl)phenyl)cyclobutyl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate,

4-(((trans)-4-(4-(methylsulfonyl)phenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate,

4-(((cis)-4-(3-chloro-4-(piperidin-1-yl)phenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate,

4-(((trans)-4-(3-chloro-4-(piperidin-1-yl)phenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate,

4-(((trans)-4-(4-(1H-pyrazol-1-yl)phenyl)cyclohexyl)thio)-1H-1,2,3-triazole-5-carboxylic acid 2,2,2-trifluoroacetate, and

4-(((cis-3a,6a)-5-(4-(trifluoromethoxy)phenyl)octahydropentalen-2-yl)thio)-1H-1,2,3-triazole-5-carboxylic acid.

14. A pharmaceutical composition comprising the compound, single stereoisomer or mixture of stereoisomers or pharmaceutically acceptable salt of claim 1 and a pharmaceutically acceptable excipient.