



[Drawings]


[FIG. 1]




[FIG. 2]




[FIG. 3]



[FIG. 4]




[FIG. 5]



[FIG. 6]



[FIG. 7]



[FIG. 8]



[FIG. 9]

1 Resource management

2 Resource information/action

Service Dashboard Configuration User

e-Commerce > Shipping Mail Map Monitoring **Resource** Metering Job

Search...

Web Server Action Log

Web Server AM2

Access Server AM2

WAS Server WAS

Redis Server WAS

MMALL DB DB

Server

Server Type: Multi instance [Change Type >](#)

Application: Brand Web, Ver 1.5

2 containers

[Deploy >](#) [Configure >](#) [Status >](#)

Last InstanceId: 2016-10-12 12:53:56

Instance

Instance Image: Amazon Linux AMI 2016.09.0 (HVM), SSD Volume Type

Instance Type: t2.medium [Scale Up/Down >](#)

2 core 4 Gb

Instances: 3 Totals 2 Running 1 Stop [Status >](#) [Scale In/Out >](#)

1 Scheduled [Scheduling >](#)

Volume: ROOT dev/sda1 150 Gb [Edit >](#)

Data dev/sda2 500 Gb [Edit >](#)


[Add Volume >](#)

Security

Load Balancer: Inbound(1), Outbound(2) [Configure >](#)


Instances: Inbound(1), Outbound(2) [Configure >](#)

[FIG. 10]




2 Cost for each server, resource


[FIG. 11]




[FIG. 12]




[FIG. 13]




[FIG. 14]



[FIG. 15]



[FIG. 16]



[FIG. 17]

Cluster > Acornsoft Cluster

Cluster storage / volume status

NFS Dynamic

Node

Name	NFS Dynamic
Description	NFS storage class
Storage plugin	NFS Dynamic
Policy	DELETE
Storage class name	cockroach
Parameter	

Add

[FIG. 18]

Cluster > **Acornsoft Cluster**

Registration management

Monitoring

Alarm

Volume

Application

Node

Cluster storage / volume status

Storage status

Name	Type	Storage class name	Policy	Status
NFS Dynamic	NFS Dynamic	ec2x240-nfs	DELETE	Storage details Edit Storage Delete volume
NFS Dynamic Acornsoft-LE-CL1	NFS Dynamic	acornsoft-cls	RETAIN	
shared-volume-2018-03-01	NFS Static		RETAIN	
log-2018-03-01	NFS Static		RETAIN	AVAILABLE

[FIG. 19]

Volume

1

Volume mount

2

Volume type

Select

Select

Empty Dir

Host Path

Config Map

NFS Dynamic

NFS Static

Add

NFS Static

Volume type

NFS Static

shared volume hello c

Access mode

ReadWriteMany

Capacity (GB)

10

X

[FIG. 20]

Volume

1 2

Volume mount

Container : web-server-01

Add

Select
Select
shared volume

Container : web-server-01

Container path	Sub path	Only-read	
/usr/share/nginx/html	hello-cocktail	☐	☒ NFS Static shared volume
/var/log/nginx/	hello-cocktail log	☐	☒ NFS Static shared volume