

1/92

REPRESENTATIVE PHOTOGRAPHS




FIG. 1A

REPRESENTATIVE IN VIVO BLI (COLOR SCALE)




FIG. 1B




FIG. 1C




FIG. 1D




FIG. 1E

3/92




FIG. 1F




FIG. 1G




FIG. 1H

4/92




FIG. 1I




FIG. 1J




FIG. 2A




FIG. 2B




FIG. 2C




FIG. 2D




FIG. 2E

7/92




FIG. 2F




FIG. 2G




FIG. 2H




FIG. 3A




FIG. 3B




FIG. 3C







FIG. 3D



10/92




FIG. 3I




FIG. 3J

11/92




FIG. 4A




FIG. 4B




FIG. 4C




FIG. 4D

12/92




FIG. 4E




FIG. 4F




FIG. 4G




FIG. 4H




FIG. 5A




FIG. 5B




FIG. 5C




FIG. 5D




FIG. 5E




FIG. 5F




FIG. 5G




FIG. 6A




FIG. 6B




FIG. 6C




FIG. 6D

16/92




FIG. 6E




FIG. 6F




FIG. 6G




FIG. 6H




FIG. 6I




FIG. 6J




FIG. 6K

18/92




FIG. 7A




FIG. 7B




FIG. 7C




FIG. 7D

20/92




FIG. 8A




FIG. 8B

21/92




FIG. 8C




FIG. 8D

22/92




FIG. 8E




FIG. 8F




FIG. 8G




FIG. 8H




FIG. 8I

24/92




FIG. 9A




FIG. 9B

25/92






FIG. 9C



REPRESENTATIVE FLOW PLOTS - GATING FOR MONOCYTES



REPRESENTATIVE FLOW PLOTS - GATING FOR MACROPHAGES




FIG. 10C

REPRESENTATIVE FLOW PLOTS - GATING FOR NEUTROPHILS




FIG. 10D




FIG. 11A




FIG. 11B

29/92




FIG. 11C




FIG. 11D




FIG. 11E

30/92




FIG. 12A




FIG. 12B




FIG. 13A

REPRESENTATIVE vSNE PLOTS

TNF-/-




FIG. 13B




FIG. 13C




FIG. 14A




FIG. 14B

34/92




FIG. 14C






FIG. 14D

35/92






FIG. 15




FIG. 16A




FIG. 16B

38/92




FIG. 16C




FIG. 16D

39/92




FIG. 17A



FIG. 17B

40/92




FIG. 17C




FIG. 17D




FIG. 17E




FIG. 17F

42/92




FIG. 17G




FIG. 17H




FIG. 18A




FIG. 18B




FIG. 18C

45/92




FIG. 19A




FIG. 19B




FIG. 20A




FIG. 20B

47/92




FIG. 21A




FIG. 21B

48/92




FIG. 21C




FIG. 21D

49/92




FIG. 22A





FIG. 22B



51/92




FIG. 23A





FIG. 23B






FIG. 23D




FIG. 23E




FIG. 23F

55/92




FIG. 23G

56/92




FIG. 24A




FIG. 24B




FIG. 24C







FIG. 24D





60/62






FIG. 25B

62/92




FIG. 25C




FIG. 25D

63/92




FIG. 25E




FIG. 25F




FIG. 25G

64/92




FIG. 25H




FIG. 25I

65/92




FIG. 25J




FIG. 25K




FIG. 26A




FIG. 26B

67/92




FIG. 26C




FIG. 26D




FIG. 26E

69/92




FIG. 26F




FIG. 26G

70/92




FIG. 26H






FIG. 26I

71/92



72/92




FIG. 26L

73/92




FIG. 27A




FIG. 27B

74/92




FIG. 27C




FIG. 27D




FIG. 27E




FIG. 27E

76/92




FIG. 27G




FIG. 27H

77/92




FIG. 28

78/92




FIG. 29A




FIG. 29B

79/92





FIG. 29C



81/92




FIG. 30A





FIG. 30B






FIG. 31

84/92




FIG. 32

85/92




FIG. 33A




FIG. 33B




FIG. 33C

86/92





FIG. 34






FIG. 35B




FIG. 36A

90/92




FIG. 36B

91/92




FIG. 36C

92/92




FIG. 37A




FIG. 37B




FIG. 37C