


CLAIMS


1. A compound selected from:

5 (a) a compound having the formula (2):



or a pharmaceutically acceptable salt or tautomer thereof; and

(b) a compound having the formula (5):



10 or a pharmaceutically acceptable salt or tautomer thereof;

wherein

n is 1 or 2;

Z is selected from C-R^z and N;

R^z is selected from hydrogen; halogen; methoxy; and C₁₋₃ alkyl optionally substituted with

15 hydroxy or methoxy;

R¹ is selected from:

- $-(\text{Alk}^1)_t\text{-Cyc}^1$; wherein t is 0 or 1; and Alk^1 is a C_{1-4} straight chain or branched alkylene group optionally substituted with 1 or 2 hydroxy groups; and
- C_{1-6} acyclic hydrocarbon groups which are unsubstituted or substituted with 1, 2 or 3 substituents R^5 selected from hydroxy; oxo; fluorine; and cyano; and wherein 1 or 2 but not all of the carbon atoms of the hydrocarbon group can be replaced by O or N;

Cyc^1 is a cyclic group selected from (a) 3 to 9 membered non-aromatic monocyclic and bicyclic carbocyclic and heterocyclic groups containing 0, 1, 2, or 3 heteroatom ring members selected from O, N, S, S(O) and S(O)₂; (b) 5 to 6 membered monocyclic heteroaryl groups containing 1, 2 or 3 heteroatom ring members of which 1 is N and the others, when present, are selected from O, N and S; and (c) 3 to 7 membered monocyclic carbocyclic groups; wherein each cyclic group (a), (b) and (c) is unsubstituted or substituted with 1, 2 or 3 substituents R^6 selected from hydroxy; oxo; fluorine; amino; $\text{NH}(\text{Hyd}^1)$; $\text{N}(\text{Hyd}^1)_2$; O-Hyd^1 ; $-\text{C}(=\text{O})\text{-Hyd}^1$; $-\text{C}(=\text{O})\text{-O-Hyd}^1$ and Hyd^1 ; where Hyd^1 is a C_{1-4} non-aromatic hydrocarbon group optionally substituted with one or more substituents selected from fluorine, hydroxyl and methoxy;

R^2 is selected from hydrogen; halogen; and C_{1-3} hydrocarbon groups optionally substituted with one or more fluorine atoms;

R^3 is hydrogen or a group $\text{L}^1\text{-R}^7$;

R^4 is selected from hydrogen; methoxy; and C_{1-3} alkyl optionally substituted with hydroxy, amino, mono- or di- C_{1-2} alkylamino, a cyclic amino group or methoxy; wherein the cyclic amino group is a saturated 4-7 membered heterocyclic group containing a nitrogen ring member and optionally a second heteroatom ring member selected from O, N and S, wherein the cyclic amino group is linked via a nitrogen ring member thereof to the C_{1-3} alkyl, and wherein the cyclic amino group is optionally substituted with one or two methyl groups; provided that no more than one R^4 can be other than hydrogen or methyl;

L^1 is selected from a bond; Alk^2 , $\text{Alk}^2\text{-O}$ and $\text{Alk}^2\text{-C}(=\text{O})$ wherein Alk^2 is a C_{1-4} straight chain or branched alkylene group which is optionally substituted with one or more substituents selected from hydroxy, methoxy, amino, methylamino, dimethylamino and fluorine;

R^7 is selected from:

- hydrogen;
- CO_2H ;
- NR^8R^9 ;
- a carbocyclic or heterocyclic group having from 3 to 12 ring members, of which 0, 1, 2 or 3 are heteroatom ring members selected from O, N and S and oxidised forms of S, the carbocyclic or heterocyclic group being optionally substituted with one or more substituents R^{10} ; and

- an acyclic C₁₋₈ hydrocarbon group optionally substituted with one or more substituents selected from hydroxy; oxo; halogen; cyano; carboxy; amino; mono- or di-C₁₋₄ alkylamino; and carbocyclic and heterocyclic groups having from 3 to 12 ring members, of which 0, 1, 2 or 3 are heteroatom ring members selected from O, N and S and oxidised forms of S, the carbocyclic or heterocyclic group being optionally substituted with one or more substituents R¹⁰; wherein one or two but not all of the carbon atoms of the acyclic C₁₋₈ hydrocarbon group may optionally be replaced by O, S, SO, SO₂ or NR¹¹;

R⁸ is selected from hydrogen and a C₁₋₄ hydrocarbon group, the C₁₋₄ hydrocarbon group being optionally substituted with 1-2 substituents selected from hydroxy, amino, mono- C₁₋₄

alkylamino, di-C₁₋₄ alkylamino, and 4-7 membered saturated heterocyclic rings containing 1-2 heteroatom ring members selected from O and N, wherein the mono-C₁₋₄ alkylamino, di-C₁₋₄ alkylamino, and 4-7 membered saturated heterocyclic rings are each optionally substituted with 1-2 hydroxy or C₁₋₃ alkyl substituents;

R⁹ is selected from:

- hydrogen;
- a carbocyclic or heterocyclic group having from 3 to 12 ring members, of which 0, 1, 2 or 3 are heteroatom ring members selected from O, N and S and oxidised forms of S, the carbocyclic or heterocyclic group being optionally substituted with one or more substituents R¹⁰; and

• an acyclic C₁₋₈ hydrocarbon group optionally substituted with one or more substituents selected from hydroxy; oxo; halogen; cyano; carboxy; amino; mono- or di-C₁₋₄ alkylamino; and carbocyclic and heterocyclic groups having from 3 to 12 ring members, of which 0, 1, 2 or 3 are heteroatom ring members selected from O, N and S and oxidised forms of S, the carbocyclic or heterocyclic group being optionally substituted with one or more substituents R¹⁰; wherein one or two but not all of the carbon atoms of the acyclic C₁₋₈ hydrocarbon group may optionally be replaced by O, S, SO, SO₂ or NR¹¹;

or NR⁸R⁹ forms a heterocyclic group having from 4 to 12 ring members wherein, in addition to the nitrogen atom of NR⁸R⁹, the heterocyclic group optionally contains 1 or 2 further heteroatom ring members selected from O, N and S and oxidised forms of S; and wherein the heterocyclic group is optionally substituted with one or more substituents R¹⁰;

R¹⁰ is selected from:

- halogen; hydroxy; oxo; cyano;
- OR¹² wherein R¹² is C₁₋₆ alkyl or C₃₋₆ cycloalkyl, each being optionally substituted with halogen;

• an acyclic C₁₋₈ hydrocarbon group optionally substituted with one or more substituents selected from hydroxy; oxo; halogen; cyano; carboxy; amino; mono- or di-C₁₋₄

alkylamino; and carbocyclic and heterocyclic groups having 3 to 7 ring members of which 0, 1, 2, 3 or 4 are heteroatom ring members selected from N, O and S, wherein the carbocyclic and heterocyclic groups are optionally substituted with one or more substituents R^{13} selected from hydroxy; halogen; cyano; amino; $-NH(Hyd^1)$; $-N(Hyd^1)_2$; and $-(O)_v-Hyd^1$ where v is 0 or 1; wherein one or two but not all of the carbon atoms of the acyclic C_{1-8} hydrocarbon group may optionally be replaced by O, S, SO, SO_2 or NR^{11} ; and

- carbocyclic and heterocyclic groups having 3 to 7 ring members of which 0, 1, 2, 3 or 4 are heteroatom ring members selected from N, O and S, wherein the carbocyclic and heterocyclic groups are optionally substituted with one or more substituents R^{13} ; and R^{11} is selected from hydrogen and a C_{1-4} hydrocarbon group.

2. A compound according to claim 1, having the formula (2) or (5), or a pharmaceutically acceptable salt or tautomer thereof, wherein

R^2 is selected from hydrogen; halogen; and C_{1-3} alkyl optionally substituted with hydroxy or methoxy;

Cyc^1 is a cyclic group selected from (a) 3 to 9 membered non-aromatic monocyclic and bicyclic carbocyclic and heterocyclic groups containing 0, 1, 2, or 3 heteroatom ring members selected from O, N, S and $S(O)_2$; (b) 5 to 6 membered monocyclic heteroaryl groups containing 1, 2 or 3 heteroatom ring members of which 1 is N and the others, when present, are selected from O, N and S; and (c) 3 to 7 membered monocyclic carbocyclic groups; wherein each cyclic group (a), (b) and (c) is unsubstituted or substituted with 1, 2 or 3 substituents R^6 selected from hydroxy; oxo; fluorine; amino; $NH(Hyd^1)$; $N(Hyd^1)_2$; $O-Hyd^1$; $-C(=O)-Hyd^1$; $-C(=O)-O-Hyd^1$ and Hyd^1 ;

where Hyd^1 is a C_{1-4} non-aromatic hydrocarbon group optionally substituted with one or more substituents selected from fluorine, hydroxyl and methoxy;

R^4 is selected from hydrogen and C_{1-3} alkyl optionally substituted with hydroxy, amino, mono- or di- C_{1-2} alkylamino, a cyclic amino group or methoxy; wherein the cyclic amino group is a saturated 4-7 membered heterocyclic group containing a nitrogen ring member and optionally a second heteroatom ring member selected from O, N and S, wherein the cyclic amino group is linked via a nitrogen ring member thereof to the C_{1-3} alkyl, and wherein the cyclic amino group is optionally substituted with one or two methyl groups; provided that no more than one R^4 can be other than hydrogen or methyl; and

R^{10} is selected from:

- halogen; hydroxy; oxo; cyano;
- OR¹² wherein R^{12} is C_{1-6} alkyl or C_{3-6} cycloalkyl, each being optionally substituted with halogen;

- 5 • an acyclic C₁₋₈ hydrocarbon group optionally substituted with one or more substituents selected from hydroxy; oxo; halogen; cyano; carboxy; amino; mono- or di-C₁₋₄ alkylamino; and carbocyclic and heterocyclic groups having 3 to 7 ring members of which 0, 1, 2, 3 or 4 are heteroatom ring members selected from N, O and S, wherein the carbocyclic and heterocyclic groups are optionally substituted with one or more substituents R¹³ selected from hydroxy; halogen; cyano; and -(O)_v-Hyd¹ where v is 0 or 1; wherein one or two but not all of the carbon atoms of the acyclic C₁₋₈ hydrocarbon group may optionally be replaced by O, S, SO, SO₂ or NR¹¹; and
 - 10 • carbocyclic and heterocyclic groups having 3 to 7 ring members of which 0, 1, 2, 3 or 4 are heteroatom ring members selected from N, O and S, wherein the carbocyclic and heterocyclic groups are optionally substituted with one or more substituents R¹³.
- 15 3. A compound according to claim 2, having the formula (2) or (5), or a pharmaceutically acceptable salt or tautomer thereof, wherein
- R² is selected from hydrogen; halogen; and C₁₋₃ alkyl optionally substituted with hydroxy or methoxy;
- R¹ is selected from:
- 20 - -(Alk¹)_t-Cyc¹; wherein t is 0 or 1; and Alk¹ is a C₁₋₄ straight chain or branched alkylene group optionally substituted with 1 or 2 hydroxy groups; and
 - C₁₋₆ acyclic hydrocarbon groups which are unsubstituted or substituted with 1, 2 or 3 substituents R⁵ selected from hydroxy; oxo; and fluorine; and wherein 1 or 2 but not all of the carbon atoms of the hydrocarbon group can be replaced by O or N;
- 25 Cyc¹ is a cyclic group selected from (a) 3 to 9 membered non-aromatic monocyclic and bicyclic carbocyclic and heterocyclic groups containing 0, 1, 2, or 3 heteroatom ring members selected from O, N, S and S(O)₂; (b) 5 to 6 membered monocyclic heteroaryl groups containing 1, 2 or 3 heteroatom ring members of which 1 is N and the others, when present, are selected from O, N and S; and (c) 3 to 7 membered monocyclic carbocyclic groups; wherein each cyclic group (a),
- 30 (b) and (c) is unsubstituted or substituted with 1, 2 or 3 substituents R⁶ selected from hydroxy; oxo; fluorine; amino; mono- or di-C₁₋₄ alkylamino; O-Hyd¹; -C(=O)-Hyd¹; -C(=O)-O-Hyd¹ and Hyd¹; where Hyd¹ is a C₁₋₄ non-aromatic hydrocarbon group optionally substituted with one or more substituents selected from fluorine, hydroxyl and methoxy;
- R⁴ is selected from hydrogen and C₁₋₂ alkyl optionally substituted with hydroxy, amino, mono- or
- 35 di-C₁₋₂ alkylamino, a cyclic amino group or methoxy; wherein the cyclic amino group is a saturated 4-7 membered heterocyclic group containing a nitrogen ring member and optionally a

second heteroatom ring member selected from O, N and S, wherein the cyclic amino group is linked via a nitrogen ring member thereof to the C₁₋₂ alkyl, and wherein the cyclic amino group is optionally substituted with one or two methyl groups; provided that no more than one R⁴ can be other than hydrogen or methyl;


- 5 R⁸ is selected from hydrogen and a C₁₋₄ hydrocarbon group optionally substituted with hydroxy; amino or mono- or di-C₁₋₄ alkylamino; and

R¹⁰ is selected from:

- halogen; hydroxy; oxo; cyano;
- OR¹² wherein R¹² is C₁₋₆ alkyl or C₃₋₆ cycloalkyl, each being optionally substituted with
10 halogen;
- an acyclic C₁₋₈ hydrocarbon group optionally substituted with one or more substituents selected from hydroxy; oxo; halogen; cyano; carboxy; amino; mono- or di-C₁₋₄ alkylamino; and carbocyclic and heterocyclic groups having 3 to 6 ring members of which 0, 1 or 2 are heteroatom ring members selected from N, O and S, wherein the
15 carbocyclic and heterocyclic groups are optionally substituted with one or more substituents R¹³ selected from hydroxy; halogen; cyano; and -(O)_v-Hyd¹ where v is 0 or 1; wherein one or two but not all of the carbon atoms of the acyclic C₁₋₈ hydrocarbon group may optionally be replaced by O, S, SO, SO₂ or NR¹¹; and
- carbocyclic and heterocyclic groups having 3 to 6 ring members of which 0, 1, 2, 3 or 4
20 are heteroatom ring members selected from N, O and S, wherein the carbocyclic and heterocyclic groups are optionally substituted with one or more substituents R¹³.


4. A compound according to claim 2, which is selected from:

(a) a compound having the formula (6):



or a pharmaceutically acceptable salt or tautomer thereof;


(b) a compound having the formula (7):



or a pharmaceutically acceptable salt or tautomer thereof, wherein v is 0, 1, 2 or 3; and

5


(c) a compound having the general formula (8):



or a pharmaceutically acceptable salt or tautomer thereof.


10 5. A compound according to claim 3, which is selected from:

(a) a compound having the formula (6):



or a pharmaceutically acceptable salt or tautomer thereof;


(b) a compound having the formula (7):



5

or a pharmaceutically acceptable salt or tautomer thereof, wherein v is 0, 1, 2 or 3; and


(c) a compound having the general formula (8):



or a pharmaceutically acceptable salt or tautomer thereof.


6. A compound according to claim 1, which is selected from:

(a) a compound having the formula (6):




5 or a pharmaceutically acceptable salt or tautomer thereof;

(b) a compound having the formula (7):




or a pharmaceutically acceptable salt or tautomer thereof, wherein v is 0, 1, 2 or 3; and

(c) a compound having the general formula (8):



or a pharmaceutically acceptable salt or tautomer thereof.

7. A compound according to claim 1 having the formula (9):



or a pharmaceutically acceptable salt or tautomer thereof, wherein v is 0, 1, 2 or 3.

8. A compound according to claim 7 or a pharmaceutically acceptable salt or tautomer thereof, wherein

R⁴ is hydrogen;

v is 0;


R⁸ is hydrogen;

R⁹ is an acyclic saturated C₁₋₃ hydrocarbon group optionally substituted with one or more substituents selected from hydroxy and a phenyl group, the phenyl group being optionally substituted with one or more substituents R¹⁰;

R¹⁰ is selected from fluorine, methyl, methoxy and dimethylamino;


Alk² is selected from CH₂ and CH(CH₃); and
Z is CH.

9. A compound according to claim 4 having the formula (9):



or a pharmaceutically acceptable salt or tautomer thereof, wherein v is 0, 1, 2 or 3.

10. A compound according to claim 1 wherein n is 1, said compound having the formula (3):



or a pharmaceutically acceptable salt or tautomer thereof.

11. A compound selected from:

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetic acid

N-tert-butyl-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-methylacetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-methylcyclobutyl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-methylcyclohexyl)acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(2-methylpyrrolidin-1-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(3-phenylpyrrolidin-1-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(3-methyloxetan-3-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(4,4-difluorocyclohexyl)acetamide

10 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(2,3-dihydro-1H-isoindol-2-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(4,4-difluoropiperidin-1-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1,1,1-trifluoro-2-methylpropan-2-yl)acetamide

15 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(5,6,7,8-tetrahydro-1,7-naphthyridin-7-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(7-fluoro-3-methyl-1,2,3,4-tetrahydroisoquinolin-2-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-hydroxy-2-methylpropan-2-yl)-N-methylacetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-methylcyclo propyl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-methylcyclopentyl)acetamide

25 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-(2-oxo-2-{1H,2H,3H,4H-pyrrolo[1,2-a]pyrazin-2-yl}ethyl)-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(2,5-dimethylmorpholin-4-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-methyl-N-(2-methylbutan-2-yl)acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-[(2S)-2-(trifluoromethyl) piperidin-1-yl]ethyl]-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(4-methyloxan-4-yl)acetamide

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-cyclopropylpropan-2-yl)acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-oxo-2-[3-(trifluoromethyl)-1,2,3,4-tetrahydro isoquinolin-2-yl]ethyl}-2,3-dihydro-1H-isoindol-1-one

2-(2-{2-azabicyclo [2.2.1]heptan-2-yl}-2-oxoethyl)-6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

5 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(2,2-dimethylpiperidin-1-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-methylpentan-2-yl)acetamide

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(3-methylpentan-3-yl)acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(octahydro-1H-isoindol-2-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-(2-{octahydro cyclopenta[b]pyrrol-1-yl}-2-oxoethyl)-2,3-dihydro-1H-isoindol-1-one

15 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-methyl-N-(oxan-4-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R,2R)-2-methylcyclopropyl]acetamide

20 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-(2-{octahydro cyclopenta[c]pyrrol-2-yl}-2-oxoethyl)-2,3-dihydro-1H-isoindol-1-one

2-(2-{2-azabicyclo [2.2.2]octan-2-yl}-2-oxoethyl)-6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-methyl-N-(2,2,2-trifluoroethyl)acetamide

25 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-phenylpropan-2-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2,6-dimethyloxan-4-yl)acetamide

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-methyloxan-4-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(3,3-difluoro-1-methyl cyclobutyl)acetamide

2-(2-{8-azabicyclo [3.2.1]octan-8-yl}-2-oxoethyl)-6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-methyl-N-(2-phenyl ethyl)acetamide

2-[2-(azepan-1-yl)-2-oxoethyl]-6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(2,3,4,5-tetrahydro-1H-3-benzazepin-3-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

5 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(2,3,4,5-tetrahydro-1H-2-benzazepin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(4-chloro-2-methoxy phenyl)methyl] acetamide

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(5-chloro-2-methoxy phenyl)methyl] acetamide

2-[2-[(4aR,8aR)-decahydroisoquinolin-2-yl]-2-oxoethyl]-6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-cyclohexylpropan-2-yl)acetamide

15 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(3-fluorophenyl)propan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1,2,3,4-tetrahydro naphthalen-1-yl] acetamide

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1,2,3,4-tetrahydro naphthalen-1-yl] acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2,3-dihydro-1H-inden-2-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(5-fluoro-2-methoxy phenyl)methyl] acetamide

25 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-(4-chlorophenyl)propan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(4-fluoro-2-methoxy phenyl)methyl] acetamide

30 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[(3S)-3-(hydroxymethyl)-1,2,3,4-tetrahydro isoquinolin-2-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-(4-fluorophenyl)propan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-methyl-N-(1-methylcyclopentyl) acetamide

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-methyl-N-(1-methyl cyclobutyl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-(3-chlorophenyl)propan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-cyclopentyl-N-methylacetamide

5 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(2,3,4,5-tetrahydro-1H-1-benzazepin-1-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroquinolin-1-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(2-methoxyphenyl)methyl]acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(1,1-dimethyl-1,2,3,4-tetrahydroisoquinolin-2-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-[4-(1,3-thiazol-2-yl)piperidin-1-yl]ethyl]-2,3-dihydro-1H-isoindol-1-one

15 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(3-phenylazetidin-1-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-methyl-N-(2-phenylpropan-2-yl)acetamide

20 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-[(3S)-3-phenylpiperidin-1-yl]ethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-[(3R)-3-phenylpiperidin-1-yl]ethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(4-phenylpiperazin-1-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

25 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(4-phenylpiperidin-1-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

N-tert-butyl-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-ethylacetamide

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2,2-dimethyloxan-4-yl)acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(1-methyl-1,2,3,4-tetrahydroisoquinolin-2-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(2,3,4,5-tetrahydro-1,4-benzoxazepin-4-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

35 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(2-methyl-2,3,4,5-tetrahydro-1H-3-benzazepin-3-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

N-benzyl-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-methyl-1-phenyl propan-2-yl) acetamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-phenyl ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-phenylethyl] acetamide

10 N-benzyl-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-hydroxyethyl) acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2R)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-phenylcyclobutyl) acetamide

15 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(3-phenyloxetan-3-yl)acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[1-(hydroxymethyl)-1,2,3,4-tetrahydro isoquinolin-2-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(hydroxymethyl)-2,3-dihydro-1H-inden-1-yl]acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[1-(hydroxyl methyl)-2,3,4,5-tetrahydro-1H-3-benzazepin-3-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-(2-oxo-2-{5H,6H,7H,8H-pyrido[4,3-d]pyrimidin-6-yl}ethyl)-2,3-dihydro-1H-isoindol-1-one

25 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1,2,3,4-tetrahydronaphthalen-2-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2,3-dihydro-1H-inden-1-yl)acetamide

30 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-oxo-2-[8-(trifluoro methyl)-1,2,3,4-tetrahydroisoquinolin-2-yl]ethyl}-2,3-dihydro-1H-isoindol-1-one

N-[2-(tert-butylamino)ethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

N-tert-butyl-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-hydroxyethyl)acetamide

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-cyclopropylpropan-2-yl)-N-methylacetamide

N-tert-butyl-2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-methylacetamide

N-tert-butyl-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-4-fluoro-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-methylacetamide

5 N-tert-butyl-N-methyl-2-(6-{2-[(oxan-4-yl)amino]-5-(trifluoromethyl)pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

N-tert-butyl-2-(5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-(hydroxymethyl)-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-methylacetamide

10 2-(5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-(hydroxymethyl)-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-methylacetamide

2-(5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-(hydroxymethyl)-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-cyclopentylacetamide

N-tert-butyl-2-(5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-methylacetamide

15 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[(3-methyloxetan-3-yl)methyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-(2-methoxyethyl)-2,3-dihydro-1H-isoindol-1-one

20 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(morpholin-4-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[(oxolan-2-yl)methyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[(1-methyl-1H-1,2,3-triazol-4-yl)methyl]-2,3-dihydro-1H-isoindol-1-one

25 2-[(5-tert-butyl-1,2-oxazol-3-yl)methyl]-6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(oxolan-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

30 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-(2-hydroxypropyl)-2,3-dihydro-1H-isoindol-1-one

2-[2-(tert-butoxy)ethyl]-6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(2-oxopyrrolidin-1-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

35 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(cyclopentyloxy)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[(pyrrolidin-2-yl)methyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[(5-methyl-1,2,4-oxadiazol-3-yl)methyl]-2,3-dihydro-1H-isoindol-1-one

5 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[(3-methyl-1,2-oxazol-5-yl)methyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[(5-methyl-1,2-oxazol-3-yl)methyl]-2,3-dihydro-1H-isoindol-1-one

10 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

N-tert-butyl-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N,2-dimethylpropanamide

(2R)-N-tert-butyl-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-methylpropanamide

15 N-tert-butyl-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-methylpropanamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-(1-methyl-2-oxopiperidin-3-yl)-2,3-dihydro-1H-isoindol-1-one

20 2-(1-tert-butyl-2-oxopyrrolidin-3-yl)-6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[(5-methyl-4H-1,2,4-triazol-3-yl)methyl]-2,3-dihydro-1H-isoindol-1-one

6-{2-[(1-methyl-1H-pyrazol-5-yl)amino]pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

7-{2-[(1-methyl-1H-pyrazol-5-yl)amino]pyrimidin-4-yl}-1,2,3,4-tetrahydroisoquinolin-1-one

25 2-(cyclopropyl methyl)-6-{2-[(1-methyl-1H-pyrazol-5-yl)amino]pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

N-benzyl-N-methyl-2-(6-{2-[(1-methyl-1H-pyrazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

30 N-methyl-2-(6-{2-[(1-methyl-1H-pyrazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-phenylethyl) acetamide

6-{5-chloro-2-[(1,5-dimethyl-1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

35 N-benzyl-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-methylacetamide

7-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1,2,3,4-tetrahydroisoquinolin-1-one

tert-butyl 2-(6-{2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetate

tert-butyl 2-(6-{5-fluoro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetate

5 6-{5-chloro-2-[(1-methyl-1H-pyrazol-5-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-methyl-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one formate salt

tert-Butyl 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetate

10 3-(6-{5-Chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanoic acid

6-{5-Chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[3-oxo-3-(pyrrolidin-1-yl)propyl]-2,3-dihydro-1H-isoindol-1-one

15 tert-Butyl 2-(7-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-1,2,3,4-tetrahydroisoquinolin-2-yl)acetate

N-tert-Butyl-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-2-[2-(2-methylpiperidin-1-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-cyclohexyl-N-methylacetamide

6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-2-[2-oxo-2-(piperidin-1-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

25 2-(2-{4-azaspiro[2.5] octan-4-yl}-2-oxoethyl)-6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-2-[2-oxo-2-(pyrrolidin-1-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-cyclopropyl-N-methylacetamide

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-cyclohexyl acetamide

6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-2-[2-(2-ethylpiperidin-1-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

35 6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-methylbutan-2-yl)acetamide

6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-2-[2-(3-methyl-1,2,3,4-tetrahydro isoquinolin-2-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-cyclopentyl acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(oxan-4-yl) acetamide

10 6-{2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydro isoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

N-tert-butyl-N-methyl-2-(6-{2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

N-tert-butyl-2-(6-{5-fluoro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-methyl acetamide

15 6-{5-fluoro-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

tert-butyl 4-[(5-chloro-4-{3-oxo-2-[2-oxo-2-(1,2,3,4-tetrahydro isoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-5-yl}pyrimidin-2-yl)amino]piperidine-1-carboxylate

20 6-{5-chloro-2-[(2,3-dihydroxypropyl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(1,3-dihydroxypropan-2-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(2-methoxyethyl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

25 6-{5-chloro-2-[(oxetan-3-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(propan-2-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

30 6-{2-[(1-acetylpiperidin-4-yl)amino]-5-chloropyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxolan-3-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-[2-(tert-butylamino)-5-chloropyrimidin-4-yl]-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

35 6-(5-chloro-2-{[trans-4-hydroxycyclohexyl]amino}pyrimidin-4-yl)-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-[5-chloro-2-(cyclohexylamino)pyrimidin-4-yl]-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-(5-chloro-2-{{trans-4-methoxycyclohexyl}amino}pyrimidin-4-yl)-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

5 6-(5-chloro-2-{{trans-3-hydroxycyclobutyl}amino}pyrimidin-4-yl)-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-(5-chloro-2-{{cis-3-hydroxycyclobutyl}amino}pyrimidin-4-yl)-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

10 6-{2-[(1-acetylazetidin-3-yl)amino]-5-chloropyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(2,2-dimethyloxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(2-methyloxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

15 6-{5-chloro-2-[(3-methyloxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-[5-chloro-2-{{8-oxabicyclo[3.2.1]octan-3-yl}amino}pyrimidin-4-yl]-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

20 6-[5-chloro-2-{{2-oxaspiro[3.3]heptan-6-yl}amino}pyrimidin-4-yl]-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-methyl-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

N-tert-butyl-N-methyl-2-(6-{5-methyl-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

25 6-{5-cyclopropyl-2-[(oxan-4-yl)amino] pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-{5-ethyl-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

30 6-{5-chloro-2-[(piperidin-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one Hydrochloride

6-{5-Chloro-2-[(1,5-dimethyl-1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

tert-Butyl 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyridin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetate

35 6-{5-chloro-2-[(oxan-4-yl)amino]pyridin-4-yl}-2-[2-(3-methyl-1,2,3,4-tetrahydroisoquinolin-2-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

6-[5-chloro-2-(phenylamino)pyrimidin-4-yl]-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-[5-chloro-2-[(2-methylpyridin-4-yl)amino]pyrimidin-4-yl]-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

5 6-[2-[(oxan-4-yl)amino]-5-(ethenyl)pyrimidin-4-yl]-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-[2-[(oxan-4-yl)amino]-5-(prop-1-en-2-yl)pyrimidin-4-yl]-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

10 6-[2-[(oxan-4-yl)amino]-5-(propan-2-yl)pyrimidin-4-yl]-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

6-[5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl]-2-[2-[5-(hydroxymethyl)-1-methyl-1,2,3,4-tetrahydroisoquinolin-2-yl]-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

6-[5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl]-2-[2-(1-methyl-2,3,4,5-tetrahydro-1H-3-benzazepin-3-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

15 2-(6-[5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-phenylcyclopropyl)acetamide

6-[5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl]-2-[2-[2-(hydroxymethyl)-2,3,4,5-tetrahydro-1H-3-benzazepin-3-yl]-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

20 2-(6-[5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-methyl-1-phenoxypropan-2-yl)acetamide

2-(6-[5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-phenylethyl)acetamide

2-(6-[5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-cyclohexylethyl)acetamide

25 2-(6-[5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-cyclohexylethyl)-N-methylacetamide

2-(6-[5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-(dimethylamino)ethyl]-N-(2-phenylethyl)acetamide

30 2-(6-[5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-hydroxyethyl)-N-(2-phenylethyl)acetamide

2-(6-[5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(1-ethyl-1H-pyrazol-3-yl)ethyl]acetamide

2-(6-[5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-hydroxy-1-(1-methyl-1H-pyrazol-4-yl)ethyl]acetamide

35 2-(6-[5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[[4-(hydroxymethyl)-1,3-thiazol-2-yl]methyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(5-chloro-3-fluoropyridin-2-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-hydroxy-1-(pyridin-2-yl)ethyl]acetamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-hydroxy-1-(pyridin-3-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-hydroxy-1-(pyridin-4-yl)ethyl]acetamide

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(6-methoxypyridin-2-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-hydroxy-3-(3-methoxyphenyl)propan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(3-fluoropyridin-2-yl)ethyl]acetamide

15 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-fluoropyridin-2-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(1-methyl-1H-pyrazol-4-yl)ethyl]acetamide

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-hydroxy-1-(1-methyl-1H-pyrazol-3-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(1,3-dimethyl-1H-pyrazol-4-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(1,3-thiazol-4-yl)ethyl]acetamide

25 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(1,5-dimethyl-1H-pyrazol-4-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(2-methyl-1,3-thiazol-4-yl)ethyl]acetamide

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(pyridin-3-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(pyridin-2-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-hydroxy-1-(2-methyl-1,3-thiazol-4-yl)ethyl]acetamide

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-methyl-4,5,6,7-tetrahydro-2H-indazol-4-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(propan-2-yl)-1H-pyrazol-4-yl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(1,3-thiazol-2-yl)ethyl]acetamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(6-methylpyridin-3-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(3,5-dimethylphenyl)propan-2-yl]acetamide

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(4,5-dimethyl-1,3-thiazol-2-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(1-methyl-1H-pyrazol-5-yl)propan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(pyridin-4-yl)ethyl]acetamide

15 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(2-methoxypyridin-4-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(pyrazin-2-yl)ethyl]acetamide

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methoxypyridin-2-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[5H,6H,7H-cyclopenta[b]pyridin-7-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(2-ethyl-1,3-thiazol-4-yl)ethyl]acetamide

25 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(6-methylpyridin-2-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[2-(propan-2-yl)-1,3-thiazol-4-yl]ethyl]acetamide

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(hydroxymethyl)cyclopentyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(4-chloropyridin-2-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(hydroxymethyl)pyridin-2-yl]ethyl]acetamide

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(difluoromethyl)pyridin-2-yl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(6-cyanopyridin-2-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(trifluoromethyl)pyridin-2-yl]ethyl]acetamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(2-methylpyridin-4-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(2S)-1-hydroxy-3-(3-methoxyphenyl)propan-2-yl]acetamide

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(1,3-dimethyl-1H-pyrazol-4-yl)propan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(1,3-thiazol-4-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-2-hydroxy-1-(1,3-thiazol-2-yl)ethyl]acetamide

15 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(1,3-thiazol-2-yl)propan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[4-(trifluoromethyl)-1,3-thiazol-2-yl]ethyl]acetamide

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(pyrimidin-5-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[5H,6H,7H-cyclopenta[b]pyridin-5-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(4-methyl-1,3-thiazol-2-yl)ethyl]acetamide

25 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(3-methylpyridin-2-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-{imidazo[2,1-b][1,3]thiazol-6-yl}ethyl)acetamide

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-hydroxycyclohexyl)acetamide (Trans racemic)

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-hydroxycyclohexyl)acetamide (Cis racemic)

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[(3S)-3-hydroxypiperidin-1-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(2,4-dimethyl-1,3-thiazol-5-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R,2S)-2-hydroxy-1-(thiophen-2-yl)propyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-1-(pyridin-2-yl)propyl]acetamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(thiophen-3-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-1-(6-methoxypyridin-2-yl)propyl]acetamide

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-2-hydroxy-1-(thiophen-2-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-1-(6-methylpyridin-2-yl)propyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methylpyridin-2-yl)ethyl]acetamide

15 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoropyridin-2-yl)-2-hydroxyethyl]acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[(3R)-3-hydroxypyrrolidin-1-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-hydroxycyclopentyl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(2,5-dimethyl-1,3-thiazol-4-yl)ethyl]acetamide

N-[(1R)-1-(3-tert-butylphenyl)ethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

25 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(6-methylpyridin-2-yl)ethyl]acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[2-(hydroxymethyl)piperidin-1-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

30 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2R)-2-hydroxycyclopentyl]acetamide

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R,2S)-2-hydroxycyclopentyl]acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[(3R)-3-hydroxypiperidin-1-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[(2R,6S)-2,6-dimethylpiperidin-1-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

5 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-(4-cyclopropylpiperidin-1-yl)-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(2S)-1-hydroxy-3,3-dimethylbutan-2-yl]acetamide

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-1-cyclopropyl-2-hydroxypropyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(difluoromethyl)pyridin-2-yl]-2-hydroxyethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[6-(trifluoromethyl)pyridin-2-yl]ethyl]acetamide

15 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(5-methylthiophen-3-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(1,5-dimethyl-1H-pyrazol-3-yl)ethyl]acetamide

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(1,5-dimethyl-1H-pyrazol-3-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(6-cyanopyridin-2-yl)-2-hydroxyethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(4-ethyl-1,3-thiazol-2-yl)ethyl]acetamide

25 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(hydroxymethyl)cyclohexyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(5-fluoro-6-methylpyridin-2-yl)-2-hydroxyethyl]acetamide

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(6-ethoxypyridin-2-yl)-2-hydroxyethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(6-ethylpyridin-2-yl)-2-hydroxyethyl]acetamide TFA

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-cyclopropyl-2-hydroxyethyl)acetamide

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(2R)-1,1,1-trifluoro-3-hydroxypropan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-{imidazo[1,2-a]pyridin-2-yl}ethyl)acetamide

tert-Butyl 3-{1-[2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamido]ethyl}piperidine-1-carboxylate

5 tert-Butyl (S)-3-[(R)-1-[2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamido]ethyl]piperidine-1-carboxylate

tert-Butyl (R)-3-[(R)-1-[2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamido]ethyl]piperidine-1-carboxylate

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(piperidin-3-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(R)-1-((S)-piperidin-3-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(R)-1-((R)-piperidin-3-yl)ethyl]acetamide

15 N-[1-(1-acetylpiperidin-3-yl)ethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

N-[(R)-1-((S)-1-acetylpiperidin-3-yl)ethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

20 N-[(R)-1-((R)-1-acetylpiperidin-3-yl)ethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

6-{5-Chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[(1-hydroxy-2-phenylpropan-2-yl)amino]ethyl}-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-Chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(dimethylamino)pyridin-2-yl]-2-hydroxyethyl]acetamide

25 Methyl 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetate

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(oxan-3-yl)methyl]acetamide

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(oxan-4-yl)methyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[[[(1S,2S)-2-hydroxycyclohexyl]methyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[[[(1S,2R)-2-hydroxycyclohexyl]methyl]acetamide

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(cyclohexylmethyl)acetamide

N-[(1-acetylpiperidin-3-yl)methyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-cyclohexylethyl]acetamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1-hydroxycyclohexyl)methyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1-(hydroxymethyl)cyclohexyl)methyl]acetamide

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1-methyl-2-oxopiperidin-3-yl)methyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2,2,2-trifluoro-1-(3-methoxyphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(S)-(1-hydroxycyclopropyl)(phenyl)methyl]acetamide

15 N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]-2-(6-{2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

2-(6-{5-chloro-2-[(oxolan-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

20 2-[6-(5-chloro-2-[(oxolan-3-yl)methyl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

2-[6-(5-chloro-2-[(oxolan-2-yl)methyl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

2-(6-{2-[(1-acetylazetidin-3-yl)amino]-5-chloropyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

25 2-[6-(5-chloro-2-[(1S,2S)-2-hydroxycyclohexyl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

2-(6-{2-[(1-acetylpiperidin-4-yl)amino]-5-chloropyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

30 2-[6-(5-chloro-2-[(trans-4-methoxycyclohexyl)amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

2-[6-(5-chloro-2-[(2S)-1-hydroxypropan-2-yl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

2-[6-(5-chloro-2-[(2S)-1-hydroxypropan-2-yl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S,2S)-2-hydroxy-1-phenylpropyl]acetamide

35 2-(6-{5-chloro-2-[(oxetan-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-1-phenylpropyl]acetamide

2-[6-(5-chloro-2-{{trans-4-methoxycyclohexyl}amino}pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S,2S)-2-hydroxy-1-phenylpropyl]acetamide

2-[6-(5-chloro-2-{{trans-4-hydroxycyclohexyl}amino}pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

5 6-[5-chloro-2-[(oxan-4-yl)amino]pyridin-4-yl]-2-{2-[(3S)-methyl-1,2,3,4-tetrahydroisoquinolin-2-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

6-[5-chloro-2-[(oxan-4-yl)amino]pyridin-4-yl]-2-{2-[(3R)-methyl-1,2,3,4-tetrahydroisoquinolin-2-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

10 6-(5-chloro-2-{{2-(propan-2-yl)oxan-4-yl}amino}pyrimidin-4-yl)-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-bromo-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

2-(6-{5-bromo-2-[(propan-2-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

15 2-[6-(5-bromo-2-[[{(2S)-1-hydroxypropan-2-yl}amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

2-(6-{5-bromo-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-1-phenylpropyl]acetamide

20 (2R)-2-(6-{5-chloro-2-[(propan-2-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[(1R)-1-(3-methoxyphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(2-fluoro-5-methoxyphenyl)propyl]-3-hydroxypropanamide

25 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-2,3-dihydro-1H-inden-1-yl]-3-hydroxypropanamide

(2R)-N-[(1R)-1-(2H-1,3-benzodioxol-5-yl)ethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxypropanamide

30 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[(1R)-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]butanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[(1R)-1-[3-(trifluoromethyl)phenyl]ethyl]propanamide

35 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(2-fluoro-5-methoxyphenyl)ethyl]-3-hydroxypropanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-ethoxyphenyl)ethyl]-3-hydroxypropanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[(1S,2S)-2-hydroxy-1-phenylpropyl]propanamide

5 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-(difluoromethyl)phenyl]ethyl]-3-hydroxypropanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-(difluoromethoxy)phenyl]ethyl]-3-hydroxypropanamide

10 (2R)-2-(6-{5-chloro-2-(methylamino)pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[(1R)-1-(3-methoxyphenyl)ethyl]propanamide

(2R)-2-[6-(5-chloro-2-[(2S)-1-hydroxypropan-2-yl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-3-hydroxy-N-[(1R)-1-(3-methoxyphenyl)ethyl]propanamide

(2R)-2-[6-(5-chloro-2-[(trans-4-methoxycyclohexyl)amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-3-hydroxy-N-[(1R)-1-(3-methoxyphenyl)ethyl]propanamide

15 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[(3-methoxyphenyl)methyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[2-(3-methoxyphenyl)propan-2-yl]propanamide

20 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(2-fluoro-5-methylphenyl)ethyl]-3-hydroxypropanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(2-fluoro-3-methoxyphenyl)ethyl]-3-hydroxypropanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-fluoro-5-methylphenyl)ethyl]-3-hydroxypropanamide

25 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(4-fluoro-3-methoxyphenyl)ethyl]-3-hydroxypropanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-fluoro-5-methoxyphenyl)ethyl]-3-hydroxypropanamide

30 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[(1R)-1-(6-methylpyridin-2-yl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[(1R)-1-(6-methoxypyridin-2-yl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[(1R)-1-(5-methoxy-2-methylphenyl)ethyl]propanamide

35 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[5-(difluoromethyl)-2-fluorophenyl]ethyl]-3-hydroxypropanamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[(1-hydroxycyclopropyl)(phenyl)methyl]propanamide

(2R)-2-[6-(5-chloro-2-[(2S)-1-hydroxypropan-2-yl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-3-hydroxy-N-[2-(3-methoxyphenyl)propan-2-yl]propanamide

5 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-4-fluoro-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[(1R)-1-(3-methoxyphenyl)ethyl]propanamide

2-(6-{5-chloro-2-[(1,3-dihydroxypropan-2-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

10 2-[6-(5-chloro-2-[(3R,4S)-3-hydroxyoxan-4-yl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

2-[6-(5-chloro-2-[(2S)-1-hydroxypropan-2-yl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

2-[6-(5-chloro-2-[(trans-4-hydroxycyclohexyl)amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

15 2-(6-{5-chloro-2-[(propan-2-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

2-[6-(5-chloro-2-[(2R)-1-hydroxypropan-2-yl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

20 2-(6-{5-chloro-2-[(2-hydroxy-2-methylpropyl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(2-hydroxypropyl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(2-acetamidoethyl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

25 2-(6-{5-chloro-2-[(2-cyanoethyl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(cyanomethyl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

30 2-[6-(5-chloro-2-[(3-hydroxy-2-(hydroxymethyl)propyl]amino)pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(2-hydroxyethyl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

2-[6-(5-chloro-2-[(trans-3-hydroxycyclobutyl)amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

35 2-[6-(5-chloro-2-[(1-(hydroxymethyl)cyclopropyl]amino)pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

2-[6-(5-chloro-2-[[3-(hydroxymethyl)oxetan-3-yl]amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

2-(6-{2-[(1-acetylpiperidin-4-yl)amino]-5-chloropyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

5 2-(6-{5-chloro-2-[(oxetan-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

2-{6-[5-chloro-2-({2-oxaspiro[3.3]heptan-6-yl)amino}pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

10 2-(6-{5-chloro-2-[(propan-2-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(1-hydroxy-2-methylpropan-2-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

15 2-[6-(5-chloro-2-[(1R,3R)-3-hydroxycyclopentyl]amino}pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

2-[6-(5-chloro-2-[(1S,3R)-3-hydroxycyclopentyl]amino}pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

20 2-[6-(5-chloro-2-[(3R)-oxan-3-yl]amino}pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

2-[6-(5-chloro-2-[(2S)-1-methoxypropan-2-yl]amino}pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

2-[6-(5-chloro-2-[(2S,3R)-3-hydroxybutan-2-yl]amino}pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

25 2-[6-(5-chloro-2-[(3S)-oxan-3-yl]amino}pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

2-[6-(5-chloro-2-[(2S)-1-hydroxybutan-2-yl]amino}pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

30 2-[6-(5-chloro-2-[[1-(hydroxymethyl)cyclobutyl]amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

2-{6-[5-chloro-2-(ethylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

(2R)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]-2-(6-{2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

35 (2R)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]-2-(6-{2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

2-(6-{5-chloro-2-[(1,5-dimethyl-1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

2-(7-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-1,2,3,4-tetrahydroisoquinolin-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

5 2-(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyridin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]propanamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-(2-oxo-2-{6-[4-(propan-2-yl)piperazin-1-yl]-1,2,3,4-tetrahydroisoquinolin-2-yl}ethyl)-2,3-dihydro-1H-isoindol-1-one

10 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-oxo-2-[6-(pyrimidin-2-yl)-1,2,3,4-tetrahydroisoquinolin-2-yl]ethyl}-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(4-chlorophenyl)-2-hydroxyethyl]acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(4-methyl-4-phenylpiperidin-1-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

15 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-(4-cyanophenyl)-propan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-2-hydroxy-1-phenylethyl]acetamide

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-phenylethyl]acetamide

(trans) 2-{2-[(4aS,8aR)-decahydroisoquinolin-2-yl]-2-oxoethyl}-6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[[2-(methoxymethyl)phenyl]methyl]acetamide

25 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[(3R)-3-(hydroxymethyl)-1,2,3,4-tetrahydroisoquinolin-2-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

2-[2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetyl]-1-methyl-1,2,3,4-tetrahydroisoquinoline-6-carbonitrile

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-phenylbutan-2-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2,3-dihydro-1-benzofuran-3-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[[2-(hydroxymethyl)phenyl]methyl]acetamide

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[[2-(2-hydroxyethoxy)phenyl]methyl]acetamide

3-[2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetyl]-2,3,4,5-tetrahydro-1H-3-benzazepine-7-carbonitrile

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-3-hydroxy-1-phenylpropyl]acetamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-hydroxy-3-phenylpropan-2-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-hydroxy-1-phenylpropyl)-acetamide

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-hydroxy-1-(4-methoxyphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-3-hydroxy-1-phenylpropyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(3-fluorophenyl)-2-hydroxyethyl]acetamide

15 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-{2-hydroxy-1-[4-(propan-2-yloxy)phenyl]ethyl}acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-cyclohexyl-2-hydroxyethyl]-acetamide

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-hydroxy-2-(2-methylphenyl)ethyl]-acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-hydroxy-1-(2-methoxyphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]-acetamide

25 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-2-methyl-1-phenylpropyl]-acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(2-fluoro-3-methoxyphenyl)-2-hydroxyethyl]-acetamide

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methylphenyl)-2-hydroxyethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2R)-2-hydroxy-6-methoxy-2,3-dihydro-1H-inden-1-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[3,3-difluoro-1-(hydroxymethyl)cyclobutyl]acetamide

35 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(3-methyl-3-phenylazetidin-1-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]acetamide

5 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[(3S)-3-(2-hydroxyethyl)-1,2,3,4-tetrahydroisoquinolin-2-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[(3S)-7-fluoro-3-(hydroxymethyl)-1,2,3,4-tetrahydroisoquinolin-2-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

10 N-(2-benzyl-1-hydroxypropan-2-yl)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

15 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-chlorophenyl)-2-hydroxyethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(4-cyclopropylphenyl)-2-hydroxyethyl]acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(5,6,7,8-tetrahydro-1,6-naphthyridin-6-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

25 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(2-fluoro-5-methylphenyl)-2-hydroxyethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-1-phenylpropyl]acetamide

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2R)-2-hydroxy-1-phenylpropyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-hydroxy-2-phenylbutan-2-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-hydroxy-1-[imidazo[1,2-a]pyridin-8-yl]ethyl)acetamide

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(1,3-dihydro-2-benzofuran-4-yl)-2-hydroxyethyl]-acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[3-(trifluoromethyl)phenyl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-ethylphenyl)-2-hydroxyethyl]-acetamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-cyclopropylphenyl)-2-hydroxyethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[3-(difluoromethoxy)phenyl]-2-hydroxyethyl]acetamide

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(4-fluoro-3-methoxyphenyl)-2-hydroxyethyl]-acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[3-(difluoromethyl)phenyl]-2-hydroxyethyl]-acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-1-(3-ethylphenyl)-2-hydroxypropyl]-acetamide

15 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(hydroxymethyl)-6-methoxy-2,3-dihydro-1H-inden-1-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(hydroxymethyl)-6-methoxy-2,3-dihydro-1H-inden-1-yl]acetamide

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(hydroxymethyl)-6-methoxy-2,3-dihydro-1H-inden-1-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1,3-dihydroxy-2-phenylpropan-2-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[3-(oxolan-2-yl)phenyl]ethyl]acetamide

25 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(2,3-dihydro-1H-indol-1-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

2-[2-(7-chloro-2,3,4,5-tetrahydro-1H-3-benzazepin-3-yl)-2-oxoethyl]-6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-2,3-dihydro-1H-inden-1-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R,2R)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]acetamide

N-(2-aminoethyl)-N-benzyl-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-(2-methoxyphenyl)propan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[[3-(hydroxymethyl)phenyl]methyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-hydroxy-1-(2-methylphenyl)ethyl]acetamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-hydroxy-2-phenylpropan-2-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(2R)-1-hydroxy-2-phenylpropan-2-yl]acetamide

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(2S)-1-hydroxy-2-phenylpropan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-(3-cyanophenyl)propan-2-yl]acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(1-hydroxy-2,3,4,5-tetrahydro-1H-3-benzazepin-3-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

15 N-[(1S)-2-amino-1-phenylethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[(1R)-5-(hydroxymethyl)-1-methyl-1,2,3,4-tetrahydroisoquinolin-2-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

20 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[(1S)-5-(hydroxymethyl)-1-methyl-1,2,3,4-tetrahydroisoquinolin-2-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

2-{2-[1-(aminomethyl)-2,3,4,5-tetrahydro-1H-3-benzazepin-3-yl]-2-oxoethyl}-6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[7-(hydroxymethyl)-2,3,4,5-tetrahydro-1H-3-benzazepin-3-yl]-2-oxoethyl}-2,3-dihydro-1H-isoindol-1-one

25 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(2-fluorophenyl)ethyl]acetamide

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-(hydroxymethyl)phenyl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[[4-(ethoxymethyl)phenyl]methyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[4-(pyrimidin-5-yl)phenyl]ethyl]acetamide

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(3-propoxyphenyl)methyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(2-oxo-1,2,3,4-tetrahydroquinolin-6-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(2,6-difluorophenyl)ethyl]acetamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[5-fluoro-2-(1H-pyrazol-1-yl)phenyl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(4-fluoro-3-methoxyphenyl)ethyl]acetamide

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[[3-(ethanesulfonyl)phenyl]methyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[4-(pyridin-4-yl)phenyl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[3-(1H-1,2,3,4-tetrazol-1-yl)phenyl]ethyl]acetamide

15 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[3-(1H-pyrazol-1-yl)phenyl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(3-fluoro-4-methoxyphenyl)ethyl]acetamide

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[4-(2-methyl-1H-imidazol-1-yl)phenyl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[4-(1H-pyrazol-1-yl)phenyl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(4-cyclopropylphenyl)methyl]acetamide

25 N-[(1R)-1-(2H-1,3-benzodioxol-5-yl)ethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-methoxy-2-phenylpropan-2-yl)acetamide

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(2-methoxy-5-methylphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[4-(pyridin-3-yl)phenyl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[3-(1H-imidazol-1-yl)phenyl]ethyl]acetamide

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[3-(1H-1,2,4-triazol-1-yl)phenyl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(2,3-dimethylphenyl)-2-hydroxyethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[[3-(1,3-thiazol-2-yl)phenyl]methyl]acetamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[3-(1H-pyrrol-1-yl)phenyl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[4-(1H-imidazol-1-yl)phenyl]ethyl]acetamide

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-hydroxy-1-(4-methylphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[4-(1H-pyrrol-1-yl)phenyl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(2-fluorophenyl)methyl]acetamide

15 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(2,4-dimethylphenyl)-2-hydroxyethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(4-methanesulfonylphenyl)ethyl]acetamide

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[[quinoxalin-6-yl)methyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[4-(2-methylpropyl)phenyl]ethyl]acetamide

N-[1-(4-tert-butylphenyl)ethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

25 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-(3-methoxyphenyl)propan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(2,4-difluorophenyl)ethyl]acetamide

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[4-(1H-1,2,4-triazol-1-yl)phenyl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(3-cyanophenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(2,3-dihydro-1,4-benzodioxin-6-yl)ethyl]acetamide

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[[4-(hydroxymethyl)phenyl]methyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(3,4-dihydro-2H-1,5-benzodioxepin-7-yl)ethyl]acetamide

N-(1-{[1,1'-biphenyl]-4-yl}ethyl)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(3,4-difluorophenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-{1-[4-(morpholin-4-yl)phenyl]ethyl}acetamide

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(3-fluorophenyl)methyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-{1-[4-(piperidin-1-yl)phenyl]ethyl}acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(2,5-difluorophenyl)ethyl]acetamide

15 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(4-propoxyphenyl)methyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(3-methoxyphenyl)methyl]acetamide

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-[3-(hydroxymethyl)phenyl]propan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-(2-hydroxyethoxy)phenyl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-hydroxyphenyl)ethyl]acetamide

25 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-[(dimethylamino)methyl]phenyl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-(2,3-dihydroxypropoxy)phenyl]ethyl]acetamide

30 N-[(1R)-1-[3-(2-aminoethoxy)phenyl]ethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[3-(difluoromethoxy)phenyl]-2-hydroxyethyl]propanamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-1-(3-methoxyphenyl)propyl]acetamide

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[4-[(dimethylamino)methyl]phenyl]-2-hydroxyethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(2-methoxyphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-phenylpropyl]acetamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(2-methylphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(5-fluoro-2,3-dihydro-1H-inden-1-yl)acetamide

10 N-(5-chloro-2,3-dihydro-1H-inden-1-yl)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2,3-dihydro-1H-inden-1-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(5-cyano-2,3-dihydro-1H-inden-1-yl)acetamide

15 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(4-methoxyphenyl)ethyl]acetamide

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-({4-[(thiophen-2-yl)methyl]phenyl)methyl}acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-phenylpyrrolidin-3-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(3,5-difluorophenyl)ethyl]acetamide

25 N-[(1,3-benzothiazol-5-yl)methyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

2-(2-{10-azatricyclo[6.3.1.0^{2,7}]dodeca-2,4,6-trien-10-yl}-2-oxoethyl)-6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(2,3-difluorophenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(2-fluoro-5-methoxyphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(2R)-3,3-dimethylbutan-2-yl]acetamide

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-methyl-4-phenylbutan-2-yl)acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-(7-methoxy-2,3,4,5-tetrahydro-1H-3-benzazepin-3-yl)-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-(4-propoxyphenyl)propan-2-yl]acetamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-(2,3-dihydro-1,4-benzodioxin-6-yl)propan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1-methyl-1H-indol-6-yl)methyl]acetamide

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(4-propoxyphenyl)ethyl]acetamide

(2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-(pyridin-2-yl)propan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-{2-[4-(pyrimidin-2-yl)phenyl]propan-2-yl}acetamide

15 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-(2-oxo-2-{5H,6H,7H,8H,9H-pyrimido[4,5-d]azepin-7-yl}ethyl)-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[[3-(pyrimidin-2-yl)phenyl]methyl]acetamide

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-(4-methyl-1,3-thiazol-2-yl)propan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(naphthalen-2-yl)methyl]acetamide

4-[[2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamido]methyl]-N-cyclopropylbenzamide

25 N-[[4-(azetidine-1-carbonyl)phenyl]methyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(3,3,3-trifluoro-1-phenylpropyl)acetamide

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2,2,2-trifluoro-1-phenylethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-(pyridin-3-yl)propan-2-yl]acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-(2-oxo-2-{4-oxo-3H,4H,5H,6H,7H,8H,9H-pyrimido[4,5-d]azepin-7-yl}ethyl)-2,3-dihydro-1H-isoindol-1-one

35 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-(1-methyl-1H-pyrazol-4-yl)propan-2-yl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-1-(3-methylphenyl)propyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-ethoxy-5-fluorophenyl)-2-hydroxyethyl]acetamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[3-(1,1-difluoroethyl)phenyl]-2-hydroxyethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-1-(3-ethoxyphenyl)-2-hydroxypropyl]acetamide

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxypropyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-1-(3-fluoro-5-methylphenyl)-2-hydroxypropyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(4-cyclopropoxyphenyl)-2-hydroxyethyl]acetamide

15 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[2-(hydroxymethyl)-2,3-dihydro-1H-inden-1-yl]acetamide (relative cis stereochemistry)

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(4-fluoro-3-methylphenyl)-2-hydroxyethyl]acetamide

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-1-[3-(trifluoromethyl)phenyl]propyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(2-fluoro-3-methylphenyl)-2-hydroxyethyl]acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-[3-(hydroxymethyl)-3-methylazetidin-1-yl]-2-oxoethyl]-2,3-dihydro-1H-isoindol-1-one

25 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-phenylethyl]-N-methylacetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-1-phenylbutyl]acetamide

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxoisoindolin-2-yl)-N-((1S,2S)-1-(3-ethoxy-5-fluorophenyl)-2-hydroxypropyl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[3-(methoxymethyl)phenyl]ethyl]acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2,3-bis(2-methoxyethyl)-2,3-dihydro-1H-isoindol-1-one

35 N-tert-butyl-2-(5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-(2-hydroxyethyl)-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-methylacetamide

2-(5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-(2-hydroxyethyl)-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-phenylcyclopropyl)acetamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-3-(2-hydroxyethyl)-2-[2-oxo-2-(2,3,4,5-tetrahydro-1H-3-benzazepin-3-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

5 2-(5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-(2-hydroxyethyl)-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-methyl-N-(2-phenylethyl)acetamide

2-(5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-(2-hydroxyethyl)-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(2-phenylpropan-2-yl)acetamide

10 2-[1-(2-aminoethyl)-5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-tert-butyl-N-methylacetamide

3-(2-aminoethyl)-6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[2-oxo-2-(2,3,4,5-tetrahydro-1H-3-benzazepin-3-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

2-[1-(2-aminoethyl)-5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-(2-phenylpropan-2-yl)acetamide

15 2-[1-(2-aminoethyl)-5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S,2R)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]acetamide

2-[(1S)-1-(2-aminoethyl)-5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

20 2-[(1R)-1-(2-aminoethyl)-5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

2-(5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

2-((S)-5-(5-chloro-2-((oxan-4-yl)amino)pyrimidin-4-yl)-1-methyl-3-oxoisoindolin-2-yl)-N-((S)-2-hydroxy-1-(3-methoxyphenyl)ethyl)acetamide

25 2-((R)-5-(5-chloro-2-((oxan-4-yl)amino)pyrimidin-4-yl)-1-methyl-3-oxoisoindolin-2-yl)-N-((S)-2-hydroxy-1-(3-methoxyphenyl)ethyl)acetamide

2-(5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methoxypyridin-2-yl)ethyl]acetamide

30 2-((R)-5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methoxypyridin-2-yl)ethyl]acetamide

2-((S)-5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methoxypyridin-2-yl)ethyl]acetamide

6-(5-chloro-2-{[4-(dimethylamino)cyclohexyl]amino}pyrimidin-4-yl)-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

35 6-(5-chloro-2-{[3-(hydroxymethyl)cyclohexyl]amino}pyrimidin-4-yl)-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

(Trans) 6-(5-chloro-2-[[[(3R,4S)-3-hydroxyoxan-4-yl]amino]pyrimidin-4-yl]-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

(Cis) 6-(5-chloro-2-[[[(3S,4S)-3-hydroxyoxan-4-yl]amino]pyrimidin-4-yl]-2-[2-oxo-2-(1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]-2,3-dihydro-1H-isoindol-1-one

5 (2R)-2-[6-(5-chloro-2-[[[(2S)-1-hydroxypropan-2-yl]amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]propanamide

2-[6-(5-chloro-2-[[[(2S)-1-hydroxypropan-2-yl]amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

10 2-[6-(5-chloro-2-[[[(2S)-1-hydroxypropan-2-yl]amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-1-(2-fluoro-5-methoxyphenyl)-2-hydroxyethyl]acetamide

2-(6-{5-chloro-2-[(oxetan-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

(2R)-2-[6-(5-chloro-2-[[trans-4-methoxycyclohexyl]amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]propanamide

15 (2R)-2-[6-(5-chloro-2-[[[(2S)-1-hydroxypropan-2-yl]amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]propanamide

20 2-[6-(5-chloro-2-[[[(2S)-1-hydroxypropan-2-yl]amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(2-fluoro-5-methoxyphenyl)ethyl]acetamide

(2R)-2-[6-(5-chloro-2-[[trans-4-methoxycyclohexyl]amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

25 (2R)-2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S)-1-(3-fluoro-5-methylphenyl)-2-hydroxyethyl]propanamide

2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

30 2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S)-1-(3-fluoro-5-methylphenyl)-2-hydroxyethyl]acetamide

(2R)-2-(6-{5-chloro-2-[(1-hydroxy-2-methylpropan-2-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-[6-(5-chloro-2-[[trans-3-(hydroxymethyl)cyclobutyl]amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

35 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{2-[(2-phenylpropan-2-yl)oxy]ethyl}-2,3-dihydro-1H-isoindol-1-one

2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-(2-phenylpropan-2-yl)acetamide

3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-6-[2-oxo-2-(2,3,4,5-tetrahydro-1H-3-benzazepin-3-yl)ethyl]-5H,6H,7H-pyrrolo[3,4-b]pyridin-5-one

5 2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-6-[2-(1-methyl-2,3,4,5-tetrahydro-1H-3-benzazepin-3-yl)-2-oxoethyl]-5H,6H,7H-pyrrolo[3,4-b]pyridin-5-one

10 2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-1-[3-(difluoromethoxy)phenyl]-2-hydroxyethyl]acetamide

2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S,2R)-2-hydroxy-6-methoxy-2,3-dihydro-1H-inden-1-yl]acetamide

15 2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

(2R)-2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-1-(3-ethylphenyl)-2-hydroxyethyl]propanamide

20 (2R)-2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1R)-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-1-(2-fluoro-5-methylphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-1-(3-fluoro-5-methylphenyl)-2-hydroxyethyl]propanamide

25 (2R)-2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-1-(3-ethoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-1-(2-fluoro-3-methylphenyl)-2-hydroxyethyl]propanamide

30 (2R)-2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-2-hydroxy-1-(6-methoxypyridin-2-yl)ethyl]propanamide

(2R)-2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]propanamide

(2R)-2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

35 (2R)-2-(3-{5-chloro-2-[(oxetan-3-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-[3-(5-chloro-2-[(2S)-1-hydroxypropan-2-yl]amino}pyrimidin-4-yl)-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl]-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-(3-{5-chloro-2-[(oxetan-3-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]propanamide

5 (2R)-2-[3-(5-chloro-2-[(2S)-1-hydroxypropan-2-yl]amino}pyrimidin-4-yl)-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl]-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]propanamide

(2R)-2-(3-{5-chloro-2-[(propan-2-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]propanamide

10 (2R)-2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-1-[3-(difluoromethoxy)phenyl]-2-hydroxyethyl]propanamide

2-[3-(5-chloro-2-{[trans-4-methoxycyclohexyl]amino}pyrimidin-4-yl)-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl]-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1R)-1-(6-methoxypyridin-2-yl)ethyl]acetamide

15 2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1R)-1-(3-methylphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-4-fluoro-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-4-fluoro-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-1-phenylpropyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-4-fluoro-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[3-(difluoromethoxy)phenyl]-2-hydroxyethyl]acetamide

2-[6-(5-chloro-2-[(2S)-1-hydroxypropan-2-yl]amino}pyrimidin-4-yl)-4-fluoro-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

25 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-4-fluoro-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-4-fluoro-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methoxypyridin-2-yl)ethyl]acetamide

30 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-4-fluoro-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-4-fluoro-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-4-fluoro-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methylpyridin-2-yl)ethyl]propanamide

35 (2R)-2-[6-(5-chloro-2-[(2S)-1-hydroxypropan-2-yl]amino}pyrimidin-4-yl)-4-fluoro-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

2-(6-{5-chloro-2-[(propan-2-yl)amino]pyrimidin-4-yl}-4-fluoro-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-phenylethyl]propanamide

5 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(hydroxymethyl)-2,3-dihydro-1H-inden-1-yl]propanamide

10 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]butanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-1-phenylpropyl]butanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2R)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]propanamide

15 (2S)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-phenylethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-(hydroxymethyl)phenyl]ethyl]propanamide

20 (2R)- (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-1-phenylpropyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-ethoxyphenyl)-2-hydroxyethyl]propanamide

25 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methylphenyl)-2-hydroxyethyl]propanamide

30 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(4-fluoro-3-methylphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methoxypyridin-2-yl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(2-fluoro-3-methylphenyl)-2-hydroxyethyl]propanamide

35 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(2-fluoro-5-methylphenyl)-2-hydroxyethyl]propanamide

(2R,3S)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[(1R)-1-(3-methoxyphenyl)ethyl]butanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methylpyridin-2-yl)ethyl]propanamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[(1R)-1-phenylethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[(1R)-1-(3-methoxyphenyl)ethyl]propanamide

10 (2S)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[(1R)-1-(3-methoxyphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-4-hydroxy-N-[(1R)-1-(3-methoxyphenyl)ethyl]butanamide

(2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

15 (2R)-2-(6-{5-Chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(2-methoxypyridin-4-yl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

20 2-(5-(5-chloro-2-((oxan-4-yl)amino)pyrimidin-4-yl)-1-(2-hydroxyethyl)-3-oxoisindolin-2-yl)-N-((R)-1-(3-methoxyphenyl)ethyl)acetamide

(R)-2-(6-(5-chloro-2-((2-methoxypyridin-4-yl)amino)pyrimidin-4-yl)-1-oxoisindolin-2-yl)-N-((S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl)propanamide

(R)-2-(6-(5-chloro-2-((2-methylpyrimidin-4-yl)amino)pyrimidin-4-yl)-1-oxoisindolin-2-yl)-N-((S)-1-(6-(dimethylamino)pyridin-2-yl)-2-hydroxyethyl)propanamide

25 (2R)-2-[3-(5-chloro-2-[[trans-4-hydroxycyclohexyl]amino]pyrimidin-4-yl)-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl]-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-[6-(5-chloro-2-[(1S,3S)-3-hydroxycyclopentyl]amino}pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]propanamide

30 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-{1-[(1S)-2-hydroxy-1-phenylethyl]-2-oxopyrrolidin-3-yl}-2,3-dihydro-1H-isoindol-1-one

(2R)-2-[6-(5-chloro-2-[(2S)-1-hydroxypropan-2-yl]amino}pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-3-hydroxy-N-[1-(3-methylphenyl)cyclopropyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-3-hydroxy-N-[1-(3-methylphenyl)cyclopropyl]-propanamide

35 2-(1-benzyl-2-oxopyrrolidin-3-yl)-6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2,3-dihydro-1H-isoindol-1-one

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-4-methoxy-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-4-(dimethylamino)-N-[(1R)-1-(3-methoxyphenyl)ethyl]butanamide

5 2-[6-(5-chloro-2-[(2S)-1-hydroxypropan-2-yl]amino]pyrimidin-4-yl)-4-methoxy-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]-2-(6-{5-methyl-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

10 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(6-cyclopropylpyridin-2-yl)-2-hydroxyethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(6-cyclopropylpyridin-3-yl)-2-hydroxyethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(5-cyclopropylpyridin-2-yl)-2-hydroxyethyl]acetamide

15 N-[1-(1-benzyl-1H-pyrazol-4-yl)ethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)acetamide

(2R)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]-2-(6-{2-[(1-methyl-1H-pyrazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

20 (2R)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]-2-(6-{2-[(1-methyl-1H-pyrazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(quinolin-7-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(2-methoxypyridin-4-yl)ethyl]acetamide

25 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(1-phenyl-1H-pyrazol-4-yl)ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-[5-(trifluoromethyl)-1,2,4-oxadiazol-3-yl]ethyl]acetamide

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(3,3-difluoro-1-phenylpropyl)acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[4-(pyrimidin-5-yl)phenyl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[4-(pyrimidin-2-yl)phenyl]ethyl]acetamide

35 (2R)-2-(6-{5-chloro-2-[(1,5-dimethyl-1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[4-(1-methylpiperidin-4-yl)phenyl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[4-(5-cyclopropylpyrimidin-2-yl)phenyl]ethyl]acetamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[4-(4-(hydroxymethyl)pyrimidin-2-yl)phenyl]ethyl]acetamide

2-(6-{5-chloro-2-[(3-methyloxetan-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

10 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-4-methoxy-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1-methyl-1H-pyrazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1-methyl-2-oxopiperidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

15 (2R)-2-(6-{5-chloro-2-[(1-methyl-6-oxopiperidin-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1-methyl-1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

20 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(pyridin-2-yl)cyclopropyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[6-(pyrrolidin-1-yl)pyridin-2-yl]ethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]acetamide

25 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-cyclopentylpropanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-methylcyclopentyl)propanamide

30 (2R)-2-(6-{5-chloro-2-[(1-methyl-5-oxopyrrolidin-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1,3,5-trimethyl-1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(1-phenylpiperidin-3-yl)acetamide

35 (2R)-N-benzyl-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]-2-methylpropanamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(3,3-difluoro-1-phenylpropyl)acetamide (Stereoisomer 1)

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(3,3-difluoro-1-phenylpropyl)acetamide (Stereoisomer 2)

(2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

10 2-(5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-[2-(dimethylamino)ethyl]-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

(2R)-2-(6-{5-chloro-2-(phenylamino)pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]-3-(1H-imidazol-4-yl)propanamide

15 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-1-(3-methoxyphenyl)propyl]propanamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-{3-[(dimethylamino)methyl]phenyl}-2-hydroxyethyl]acetamide

20 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methylphenyl)ethyl]propanamide

1-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]cyclopropane-1-carboxamide

25 1-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]cyclopropane-1-carboxamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[[6-(dimethylamino)pyridin-2-yl]methyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(6-methoxypyridin-2-yl)methyl]acetamide

30 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyridin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-[6-(5-chloro-2-[[1-(dimethylamino)-3-hydroxypropan-2-yl]amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

35 2-(5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-[2-(methylamino)ethyl]-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide

(2R)-2-(6-{5-chloro-2-[(2-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-1-(3-methylphenyl)propyl]propanamide

5 (2R)-2-(6-{5-chloro-2-[(1,3-dimethyl-1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1,4-oxazepan-6-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

10 (2R)-2-[6-(5-chloro-2-acetamidopyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1,1-dioxo-1 λ 6-thian-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

2-(6-{5-chloro-2-[(1-oxo-1 λ 4-thian-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

15 2-(6-{5-chloro-2-[(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

(2R)-2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyridin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

20 2-(5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-[2-(dimethylamino)ethyl]-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide (Stereoisomer 1)

2-(5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-[2-(dimethylamino)ethyl]-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide (Stereoisomer 2)

2-(5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1,1-dimethyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

25 (2R)-2-(6-{5-chloro-2-[(1-methyl-1H-pyrazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(dimethylamino)pyridin-2-yl]-2-hydroxyethyl]propanamide

30 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(dimethylamino)pyridin-2-yl]ethyl]propanamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(dimethylamino)pyridin-2-yl]ethyl]acetamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]-4-(methylamino)butanamide

35 2-(6-{5-chloro-2-[(5-methyl-1,3,4-thiadiazol-2-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyridin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methylpyridin-2-yl)ethyl]propanamide

2-(6-{5-chloro-2-[(2-methylpyridin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

5 2-(6-{5-chloro-2-[(6-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

(2R)-2-{6-[5-chloro-2-(phenylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S)-2-hydroxy-1-(6-methylpyridin-2-yl)ethyl]propanamide

10 (2R)-2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S)-2-hydroxy-1-(6-methylpyridin-2-yl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(propan-2-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methylpyridin-2-yl)ethyl]propanamide

2-(6-{5-chloro-2-[(1-methyl-1H-imidazol-2-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

15 (2S)-2-(6-{5-chloro-2-[(2-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2S)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

20 (2R)-2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S)-2-hydroxy-1-(6-methoxypyridin-2-yl)ethyl]propanamide

(2R)-2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1R)-1-(6-methylpyridin-2-yl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(propan-2-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methoxypyridin-2-yl)ethyl]propanamide

25 (2R)-2-(6-{5-chloro-2-[(1-methyl-1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methylphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1-methyl-1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methylpyridin-2-yl)ethyl]propanamide

30 (2R)-2-(6-{5-chloro-2-[(1-methyl-1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(6-methylpyridin-2-yl)ethyl]propanamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)-2-methylpropyl]acetamide

(2R)-2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S)-1-[6-(dimethylamino)pyridin-2-yl]-2-hydroxyethyl]propanamide

35 (2R)-2-(6-{5-chloro-2-[(2-ethyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methylphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[3-(trifluoromethyl)phenyl]ethyl]propanamide

5 (2R)-2-(6-{5-chloro-2-[(1-methyl-1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(dimethylamino)pyridin-2-yl]-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1-methyl-1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

10 (2R)-2-(6-{5-chloro-2-[(1-methyl-1H-pyrazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methylphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1-methyl-1H-pyrazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1,5-dimethyl-1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(dimethylamino)pyridin-2-yl]-2-hydroxyethyl]propanamide

15 (2R)-2-[6-(5-chloro-2-[[[(1R,3R)-3-hydroxycyclopentyl]amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(6-methylpyridin-2-yl)ethyl]propanamide

(2R)-2-[6-(5-chloro-2-[[[(1R,3R)-3-hydroxycyclopentyl]amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methylpyridin-2-yl)ethyl]propanamide

20 (2R)-2-[6-(5-chloro-2-[[[(1R,3R)-3-hydroxycyclopentyl]amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(dimethylamino)pyridin-2-yl]-2-hydroxyethyl]propanamide

(2R)-2-[6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-[6-(dimethylamino)pyridin-2-yl]ethyl]propanamide

(2R)-2-[6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S,2S)-1-(2-fluoro-5-methylphenyl)-2-hydroxybutyl]propanamide

25 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-2-methyl-1-(3-methylphenyl)propyl]propanamide

(2R)-2-[6-(5-chloro-2-[[[(1R,3R)-3-hydroxycyclopentyl]amino]pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(dimethylamino)pyridin-2-yl]ethyl]propanamide

30 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[2-(dimethylamino)pyrimidin-4-yl]ethyl]propanamide

2-(5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-[2-(methylamino)ethyl]-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide (Stereoisomer 1)

2-(5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-[2-(methylamino)ethyl]-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]acetamide (Stereoisomer 2)

35 (2R)-2-(6-{5-chloro-2-[(2-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methylphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1-methyl-1H-pyrazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(dimethylamino)pyridin-2-yl]-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1-methyl-1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(dimethylamino)pyridin-2-yl]ethyl]propanamide

5 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)-2-methylpropyl]propanamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-2-methyl-1-(3-methylphenyl)propyl]acetamide

10 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[2-(dimethylamino)pyridin-4-yl]-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(5-chloropyridin-2-yl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methylpyridin-2-yl)ethyl]propanamide

15 (2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(dimethylamino)pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(6-methylpyridin-2-yl)ethyl]propanamide

20 (2R)-2-[6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-[3-(trifluoromethyl)phenyl]ethyl]propanamide

(2R)-2-[6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(propan-2-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(dimethylamino)pyridin-2-yl]-2-hydroxyethyl]propanamide

25 (2R)-2-(6-{5-chloro-2-[(1-methyl-1H-pyrazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(6-methylpyridin-2-yl)ethyl]propanamide

(2R)-2-[6-(5-chloro-2-[(2S)-1-hydroxypropan-2-yl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(dimethylamino)pyridin-2-yl]ethyl]propanamide

30 (2R)-2-(6-{5-chloro-2-[(2-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-1-(5-fluoro-6-methylpyridin-2-yl)-2-hydroxypropyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3,5-difluoropyridin-2-yl)-2-hydroxyethyl]propanamide

35 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(4-chloro-3-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-1-(5-fluoropyridin-2-yl)-2-hydroxypropyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-(morpholin-4-yl)phenyl]ethyl]propanamide

5 (2R)-2-(6-{5-chloro-2-[(3-fluorooxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(5-chloropyridin-2-yl)-2-hydroxyethyl]propanamide

10 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-1-(2-methoxypyridin-4-yl)propyl]propanamide

(2R)-2-(6-{5-chloro-2-(cyclobutylamino)pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methoxypyridin-2-yl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(3,3-difluorocyclobutyl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methoxypyridin-2-yl)ethyl]propanamide

15 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3,5-difluorophenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluorophenyl)-2-hydroxyethyl]propanamide

20 (2R)-2-(6-{5-chloro-2-[(1-methyl-1H-pyrazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(dimethylamino)pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxetan-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[3-(trifluoromethyl)phenyl]ethyl]propanamide

2-6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(2-ethylphenyl)-2-hydroxyethyl]acetamide

25 (2R)-2-(6-{5-chloro-2-[(2-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(6-methylpyridin-2-yl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(dimethylamino)pyridin-2-yl]ethyl]propanamide

30 (2R)-2-[6-(5-chloro-2-[[trans-3-hydroxycyclobutyl]amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-1-(3-fluoro-5-methylphenyl)-2-hydroxyethyl]propanamide

(2R)-2-[6-(5-chloro-2-[[trans-3-hydroxycyclobutyl]amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-[6-(5-chloro-2-[(2S)-1-hydroxypropan-2-yl]amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(dimethylamino)pyridin-2-yl]-2-hydroxyethyl]propanamide

35 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[2-(pyrrolidin-1-yl)pyridin-4-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(3-fluorooxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide (Stereoisomer 1)

(2R)-2-(6-{5-chloro-2-[(3-fluorooxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide (Stereoisomer 2)

5 (2R)-2-(6-{5-chloro-2-[(3-fluorooxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide (Stereoisomer 3)

2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S,2S)-2-hydroxy-1-(3-methylphenyl)butyl]acetamide

10 2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S,2S)-2-hydroxy-1-(3-methoxyphenyl)butyl]acetamide

2-(6-{5-chloro-2-[(2,2,2-trifluoroethyl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

(2R)-2-(6-{5-chloro-2-[(1-methyl-1H-pyrazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methylpyridin-2-yl)ethyl]propanamide

15 (2R)-2-(6-{5-chloro-2-[(morpholin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(piperazin-1-yl)pyridin-2-yl]ethyl]propanamide

20 (2R)-2-(6-{5-chloro-2-[(3-fluorooxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide (Stereoisomer 1')

(2R)-2-(6-{5-chloro-2-[(3-fluorooxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]propanamide (Stereoisomer 2')

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(5-methylthiophen-3-yl)ethyl]propanamide

25 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[2-(morpholin-4-yl)pyridin-4-yl]ethyl]propanamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(1-oxo-1λ5-pyridin-2-yl)ethyl]acetamide

30 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(6-fluoropyridin-2-yl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1,5-dimethyl-1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methylpyridin-2-yl)ethyl]propanamide

2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S,2S)-2-hydroxy-1-phenylbutyl]acetamide

35 2-(5-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide (Stereoisomer 1)

2-(5-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide (Stereoisomer 2)

5 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(morpholin-4-yl)pyridin-2-yl]ethyl]propanamide

2-[(1R)-5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-methoxy-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(3-methoxyphenyl)ethyl]acetamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(5-chloro-6-methylpyridin-2-yl)-2-hydroxyethyl]propanamide

10 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[2-(methylamino)pyridin-4-yl]ethyl]propanamide

(2S)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(morpholin-4-yl)pyridin-2-yl]ethyl]propanamide

15 (2S)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[2-(methylamino)pyridin-4-yl]ethyl]propanamide

(2R)-2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S,2S)-2-hydroxy-1-phenylbutyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

20 (2R)-2-(6-{5-chloro-2-[(1H-pyrazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-methoxyphenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methyloxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(6-methoxypyridin-2-yl)ethyl]propanamide

25 (2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[2-(dimethylamino)pyridin-4-yl]-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[6-(methylamino)pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(2-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

30 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[2-(hydroxymethyl)pyridin-4-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(difluoromethyl)pyridin-2-yl]-2-hydroxyethyl]propanamide

35 (2R)-N-[(1R)-1-[5-chloro-2-(dimethylamino)pyridin-4-yl]ethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(2,5-difluorophenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(5-fluoro-2-methylphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(5-fluoro-2-methoxyphenyl)-2-hydroxyethyl]propanamide

5 (2S)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[2-(dimethylamino)-5-fluoropyridin-4-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[2-(dimethylamino)-5-fluoropyridin-4-yl]ethyl]propanamide

10 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[2-(dimethylamino)-6-methylpyridin-4-yl]ethyl]propanamide

(2R)-N-[(1S)-1-[5-chloro-2-(dimethylamino)pyridin-4-yl]-2-hydroxyethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[2-(dimethylamino)-5-fluoropyridin-4-yl]-2-hydroxyethyl]propanamide

15 2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S,2S)-2-hydroxy-1-phenylpentyl]acetamide

(2R)-2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S,2S)-2-hydroxy-1-phenylpentyl]propanamide

20 2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S,2R)-2,3-dihydroxy-1-phenylpropyl]acetamide

2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S,2S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxybutyl]acetamide

(2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluorophenyl)-2-hydroxyethyl]propanamide

25 (2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(2-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(3-fluorooxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

30 (2R)-2-(6-{5-chloro-2-[(3-fluorooxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide (Stereoisomer 1)

(2R)-2-(6-{5-chloro-2-[(3-fluorooxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide (Stereoisomer 2)

35 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(2-cyano-5-fluorophenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-{2-[ethyl(methyl)amino]pyridin-4-yl}-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(4-chloro-3-fluorophenyl)-2-hydroxyethyl]propanamide

5 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[1-(1-phenylazetidin-3-yl)ethyl]acetamide

2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S,2S)-2-cyclopropyl-2-hydroxy-1-phenylethyl]acetamide

10 (2R)-2-[6-(5-chloro-2-[(3R,4R)-3,4-dihydroxycyclopentyl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-fluoro-5-methoxyphenyl)ethyl]propanamide

(2R)-2-[6-(5-chloro-2-[(3R,4R)-3,4-dihydroxycyclopentyl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyridin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[2-(dimethylamino)pyridin-4-yl]-2-hydroxyethyl]propanamide

15 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyridin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(2-methoxypyridin-4-yl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(morpholin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

20 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[2-(morpholin-4-yl)pyrimidin-4-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[2-(4-methylpiperazin-1-yl)pyrimidin-4-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[2-(dimethylamino)pyridin-4-yl]-2-hydroxyethyl]propanamide

25 (2R)-2-(6-{5-chloro-2-[(2-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(2-methoxypyridin-4-yl)ethyl]propanamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxybutyl]acetamide

30 (2R)-2-(6-{5-chloro-2-[(2-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluorophenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1-methyl-1H-1,2,4-triazol-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

2-(6-{5-chloro-2-[(1,4-oxazepan-6-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(3-methylphenyl)ethyl]acetamide

35 2-[(1R)-5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]acetamide

2-[(1R)-5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-1-[2-(dimethylamino)pyridin-4-yl]-2-hydroxyethyl]acetamide

2-[(1R)-5-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]acetamide

5 2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-(3,3,3-trifluoro-2-hydroxy-1-phenylpropyl)acetamide

(2R)-2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1S,2R)-3,3,3-trifluoro-2-hydroxy-1-phenylpropyl]propanamide

10 (2R)-2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1R,2S)-3,3,3-trifluoro-2-hydroxy-1-phenylpropyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(2-methoxypyridin-4-yl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyridin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

15 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-{6-[(3S)-3-(dimethylamino)pyrrolidin-1-yl]pyridin-2-yl}ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-{6-[4-(dimethylamino)piperidin-1-yl]pyridin-2-yl}ethyl]propanamide

20 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(3,3-difluoropyrrolidin-1-yl)pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(2,3,5-trifluorophenyl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(morpholin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

25 2-[(1R)-5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-methoxy-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]acetamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-methoxy-1-phenylethyl]acetamide

30 2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]acetamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[2-(4-methylpiperazin-1-yl)pyridin-4-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(dimethylamino)-3-fluoropyridin-2-yl]-2-hydroxyethyl]propanamide

35 2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[1-(3-fluoro-5-methylphenyl)-2-hydroxybutyl]acetamide

2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[1-(3-fluoro-5-methylphenyl)-2-hydroxybutyl]acetamide

(2R)-2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[1-(3-fluoro-5-methylphenyl)-2-hydroxybutyl]propanamide

5 (2R)-2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[1-(3-fluoro-5-methylphenyl)-2-hydroxybutyl]propanamide

(2R)-2-{6-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

10 2-(6-{5-chloro-2-[(2-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(dimethylamino)pyridin-2-yl]ethyl]acetamide

(2R)-2-(6-{5-chloro-2-[(6-methoxypyridin-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]acetamide

15 2-[(1R)-5-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-1-[2-(dimethylamino)pyridin-4-yl]-2-hydroxyethyl]acetamide

2-[(1R)-5-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-(2-methoxypyridin-4-yl)ethyl]acetamide

20 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[imidazo[1,2-a]pyridin-7-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(5-chloro-3-fluoropyridin-2-yl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-[(3R)-3-(dimethylamino)pyrrolidin-1-yl]pyridin-2-yl]ethyl]propanamide

25 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[3-fluoro-6-(4-methylpiperazin-1-yl)pyridin-2-yl]-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-[3-(dimethylamino)azetidin-1-yl]pyridin-2-yl]ethyl]propanamide

30 6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[(2R)-1-(4-methyl-1,4-diazepan-1-yl)-1-oxopropan-2-yl]-2,3-dihydro-1H-isoindol-1-one

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(4-methyl-1,4-diazepan-1-yl)pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(4-methyl-1,4-diazepan-1-yl)pyridin-2-yl]ethyl]propanamide

35 (2R)-N-[(1R)-1-[5-chloro-2-(methylamino)pyridin-4-yl]ethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(dimethylamino)-3-fluoropyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-fluoro-6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

5 (2R)-N-[(1S)-1-[5-chloro-2-(methylamino)pyridin-4-yl]-2-hydroxyethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

(2R)-N-[(1R)-1-[5-chloro-2-(4-methylpiperazin-1-yl)pyridin-4-yl]ethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

10 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-{2-[(2-hydroxyethyl)(methyl)amino]pyridin-4-yl}ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(5-methylthiophen-3-yl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide
15 (Stereoisomer 1)

(2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide
(Stereoisomer 2)

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(thiomorpholin-4-yl)pyridin-2-yl]ethyl]propanamide
20

(2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyridin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(2-methoxypyridin-4-yl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-{2-[(3R)-3-(dimethylamino)pyrrolidin-1-yl]pyridin-4-yl}ethyl]propanamide

25 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[2-(dimethylamino)pyridin-4-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-{2-[ethyl(methyl)amino]pyridin-4-yl}ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-{5-chloro-2-[ethyl(methyl)amino]pyridin-4-yl}-2-hydroxyethyl]propanamide
30

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-{2-[(3S)-3-(dimethylamino)pyrrolidin-1-yl]pyridin-4-yl}ethyl]propanamide

(2R)-2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

35 2-[(1R)-5-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]acetamide

(2R)-2-(3-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1-methyl-1H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

5 (2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(3-fluoro-5-methoxyphenyl)ethyl]-3-hydroxypropanamide

2-[(1R)-5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]acetamide

10 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-(oxan-4-yl)propanamide

6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-2-[(2R)-1-(4-methylpiperazin-1-yl)-1-oxopropan-2-yl]-2,3-dihydro-1H-isoindol-1-one

15 (2R)-N-[(1S)-1-[5-chloro-2-(4-methylpiperazin-1-yl)pyridin-4-yl]-2-hydroxyethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[5-fluoro-2-(4-methylpiperazin-1-yl)pyridin-4-yl]-2-hydroxyethyl]propanamide

20 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[3-chloro-6-(4-methylpiperazin-1-yl)pyridin-2-yl]-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(3-methyl-1,2,4-oxadiazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-chloro-6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

25 (2R)-N-[(1S)-1-[5-chloro-2-(ethylamino)pyridin-4-yl]-2-hydroxyethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[5-fluoro-2-(4-methylpiperazin-1-yl)pyridin-4-yl]ethyl]propanamide

30 (2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-{6-[(3R)-3-(dimethylamino)pyrrolidin-1-yl]pyridin-2-yl}ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

35 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[2-(4-methylpiperazin-1-yl)pyridin-4-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-{6-[(3S)-3-(dimethylamino)pyrrolidin-1-yl]pyridin-2-yl}ethyl]propanamide

5 2-[(1R)-5-[5-chloro-2-(methylamino)pyrimidin-4-yl]-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S,2S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxybutyl]acetamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S,2S)-2-hydroxy-1-(2-methoxypyridin-4-yl)butyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyridin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

10 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-4-fluoro-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

2-[(1R)-5-[5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl]-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-[2-(4-methylpiperazin-1-yl)pyridin-4-yl]ethyl]acetamide

15 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[2-(methylamino)pyridin-4-yl]ethyl]propanamide

(2S)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[3-fluoro-6-(4-methylpiperazin-1-yl)pyridin-2-yl]-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[2-[4-(dimethylamino)piperidin-1-yl]pyridin-4-yl]ethyl]propanamide

20 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[2-[4-(dimethylamino)piperidin-1-yl]pyridin-4-yl]ethyl]propanamide

2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-fluoro-5-(4-methylpiperazin-1-yl)phenyl]ethyl]acetamide

25 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-fluoro-5-(4-methylpiperazin-1-yl)phenyl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[3-chloro-6-(methylamino)pyridin-2-yl]-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyridin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

30 (2R)-2-(6-{5-chloro-2-[(3-methyl-1,2-oxazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-[2-(dimethylamino)ethoxy]-5-fluorophenyl]ethyl]propanamide

35 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-chlorophenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-chloro-5-fluorophenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[5-fluoro-2-(methylamino)pyridin-4-yl]-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(5-methyl-1,2-oxazol-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

5 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[5-fluoro-2-(methylamino)pyridin-4-yl]ethyl]propanamide

(2R)-N-[(1R)-1-[5-chloro-2-(ethylamino)pyridin-4-yl]ethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

10 2-[(1R)-5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]acetamide

(2R)-2-(3-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-(4-methylpiperazin-1-yl)phenyl]ethyl]propanamide

15 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[3-(4-methylpiperazin-1-yl)phenyl]ethyl]propanamide

2-[(1R)-5-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-methyl-3-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]acetamide

20 (2S)-N-[(1R)-1-[5-chloro-2-(ethylamino)pyridin-4-yl]ethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-[4-(2-hydroxyethyl)piperazin-1-yl]pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(dimethylamino)pyridin-2-yl]-2-hydroxyethyl]propanamide

25 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(5-fluoro-2-methoxypyridin-4-yl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[2-(morpholin-4-yl)pyridin-4-yl]ethyl]propanamide

30 (2R)-N-[(1R)-1-[5-chloro-2-(morpholin-4-yl)pyridin-4-yl]ethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

(2R)-2-(6-{5-chloro-2-[(6-methoxypyridin-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-[(3R)-3-methylpiperazin-1-yl]pyridin-2-yl]ethyl]propanamide

35 (2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

2-(3-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S,2S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxybutyl]acetamide

(2R)-2-(6-{5-chloro-2-[(1-methyl-1H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

5 (2R)-2-(6-{5-chloro-2-[(2-methoxypyridin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methoxypyridin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

10 (2R)-2-(3-{5-chloro-2-[(1-methyl-1H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1-methyl-1H-1,2,3-triazol-4-yl)amino]pyridin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1-methyl-1H-1,2,3-triazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

15 (2R)-2-(6-{5-chloro-2-[(1-methyl-1H-1,2,3-triazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(4-ethylpiperazin-1-yl)pyridin-2-yl]-2-hydroxyethyl]propanamide

20 2-(3-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-1-(3-ethoxy-5-fluorophenyl)-2-hydroxyethyl]acetamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-[(3S)-3-methylpiperazin-1-yl]pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-4-fluoro-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

25 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-[2-(dimethylamino)ethoxy]pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[3-fluoro-5-(4-methylpiperazin-1-yl)phenyl]-2-hydroxyethyl]propanamide

30 (2R)-2-(6-{5-chloro-2-[(1-methyl-1H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-ethoxy-5-fluorophenyl)-2-hydroxyethyl]propanamide

2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(dimethylamino)pyridin-2-yl]-2-hydroxyethyl]acetamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-fluoro-5-[4-(2-hydroxyethyl)piperazin-1-yl]phenyl]ethyl]propanamide

35 (2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(dimethylamino)-3-fluoropyridin-2-yl]-2-hydroxyethyl]propanamide

(2S)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[2-(morpholin-4-yl)pyridin-4-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(5-methyl-1,2-oxazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

5 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(2-chloro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-chloro-6-methoxypyridin-2-yl)-2-hydroxyethyl]propanamide

10 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[3-chloro-6-(morpholin-4-yl)pyridin-2-yl]-2-hydroxyethyl]propanamide

(2R)-N-[(1S)-1-[5-chloro-2-(morpholin-4-yl)pyridin-4-yl]-2-hydroxyethyl]-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-{3-[2-(dimethylamino)ethoxy]-5-fluorophenyl}-2-hydroxyethyl]propanamide

15 (2R)-2-(6-{5-chloro-2-[(2-methoxypyridin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[3-chloro-6-(dimethylamino)pyridin-2-yl]-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(2-chloro-5-fluorophenyl)-2-hydroxyethyl]propanamide

20 (2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(2-methoxypyridin-4-yl)ethyl]propanamide

(2R)-2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-1-(4-chloro-3-fluorophenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methoxypyridin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(dimethylamino)pyridin-2-yl]-2-hydroxyethyl]propanamide

25 (2R)-2-(6-{5-chloro-2-[(2-methoxypyridin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(2-methoxypyridin-4-yl)ethyl]propanamide

(2R)-2-[6-(5-chloro-2-[(2S)-1-hydroxypropan-2-yl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

30 (2R)-2-[6-(5-chloro-2-[(2R)-1-hydroxypropan-2-yl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methoxypyridin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(ethylamino)pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methoxypyridin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(ethylamino)pyridin-2-yl]-2-hydroxyethyl]propanamide

35 (2R)-2-[6-(5-chloro-2-[(trans-4-hydroxycyclohexyl)amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(3-methyl-1,2-oxazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(3-methyl-1,2,4-thiadiazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

5 (2R)-2-(6-{5-chloro-2-[(oxetan-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-[6-(5-chloro-2-[(2S)-1-hydroxypropan-2-yl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[3-fluoro-5-trideuteromethoxyphenyl]-2-hydroxyethyl]propanamide

10 (2R)-2-[6-(5-chloro-2-[(trans-4-methoxycyclohexyl)amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(3-methyl-1,2-thiazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[3-fluoro-5-trideuteromethoxyphenyl]-2-hydroxyethyl]propanamide

15 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-(5-chloro-2-methoxypyridin-4-yl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

20 (2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-ethoxy-5-fluorophenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methoxypyridin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-ethoxy-5-fluorophenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1-methyl-6-oxopiperidin-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

25 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-chloro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(5-fluoro-2-methoxypyridin-4-yl)-2-hydroxyethyl]propanamide

30 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(5-chloro-2-methoxypyridin-4-yl)-2-hydroxyethyl]propanamide

(2R)-2-[6-(5-chloro-2-[(1R,3S)-3-hydroxycyclopentyl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-[6-(5-chloro-2-[(1S,3S)-3-hydroxycyclopentyl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

35 (2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[3-chloro-6-(ethylamino)pyridin-2-yl]-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(ethylamino)pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-{3-[4-(2-hydroxyethyl)piperazin-1-yl]phenyl}ethyl]propanamide

5 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-{6-[(3S)-3,4-dimethylpiperazin-1-yl]pyridin-2-yl}-2-hydroxyethyl]propanamide

(2R)-2-[6-(5-chloro-2-[(3R)-1-methyl-6-oxopiperidin-3-yl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

10 (2R)-2-[6-(5-chloro-2-[(3S)-1-methyl-6-oxopiperidin-3-yl]amino)pyrimidin-4-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-chloro-6-(methylamino)pyridin-2-yl]ethyl]propanamide

15 (2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[3-chloro-6-(methylamino)pyridin-2-yl]-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(6-methoxypyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methoxypyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

20 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-{6-[(3R)-3,4-dimethylpiperazin-1-yl]pyridin-2-yl}-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-hydroxyphenyl)-2-hydroxyethyl]propanamide

25 (2R)-2-(6-{5-chloro-2-[(2-methoxypyridin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-fluoro-5-(4-methylpiperazin-1-yl)phenyl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methyl-2H-1,2,3-triazol-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-chloro-6-(ethylamino)pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-{6-[4-(propan-2-yl)piperazin-1-yl]pyridin-2-yl}ethyl]propanamide

30 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(2-ethoxypyridin-4-yl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(6-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

35 (2R)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]-2-(6-{2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

(2R)-2-(6-{5-chloro-2-[(2-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(ethylamino)pyridin-2-yl]-2-hydroxyethyl]propanamide

(2R)-N-[(1S)-2-hydroxy-1-(2-methoxypyridin-4-yl)ethyl]-2-(6-{2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

(2R)-2-(6-{5-chloro-2-[(oxetan-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-fluoro-5-(4-methylpiperazin-1-yl)phenyl]ethyl]propanamide

5 (2R)-2-[6-(5-chloro-2-[[cis-3-methoxycyclobutyl]amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxetan-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

10 (2R)-2-[6-(5-chloro-2-[[trans-4-hydroxycyclohexyl]amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

(2R)-2-[6-(5-chloro-2-[[2S)-1-hydroxypropan-2-yl]amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxetan-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

15 (2R)-2-[6-(5-chloro-2-[[trans-4-methoxycyclohexyl]amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1S)-2-hydroxy-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide

(2R)-2-[6-(5-chloro-2-[[trans-4-hydroxycyclohexyl]amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-[3-fluoro-5-(4-methylpiperazin-1-yl)phenyl]ethyl]propanamide

20 (2R)-2-[6-(5-chloro-2-[[2S)-1-hydroxypropan-2-yl]amino]pyrimidin-4-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]-N-[(1R)-1-[3-fluoro-5-(4-methylpiperazin-1-yl)phenyl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(2-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-fluoro-5-(4-methylpiperazin-1-yl)phenyl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(1,2-dimethyl-1H-imidazol-5-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

25 (2R)-2-(6-{5-chloro-2-[(oxetan-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-[6-(dimethylamino)pyridin-2-yl]-2-hydroxyethyl]propanamide

(2R)-2-(3-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-5-oxo-5H,6H,7H-pyrrolo[3,4-b]pyridin-6-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide

30 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(ethylamino)pyridin-2-yl]ethyl]propanamide

(2R)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]-2-(6-{2-[(2-methoxypyridin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

(2R)-N-[(1S)-1-[6-(dimethylamino)pyridin-2-yl]-2-hydroxyethyl]-2-(6-{2-[(2-methylpyrimidin-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)propanamide

35 (2R)-2-(6-{5-chloro-2-[(oxetan-3-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(ethylamino)pyridin-2-yl]ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(1-methyl-6-oxo-1,6-dihydropyridin-2-yl)ethyl]propanamide

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-fluoro-5-(4-methyl-2-oxopiperazin-1-yl)phenyl]ethyl]propanamide

5 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-[(methylamino)methyl]pyridin-2-yl]ethyl]propanamide and

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[6-(hydroxymethyl)pyridin-2-yl]ethyl]propanamide

or a pharmaceutically acceptable salt thereof.

10 12. A pharmaceutical composition comprising a compound as defined in any one of claims 1 to 10, or a pharmaceutically acceptable salt or tautomer thereof, and a pharmaceutically acceptable excipient.

13. A combination of a compound according to any one of claims 1 to 10, or a pharmaceutically acceptable salt thereof, and another therapeutic agent.

15

14. A pharmaceutical composition comprising a compound according to any one of claims 1 to 10, or a pharmaceutically acceptable salt or tautomer thereof, together with a pharmaceutically acceptable carrier and one or more therapeutic agent(s).

20 15. A compound according to claim 11, wherein the compound is selected from:

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl]propanamide;

(2R)-2-(6-{5-Chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(2-methoxypyridin-4-yl)ethyl]propanamide;

25 (R)-2-(6-(5-chloro-2-((2-methoxypyridin-4-yl)amino)pyrimidin-4-yl)-1-oxoisindolin-2-yl)-N-((S)-1-(3-fluoro-5-methoxyphenyl)-2-hydroxyethyl)propanamide;

(R)-2-(6-(5-chloro-2-((2-methylpyrimidin-4-yl)amino)pyrimidin-4-yl)-1-oxoisindolin-2-yl)-N-((S)-1-(6-(dimethylamino)pyridin-2-yl)-2-hydroxyethyl)propanamide;

30 (2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[6-(4-methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide;
and

(2R)-2-(6-{5-chloro-2-[(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-fluoro-5-(4-methylpiperazin-1-yl)phenyl]ethyl]propanamide;
and pharmaceutically acceptable salts thereof.

35

16. A compound according to claim 15, wherein the compound is (2R)-2-(6-{5-chloro-2-
 5 [(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-1-(3-fluoro-5-
 methoxyphenyl)-2-hydroxyethyl]propanamide or a pharmaceutically acceptable salt thereof.
17. A compound according to claim 15, wherein the compound is (2R)-2-(6-{5-Chloro-2-
 10 [(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-(2-
 methoxypyridin-4-yl)ethyl]propanamide or a pharmaceutically acceptable salt thereof.
18. A compound according to claim 15, wherein the compound is (R)-2-(6-(5-chloro-2-((2-
 methoxypyridin-4-yl)amino)pyrimidin-4-yl)-1-oxoisindolin-2-yl)-N-((S)-1-(3-fluoro-5-
 methoxyphenyl)-2-hydroxyethyl)propanamide or a pharmaceutically acceptable salt thereof.
19. A compound according to claim 15, wherein the compound is (R)-2-(6-(5-chloro-2-((2-
 15 methylpyrimidin-4-yl)amino)pyrimidin-4-yl)-1-oxoisindolin-2-yl)-N-((S)-1-(6-
 (dimethylamino)pyridin-2-yl)-2-hydroxyethyl)propanamide or a pharmaceutically acceptable salt
 thereof.
20. A compound according to claim 15, wherein the compound is (2R)-2-(6-{5-chloro-2-
 20 [(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1S)-2-hydroxy-1-[6-(4-
 methylpiperazin-1-yl)pyridin-2-yl]ethyl]propanamide or a pharmaceutically acceptable salt
 thereof.
21. A compound according to claim 15, wherein the compound is (2R)-2-(6-{5-chloro-2-
 25 [(oxan-4-yl)amino]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)-N-[(1R)-1-[3-fluoro-5-(4-
 methylpiperazin-1-yl)phenyl]ethyl]propanamide or a pharmaceutically acceptable salt thereof.
22. A pharmaceutical composition comprising a compound as defined in any one of claims
 30 15 to 21, or a pharmaceutically acceptable salt or tautomer thereof, and a pharmaceutically
 acceptable excipient.
23. A pharmaceutical composition comprising a compound according to any one of claims
 15 to 21, or a pharmaceutically acceptable salt thereof, together with a pharmaceutically
 35 acceptable carrier and one or more therapeutic agent(s).

24. The compound of any one of claims 1 to 10, or a pharmaceutically acceptable salt or tautomer thereof, for use in:

(a) the treatment of a disease state or condition mediated by ERK1/2; or

(b) the treatment of cancer mediated by ERK1/2; or

5 (c) the treatment of hepatocellular carcinoma, melanoma, oesophageal, renal, colon, colorectal, lung, breast, bladder, gastrointestinal, ovarian or prostate cancer; or

(d) the treatment of a disease or condition being characterized by mutant Ras, mutant BRAF or mutant MEK.

10 25. Use of the compound of any one of claims 1 to 10, or a pharmaceutically acceptable salt or tautomer thereof, in the manufacture of a medicament for:

(a) the treatment of a disease state or condition mediated by ERK1/2; or

(b) the treatment of cancer mediated by ERK1/2; or

15 (c) the treatment of hepatocellular carcinoma, melanoma, oesophageal, renal, colon, colorectal, lung, breast, bladder, gastrointestinal, ovarian or prostate cancer; or

(d) the treatment of a disease or condition being characterized by mutant Ras, mutant BRAF or mutant MEK.

20 26. The compound of any one of claims 15 to 21, or a pharmaceutically acceptable salt thereof, for use in:

(a) the treatment of a disease state or condition mediated by ERK1/2; or

(b) the treatment of cancer mediated by ERK1/2; or

(c) the treatment of hepatocellular carcinoma, melanoma, oesophageal, renal, colon, colorectal, lung, breast, bladder, gastrointestinal, ovarian or prostate cancer; or

25 (d) the treatment of a disease or condition being characterized by mutant Ras, mutant BRAF or mutant MEK.

27. Use of the compound of any one of claims 15 to 21, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for:

30 (a) the treatment of a disease state or condition mediated by ERK1/2; or

(b) the treatment of cancer mediated by ERK1/2; or

(c) the treatment of hepatocellular carcinoma, melanoma, oesophageal, renal, colon, colorectal, lung, breast, bladder, gastrointestinal, ovarian or prostate cancer; or

35 (d) the treatment of a disease or condition being characterized by mutant Ras, mutant BRAF or mutant MEK.