




[Figure 1A]




[Figure 1B]




[Figure 2]

(a)




(b)




[Figure 3]


(a) Photoinitiation




(b) Chain-mode Photopolymerization




[Figure 4]




[Figure 5]




[Figure 6A]




[Figure 6B]




[Figure 7A]




[Figure 7B]




[Figure 7C]




[Figure 7D]




[Figure 8]




[Figure 9A]




[Figure 9B]




[Figure 10]



[Figure 11A]



[Figure 11B]




[Figure 12]




[Figure 13]

(an Fe-CP device with electrolyte comprising CMA)




[Figure 14A]

(an FeCP device with electrolyte comprising CM A)




[Figure 14B]


(an FeCP device with electrolyte comprising CM A)




[Figure 14C]



[Figure 14D]







[Figure 15]

[Figure 16]


(a P-WO₃ device with electrolyte comprising CMB)



[Figure 17A]




[Figure 17B]




[Figure 17C]

(a P-WO₃ device with electrolyte comprising CM B)




[Figure 17D]

(a P-WO₃ device with electrolyte comprising CM B)




(a P-WO₃ device with electrolyte comprising CM B)




[Figure 18]


[Figure 19A]




[Figure 19B]



[Figure 19C]




[Figure 19D]




[Figure 20]


(a)





(b)




[Figure 21A]




[Figure 21B]




[Figure 22A]




[Figure 22B]



[Figure 23]



[Figure 24A]



[Figure 24B]

