

FIG. 1





FIG. 2



3/8

FIG. 3A




FIG. 3B




FIG. 3C




FIG. 3D




FIG. 4A




FIG. 4B




FIG. 4C




FIG. 4D




FIG. 5

No.	MEASURED DISTANCE (cm)	SCAN ANGLE (deg)	SWING ANGLE (deg)	RECEIVED LIGHT INTENSITY	RECEIVED LIGHT PATTERN
1	3973	-23.595	2.971	69	A
2	3967	-23.23	2.971	63	A
3	3964	-22.87	2.971	75	A
4	3949	-22.505	2.971	103	A
5	3416	-22.14	2.971	109	A
6	3380	-21.775	2.971	143	A
7	3358	-21.41	2.971	166	A
8	3347	-21.045	2.974	166	A
9	3351	-20.68	2.974	143	A
10	954	-20.315	2.974	108	B
11	3350	-20.315	2.974	167	
12	3359	-19.95	2.974	174	A
13	3348	-19.585	2.974	140	A
14	709	-19.22	2.974	51	C
15	1128	-19.22	2.974	71	
16	3373	-19.22	2.974	137	
17	3384	-18.855	2.974	182	A
18	3426	-18.49	2.974	158	A
19	3886	-18.13	2.974	74	A
20	3880	-17.765	2.974	104	A
21	3870	-17.4	2.974	93	A
22	3862	-17.035	2.974	98	A
23	3861	-16.67	2.974	103	A
24	1438	-16.305	2.974	70	B
25	3856	-16.305	2.974	83	
26	3853	-15.94	2.974	105	A
27	3849	-15.575	2.974	116	A
28	3843	-15.21	2.974	92	A
29	3847	-14.845	2.974	109	A
30	3842	-14.48	2.974	100	A
31	802	-14.115	2.974	111	B
32	3844	-14.115	2.974	74	
33	3839	-13.75	2.974	95	A
34	3841	-13.39	2.974	91	A
35	3822	-13.025	2.974	108	A

※TIME AND DATE OF DATA OBTAINMENT: 13:00, JANUARY 26, 2012
15:00, JANUARY 27, 2012

8/8

FIG. 6

