


Claims:

1. A compound of Formula (II),



or a pharmaceutically acceptable salt thereof, or a stereoisomer thereof, wherein

R^1 is $-OR^{1a}$, $-SR^{1a}$, $-NR^{1a}R^{1b}$, $-COR^{1a}$, $-SO_2R^{1a}$, $-C(=O)OR^{1a}$, $-C(=O)NR^{1a}R^{1b}$, $-C(=NR^{1a})NR^{1b}R^{1c}$, $-N(R^{1a})C(=O)R^{1b}$, $-N(R^{1a})C(=O)OR^{1b}$, $-N(R^{1a})C(O)NR^{1b}R^{1c}$, $-N(R^{1a})S(O)NR^{1b}R^{1c}$, $-N(R^{1a})S(O)_2NR^{1b}R^{1c}$, $-NR^{1a}SO_2R^{1b}$, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, heterocyclyl, aryl, or heteroaryl, each of said alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, heterocyclyl, aryl, or heteroaryl is independently and optionally substituted with one or two or three substituents R^{1d} ;

R^{1a} , R^{1b} , and R^{1c} are independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, heterocyclyl, aryl, or heteroaryl, each of said alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, heterocyclyl, aryl, or heteroaryl is optionally substituted with one or two or three substituents selected from halogen, $-C_{1-8}$ alkyl optionally substituted with R^{1e} , cycloalkyl optionally substituted with R^{1e} , heterocyclyl optionally substituted with R^{1e} , aryl optionally substituted with R^{1e} , heteroaryl optionally substituted with R^{1e} , $CH_3-(OCH_2CH_2)_n-$ or $-OR^{1f}$, wherein n is a number of 3 to 10;

wherein R^{1e} is halogen, nitro, cyano, hydroxy, $-NH_2$, alkylamino, dialkylamino, or $-C_{1-6}$ alkyl optionally substituted with halogen;

wherein R^{1f} is alkyl, cycloalkyl, heterocyclyl, aryl, or heteroaryl, each of which is optionally substituted with $-C_{1-4}$ alkyl or halogen;

R^{1d} , at each occurrence, is independently hydrogen, oxo, $-CN$, $-NO_2$, $-NH_2$, alkylamino, dialkylamino, halogen, haloalkyl, alkyl, haloalkoxy, alkoxy, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, heterocyclyl, aryl, or heteroaryl;

Ring A is aryl or heteroaryl;

Het is heterocyclyl;

R^5 is halogen, hydroxy, alkyl, haloalkyl, alkoxy, haloalkoxy, oxo-, or $-C(=O)OR^{5a}$, wherein R^{5a} is hydrogen, alkyl, or haloalkyl;

p is a number of 0, 1, 2 or 3;

R^{6c} is independently hydrogen, halogen, cyano, $-NO_2$, $-OR^{6d}$, $-SR^{6d}$, $-NR^{6d}R^{6e}$, $-COR^{6d}$, $-SO_2R^{6d}$, $-C(=O)OR^{6d}$, $-C(=O)NR^{6d}R^{6e}$, $-C(=NR^{6d})NR^{6e}R^{6f}$, $-N(R^{6d})C(=O)R^{6e}$, $-N(R^{6d})C(=O)OR^{6e}$, $-N(R^{6d})C(O)NR^{6e}R^{6f}$, $-N(R^{6d})S(O)NR^{6e}R^{6f}$, $-N(R^{6d})S(O)_2NR^{6e}R^{6f}$, $-NR^{6d}SO_2R^{6e}$, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, heterocyclyl, aryl, or heteroaryl, each of said alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, heterocyclyl, aryl, or heteroaryl is independently and optionally substituted with one or two or three substituents R^{6g} ;

R^{6d} , R^{6e} and R^{6f} , are independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, heterocyclyl, aryl, or heteroaryl, each of said alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, heterocyclyl, aryl, or heteroaryl is optionally substituted with one or two or three substituents R^{6g} ;

R^{6g} , at each occurrence, is independently hydrogen, halogen, cyano, $-\text{NO}_2$, $-\text{OR}^{6h}$, $-\text{SR}^{6h}$, $-\text{NR}^{6h}\text{R}^{6i}$, $-\text{COR}^{6h}$, $-\text{SO}_2\text{R}^{6h}$, $-\text{C}(=\text{O})\text{OR}^{6h}$, $-\text{C}(=\text{O})\text{NR}^{6h}\text{R}^{6i}$, $-\text{C}(=\text{NR}^{6h})\text{NR}^{6i}\text{R}^{6j}$, $-\text{N}(\text{R}^{6h})\text{C}(=\text{O})\text{R}^{6i}$, $-\text{N}(\text{R}^{6h})\text{C}(=\text{O})\text{OR}^{6i}$, $-\text{N}(\text{R}^{6h})\text{C}(\text{O})\text{NR}^{6i}\text{R}^{6j}$, $-\text{N}(\text{R}^{6h})\text{S}(\text{O})\text{NR}^{6i}\text{R}^{6j}$, $-\text{N}(\text{R}^{6h})\text{S}(\text{O})_2\text{NR}^{6i}\text{R}^{6h}$, $-\text{NR}^{6h}\text{SO}_2\text{R}^{6i}$, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, heterocyclyl, aryl, or heteroaryl,

R^{6h} , R^{6i} and R^{6j} , are independently hydrogen, alkyl, alkoxy, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, heterocyclyl, aryl, or heteroaryl, each of said alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, heterocyclyl, aryl or heteroaryl is independently and optionally substituted with one or two or three substituents selected from halogen, $-\text{C}_{1-4}\text{alkyl}$, $-\text{C}_{1-4}\text{alkoxy}$, hydroxy, nitro, $-\text{NH}_2$, alkylamino, dialkylamino, or cyano.

2. The compound according to Claim 1, wherein R^1 is $-\text{OR}^{1a}$ or $-\text{NHR}^{1a}$, wherein R^{1a} is $-\text{C}_{1-8}\text{alkyl}$ optionally substituted with one or two or three substituents selected from halogen, $-\text{C}_{1-8}\text{alkyl}$ optionally substituted with R^{1e} , cycloalkyl optionally substituted with R^{1e} , heterocyclyl optionally substituted with R^{1e} , aryl optionally substituted with R^{1e} , heteroaryl optionally substituted with R^{1e} , $\text{CH}_3-(\text{OCH}_2\text{CH}_2)_n-$, or $-\text{OR}^{1f}$, wherein R^{1e} and R^{1f} are as defined in Claim 1, and wherein n is a number of 3 to 10.
3. The compound according to Claim 1, wherein R^1 is $-\text{OR}^{1a}$ or $-\text{NHR}^{1a}$, wherein R^{1a} is a branched $-\text{C}_{4-8}\text{alkyl}$ wherein the branched substituent is at the alpha position with respect to the oxygen or nitrogen atom.
4. The compound according to Claim 1, wherein R^1 is $-\text{OR}^{1a}$ or $-\text{NHR}^{1a}$, wherein R^{1a} is butan-2-yl, pentan-2-yl, pentan-3-yl, heptan-2-yl, heptan-3-yl, heptan-4-yl, octan-2-yl, octan-3-yl, octan-4-yl, or octan-5-yl.
5. The compound according to any one of Claims 1-4, wherein R^5 is halogen, hydroxy, $-\text{C}_{1-8}\text{alkyl}$, $-\text{haloC}_{1-8}\text{alkyl}$, $-\text{C}_{1-8}\text{alkoxy}$, $-\text{haloC}_{1-8}\text{alkoxy}$, or $-\text{C}(=\text{O})\text{OR}^{5a}$, wherein R^{5a} is hydrogen, $-\text{C}_{1-8}\text{alkyl}$, or $-\text{haloC}_{1-8}\text{alkyl}$; and p is a number of 0, 1, or 2.
6. The compound according to any one of Claims 1-5, wherein R^5 and Het-R^6 are at ortho positions on ring A.
7. The compound according to any one of Claims 1-6, wherein Ring A is phenyl or 5- to 8-membered heteroaryl comprising one or two or three heteroatoms selected from oxygen, nitrogen or optionally oxidized sulfur as ring members.
8. The compound according to any one of Claims 1-7, wherein Het is a monocyclic heterocyclyl, or a fused bicyclic heterocyclyl; or a spiro bicyclic heterocyclyl.
9. The compound according to any one of Claims 1-8, wherein Het is a 4-, 5-, 6-, 7- or 8-membered saturated monocyclic heterocyclyl ring comprising one, two or three heteroatoms selected from oxygen, nitrogen or optionally oxidized sulfur as ring members, wherein Het is optionally substituted with one or two or three substituents R^{6c} .

- 10.** The compound according to claim 9, wherein Het is a 5- or 6-membered saturated monocyclic heterocyclyl ring comprising one or two nitrogen heteroatoms as ring members.
- 11.** The compound according to claim 9, wherein Het is pyrrolidinyl, piperidinyl, triazolyl, azepanyl, diazepanyl, piperazinyl or morpholino.
- 12.** The compound according to claim 9, wherein R^{6c} is $-COR^{6d}$, wherein R^{6d} is $-C_{1-8}$ alkyl optionally substituted with one or two substituents R^{6g} , wherein R^{6g} is $-NR^{6h}R^{6i}$, $-N(R^{6h})C(=O)R^{6i}$, $-C_{1-8}$ alkyl, aryl or heteroaryl, wherein R^{6h} and R^{6i} are each independently hydrogen or $-C_{1-8}$ alkyl.
- 13.** The compound according to claim 9, wherein R^{6c} is
 $-COR^{6d}$, wherein R^{6d} is $-C_{2-8}$ alkenyl or heterocyclyl;
 $-C_{1-8}$ alkoxy;
 $-C_{1-8}$ alkyl, optionally substituted with one or two substituents R^{6g} , wherein R^{6g} is $-OR^{6h}$, $-NR^{6h}R^{6i}$, heterocyclyl, aryl, wherein R^{6h} and R^{6i} are as defined in Claim 1;
heterocyclyl, optionally substituted with one substituent R^{6g} which is heterocyclyl; $-C(=O)NR^{6d}R^{6e}$, wherein R^{6d} and R^{6e} are independently hydrogen, $-C_{1-8}$ alkyl, or aryl, said $-C_{1-8}$ alkyl or aryl is independently and optionally substituted with halogen or $-C_{1-4}$ alkyl; or,
 $-NR^{6d}R^{6e}$, wherein R^{6d} and R^{6e} are independently hydrogen, or $-C_{1-8}$ alkyl.
- 14.** The compound according to Claim 9, wherein R^{6c} is
acetyl, 2-(dimethylamino)acetyl, 2-(dimethylamino)acetyl, aminoacetyl, 2-(methylamino)acetyl, 3-(dimethylamino)propanoyl, 4-(dimethylamino)butanoyl, 5-(dimethylamino)pentanoyl, (2S,3S)-2-amino-3-methylpentanoyl, 2-(methylamino)acetyl, 2-amino-4-methylpentanoyl, 2-amino-3-methylbutanoyl, 2-(dimethylamino)acetyl, phenylpropanoyl, 2-(piperazin-1-yl)acetyl, acryloyl, piperazine-2-carbonyl, piperidine-4-carbonyl, pyrrolidine-2-carbonyl, or 2-(N-methylacetamido)acetyl;
methyl, ethyl, isobutyl, methoxymethyl, 2-methoxyethyl, (methylamino)methyl, 2-(dimethylamino)ethyl, (dimethylamino)methyl, 2-aminoethyl, 2-(methylamino)ethyl, 2-(dimethylamino)ethyl, morpholinomethyl, or phenethyl;
4-morpholinopiperidin-1-yl;
dimethylcarbamoyl, isopropylcarbamoyl, or 2,4,5-trifluorophenylcarbamoyl; or
dimethylamino, or amino.
- 15.** The compound according to claim 9, wherein Het is
pyrrolidinyl, optionally substituted with one or two or three substituents selected from methyl, (dimethylamino)methyl, or dimethylamino; or
piperazinyl, optionally substituted with one or two or three substituents selected from acryloyl, 2-(dimethylamino)acetyl, aminoacetyl, 2-(methylamino)acetyl, 3-(dimethylamino)propanoyl, 2-(piperazin-1-yl)acetyl, piperazine-2-carbonyl, 4-(dimethylamino)butanoyl, 5-(dimethylamino)pentanoyl, methyl, piperidine-4-carbonyl, acetyl, 2-(N-methylacetamido)acetyl, isopropylcarbamoyl, 2,4,5-trifluorophenylcarbamoyl, (2S,3S)-2-amino-3-methylpentanoyl, 2-methoxyethyl, 2-(methylamino)acetyl, ethyl, isobutyl, pyrrolidine-2-carbonyl, 2-amino-4-methylpentanoyl, 2-amino-3-methylbutanoyl, 2-(dimethylamino)acetyl, 2-(methylamino)ethyl, 2-(dimethylamino)ethyl, amino, phenylpropanoyl, propylsulfonyl, or 2-

aminoethyl; or

piperidinyl, optionally substituted with one or two or three substituents selected from 2-(dimethylamino)acetyl, methoxy, methoxymethyl, (methylamino)methyl, 4-morpholinopiperidin-1-yl, morpholinomethyl, 2-(dimethylamino)ethyl, phenethyl, (dimethylamino)methyl, amino, dimethylamino, or dimethylcarbamoyl; or

azepan-1-yl or 1,4-diazepan-1-yl; or

octahydro-2H-isoindol-2-yl; or

morpholino; or

8-azaspiro[4.5]decan-8-yl, 2,7-diazaspiro[3.5]nonan-7-yl, 2,8-diazaspiro[4.5]decan-2-yl, 2,7-diazaspiro[3.5]nonan-2-yl, 2,8-diazaspiro[4.5]decan-8-yl, (1R,4R)-2,5-diazabicyclo[2.2.1]heptan-2-yl.

16. The compound according to claim 9, wherein Het is

1-methylpyrrolidin-3-yl, pyrrolidin-1-yl, 3-((dimethylamino)methyl)pyrrolidin-1-yl, or 3-(dimethylamino)pyrrolidin-1-yl; or

piperazin-1-yl, 4-acryloylpiperazin-1-yl, 4-(2-(dimethylamino)acetyl)piperazin-1-yl, (4-aminoacetyl)piperazin-1-yl, piperazin-1-yl, 4-(2-(methylamino)acetyl)piperazin-1-yl, 4-(3-(dimethylamino)propanoyl)piperazin-1-yl, 4-(2-(piperazin-1-yl)acetyl)piperazin-1-yl, 4-(piperazine-2-carbonyl)piperazin-1-yl, 4-acryloylpiperazin-1-yl, 4-(4-(dimethylamino)butanoyl)piperazin-1-yl, 4-(5-(dimethylamino)pentanoyl)piperazin-1-yl, 3,5-dimethylpiperazin-1-yl, 4-(piperidine-4-carbonyl)piperazin-1-yl, 4-acetylpiperazin-1-yl, 4-(2-(N-methylacetamido)acetyl)piperazin-1-yl, 4-(isopropylcarbamoyl)piperazin-1-yl, 4-(2,4,5-trifluorophenylcarbamoyl)piperazin-1-yl, 4-(3,5-dimethylpiperazin-1-yl, 4-((2S,3S)-2-amino-3-methylpentanoyl)piperazin-1-yl, 4-(2-methoxyethyl)piperazin-1-yl, 4-(2-(methylamino)acetyl)piperazin-1-yl, 4-ethylpiperazin-1-yl, 4-isobutylpiperazin-1-yl, 4-(pyrrolidine-2-carbonyl)piperazin-1-yl, 4-(2-amino-4-methylpentanoyl)piperazin-1-yl, 4-(2-amino-3-methylbutanoyl)piperazin-1-yl, 4-(2-(dimethylamino)acetyl)piperazin-1-yl, (S)-2-methylpiperazin-1-yl, (R)-2-methylpiperazin-1-yl, 4-(2-(methylamino)ethyl)piperazin-1-yl, 4-(2-(dimethylamino)ethyl)piperazin-1-yl, 4-(2-amino-3-phenylpropanoyl)piperazin-1-yl, 4-(propylsulfonyl)piperazin-1-yl, 4-(2-aminoethyl)piperazin-1-yl, or 3-methylpiperazin-1-yl; or

piperidin-4-yl, 4-(2-(dimethylamino)acetyl)piperidin-1-yl, piperidin-3-yl, piperidin-4-yl, piperidin-1-yl, piperidin-4-yl, 4-methoxypiperidin-1-yl, 4-(methoxymethyl)piperidin-1-yl, 4-((methylamino)methyl)piperidin-1-yl, (4-morpholinopiperidin-1-yl)pyridin-3-yl, 4-(morpholinomethyl)piperidin-1-yl, 4-(2-(dimethylamino)ethyl)piperidin-1-yl, 1-phenethylpiperidin-4-yl, 4-((dimethylamino)methyl)piperidin-1-yl, 4-aminopiperidin-1-yl, 4-(dimethylamino)piperidin-1-yl, or 4-(dimethylcarbamoyl)piperidin-1-yl.

17. The compound according to any one of Claims 1-6, wherein ring A is phenyl, and the methylene group and Het on the phenyl ring are in para positions of the phenyl ring, and said phenyl ring is further optionally substituted with one R⁵, wherein R⁵ is defined as in each embodiment above.

18. The compound according to any one of Claims 1-6, wherein ring A is pyridyl, and the

methylene group and Het on the pyridyl ring are in para positions of the pyridyl ring, and said pyridyl ring is further optionally substituted with one R⁵, wherein R⁵ is defined as in each embodiment above.

19. A compound, or a pharmaceutically acceptable salt thereof, or a stereoisomer thereof, selected from:

Compound B1: 2-butoxy-7-((5-chloro-6-(4-methylpiperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B2: 2-butoxy-7-((5-chloro-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B3: 2-butoxy-7-(4-(piperidin-4-yl)benzyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B4: 1-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-chloropyridin-2-yl)piperazin-1-yl)prop-2-en-1-one;

Compound B5: 7-((5-chloro-6-(piperazin-1-yl)pyridin-3-yl)methyl)-2-(2-methoxyethoxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B6: 2-butoxy-7-((6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B7: 2-butoxy-7-((4-chloro-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B8: 2-butoxy-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B9: 2-butoxy-7-((5-fluoro-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B10: 2-butoxy-7-((6-(piperazin-1-yl)-5-(trifluoromethyl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B11: 2-butoxy-7-((5-methoxy-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B12: 1-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B13: 2-butyl-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B14: 1-(4-(4-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)phenyl)piperidin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B15: 2-butoxy-7-((5-(piperidin-4-yl)pyridin-2-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B16: 2-butoxy-7-((5-(piperazin-1-yl)pyridin-2-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B17: 2-butoxy-7-((5-methoxy-6-(piperidin-4-yl)pyridin-3-

yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B18: N2-butyl-7-(4-(piperidin-4-yl)benzyl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B19: 2-butoxy-7-((6-(piperidin-4-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B20: 2-butoxy-7-(4-(piperidin-3-yl)benzyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B21: 2-butoxy-7-((2-fluoro-6-(piperidin-4-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B22: 2-(isopentyloxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B23: 7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-2-(pentyloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B24: 2-amino-1-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)ethan-1-one;

Compound B25: 7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-2-(2-phenoxyethoxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B26: 2-butoxy-7-(3-ethoxy-4-(piperazin-1-yl)benzyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B27: 2-butoxy-7-(4-(piperazin-1-yl)-3-(trifluoromethoxy) benzyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B28: 2-butoxy-7-((6-(piperidin-4-yl)-5-(trifluoromethyl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B29: 4-amino-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-2-ol;

Compound B30: 7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-2-phenethoxyimidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B31: 7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-2-(3-phenylpropoxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B32: 1-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(methylamino)ethan-1-one;

Compound B33: 2-butoxy-7-((4-methyl-5-(piperazin-1-yl)pyridin-2-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B34: 2-butoxy-7-((5-methyl-6-(piperidin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B35: 7-((6-(azepan-1-yl)-5-methylpyridin-3-yl)methyl)-2-butoxyimidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B36: 2-butoxy-7-(3-methyl-4-(piperazin-1-yl)benzyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B37: 1-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-3-(dimethylamino)propan-1-one;

Compound B38: 2-butoxy-7-((5-methyl-6-(octahydro-2H-isoindol-2-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B39: 7-((6-(1,4-diazepan-1-yl)-5-methylpyridin-3-yl)methyl)-2-butoxyimidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B40: 1-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(piperazin-1-yl)ethan-1-one;

Compound B41: (4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)(piperazin-2-yl)methanone;

Compound B42: 2-(2-(1H-imidazol-1-yl)ethoxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B43: 7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-2-(octyloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B44: 1-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)prop-2-en-1-one;

Compound B45: 2-butoxy-7-(3-methoxy-4-(piperazin-1-yl)benzyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B46: 2-butoxy-7-(3-isopropoxy-4-(piperazin-1-yl)benzyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B47: 2-butoxy-7-((4-methyl-5-(piperidin-4-yl)pyridin-2-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B48: 2-butoxy-7-((4-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B49: 1-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-4-(dimethylamino)butan-1-one;

Compound B50: 1-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-5-(dimethylamino)pentan-1-one;

Compound B51: 2-butoxy-7-((5-methyl-6-(pyrrolidin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B52: 2-butoxy-7-((5-methyl-6-morpholinopyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B53: 2-butoxy-7-((2-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B54: 2-butoxy-7-((2-methyl-6-(piperidin-4-yl)pyridin-3-yl) methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B55: 2-butoxy-7-((6-(3,5-dimethylpiperazin-1-yl)-5- methylpyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B56: (4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)(piperidin-4-yl)methanone;

Compound B57: 1-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)ethan-1-one;

Compound B58: N-(2-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-oxoethyl)-N-methylacetamide;

Compound B59: 2-butoxy-7-((6-(4-((dimethylamino)methyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B60: 7-((6-(4-aminopiperidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-butoxyimidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B61: 2-butoxy-7-(4-(3,5-dimethylpiperazin-1-yl)-3- methylbenzyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B62: 2-methoxy-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl) methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B63: 2-ethoxy-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl) methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B64: 2-butoxy-7-(3-methyl-4-(piperidin-4-yl)benzyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B65: 7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-2- (pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B66: 2-isopropoxy-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl) methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B67: (2S,3S)-2-amino-1-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-3-methylpentan-1-one;

Compound B68: (S)-4-amino-2-butoxy-7-((5-methyl-6-(4-propylpiperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazine;

Compound B69: (S)-2-amino-1-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-4-methylpentan-1-one;

Compound B70: (S)-2-amino-1-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-3-methylbutan-1-one;

Compound B71: 1-(4-(5-((4-amino-2-(butylamino)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B72: 2-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-N,N-dimethylacetamide;

Compound B73: (S)-2-butoxy-7-((5-methyl-6-(2-methylpiperazin-1-yl)pyridine-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine.;

Compound B74: (R)-2-butoxy-7-((5-methyl-6-(2-methylpiperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine.;

Compound B75: 2-butoxy-7-((5-methyl-6-(4-(2-(methylanino)ethyl)piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B76: 2-butoxy-7-((6-(4-(2-(dimethylamino)ethyl)piperazin-1-yl)-5-methylpyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B77: 2-butoxy-7-((5-(piperidin-4-yl)pyridin-2-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B78: 2-butoxy-7-((6-(4-(dimethylamino)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B79: 7-((6-((1R,4R)-2,5-diazabicyclo[2.2.1]heptan-2-yl)-5-methylpyridin-3-yl)methyl)-2-butoxyimidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B80: 2-(but-3-en-1-yloxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B81: (S)-2-amino-1-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-3-phenylpropan-1-one;

Compound B82: 2-butoxy-7-((5-methyl-6-(2,8-diazaspiro[4.5]decan-8-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B83: 2-butoxy-7-((5-methyl-6-(8-azaspiro[4.5]decan-8-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B84: N2-methyl-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-N2-propylimidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B85: N²-isopentyl-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B86: 2-butoxy-7-((5-methyl-6-(2,7-diazaspiro[3.5]nonan-7-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B87: 2-butoxy-7-((6-(3-(dimethylamino)pyrrolidin-1-yl)-5-methylpyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B88: 7-((6-(4-aminopiperidin-1-yl)-5-methylpyridin-3-yl)methyl)-N2-butylimidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B89: 2-butoxy-7-((5-methyl-6-(4-(propylsulfonyl)piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B90: 2-butoxy-7-(3-isopropyl-4-(piperazin-1-yl)benzyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B91: 7-((6-(4-(2-aminoethyl)piperazin-1-yl)-5-methylpyridin-3-yl)methyl)-2-butoxyimidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B92: 2-butoxy-7-(3-ethyl-4-(piperazin-1-yl)benzyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B93: 7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-2-propoxyimidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B94: 1-(4-(5-((4-amino-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B95: 1-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)-N,N-dimethylpiperidine-4-carboxamide;

Compound B96: N2-butyl-7-((6-(4-((dimethylamino)methyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B97: (R)-2-butoxy-7-((5-methyl-6-(3-methylpiperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B98: (R)-2-butoxy-7-(3-methyl-4-(3-methylpiperazin-1-yl)benzyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B99: 2-butoxy-7-(4-(piperazin-1-yl)-3-propoxybenzyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B100: 2-((2,5,8,11-tetraoxatridecan-13-yl)oxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B101: 2-butoxy-7-((5-methyl-6-(2,8-diazaspiro[4.5]decan-2-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B102: 2-butoxy-7-((5-methyl-6-(2,7-diazaspiro[3.5]nonan-2-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B103: 2-butoxy-7-((6-(4-methoxypiperidin-1-yl)-5-methylpyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B104: 2-butoxy-7-((6-(4-(methoxymethyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B105: 2-butoxy-7-((6-(3-((dimethylamino)methyl)pyrrolidin-1-yl)-5-methylpyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B106: 2-butoxy-7-((5-methyl-6-(4-((methylamino)methyl)piperidin-1-yl)pyridine-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B107: 2-butoxy-7-((6-(4-(2-methoxyethyl)piperazin-1-yl)-5-methylpyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B108: 2-butoxy-7-((5-methyl-6-(4-morpholinopiperidin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B109: 2-butoxy-7-((5-methyl-6-(4-(morpholinomethyl)piperidin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B110: 2-butoxy-7-((6-(4-(2-(dimethylamino)ethyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B111: 1-(4-(5-((4-amino-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(methylamino)ethan-1-one;

Compound B112: 2-(sec-butoxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B113: 7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-2-(2-methylbutoxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B114: 2-butoxy-7-((6-(4-ethylpiperazin-1-yl)-5-methylpyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B115: 2-butoxy-7-((6-(4-ethylpiperazin-1-yl)-5-methylpyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B116: 2-butoxy-7-((5-methyl-6-(4-phenethylpiperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B117: (R)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B118: (S)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B119: 2-(2-(2-methoxyethoxy)ethoxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B120: 2-((2,5,8,11,14,17-hexaoxonadecan-19-yl)oxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B121: 2-butoxy-7-((5-methyl-6-(4-(pyrrolidin-1-ylmethyl)piperidin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B122: (S)-7-((6-(4-(dimethylamino)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B123: (S)-7-((6-(4-((dimethylamino)methyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B124: (R)-1-(4-(5-((4-amino-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B125: (S)-1-(4-(5-((4-amino-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B126: 2-butoxy-7-((6-(4-((diethylamino)methyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B127: (R)-7-((6-(4-(dimethylamino)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B128: (R)-7-((6-(4-((dimethylamino)methyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B129: 1-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)octadecan-1-one;

Compound B130: 2-butoxy-7-((5-methyl-6-(4-(4-methylpiperazin-1-yl)piperidin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B131: 2-butoxy-7-((5-methyl-6-(3,9-diazaspiro[5.5]undecan-3-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B132: (S)-2-butoxy-7-((5-methyl-6-(3-methylpiperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B133: 7-((6-(4-(dimethylamino)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B134: 7-((6-(4-((dimethylamino)methyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B135: N2-butyl-7-((6-(4-(dimethylamino)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B136: 7-((6-(3-aminoazetidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-butoxyimidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B137: 7-((6-(4-((dimethylamino)methyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-N2-(pentan-2-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B138: 7-((6-(4-(dimethylamino)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-N²-(pentan-2-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B139: 7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-N2-propylimidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B140: 2-(hexan-3-yloxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B141: 2-butyl-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B142: N-(1-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperidin-4-yl)-2-(dimethylamino)acetamide;

Compound B143: 2-(heptan-4-yloxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B144: 7-((6-(4-(aminomethyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-butoxyimidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B145: (S)-1-(4-(5-((4-amino-2-(sec-butoxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B146: (S)-1-(4-(5-((4-amino-2-(sec-butoxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(methylamino)ethan-1-one;

Compound B147: (S)-7-((6-(4-((dimethylamino)methyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-N2-(pentan-2-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B148: (S)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-N2-(pentan-2-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B149: 1-(4-(5-((4-amino-2-(pentan-2-ylamino)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(methylamino)ethan-1-one;

Compound B150: 7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-N2-(pentan-2-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B151: 1-(4-(5-((4-amino-2-(pentan-2-ylamino)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B152: (R)-2-(sec-butoxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B153: (R)-1-(4-(5-((4-amino-2-(sec-butoxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B154: (S)-1-(4-(5-((4-amino-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(methylamino)ethan-1-one;

Compound B155: 1-(4-(5-((4-amino-2-(sec-butoxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B156: 1-(4-(5-((4-amino-2-(sec-butoxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(methylamino)ethan-1-one;

Compound B157: 1-((4-amino-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-2-yl)oxy)hexan-3-ol;

Compound B158: (S)-2-(sec-butoxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B159: (R)-1-(4-(5-((4-amino-2-(sec-butoxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(methylamino)ethan-1-one;

Compound B160: (R)-1-(4-(5-((4-amino-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(methylamino)ethan-1-one;

Compound B161: 2-butoxy-7-((5-methyl-6-(4-(methylamino)piperidin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B162: 7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-2-(pentan-3-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B163: 7-((6-(4-(dimethylamino)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-(hexan-3-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B164: 7-((6-(4-((dimethylamino)methyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-(hexan-3-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B165: 3-((4-amino-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-2-yl)oxy)hexan-1-ol;

Compound B166: 7-((5-methyl-6-(4-(methylamino)piperidin-1-yl)pyridin-3-yl)methyl)-N2-(pentan-2-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B167: 2-(cyclohexyloxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B168: 7-((6-((1S,4S)-2,5-diazabicyclo[2.2.1]heptan-2-yl)-5-methylpyridin-3-yl)methyl)-2-butoxyimidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B169: 1-(4-(5-((4-amino-2-(hexan-3-yloxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B170: 1-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(diethylamino)ethan-1-one;

Compound B171: 4-amino-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-N,N-dipropylimidazo[2,1-f][1,2,4]triazine-2-carboxamide;

Compound B172: 2-(cyclopentyloxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B173: (S)-7-((6-(4-(dimethylamino)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-N2-(pentan-2-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B174: 2-((1-methoxypropan-2-yl)oxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B175: 1-(4-(5-((4-amino-2-(pentan-3-ylamino)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(methylamino)ethan-1-one;

Compound B176: 1-(4-(5-((4-amino-2-((1-hydroxyhexan-3-yl)oxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B177: (S)-1-(4-(5-((4-amino-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-((2-hydroxyethyl)amino)ethan-1-one;

Compound B178: (R)-7-((6-(4-((dimethylamino)methyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-N2-(pentan-2-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B179: (S)-1-(4-(5-((4-amino-2-butoxyimidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)-2-methylpiperazin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B180: 7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-2-pentylimidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B181: 1-(4-(5-((4-amino-2-(hexan-3-yloxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(methylamino)ethan-1-one;

Compound B182: 4-amino-N-butyl-N-methyl-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazine-2-carboxamide;

Compound B183: 2-butoxy-7-((5-ethyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B184: 7-((6-(4-(dimethylamino)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-N2-(heptan-4-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B185: (R)-7-((6-(4-(dimethylamino)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-N2-(pentan-2-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B186: 7-((6-(4-(dimethylamino)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-(heptan-4-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B187: 7-((6-(4-(dimethylamino)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-(pentan-3-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B188: 1-(4-(5-((4-amino-2-(heptan-4-yloxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B189: 7-((6-(4-((dimethylamino)methyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-(pentan-3-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B190: 7-((6-(4-((dimethylamino)methyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-N2-(heptan-4-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B191: N2-(heptan-4-yl)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B192: 2-(cyclohexylmethoxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B193: 7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-2-((tetrahydrofuran-3-yl)methoxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B194: 7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-2-((tetrahydro-2H-pyran-4-yl)methoxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B195: 1-(4-(5-((4-amino-2-(heptan-4-ylamino)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B196: 1-(4-(5-((4-amino-2-(heptan-4-ylamino)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(methylamino)ethan-1-one;

Compound B197: 1-(4-(5-((4-amino-2-(heptan-4-yloxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(methylamino)ethan-1-one;

Compound B198: 7-((6-(4-((dimethylamino)methyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-(heptan-4-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B199: (S)-2-(4-(5-((4-amino-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)ethan-1-ol;

Compound B200: 1-(4-(5-((4-amino-2-(pentan-3-yloxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B201: 1-(4-(5-((4-amino-2-(pentan-3-yloxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(methylamino)ethan-1-one;

Compound B202: 2-(1-cyclopropylbutoxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B203: 1-((4-amino-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-2-yl)oxy)hexan-3-ol;

Compound B204: 7-((5-methyl-6-(4-((methylamino)methyl)piperidin-1-yl)pyridin-3-yl)methyl)-N2-(pentan-2-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B205: 7-((5-methyl-6-(4-((methylamino)methyl)piperidin-1-yl)pyridin-3-yl)methyl)-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B206: 7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-2-((1-(methylamino)propan-2-yl)oxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B207: (R)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-N2-(pentan-2-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine ;

Compound B208: 7-((6-(4-((dimethylamino)methyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-N2-(pentan-3-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B209: 7-((6-(4-(dimethylamino)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-N2-(pentan-3-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B210: 7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-N2-(pentan-3-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B211: 1-(4-(5-((4-amino-2-(pentan-3-ylamino)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B212: (S)-1-(4-(5-((4-amino-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(isobutylamino)ethan-1-one;

Compound B213: (S)-7-((5-methyl-6-(4-((methylamino)methyl)piperidin-1-yl)pyridin-3-yl)methyl)-N2-(pentan-2-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B214: (R)-7-((5-methyl-6-(4-((methylamino)methyl)piperidin-1-yl)pyridin-3-yl)methyl)-N2-(pentan-2-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B215: (S)-7-((6-(4-(isobutylamino)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B216: 3-((4-amino-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-2-yl)oxy)hexan-1-ol;;

Compound B217: 1-((4-amino-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-2-yl)oxy)hexan-3-ol;;

Compound B218: 1-(4-(5-((4-amino-2-((1-hydroxyhexan-3-yl)oxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(methylamino)ethan-1-one;

Compound B219: (S)-1-(4-(5-((4-amino-2-(pentan-2-ylamino)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(dimethylamino)ethan-1-one;

Compound B220: N2-(heptan-4-yl)-7-((5-methyl-6-(4-((methylamino)methyl)piperidin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B221: (S)-7-((5-methyl-6-(4-((methylamino)methyl)piperidin-1-yl)pyridin-3-yl)methyl)-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B222: (R)-7-((5-methyl-6-(4-((methylamino)methyl)piperidin-1-yl)pyridin-3-yl)methyl)-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B223: N2-(hexan-3-yl)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B224: (S)-2-(hexan-3-yloxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo [2,1-f][1,2,4]triazin-4-amine;

Compound B225: (R)-2-(hexan-3-yloxy)-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo [2,1-f][1,2,4]triazin-4-amine;

Compound B226: (S)-3-((4-amino-7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-2-yl)amino)hexan-1-ol;

Compound B227: 7-((5-methyl-6-(piperazin-1-yl)pyridin-3-yl)methyl)-N2-(1,1,1-trifluoropentan-2-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B228: (S)-3-((4-amino-7-((5-methyl-6-(4-((methylamino)methyl)piperidin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-2-yl)amino)hexan-1-ol;

Compound B229: 3-((4-amino-7-((5-methyl-6-(4-((methylamino)methyl)piperidin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-2-yl)oxy)hexan-1-ol;

Compound B230: (S)-1-(4-(5-((4-amino-2-(hexan-3-yloxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(methylamino)ethan-1-one;

Compound B231: (S)-1-(4-(5-((4-amino-2-(pentan-2-ylamino)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(methylamino)ethan-1-one;

Compound B232: 2-((4-amino-7-((5-methyl-6-(4-((methylamino)methyl)piperidin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-2-yl)amino)pentan-1-ol;

Compound B233: 2-((S)-4-(5-((4-amino-2-(((S)-pentan-2-yl)amino)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-2-yl)acetonitrile;

Compound B234: 7-((6-(4-((isobutylamino)methyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B235: 2-((4-amino-7-((5-methyl-6-(4-((methylamino)methyl)piperidin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-2-yl)oxy)pentan-1-ol;

Compound B236: 1-((4-amino-7-((5-methyl-6-(4-((methylamino)methyl)piperidin-1-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-2-yl)oxy)pentan-2-ol;

Compound B237: 7-((6-(4-(((2-methoxyethyl)amino)methyl)piperidin-1-yl)-5-methylpyridin-3-yl)methyl)-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B238: 7-((2-fluoro-6-(piperidin-4-yl)pyridin-3-yl)methyl)-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B239: (S)-7-((2-fluoro-6-(piperidin-4-yl)pyridin-3-yl)methyl)-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B240: (S)-7-((5-methyl-6-(piperidin-4-yl)pyridin-3-yl)methyl)-N2-(pentan-2-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine.;

Compound B241: (S)-7-((5-methoxy-6-(piperazin-1-yl)pyridin-3-yl)methyl)-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-4-amine;

Compound B242: 3-((4-amino-7-((2-fluoro-6-(piperidin-4-yl)pyridin-3-yl)methyl)imidazo[2,1-f][1,2,4]triazin-2-yl)oxy)hexan-1-ol;

Compound B243: (S)-4-((4-amino-2-(pentan-2-yloxy)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-1-(piperidin-4-yl)pyridin-2(1H)-one;

Compound B244: (S)-1-(4-(5-((4-amino-2-(pentan-2-ylamino)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)-2-(methyl(2-(methylamino)ethyl)amino)ethan-1-one;

Compound B245: (S)-7-((5-methyl-6-(4-((methyl(2-(methylamino)ethyl)amino)methyl)piperidin-1-yl)pyridin-3-yl)methyl)-N2-(pentan-2-yl)imidazo[2,1-f][1,2,4]triazine-2,4-diamine;

Compound B246: (S)-2-amino-1-(4-(5-((4-amino-2-(pentan-2-ylamino)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)ethan-1-one; or

Compound B247: (S)-2-(4-(5-((4-amino-2-(pentan-2-ylamino)imidazo[2,1-f][1,2,4]triazin-7-yl)methyl)-3-methylpyridin-2-yl)piperazin-1-yl)ethan-1-ol.

20. A pharmaceutical composition comprising the compound according to any one of Claims 1-19, or a pharmaceutically acceptable salt thereof, and at least one pharmaceutically acceptable carrier or excipient.

21. A use of a compound according to any one of Claims 1-19, or a pharmaceutically acceptable salt thereof as a TLR7 agonist in the manufacture of a medicament for treating a disease or disorder.

22. The use according to claim 21, wherein the disease or disorder is cancer.

23. The use according to claim 21, wherein the disease or disorder is melanoma, non-small cell lung carcinoma, hepatocellular carcinoma, basal cell carcinoma, renal cell carcinoma, myeloma, allergic rhinitis, asthma, COPD, ulcerative colitis, hepatic fibrosis, HBV, HCV, HPV, RSV, SARS, HIV, or influenza.