SEQUENCE LISTING

<110> Bicycle Therapeutics Limited

<120> NOVEL POLYPEPTIDES

<130> BIC-C-P1645PCT

<150> GB1318941.0
<151> 2013-10-28

<150> GB1410265.1
<151> 2014-06-10

<160> 100

<170> PatentIn version 3.5

<210> 1
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa represents any amino acid residue

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa represents either a non-polar aliphatic amino acid residue selected from G, A, I, L, P and V or a polar, uncharged amino acid residue selected from N, C, Q, M, S and T

<220>
<221> MISC_FEATURE
<222> (10)..(12)
<223> Xaa represents any amino acid residue

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> Xaa represents either a non-polar aliphatic amino acid residue selected from G, A, I, L, P and V or a non-polar aromatic amino acid residue selected from F, W and Y

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa represents any amino acid residue

<400> 1

Cys Asn Xaa Trp Asn Pro Trp Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys
1 5 10 15

<210> 2
<211> 15
<212> PRT
<213> Artificial

<220>

<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents a polar, positively charged amino acid residue selected from R, H and K

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa represents a non-polar aromatic amino acid residue selected from F, W and Y

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa represents any amino acid residue

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents a non-polar aliphatic amino acid residue selected from G, A, I, L, P and V

<220>
<221> MISC_FEATURE
<222> (12)..(14)
<223> Xaa represents any amino acid residue

<400> 2

Cys Xaa Asn Xaa Trp Asn Pro Cys Xaa Leu Xaa Xaa Xaa Xaa Cys
1 5 10 15

<210> 3
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (9)..(14)
<223> Xaa represents any amino acid residue

<400> 3

Cys Gln Lys Phe Glu Ser Arg Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys
1 5 10 15

<210> 4
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 4

Cys Pro Leu Ser Asp Thr Leu Cys Tyr Arg Arg Met Pro Pro Cys

1 5 10 15

<210> 5
<211> 13
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa represents any amino acid residue

<220>
<221> MISC_FEATURE
<222> (10)..(12)
<223> Xaa represents any amino acid residue

<400> 5

Cys Pro Tyr Pro Phe Arg Cys Xaa His Xaa Xaa Xaa Cys
1 5 10

<210> 6
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents either no amino acid residue or one N residue

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa represents a polar, uncharged amino acid residue selected from N, C, Q, M, S and T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa represents a non-polar aromatic amino acid residue selected from F, W and Y

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa represents a non-polar aromatic amino acid residue selected from F, W and Y

<400> 6

Cys Xaa Xaa Xaa Pro Xaa Arg Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10 15

<210> 7
<211> 15

<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa represents any amino acid residue

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa represents either a non-polar aliphatic amino acid residue selected from G, A, I, L, P and V or a polar, uncharged amino acid residue selected from N, C, Q, M, S and T

<220>
<221> MISC_FEATURE
<222> (10)..(12)
<223> Xaa represents any amino acid residue

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> Xaa represents a non-polar aliphatic amino acid residue selected from G, A, I, L, P and V

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa represents any amino acid residue

<400> 7

Cys Asn Xaa Trp Asn Pro Trp Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys
1 5 10 15

<210> 8
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa represents T, H or Y

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa represents G, S or P

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa represents A, V, W, D or S

<220>
<221> MISC_FEATURE
<222> (11)..(11)

<223> Xaa represents D, E, V, T or P

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa represents A, G, P, I, R or D

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> Xaa represents G, P, Y or I

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa represents F, I, L, V, R, G or D

<400> 8

Cys Asn Xaa Trp Asn Pro Trp Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys
1 5 10 15

<210> 9
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa represents T, H or Y

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa represents G, S or P

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa represents A, V or W

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents D, E or V

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa represents A, G or P

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> Xaa represents G or P

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa represents F, I, L or V

<400> 9

Cys Asn Xaa Trp Asn Pro Trp Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys
1 5 10 15

<210> 10
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 10

Cys Asn Thr Trp Asn Pro Trp Cys Gly Trp Val Gly Gly Phe Cys
1 5 10 15

<210> 11
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 11

Cys Asn His Trp Asn Pro Trp Cys Ser Val Glu Pro Pro Val Cys
1 5 10 15

<210> 12
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 12

Cys Asn Thr Trp Asn Pro Trp Cys Pro Trp Asp Ala Pro Leu Cys
1 5 10 15

<210> 13
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 13

Cys Asn His Trp Asn Pro Trp Cys Ser Ala Asp Pro Pro Ile Cys
1 5 10 15

<210> 14
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 14

Cys Asn Tyr Trp Asn Pro Trp Cys Pro Trp Asp Ala Pro Leu Cys
1 5 10 15

<210> 15
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 15

Cys Asn His Trp Asn Pro Trp Cys Ser Ala Asp Pro Pro Arg Cys
1 5 10 15

<210> 16
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 16

Cys Asn His Trp Asn Pro Trp Cys Pro Ala Asp Ile Pro Val Cys
1 5 10 15

<210> 17
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 17

Cys Asn His Trp Asn Pro Trp Cys Ser Asp Asp Pro Tyr Ile Cys
1 5 10 15

<210> 18
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 18

Cys Asn His Trp Asn Pro Trp Cys Ser Ser Asp Pro Pro Val Cys
1 5 10 15

<210> 19
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 19

Cys Asn Tyr Trp Asn Pro Trp Cys Ser Asp Thr Arg Ile Gly Cys
1 5 10 15

<210> 20
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 20

Cys Asn Thr Trp Asn Pro Trp Cys Ser Trp Pro Asp Ile Asp Cys
1 5 10 15

<210> 21
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents K or R

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa represents D, T or G

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents I, V or L

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa represents E, M, N, P, T, Q, S, Y, G, D, W, R, H or A

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> Xaa represents D, G, I, T, A, S, P or V

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa represents P, S, T, A, K, G, H, F, Q, D, L, I, M, R or Y

<400> 21

Cys Xaa Asn Tyr Trp Asn Pro Cys Xaa Leu Xaa Xaa Xaa Xaa Cys
1 5 10 15

<210> 22
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents K or R

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa represents D or T

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents I or V

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa represents E, M, N, P or T

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> Xaa represents D, G, I or T

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa represents P, S or T

<400> 22

Cys Xaa Asn Tyr Trp Asn Pro Cys Xaa Leu Xaa Xaa Xaa Xaa Cys
1 5 10 15

<210> 23
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 23

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Val Thr Ile Ser Cys
1 5 10 15

<210> 24
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 24

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Ile Glu Thr Thr Cys
1 5 10 15

<210> 25
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 25

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Ile Pro Gly Pro Cys
1 5 10 15

<210> 26
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 26

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Val Met Asp Thr Cys
1 5 10 15

<210> 27
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 27

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Ile Gln Asp Ala Cys
1 5 10 15

<210> 28
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 28

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Ile Ser Ile Lys Cys
1 5 10 15

<210> 29
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 29

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Ile Pro Thr Gly Cys
1 5 10 15

<210> 30
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 30

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Val Gln Ile His Cys
1 5 10 15

<210> 31
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 31

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Ile Gly Ile Thr Cys
1 5 10 15

<210> 32
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 32

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Val Asp Thr Phe Cys
1 5 10 15

<210> 33
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 33

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Val Glu Ala Gln Cys
1 5 10 15

<210> 34
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 34

Cys Lys Asn Phe Trp Asn Pro Cys Asp Leu Ile Pro Ile Ser Cys
1 5 10 15

<210> 35
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 35

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Ile Trp Thr Asp Cys
1 5 10 15

<210> 36
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 36

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Ile Pro Asp Leu Cys
1 5 10 15

<210> 37
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 37

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Leu Glu Ser Thr Cys
1 5 10 15

<210> 38
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 38

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Ile Arg Pro Pro Cys
1 5 10 15

<210> 39
<211> 15
<212> PRT

<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 39

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Leu Gly Ile Ala Cys
1 5 10 15

<210> 40
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 40

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Val His Asp Ile Cys
1 5 10 15

<210> 41
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 41

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Ile Pro Asp Met Cys
1 5 10 15

<210> 42
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 42

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Ile Ala Asp Leu Cys
1 5 10 15

<210> 43
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 43

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Leu His Val Arg Cys
1 5 10 15

<210> 44

<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 44

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Ile Ala Pro Tyr Cys
1 5 10 15

<210> 45
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 45

Cys Lys Asn Tyr Trp Asn Pro Cys Gly Leu Val Tyr Ser Thr Cys
1 5 10 15

<210> 46
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 46

Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Leu Pro Asp Leu Cys
1 5 10 15

<210> 47
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 47

Cys Arg Asn Tyr Trp Asn Pro Cys Thr Leu Ile Asn Ile Thr Cys
1 5 10 15

<210> 48
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 48

Gln Lys Phe Glu Ser Arg
1 5

<210> 49
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 49

Cys Gln Lys Phe Glu Ser Arg Cys Arg Val Asp Thr Arg Tyr Cys
1 5 10 15

<210> 50
<211> 5
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 50

Pro Tyr Pro Phe Arg
1 5

<210> 51
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents either no amino acid residue or a N residue

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa represents a polar, uncharged amino acid residue selected from N, C, Q, M, S and T

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa represents a non-polar aromatic amino acid residue selected from F, W and Y

<400> 51

Cys Xaa Xaa Phe Pro Xaa Arg Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10 15

<210> 52
<211> 13
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 52

Cys Pro Tyr Pro Phe Arg Cys Leu His Glu Asn Leu Cys
1 5 10

<210> 53
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents either no amino acid residue or a N residue

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa represents N or S

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa represents F or Y

<400> 53

Cys Xaa Xaa Phe Pro Xaa Arg Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10 15

<210> 54
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 54

Cys Asn Asn Phe Pro Phe Arg Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10 15

<210> 55
<211> 14
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 55

Cys Ser Phe Pro Tyr Arg Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10

<210> 56
<211> 14
<212> PRT

<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa represents a L-homoarginine residue

<400> 56

Cys Ser Phe Pro Tyr Xaa Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10

<210> 57
<211> 14
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa represents a L-azetidine carboxylic acid residue

<400> 57

Cys Ser Phe Xaa Tyr Arg Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10

<210> 58
<211> 14
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa represents a L-azetidine carboxylic acid residue

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa represents a L-homoarginine residue

<400> 58

Cys Ser Phe Xaa Tyr Xaa Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10

<210> 59
<211> 14
<212> PRT
<213> Artificial

<220>

<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa respresents an N-alpha-methyl arginine residue

<400> 59

Cys Ser Phe Pro Tyr Xaa Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10

<210> 60
<211> 14
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa represents a L-azetidine carboxylic acid residue

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa represents a N-alpha-methyl arginine residue

<400> 60

Cys Ser Phe Xaa Tyr Xaa Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10

<210> 61
<211> 20
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MOD_RES
<222> (16)..(18)
<223> MeGly

<220>
<221> MISC_FEATURE
<222> (19)..(20)
<223> Xaa represents a D-arginine residue

<400> 61

Cys Asn Thr Trp Asn Pro Trp Cys Pro Trp Asp Ala Pro Leu Cys Gly
1 5 10 15

Gly Gly Xaa Xaa
20

<210> 62
<211> 19
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MOD_RES
<222> (15)..(17)
<223> MeGly

<220>
<221> MISC_FEATURE
<222> (18)..(19)
<223> Xaa represents a D-arginine residue

<400> 62

Cys Ser Phe Pro Tyr Arg Cys Val Tyr Tyr Pro Asp Ile Cys Gly Gly
1 5 10 15

Gly Xaa Xaa

<210> 63
<211> 19
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa represents a L-azetidine carboxylic acid residue

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa represents a L-homoarginine residue

<220>
<221> MOD_RES
<222> (15)..(17)
<223> MeGly

<220>
<221> MISC_FEATURE
<222> (18)..(19)
<223> Xaa represents a D-arginine residue

<400> 63

Cys Ser Phe Xaa Tyr Xaa Cys Val Tyr Tyr Pro Asp Ile Cys Gly Gly
1 5 10 15

Gly Xaa Xaa

<210> 64
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa represents any amino acid residue

<220>
<221> MISC_FEATURE
<222> (11)..(14)
<223> Xaa represents any amino acid residue

<400> 64

Cys Lys Asn Xaa Trp Asn Pro Cys Asp Leu Xaa Xaa Xaa Xaa Cys
1 5 10 15

<210> 65
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (9)..(14)
<223> Xaa represents any amino acid residue

<400> 65

Cys Gln Lys Phe Glu Ser Arg Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys
1 5 10 15

<210> 66
<211> 13
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa represents any amino acid residue

<220>
<221> MISC_FEATURE
<222> (8)..(12)
<223> Xaa represents any amino acid residue

<400> 66

Cys Pro Tyr Pro Xaa Arg Cys Xaa Xaa Xaa Xaa Xaa Cys
1 5 10

<210> 67
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa represents any amino acid residue

<220>
<221> MISC_FEATURE
<222> (9)..(14)
<223> Xaa represents any amino acid residue

<400> 67

Cys Asn Xaa Trp Asn Pro Trp Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys
1 5 10 15

<210> 68
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 68

Ala Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Val Thr Ile Ser Cys
1 5 10 15

Ala

<210> 69
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 69

Ala Cys Arg Asn Tyr Trp Asn Pro Cys Thr Leu Ile Asn Ile Thr Cys
1 5 10 15

Ala

<210> 70
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 70

Ala Cys Gln Lys Phe Glu Ser Arg Cys Arg Val Asp Thr Arg Tyr Cys
1 5 10 15

Ala

<210> 71
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 71

Ala Cys Pro Leu Ser Asp Thr Leu Cys Tyr Arg Arg Met Pro Pro Cys
1 5 10 15

Ala

<210> 72
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 72

Ala Cys Pro Tyr Pro Phe Arg Cys Leu His Glu Asn Leu Cys Ala
1 5 10 15

<210> 73
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 73

Ala Cys Asn Thr Trp Asn Pro Trp Cys Gly Trp Val Gly Gly Phe Cys
1 5 10 15

Ala

<210> 74
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 74

Ala Cys Asn Asn Phe Pro Phe Arg Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10 15

Ala

<210> 75
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 75

Ala Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Ile Glu Thr Thr Cys
1 5 10 15

Ala

<210> 76
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 76

Ala Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Ile Pro Gly Pro Cys
1 5 10 15

Ala

<210> 77
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 77

Ala Cys Lys Asn Tyr Trp Asn Pro Cys Asp Leu Val Met Asp Thr Cys
1 5 10 15

Ala

<210> 78

<211> 17
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 78

Ala Cys Asn His Trp Asn Pro Trp Cys Ser Val Glu Pro Pro Val Cys
1 5 10 15

Ala

<210> 79
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 79

Ala Cys Asn Thr Trp Asn Pro Trp Cys Pro Trp Asp Ala Pro Leu Cys
1 5 10 15

Ala

<210> 80
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 80

Ala Cys Asn His Trp Asn Pro Trp Cys Ser Ala Asp Pro Pro Ile Cys
1 5 10 15

Ala

<210> 81
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 81

Ala Cys Asn Tyr Trp Asn Pro Trp Cys Pro Trp Asp Ala Pro Leu Cys
1 5 10 15

Ala

<210> 82
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<400> 82

Cys Arg Asn Tyr Trp Asn Pro Cys Thr Leu Ile Asn Ile Thr Cys
1 5 10 15

<210> 83
<211> 21
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MOD_RES
<222> (17)..(19)
<223> MeGly

<220>
<221> MISC_FEATURE
<222> (20)..(21)
<223> Xaa represents a D-arginine residue

<400> 83

Cys Arg Asn Tyr Trp Asn Pro Cys Thr Leu Ile Asn Ile Thr Cys Ala
1 5 10 15

Gly Gly Gly Xaa Xaa
20

<210> 84
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MOD_RES

<222> (1)..(1)
<223> ACETYLATION

<400> 84

Cys Asn Thr Trp Asn Pro Trp Cys Pro Trp Asp Ala Pro Leu Cys
1 5 10 15

<210> 85
<211> 21
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MOD_RES
<222> (17)..(19)
<223> MeGly

<220>
<221> MISC_FEATURE
<222> (20)..(21)
<223> Xaa represents a D-arginine residue

<400> 85

Cys Asn Thr Trp Asn Pro Trp Cys Pro Trp Asp Ala Pro Leu Cys Ala
1 5 10 15

Gly Gly Gly Xaa Xaa
20

<210> 86
<211> 13
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 86

Cys Ser Trp Pro Ala Arg Cys Leu His Gln Asp Leu Cys
1 5 10

<210> 87
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 87

Val Tyr Tyr Pro Asp Ile

1 5

<210> 88
<211> 5
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 88

Ser Phe Pro Tyr Arg
1 5

<210> 89
<211> 14
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<400> 89

Cys Ser Trp Pro Ala Arg Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10

<210> 90
<211> 14
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<400> 90

Cys Ser Phe Pro Tyr Arg Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10

<210> 91
<211> 14
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (6)..(6)

<223> Xaa represents a L-homoarginine residue

<400> 91

Cys Ser Phe Pro Tyr Xaa Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10

<210> 92
<211> 14
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa represents a L-azetidine carboxylic acid residue

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa represents a L-homoarginine residue

<400> 92

Cys Ser Phe Xaa Tyr Xaa Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10

<210> 93
<211> 14
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa represents a N-alpha-methyl arginine residue

<400> 93

Cys Ser Phe Pro Tyr Xaa Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10

<210> 94
<211> 14
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa represents a L-azetidine carboxylic acid residue

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa represents a N-alpha-methyl arginine residue

<400> 94

Cys Ser Phe Xaa Tyr Xaa Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10

<210> 95
<211> 20
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MOD_RES
<222> (16)..(18)
<223> MeGly

<220>
<221> MISC_FEATURE
<222> (19)..(20)
<223> Xaa represents a D-arginine residue

<400> 95

Cys Ser Phe Pro Tyr Arg Cys Val Tyr Tyr Pro Asp Ile Cys Ala Gly
1 5 10 15

Gly Gly Xaa Xaa
20

<210> 96
<211> 20
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa represents a L-azetidine carboxylic acid residue

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa represents a L-homoarginine residue

<220>
<221> MOD_RES
<222> (16)..(18)
<223> MeGly

<220>
<221> MISC_FEATURE
<222> (19)..(20)
<223> Xaa represents a D-arginine residue

<400> 96

Cys Ser Phe Xaa Tyr Xaa Cys Val Tyr Tyr Pro Asp Ile Cys Ala Gly
1 5 10 15

Gly Gly Xaa Xaa
20

<210> 97
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (2)..(7)
<223> Xaa represents any amino acid residue

<220>
<221> MISC_FEATURE
<222> (9)..(14)
<223> Xaa represents any amino acid residue

<400> 97

Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys
1 5 10 15

<210> 98
<211> 5
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MOD_RES
<222> (1)..(3)
<223> MeGly

<220>
<221> MISC_FEATURE
<222> (4)..(5)
<223> Xaa represents a D-arginine residue

<400> 98

Gly Gly Gly Xaa Xaa
1 5

<210> 99
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide ligand

<220>
<221> MISC_FEATURE
<222> (4)..(7)
<223> Xaa represents any amino acid residue

<400> 99

Cys Asn Asn Xaa Xaa Xaa Xaa Cys Val Tyr Tyr Pro Asp Ile Cys
1 5 10 15

<210> 100
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Synthetic peptide motif

<400> 100

Phe Pro Phe Arg
1