



1/8



[Fig. 1]

2/8



[Fig. 2]

[Fig. 3]

4/8

```
### Ethernet ###
dst      = 00:00:00:00:00:00
src      = 00:00:00:00:00:00
type     = IPv4

### IP ###
version  = 4
ihl      = 5
tos      = 0x0
len      = 320
id       = 58719
flags    = DF
frag     = 0
ttl      = 64
proto    = TCP
checksum = 0x583f
src      = 127.0.0.1
dst      = 127.0.0.1
\options \

### TCP ###
sport    = 58850
dport    = 8080
seq      = 786818963
ack      = 2504977884
dataoffs = 0
reserved = 0
flags    = PA
window   = 612
checksum = 0xfed3
urgptr   = 0
options  = [{'NOP', None}, {'NOP', None}, {'Timestamp', (1278918957, 3666619513)}]

### Raw ###
```

```
### Row 1000
Load      w "DEF /msdn-sdm/vi/1msi/268830000000003/an-extelplan-
[idw70%22mc%32%38A%2228%22%26%22mc%32%38A%2283%22%76 HTTP/1.1;vcrHost: 187.8.0.3;0000%vcrUser-
Agent: curl/7.8.8;0%vcrHostAgent: %*/%vcrHost%w
```

[Fig. 4A]

5/8

```


###[ Ethernet ]###
  dst      = 00:00:00:00:00:00
  src      = 00:00:00:00:00:00
  type     = IPv4
###[ IP ]###
  version  = 4
  ihl      = 5
  tos      = 0x0
  len      = 268
  id       = 17492
  flags    = 0F
  frag     = 0
  ttl      = 64
  proto    = tcp
  checksum = 0xf70c
  src      = 127.0.0.1
  dst      = 127.0.0.10
  \options \
###[ TCP ]###
  sport     = 41802
  dport     = 8080
  seq       = 763538118
  ack       = 1590515444
  dataofs   = 8
  reserved  = 0
  flags     = PA
  window    = 512
  checksum  = 0xf709
  urgptr    = 0
  options   = [('NOP', None), ('NOP', None), ('Timestamp', (3709179051, 3530307537))]
###[ Raw ]###
  load      = 'PUT /nrf-nfm/v1/nf-instances/boldface-bead-cafe-bede-cabiedfabied
HTTP/1.1\r\nHost: 127.0.0.10:8080\r\nUser-Agent: curl/7.68.0\r\nAccept: */*\r\nContent-Type:
application/json\r\nContent-Length: 2001\r\nExpect: 100-continue\r\n\r\n'

```


[Fig. 4B]

```
###[ Ethernet ]###
  dst      = 00:00:00:00:00:00
  src      = 00:00:00:00:00:00
  type     = IPv4
###[ IP ]###
  version  = 4
  ihl      = 5
  tos      = 0x0
  len      = 78
  id       = 1
  flags    =
  frag     = 0
  ttl      = 64
  proto    = udp
  chksum   = 0x7c95
  src      = 127.0.0.1
  dst      = 127.0.0.8
  \options \
###[ UDP ]###
  sport    = 8805
  dport    = 8805
  len      = 58
  chksum   = 0xb87c
###[ Raw ]###
load      = '!4\x00.\x00\x00\x00\x00\x00\x00\x01\x00\x00'
```

[Fig. 4C]




[Fig. 5A]



[Fig. 5B]

8/8



[Fig. 6]