
We claim:

1. A compound of formula I:



FORMULA I

wherein substituents A, Q, X, R1, R2, R3, V and W in Formula I are defined as follows:

A is one of the following:

i) $N(R4)(CH2)_n$ where n is $0<n<3$

ii) $O(CH2)_n$ where n is $0<n<3$

iii) $S(CH2)_n$ where n is $0<n<3$

iv) $(CH2)_n$ where n is $0\leq n<4$

v) $C(O)(CH2)_n$ where n is $0<n<3$

vi) C(R4)=C(R5)

vii) C≡C(R5)

R4 and R5 each independently are hydrogen, C_{1-4}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{3-7}cycloalkyl, C_{1-4}haloalkyl, C_{1-4}alkoxy, C_{1-4}hydroxyalkyl, C_{1-4}alkylamino;

X is CH or N;

V is O or S;

Q is selected from:

i) an alkyl[1] group, or

ii) an aryl[1] group, or

iii) an heteroaryl[1] group;

an alkyl[1] group is defined as a linear, branched or cycloalkyl group containing from 1 to 10 carbon atoms and optionally substituted with one or more hetereoatoms such as halogen (selected from F, Cl, Br or I), oxygen, and nitrogen; as well as trifluoromethyl, carboxyl, cyano, nitro, formyl; as well as CO-R, COO-R, CONR-R', SO2-R, and SO2NR-R' wherein R and R' are a linear or branched alkyl group containing 1 to 10 carbon atoms and optionally substituted with at least one heteroatom, notably a halogen (selected from F, Cl, Br or I), oxygen, and nitrogen; as well as a cycloalkyl or aryl[1] or heteroaryl[1] group;

an aryl[1] group is defined as phenyl or a substituted variant thereof bearing any combination, at any one ring position, of one or more substituents such as

- halogen (selected from I, F, Cl or Br);
- an alkyl[1] group;
- a cycloalkyl, aryl or heteroaryl group;
- trifluoromethyl, O-alkyl, carboxyl, cyano, nitro, formyl, hydroxy, NH-alkyl, N(alkyl)(alkyl), and amino group;
- NRCO-R' or NRCOO-R' or NRCONR'-R" or NRSO2-R' or NRSO2NR'-R" or CO-R or COO-R or CONR-R' or SO2-R or or SO2NRR' wherein R, R' and R" each independently are selected from hydrogen, alkyl, aryl or heteroaryl group;

an heteroaryl[1] group is defined as a pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, thienyl, thiazolyl, imidazolyl, pyrazolyl, pyrrolyl, furanyl, oxazolyl, isoxazolyl, triazolyl, tetrazolyl, indolyl, benzimidazole, benzoxazole, benzothiazole, quinolinyl group, etc., which may additionally bear any combination, at any one ring position, of one or more substituents such as


- halogen (selected from F, Cl, Br or I);
- an alkyl[1] group;
- a cycloalkyl, aryl or heteroaryl group,

- trifluoromethyl, O-alkyl, carboxyl, cyano, nitro, formyl, hydroxy, NH-alkyl, N(alkyl)(alkyl), and amino group;
- NRCO-R' or NRCOO-R' or NRCONR'-R" or NRSO2-R' or NRSO2NR'-R" or CO-R or COO-R or CONR-R' or SO2-R or or SO2NRR' wherein R, R' and R" each independently are selected from hydrogen, alkyl, aryl or heteroaryl group;

R1, R2 and R3 each independently are selected from hydrogen, halogen (selected from F, Cl, Br or I), a linear or branched alkyl group containing from 1 to 10 carbon atoms and optionally substituted with one or more hetereoatoms such as halogen (selected from F, Cl, Br or I), oxygen, and nitrogen; as well as trifluoromethyl, C_{1-6}alkyloxy, amino, C_{1-6}alkylamino, di(C_{1-6}alkyl)amino, carboxyl, cyano, nitro, formyl, hydroxy, and CO-R, COO-R, CONR-R', SO2-R, and SO2NR-R' wherein R and R' corresponds to hydrogen, alkyl, aryl or heteroaryl group;

W is aryl[1] or heteroaryl[1].

2. A compound according to claim 1 of formula II:




FORMULA II

Wherein R1, R2, R3, X, V and W have the meaning described in claim 1, and

Wherein R6, R7, R8, R9 and R10 each independently are selected from hydrogen, halogen (selected from F, Cl, Br or I), a linear or branched alkyl group containing from 1 to 10 carbon atoms and optionally substituted with one or more hetereoatoms such as halogen (selected from F, Cl, Br or I), oxygen, and nitrogen; as well as

trifluoromethyl, C_{1-6}alkyloxy, amino, C_{1-6}alkylamino, di(C_{1-6}alkyl)amino, carboxyl, cyano, nitro, formyl, hydroxy, and CO-R, COO-R, CONR-R', SO2-R, and SO2NR-R' wherein R and R' each independently are selected from hydrogen, alkyl, aryl or heteroaryl group.


3. A compound according to claim 1 of formula III:



FORMULA III

Wherein Z is Aryl[1] or heteroaryl[1], R1, R2, R3, X, V, W, Aryl[1] and heteroaryl[1] have the meaning described in claim 1.

4. The compound of claim 1 having the following formula Ia:




Formula Ia

Wherein, A, Q, R1, R2, R3, and V are as defined in claims 1 to 3, and W1 is selected from one or more of the following : hydrogen, halogen (selected from F, Cl,

Br or I), a linear or branched alkyl group containing from 1 to 10 carbon atoms and optionally substituted with one or more hetereoatoms such as halogen (selected from F, Cl, Br or I), oxygen, and nitrogen; as well as trifluoromethyl, C_{1-6}alkyloxy, amino, C_{1-6}alkylamino, di(C_{1-6}alkyl)amino, carboxyl, cyano, nitro, formyl, hydroxy, CO-R, COO-R, CONR-R', SO2-R, and SO2NR-R' wherein R and R' each independently are selected from hydrogen, alkyl, aryl or heteroaryl group.


5. The compound of claim 1 represented by formula IIa below:



Formula IIa

Wherein, R1, R2, R3, R6, R7, R8, R9 and R10, V and W1 have the meaning described in claims 1 to 4.

6. The compound of claim 1 represented by formula IIIa below:



Formula IIIa

Wherein, R1, R2, R3, V, W1 and Z have the meaning described in claims 1 to 4.

7. A compound as claimed in claim 1 selected from:

- (4-Methyl-pyridin-2-yl)-[6-(2-phenethyl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4-Methyl-pyridin-2-yl)-[3-(2-phenylsulfanyl-oxazol-5-yl)-phenyl]-amine
- (3-{2-[2-(4-Methoxy-phenyl)-vinyl]-oxazol-5-yl}-phenyl)-(4-methyl-pyridin-2-yl)-amine
- (6-{2-[2-(4-Methoxy-phenyl)-vinyl]-oxazol-5-yl}-pyridin-2-yl)-(4-methyl-pyridin-2-yl)-amine
- (4-Methyl-pyridin-2-yl)-[6-(2-styryl-oxazol-5-yl)-pyridin-2-yl]-amine
- Pyridin-2-yl-[6-(2-styryl-oxazol-5-yl)-pyridin-2-yl]-amine
- (6-{2-[2-(4-Methoxy-phenyl)-vinyl]-oxazol-5-yl}-pyridin-2-yl)-pyridin-2-yl-amine
- (6-{2-[2,6-Dimethyl-4-(2-morpholin-4-yl-ethoxy)-phenyl]-oxazol-5-yl}-pyridin-2-yl)-(4-methyl-pyridin-2-yl)-amine
- (5-Chloro-pyridin-2-yl)-[6-(2-phenyl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4-Methyl-piperazin-1-yl)-(3-{5-[3-(4-methyl-pyridin-2-ylamino)-phenyl]-oxazol-2-yl}-phenyl)-methanone
- 3-(4-Methyl-pyridin-2-ylamino)-5-(2-thiophen-3-yl-oxazol-5-yl)-benzonitrile
- 4-{5-[6-(5-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-thiazol-2-yl}-benzonitrile
- {6-[2-(4-Methoxy-phenyl)-thiazol-5-yl]-pyridin-2-yl}-(6-methyl-pyridin-2-yl)-amine
- (4-Methyl-pyridin-2-yl)-{3-[2-(3-trifluoromethyl-phenyl)-oxazol-5-yl]-phenyl}-amine
- 4-(2-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-vinyl)-benzonitrile
- 4-(2-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-ethyl)-benzonitrile
- (4-methyl-pyridin-2-yl)-[6-(2-pyridin-3-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- N-(2-Hydroxy-ethyl)-N-methyl-3-{5-[6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-benzenesulfonamide
- (4-methyl-pyridin-2-yl)-{6-[2-(3-pyrrolidin-1-ylmethyl-phenyl)-oxazol-5-yl]-pyridin-2-yl}-amine hydrochloride
- (4-methyl-pyridin-2-yl)-{6-[2-(3-morpholin-4-ylmethyl-phenyl)-oxazol-5-yl]-pyridin-2-yl}-amine hydrochloride
- (5-chloro-pyridin-2-yl)-[6-(2-thiophen-3-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- {6-[2-(1*H*-indol-5-yl)-oxazol-5-yl]-pyridin-2-yl}-pyrazin-2-yl-amine
- {6-[2-(1*H*-indol-5-yl)-oxazol-5-yl]-5-methyl-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- [6-(2-Cyclohexylsulfanyl-oxazol-5-yl)-pyridin-2-yl]-(4-methyl-pyridin-2-yl)-amine
- 5-[6-(4-methylpyridin-2-ylamino)pyridin-2-yl]-*N*-(pyridin-4-ylmethyl) oxazol-2-amine
- N-(4-Methoxybenzyl)-5-[6-(4-methylpyridin-2-ylamino)pyridin-2-yl]oxazol-2-amine
- 4-{5-[6-(4-methylpyridin-2-ylamino)pyridin-2-yl]- oxazol-2-yl}-piperazine-2-one
- {6-[2-(4-Methyl-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-yl}-(3-trifluoromethyl-phenyl)-amine
- (6-{2-[4-(2-Methoxy-ethyl)-piperazin-1-yl]-oxazol-5-yl}-pyridin-2-yl)-(4-methyl-pyridin-2-yl)-amine
- 1-(2-Methoxy-ethyl)-4-{5-[3-(4-methyl-pyrimidin-2-ylamino)-phenyl]-oxazol-2-yl}-piperazin-2-one

- 3-{2-[(2-methoxy-ethyl)-methyl-amino]-oxazol-5-yl}-5-(4-methyl-pyridin-2-ylamino)-benzonitrile
- (4-Methyl-pyridin-2-yl)-[6-(2-pyridin-2-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4-Methyl-pyridin-2-yl)-[6-(2-phenyl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4-methyl-pyridin-2-yl)-(3-{2-[2-(3-trifluoromethyl-phenyl)-vinyl]-oxazol-5-yl}-phenyl)-amine
- {6-[2-(2-Methoxy-pyridin-3-yl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- 3-{5-[6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-1H-pyridin-2-one
- 3-{5-[6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-1-(2-morpholin-4-yl-ethyl)-1H-pyridin-2-one
- (4-Methyl-pyridin-2-yl)-[6-(2-phenylethynyl-oxazol-5-yl)-pyridin-2-yl]-amine
- [6-(2-benzoxazole-2-yl-oxazol-5-yl)-pyridin-2-yl]-(4-methyl-pyridin-2-yl)-amine
- (4-Methyl-pyridin-2-yl)-[6-(2-pyridin-3-yl-thiazol-5-yl)-pyridin-2-yl]-amine
- E-(4-Methyl-pyridin-2-yl)-[6-(2-styryl-thiazol-5-yl)-pyridin-2-yl]-amine
- 6-(2-(4-methoxyphenyl)thiazol-5-yl)-N-(4-methylpyridin-2-yl)pyridin-2-amine
- N-(3-(2-(4-methoxyphenyl)thiazol-5-yl)phenyl)-4-methylpyridin-2-amine
- 4-(5-(6-(4-methylpyridin-2-ylamino)pyridin-2-yl)thiazol-2-yl)benzonitrile
- 4-(5-(6-(4-methylpyridin-2-ylamino)pyridin-2-yl)thiazol-2-yl)benzamide
- 6-(2-(4-methoxyphenyl)thiazol-5-yl)-N-(5-methylpyridin-2-yl)pyridin-2-amine
- 3-(5-(6-(4-methylpyrimidin-2-ylamino)pyridin-2-yl)thiazol-2-yl)benzonitrile
- (4-Methyl-pyridin-2-yl)-[6-{2-[3-(2-morpholin-4-yl-ethoxy)-phenyl]-oxazol-5-y}-pyridin-2-yl]-amine
- (4-Methyl-pyridin-2-yl)-[6-(2-phenyl-thiazol-5-yl)-pyridin-2-yl]-amine
- (4-Methyl-pyridin-2-yl)-[6-{2-[3-(2-morpholin-4-yl-ethoxy)-phenyl]-oxazol-5-y}-pyridin-2-yl]-amine
- (4-Methyl-pyridin-2-yl)-(6-{2-[2-(2-morpholin-4-yl-ethoxy)-phenyl]-oxazol-5-yl}-pyridin-2-yl)-amine
- {6-[2-(2-Methoxy-phenyl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- {6-[2-(2,4-Dimethoxy-phenyl)-thiazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- (4-Methyl-pyridin-2-yl)-[6-(2-o-tolyl-oxazol-5-yl)-pyridin-2-yl]-amine
- {6-[2-(2,6-Dimethyl-phenyl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- 4-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-benzonitrile
- 3-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-thiazol-2-yl}-benzonitrile
- (4-Methyl-pyridin-2-yl)-{6-[2-(3-trifluoromethyl-phenyl)-oxazol-5-yl]-pyridin-2-yl}-amine
- (4-Methyl-pyridin-2-yl)-{6-[2-(4-trifluoromethyl-phenyl)-oxazol-5-yl]-pyridin-2-yl}-amine
- (4-Methyl-piperazin-1-yl)-(3-{5-[6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-phenyl)-methanone
- 3-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-thiazol-2-yl}-benzamide
- {6-[2-(1H-Indol-5-yl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- [6-(2-Furan-2-yl-oxazol-5-yl)-pyridin-2-yl]-(4-methyl-pyridin-2-yl)-amine
- 4-{5-[6-(3-Trifluoromethyl-phenylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazin-2-one
- {5-Methyl-6-[2-(4-methyl-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- 4-{5-[3-Methyl-6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazin-2-one
- (4-Methyl-pyridin-2-yl)-[5-methyl-6-(2-thiophen-3-yl-oxazol-5-yl)-pyridin-2-yl]-amine

- 1-(2-Methoxy-ethyl)-4-{5-[3-methyl-6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazin-2-one
- 4-{5-[3-Fluoro-6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-1-(2-methoxy-ethyl)-piperazin-2-one
- 4-{5-[3-Fluoro-6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazin-2-one
- (5-Fluoro-6-{2-[4-(4-methyl-piperazin-1-yl)-phenyl]-oxazol-5-yl}-pyridin-2-yl)-(4-methyl-pyridin-2-yl)-amine
- 1-{5-[6-(Pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperidine-4-carboxylic acid amide
- (4-Methyl-pyridin-2-yl)-[6-(2-pyridin-2-yl-thiazol-5-yl)-pyridin-2-yl]-amine
- (4-Methyl-pyridin-2-yl)-[6-(2-thiophen-2-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- [6-(2-Benzo[b]-thiophen-2-yl-thiazol-5-yl)-pyridin-2-yl]-(4-methyl-pyridin-2-yl)-amine
- (4-Methyl-pyridin-2-yl)-[6-(2-thiophen-3-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- {6-[2-(2-Methoxy-4-methyl-pyridin-3-yl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- {6-[2-(6-Methoxy-pyridin-3-yl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- {6-[2-(2,4-Dimethoxy-phenyl)-thiazol-5-yl]-pyridin-2-yl}-(5-methyl-pyridin-2-yl)-amine
- 3-{5-[6-(5-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-thiazol-2-yl}-benzonitrile
- 5-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-1H-pyridin-2-one
- 3-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-1-(2-pyrrolidin-1-yl-ethyl)-1H-pyridin-2-one
- 5-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-1-(2-morpholin-4-yl-ethyl)-1H-pyridin-2-one
- [6-(2-Benzofuran-2-yl-oxazol-5-yl)-pyridin-2-yl]-(4-methyl-pyridin-2-yl)-amine
- 3-{5-[6-(5-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-thiazol-2-yl}-benzamide
- (4-Methyl-pyridin-2-yl)-(6-{2-[2-(4-trifluoromethoxy-phenyl)-vinyl]-oxazol-5-yl}-pyridin-2-yl)-amine
- {6-[2-(4-Methoxy-phenylethynyl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- 4-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-ylethynyl}-benzonitrile
- (5-Methyl-pyridin-2-yl)-[6-(2-pyridin-2-yl-thiazol-5-yl)-pyridin-2-yl]-amine
- (4-Methyl-pyridin-2-yl)-[6-(2-pyrrolidin-1-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4-Methyl-pyridin-2-yl)-[6-(2-piperidin-1-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4-Methyl-pyridin-2-yl)-[6-(2-morpholin-4-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- 4-{5-[6-(4-Methylpyrimidin-2-ylamino)-pyridin-2-yl]-thiazol-2-yl}-benzonitrile
- 4-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazin-2-one
- (4-Methyl-pyridin-2-yl)-[6-(2-thiomorpholin-4-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- {6-[2-(4-Methyl-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- (4-Methyl-pyrimidin-2-yl)-[6-(2-pyridin-2-yl-thiazol-5-yl)-pyridin-2-yl]-amine
- 1-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperidine-4-carboxylic acid amide
- (4-Methyl-pyridin-2-yl)-{6-[2-(2-methoxyethylamino)oxazol-5-yl])-pyridin-2-yl}-amine
- (4-Methyl-pyridin-2-yl)-{6-[2-(2-morpholin-4-yl-ethyl)-amino-oxazol-5-yl])-pyridin-2-yl}-amine
- 1-(2-Methoxy-ethyl)-4-{5-[6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazin-2-one
- 3-{5-[6-(4-Methyl-pyrimidin-2-ylamino)-pyridin-2-yl]-thiazol-2-yl}-benzamide

- [6-(2-Cyclopentyl-sulfanyl-oxazol-5-yl)-pyridin-2-yl]-(4-methyl-pyridin-2-yl)-amine
- (3-Methyl-pyridin-2-yl)-[6-(2-phenyl-oxazol-5-yl)-pyridin-2-yl]-amine
- {6-[2-(1H-Indol-5-yl)-oxazol-5-yl]-pyridin-2-yl}-(3-methyl-pyridin-2-yl)-amine
- (3-Methyl-pyridin-2-yl)-[6-(2-thiophen-3-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- (5-Methyl-pyridin-2-yl)-[6-(2-phenyl-oxazol-5-yl)-pyridin-2-yl]-amine
- (5-Methyl-pyridin-2-yl)-[6-(2-thiophen-3-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- {6-[2-(1H-Indol-5-yl)-oxazol-5-yl]-pyridin-2-yl}-(5-methyl-pyridin-2-yl)-amine
- (5-Methyl-pyridin-2-yl)-[6-(2-pyrrolidin-1-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- 4-{5-[6-(5-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazine-2-one
- {6-[2-(4-Methyl-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-yl}-(5-methyl-pyridin-2-yl)-amine
- (4-Chloro-pyridin-2-yl)-[6-(2-thiophen-3-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4-Chloro-pyridin-2-yl)-{6-[2-(1H-indol-5-yl)-oxazol-5-yl]-pyridin-2-yl}-amine
- (4-Chloro-pyridin-2-yl)-[6-(2-thiophen-2-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4-Chloro-pyridin-2-yl)-[6-(2-furan-2-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- (5-Chloro-pyridin-2-yl)-{6-[2-(1H-indol-5-yl)-oxazol-5-yl]-pyridin-2-yl}-amine
- (5-Chloro-pyridin-2-yl)-[6-(2-pyrrolidin-1-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- 4-{5-[6-(5-Chloro-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazine-2-one
- (5-Chloro-pyridin-2-yl)-{6-[2-(4-methyl-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-yl}-amine
- (5-Chloro-pyridin-2-yl)-{6-[2-(2-methoxyethyl)-methyl-amino-oxazol-5-yl}-pyridin-2-yl}-amine
- (4,6-Dimethyl-pyridin-2-yl)-[6-(2-phenyl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4,6-Dimethyl-pyridin-2-yl)-[6-(2-thiophen-3-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4,6-Dimethyl-pyridin-2-yl)-{6-[2-(1H-indol-5-yl)-oxazol-5-yl]-pyridin-2-yl}-amine
- (4,6-Dimethyl-pyridin-2-yl)-[6-(2-pyrrolidin-1-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- 4-{5-[6-(4,6-Dimethyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazine-2-one
- 4-{5-[6-(4-Ethyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazine-2-one
- 2-{6-[2-(3-Oxo-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-ylamino}-isonicotinonitrile
- 4-{5-[6-(5-Trifluoromethyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazine-2-one
- 4-{5-[6-(5-Trifluoromethyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazin-2-one
- (6-{2-[2-(4-Methoxy-phenyl)-vinyl]-oxazol-5-yl}-pyridin-2-yl)-
- [4-(2-morpholin-4-yl-ethoxy)-pyridin-2-yl]-amine
- (6-{2-[2-(4-Methoxy-phenyl)-vinyl]-oxazol-5-yl}-pyridin-2-yl)-(4-methyl-pyrimidin-2-yl)-amine
- 4-{5-[6-(Pyrazin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazine-2-one
- {6-[2-(4-Methyl-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-yl}-(5-methyl-thiazol-2-yl)-amine
- 4-{5-[6-(4-Methyl-thiazol-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazine-2-one
- {6-[2-(4-Methyl-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-thiazol-2-yl)-amine
- (4-Methyl-pyridin-2-yl)-[3-(2-styryl-oxazol-5-yl)-phenyl]-amine
- (3-{2-[2-(2,4-Difluoro-phenyl)-vinyl]-oxazol-5-yl}-phenyl)-(4-methyl-pyridin-2-yl)-amine
- (4-Methyl-pyridin-2-yl)-[3-(2-thiophen-3-yl-oxazol-5-yl)-phenyl]-amine
- {3-[2-(2,4-Dimethoxy-phenyl)-oxazol-5-yl]-phenyl}-(4-methyl-pyridin-2-yl)-amine
- {3-[2-(1H-Indol-5-yl)-oxazol-5-yl]-phenyl}-(4-methyl-pyridin-2-yl)-amine
- 1-{5-[3-(4-Methyl-pyridin-2-ylamino)-phenyl]-oxazol-2-yl}-piperidine-4-carboxylic acid amide
- (4-Methyl-pyridin-2-yl)-[3-(2-morpholin-4-yl-oxazol-5-yl)-phenyl]-amine
- (4-Methyl-pyridin-2-yl)-(3-{2-[(pyridin-2-ylmethyl)-amino]-oxazol-5-yl}-phenyl)-amine

- [3-(2-Benzylamino-oxazol-5-yl)-phenyl]-(4-methyl-pyridin-2-yl)-amine
- 4-{5-[3-(4-Methyl-pyrimidin-2-ylamino)-phenyl]-oxazol-2-yl}-piperazine-2-one
- {3-[2-(4-Methyl-piperazin-1-yl)-oxazol-5-yl]-phenyl}-(4-methyl-pyrimidin-2-yl)-amine
- (4,6-Dimethyl-pyridin-2-yl)-{3-[2-(1H-indol-5-yl)-oxazol-5-yl]-phenyl}-amine
- 3-(4-Methyl-pyridin-2-ylamino)-5-[2-(3-oxo-piperazin-1-yl)-oxazol-5-yl]-benzonitrile
- 3-[2-(4-Methyl-piperazin-1-yl)-oxazol-5-yl]-5-(4-methyl-pyridin-2-ylamino)-benzonitrile
- 4-{5-[3-(4-Methyl-pyridin-2-ylamino)-5-trifluoromethoxy-phenyl]-oxazol-2-yl}-piperazin-2-one
- {3-[2-(4-Methyl-piperazin-1-yl)-oxazol-5-yl]-5-trifluoromethoxy-phenyl}-(4-methyl-pyridin-2-yl)-amine
- 4-{5-[4-Methyl-3-(4-methyl-pyridin-2-ylamino)-phenyl]-oxazol-2-yl}-piperazin-2-one
- {5-[2-(1H-Indol-5-yl)-oxazol-5-yl]-2-methyl-phenyl}-(4-methyl-pyridin-2-yl)-amine
- 4-[5-(6-m-Tolylamino-pyridin-2-yl)-oxazol-2-yl]-piperazine-2-one
- {6-[2-(4-Methyl-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-yl}-m-tolylamine
- (6-{2-[(2-Methoxy-ethyl)-methyl-amino]-oxazol-5-yl}-pyridin-2-yl)-m-tolylamine
- (4-Methyl-pyrimidin-2-yl)-[3-(2-pyridin-2-yl-thiazol-5-yl)-phenyl]-amine
- (3,5-Dimethyl-phenyl)-{6-[2-(1H-indol-5-yl)-oxazol-5-yl]-pyridin-2-yl}-amine
- 4-{5-[6-(4-Chloro-phenylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazine-2-one
- (4-Chloro-phenyl)-{6-[2-(4-methyl-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-yl}-amine
- {6-[2-(4-Methoxy-phenyl)-thiazol-5-yl]-pyridin-2-yl}-m-tolyl-amine
- 4-{5-[6-(5-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-thiazol-2-yl}-benzamide

8. A pharmaceutical composition comprising a compound according to one of claims 1 to 7.

9. A cosmetic composition for topical administration comprising a compound according to one of claims 1 to 7.

10. Use of a compound according to one of claims 1 to 7 for the manufacture of a medicament.

11. Use according to claim 10 to manufacture a medicament for treating hematological malignancies, myeloproliferative disorder, other proliferative disorders, autoimmune disorders, inflammatory diseases, allergic diseases and/or neurological diseases.

12. Use according to claim 11, wherein the hematological malignancies is acute myeloid leukemias (AML), myelodysplastic syndromes (MDS), acute lymphoblastic leukemia (ALL), and/or chronic myeloid leukemia (CML).

13. Use according to claim 11, wherein proliferative disorder is cancer.

14. Use according to claim 11, wherein autoimmune disorders is multiple sclerosis, psoriasis, intestine inflammatory disease, ulcerative colitis, Crohn's disease, rheumatoid arthritis and polyarthritis, local and systemic scleroderma, systemic lupus erythematosus, discoid lupus erythematosus, cutaneous lupus, dermatomyositis, polymyositis, Sjogren's syndrome, nodular panarteritis, autoimmune enteropathy, atopic dermatitis and/or proliferative glomerulonephritis.

15. Use according to claim 11, wherein allergic diseases is asthma, allergic rhinitis, allergic sinusitis, anaphylactic syndrome, urticaria, angioedema, atopic dermatitis, allergic contact dermatitis, erythema nodosum, erythema multiforme, cutaneous necrotizing venulitis and insect bite skin inflammation and/or blood sucking parasitic infestation.

16. Use according to claim 11, wherein neurological diseases is Huntington's disease, schizophrenia, Parkinson's disease and/or Alzheimer's disease.

17. Use of a compound according to any one of claims 1 to 7 for the manufacture of a medicament that act as an inhibitor of protein kinases.

18. Use according to claim 17 wherein the protein kinase is Flt-3 or syk.

19. A method for treating or preventing a protein kinase, and in particular a tyrosine kinase, and more particularly a Flt-3 and/or syk related disease or disorder in a subject comprising administration to the subject an effective amount of a compound of Formula I according to any one of claims 1 to 7.

20. A pharmaceutical composition comprising an effective amount of a combination of a compound according to any one of claims 1 to 7 and another molecularly targeted agent.

21. A method for preventing or treating haematological malignancies, myeloproliferative disorder, other proliferative disorders, autoimmune disorders and skin disorders, comprising simultaneously or sequentially administering to a human or animal subject in need thereof a compound according to any one of claims 1 to 7 in combination with another molecularly targeted agent, in sufficient amounts to provide a therapeutic effect.

22. Use of a compound according to any one of claims 1 to 7 together with another molecularly targeted agent, for the manufacture of a medicament for the treatment of haematological malignancies, myeloproliferative disorder, other proliferative disorders, autoimmune disorders and skin disorders.

23. A compound selected from:

(4-methyl-pyridin-2-yl)-(6-oxazol-5-yl-pyridin-2-yl)-amine

[6-(2-Chloro-oxazol-5-yl)-pyridin-2-yl]-(4-methyl-pyridin-2-yl)-amine

[6-(2-iodo-oxazol-5-yl)-pyridin-2-yl]-(4-methyl-pyridin-2-yl)-amine

2-Bromo-6-(2-pyridin-3-yl-thiazol-5-yl)-pyridine


2-Bromo-6-(2-[1,3]dioxolan-2-yl-thiazol-5-yl)-pyridine

[6-(2-[1,3]Dioxolan-2-yl-thiazol-5-yl)-pyridin-2-yl]-(4-methyl-pyridin-2-yl)-amine

5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-thiazole-2-carbaldehyde

We claim:

1. A compound of formula I:



FORMULA I

wherein substituents A, Q, X, R1, R2, R3, V and W in Formula I are defined as follows:

A is one of the following:

i) $N(R4)(CH2)_n$ where n is $0<n<3$

ii) $O(CH2)_n$ where n is $0<n<3$

iii) $S(CH2)_n$ where n is $0<n<3$

iv) $(CH2)_n$ where n is $0\leq n<4$

v) $C(O)(CH2)_n$ where n is $0<n<3$

vi) C(R4)=C(R5)

vii) C≡C(R5)

R4 and R5 each independently are hydrogen, C_{1-4}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{3-7}cycloalkyl, C_{1-4}haloalkyl, C_{1-4}alkoxy, C_{1-4}hydroxyalkyl, C_{1-4}alkylamino;

X is CH or N;

V is O;

Q is selected from:

i) an $alkyl^1$ group, or

ii) an aryl[1] group, or
iii) an heteroaryl[1] group;

an alkyl[1] group is defined as a linear, branched or cycloalkyl group containing from 1 to 10 carbon atoms and optionally substituted with one or more hetereoatoms selected from halogen, oxygen, and nitrogen; trifluoromethyl, carboxyl, cyano, nitro, formyl; CO-R, COO-R, CONR-R', SO2-R, and SO2NR-R' wherein R and R' are a linear or branched alkyl group containing 1 to 10 carbon atoms and optionally substituted with at least one heteroatom, selected from a halogen, oxygen, and nitrogen; or a cycloalkyl group;

an aryl[1] group is defined as phenyl or a substituted variant thereof bearing any combination, at any one ring position, of one or more substituents selected from

- halogen;
- an alkyl[1] group;
- an aryl or heteroaryl group;
- trifluoromethyl, O-alkyl, carboxyl, cyano, nitro, formyl, hydroxy, NH-alkyl, N(alkyl)(alkyl), and amino group;
- NRCO-R' or NRCOO-R' or NRCONR'-R" or NRSO2-R' or NRSO2NR'-R" or CO-R or COO-R or CONR-R' or SO2-R or or SO2NRR' wherein R, R' and R" each independently are selected from hydrogen, alkyl, aryl or heteroaryl group;


an heteroaryl[1] group is defined as a pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, thienyl, thiazolyl, imidazolyl, pyrazolyl, pyrrolyl, furanyl, oxazolyl, isoxazolyl, triazolyl, tetrazolyl, indolyl, benzimidazole, benzoxazole, benzothiazole, quinolinyl group, which may additionally bear any combination, at any one ring position, of one or more substituents selected from

- halogen;
- an alkyl[1] group;
- an aryl or heteroaryl group,
- trifluoromethyl, O-alkyl, carboxyl, cyano, nitro, formyl, hydroxy, NH-alkyl, N(alkyl)(alkyl), and amino group;
- NRCO-R' or NRCOO-R' or NRCONR'-R" or NRSO2-R' or NRSO2NR'-R" or CO-R or COO-R or CONR-R' or SO2-R or or SO2NRR' wherein R, R' and R" each independently are selected from hydrogen, alkyl, aryl or heteroaryl group;

R1, R2 and R3 each independently are selected from hydrogen, halogen, a linear or branched alkyl group containing from 1 to 10 carbon atoms and optionally substituted with one or more hetereoatoms selected from halogen, oxygen, and nitrogen; trifluoromethyl, C_{1-6}alkyloxy, amino, C_{1-6}alkylamino, di(C_{1-6}alkyl)amino, carboxyl, cyano, nitro, formyl, hydroxy, and CO-R, COO-R, CONR-R', SO2-R, and SO2NR-R' wherein R and R' corresponds to hydrogen, alkyl, aryl or heteroaryl group;

W is aryl[1] or heteroaryl[1].


2. A compound according to claim 1 of formula II:



FORMULA II

Wherein R1, R2, R3, X, V and W have the meaning described in claim 1, and
Wherein R6, R7, R8, R9 and R10 each independently are selected from hydrogen, halogen, a linear or branched alkyl group containing from 1 to 10 carbon atoms and optionally substituted with one or more hetereoatoms selected from halogen, oxygen, and nitrogen; trifluoromethyl, C_{1-6}alkyloxy, amino, C_{1-6}alkylamino, di(C_{1-6}alkyl)amino, carboxyl, cyano, nitro, formyl, hydroxy, and CO-R, COO-R, CONR-R', SO2-R, and SO2NR-R' wherein R and R' each independently are selected from hydrogen, alkyl, aryl or heteroaryl group.


3. A compound according to claim 1 of formula III:



FORMULA III

Wherein Z is Aryl[1] or heteroaryl[1]. R1, R2, R3, X, V, W, Aryl[1] and heteroaryl[1] have the meaning described in claim 1.


4. The compound of claim 1 having the following formula Ia:



Formula Ia

Wherein, A, Q, R1, R2, R3, and V are as defined in any one of claims 1 to 3, and W1 is selected from one or more of the following : hydrogen, halogen, a linear or branched alkyl group containing from 1 to 10 carbon atoms and optionally substituted with one or more hetereoatoms selected from halogen, oxygen, and nitrogen; trifluoromethyl, C_{1-6}alkyloxy, amino, C_{1-6}alkylamino, di(C_{1-6}alkyl)amino, carboxyl, cyano, nitro, formyl, hydroxy, CO-R, COO-R, CONR-R', SO2-R, and SO2NR-R' wherein R and R' each independently are selected from hydrogen, alkyl, aryl or heteroaryl group.


5. The compound of claim 1 represented by formula IIa below:



Formula IIa

Wherein, R1, R2, R3, R6, R7, R8, R9 and R10, V and W1 have the meaning described in any one of claims 1 to 4.

6. The compound of claim 1 represented by formula IIIa below:



Formula IIIa

Wherein, R1, R2, R3, V, W1 and Z have the meaning described in any one of claims 1 to 4.

7. The compound of any one of claims 1 to 3, wherein X is CH.

8. A compound as claimed in claim 1 selected from:

- (4-Methyl-pyridin-2-yl)-[6-(2-phenethyl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4-Methyl-pyridin-2-yl)-[3-(2-phenylsulfanyl-oxazol-5-yl)-phenyl]-amine
- (3-{2-[2-(4-Methoxy-phenyl)-vinyl]-oxazol-5-yl}-phenyl)-(4-methyl-pyridin-2-yl)-amine
- (6-{2-[2-(4-Methoxy-phenyl)-vinyl]-oxazol-5-yl}-pyridin-2-yl)-(4-methyl-pyridin-2-yl)-amine
- (4-Methyl-pyridin-2-yl)-[6-(2-styryl-oxazol-5-yl)-pyridin-2-yl]-amine
- Pyridin-2-yl-[6-(2-styryl-oxazol-5-yl)-pyridin-2-yl]-amine
- (6-{2-[2-(4-Methoxy-phenyl)-vinyl]-oxazol-5-yl}-pyridin-2-yl)-pyridin-2-yl-amine
- (6-{2-[2,6-Dimethyl-4-(2-morpholin-4-yl-ethoxy)-phenyl]-oxazol-5-yl}-pyridin-2-yl)-(4-methyl-pyridin-2-yl)-amine
- (5-Chloro-pyridin-2-yl)-[6-(2-phenyl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4-Methyl-piperazin-1-yl)-(3-{5-[3-(4-methyl-pyridin-2-ylamino)-phenyl]-oxazol-2-yl}-phenyl)-methanone
- 3-(4-Methyl-pyridin-2-ylamino)-5-(2-thiophen-3-yl-oxazol-5-yl)-benzonitrile
- (4-Methyl-pyridin-2-yl)-{3-[2-(3-trifluoromethyl-phenyl)-oxazol-5-yl]-phenyl}-amine
- 4-(2-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-vinyl)-benzonitrile
- 4-(2-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-ethyl)-benzonitrile
- (4-methyl-pyridin-2-yl)-[6-(2-pyridin-3-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- N-(2-Hydroxy-ethyl)-N-methyl-3-{5-[6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-benzenesulfonamide
- (4-methyl-pyridin-2-yl)-{6-[2-(3-pyrrolidin-1-ylmethyl-phenyl)-oxazol-5-yl]-pyridin-2-yl}-amine hydrochloride
- (4-methyl-pyridin-2-yl)-{6-[2-(3-morpholin-4-ylmethyl-phenyl)-oxazol-5-yl]-pyridin-2-yl}-amine hydrochloride
- (5-chloro-pyridin-2-yl)-[6-(2-thiophen-3-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- {6-[2-(1*H*-indol-5-yl)-oxazol-5-yl]-pyridin-2-yl}-pyrazin-2-yl-amine
- {6-[2-(1H-indol-5-yl)-oxazol-5-yl]-5-methyl-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- [6-(2-Cylohexylsulfanyl-oxazol-5-yl)-pyridin-2-yl]-(4-methyl-pyridin-2-yl)-amine
- 5-[6-(4-methylpyridin-2-ylamino)pyridin-2-yl]-*N*-(pyridin-4-ylmethyl) oxazol-2-amine
- N-(4-Methoxybenzyl)-5-[6-(4-methylpyridin-2-ylamino)pyridin-2-yl]oxazol-2-amine
- 4-{5-[6-(5-methyl-thiazol-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazin-2-one
- {6-[2-(4-Methyl-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-yl}-(3-trifluoromethyl-phenyl)-amine
- (6-{2-[4-(2-Methoxy-ethyl)-piperazin-1-yl]-oxazol-5-yl}-pyridin-2-yl)-(4-methyl-pyridin-2-yl)-amine
- 1-(2-Methoxy-ethyl)-4-{5-[3-(4-methyl-pyrimidin-2-ylamino)-phenyl]-oxazol-2-yl}-piperazin-2-one
- 3-{2-[(2-methoxy-ethyl)-methyl-amino]-oxazol-5-yl}-5-(4-methyl-pyridin-2-ylamino)-benzonitrile
- (4-Methyl-pyridin-2-yl)-[6-(2-pyridin-2-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4-Methyl-pyridin-2-yl)-[6-(2-phenyl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4-methyl-pyridin-2-yl)-(3-{2-[2-(3-trifluoromethyl-phenyl)-vinyl]-oxazol-5-yl}-phenyl)-amine
- {6-[2-(2-Methoxy-pyridin-3-yl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- 3-{5-[6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-1H-pyridin-2-one
- 3-{5-[6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-1-(2-morpholin-4-yl-ethyl)-1H-pyridin-2-one
- (4-Methyl-pyridin-2-yl)-[6-(2-phenylethynyl-oxazol-5-yl)-pyridin-2-yl]-amine

- [6-(2-benzoxazole-2-yl-oxazol-5-yl)-pyridin-2-yl]-(4-methyl-pyridin-2-yl)-amine
- (4-Methyl-pyridin-2-yl)-[6-{2-[3-(2-morpholin-4-yl-ethoxy)-phenyl]-oxazol-5-y}-pyridin-2-yl]-amine
- (4-Methyl-pyridin-2-yl)-[6-{2-[3-(2-morpholin-4-yl-ethoxy)-phenyl]-oxazol-5-y}-pyridin-2-yl]-amine
- (4-Methyl-pyridin-2-yl)-(6-{2-[2-(2-morpholin-4-yl-ethoxy)-phenyl]-oxazol-5-yl}-pyridin-2-yl)-amine
- {6-[2-(2-Methoxy-phenyl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- (4-Methyl-pyridin-2-yl)-[6-(2-o-tolyl-oxazol-5-yl)-pyridin-2-yl]-amine
- {6-[2-(2,6-Dimethyl-phenyl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- 4-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-benzonitrile
- (4-Methyl-pyridin-2-yl)-{6-[2-(3-trifluoromethyl-phenyl)-oxazol-5-yl]-pyridin-2-yl}-amine
- (4-Methyl-pyridin-2-yl)-{6-[2-(4-trifluoromethyl-phenyl)-oxazol-5-yl]-pyridin-2-yl}-amine
- (4-Methyl-piperazin-1-yl)-(3-{5-[6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-phenyl)-methanone
- {6-[2-(1H-Indol-5-yl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- [6-(2-Furan-2-yl-oxazol-5-yl)-pyridin-2-yl]-(4-methyl-pyridin-2-yl)-amine
- 4-{5-[6-(3-Trifluoromethyl-phenylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazin-2-one
- {5-Methyl-6-[2-(4-methyl-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- 4-{5-[3-Methyl-6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazin-2-one
- (4-Methyl-pyridin-2-yl)-[5-methyl-6-(2-thiophen-3-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- 1-(2-Methoxy-ethyl)-4-{5-[3-methyl-6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazin-2-one
- 4-{5-[3-Fluoro-6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-1-(2-methoxy-ethyl)-piperazin-2-one
- 4-{5-[3-Fluoro-6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazin-2-one
- (5-Fluoro-6-{2-[4-(4-methyl-piperazin-1-yl)-phenyl]-oxazol-5-yl}-pyridin-2-yl)-(4-methyl-pyridin-2-yl)-amine
- 1-{5-[6-(Pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperidine-4-carboxylic acid amide
- (4-Methyl-pyridin-2-yl)-[6-(2-thiopen-2-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4-Methyl-pyridin-2-yl)-[6-(2-thiophen-3-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- {6-[2-(2-Methoxy-4-methyl-pyridin-3-yl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- {6-[2-(6-Methoxy-pyridin-3-yl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- 5-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-1H-pyridin-2-one
- 3-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-1-(2-pyrrolidin-1-yl-ethyl)-1H-pyridin-2-one
- 5-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-1-(2-morpholin-4-yl-ethyl)-1H-pyridin-2-one
- [6-(2-Benzofuran-2-yl-oxazol-5-yl)-pyridin-2-yl]-(4-methyl-pyridin-2-yl)-amine
- (4-Methyl-pyridin-2-yl)-(6-{2-[2-(4-trifluoromethoxy-phenyl)-vinyl]-oxazol-5-yl}-pyridin-2-yl)-amine
- {6-[2-(4-Methoxy-phenylethynyl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- 4-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-ylethynyl}-benzonitrile
- (4-Methyl-pyridin-2-yl)-[6-(2-pyrrolidin-1-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4-Methyl-pyridin-2-yl)-[6-(2-piperidin-1-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4-Methyl-pyridin-2-yl)-[6-(2-morpholin-4-yl-oxazol-5-yl)-pyridin-2-yl]-amine

- 4-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazin-2-one
- (4-Methyl-pyridin-2-yl)-[6-(2-thiomorpholin-4-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- {6-[2-(4-Methyl-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-pyridin-2-yl)-amine
- 1-{5-[6-(4-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperidine-4-carboxylic acid amide
- (4-Methyl-pyridin-2-yl)-{6-[2-(2-methoxyethylamino)oxazol-5-yl])-pyridin-2-yl}-amine
- (4-Methyl-pyridin-2-yl)-{6-[2-(2-morpholin-4-yl-ethyl)-amino-oxazol-5-yl])-pyridin-2-yl}-amine
- 1-(2-Methoxy-ethyl)-4-{5-[6-(4-methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazin-2-one
- [6-(2-Cyclopentyl-sulfanyl-oxazol-5-yl)-pyridin-2-yl]-(4-methyl-pyridin-2-yl)-amine
- (3-Methyl-pyridin-2-yl)-[6-(2-phenyl-oxazol-5-yl)-pyridin-2-yl]-amine
- {6-[2-(1H-Indol-5-yl)-oxazol-5-yl]-pyridin-2-yl}-(3-methyl-pyridin-2-yl)-amine
- (3-Methyl-pyridin-2-yl)-[6-(2-thiophen-3-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- (5-Methyl-pyridin-2-yl)-[6-(2-phenyl-oxazol-5-yl)-pyridin-2-yl]-amine
- (5-Methyl-pyridin-2-yl)-[6-(2-thiophen-3-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- {6-[2-(1H-Indol-5-yl)-oxazol-5-yl]-pyridin-2-yl}-(5-methyl-pyridin-2-yl)-amine
- (5-Methyl-pyridin-2-yl)-[6-(2-pyrrolidin-1-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- 4-{5-[6-(5-Methyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazine-2-one
- {6-[2-(4-Methyl-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-yl}-(5-methyl-pyridin-2-yl)-amine
- (4-Chloro-pyridin-2-yl)-[6-(2-thiophen-3-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4-Chloro-pyridin-2-yl)-{6-[2-(1H-indol-5-yl)-oxazol-5-yl]-pyridin-2-yl}-amine
- (4-Chloro-pyridin-2-yl)-[6-(2-thiophen-2-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4-Chloro-pyridin-2-yl)-[6-(2-furan-2-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- (5-Chloro-pyridin-2-yl)-{6-[2-(1H-indol-5-yl)-oxazol-5-yl]-pyridin-2-yl}-amine
- (5-Chloro-pyridin-2-yl)-[6-(2-pyrrolidin-1-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- 4-{5-[6-(5-Chloro-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazine-2-one
- (5-Chloro-pyridin-2-yl)-{6-[2-(4-methyl-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-yl}-amine
- (5-Chloro-pyridin-2-yl)-{6-[2-(2-methoxyethyl)-methyl-amino-oxazol-5-yl}-pyridin-2-yl}-amine
- (4,6-Dimethyl-pyridin-2-yl)-[6-(2-phenyl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4,6-Dimethyl-pyridin-2-yl)-[6-(2-thiophen-3-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- (4,6-Dimethyl-pyridin-2-yl)-{6-[2-(1H-indol-5-yl)-oxazol-5-yl]-pyridin-2-yl}-amine
- (4,6-Dimethyl-pyridin-2-yl)-[6-(2-pyrrolidin-1-yl-oxazol-5-yl)-pyridin-2-yl]-amine
- 4-{5-[6-(4,6-Dimethyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazine-2-one
- 4-{5-[6-(4-Ethyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazine-2-one
- 2-{6-[2-(3-Oxo-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-ylamino}-isonicotinonitrile
- 4-{5-[6-(5-Trifluoromethyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazine-2-one
- 4-{5-[6-(5-Trifluoromethyl-pyridin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazin-2-one
- (6-{2-[2-(4-Methoxy-phenyl)-vinyl]-oxazol-5-yl}-pyridin-2-yl)-[4-(2-morpholin-4-yl-ethoxy)-pyridin-2-yl]-amine
- (6-{2-[2-(4-Methoxy-phenyl)-vinyl]-oxazol-5-yl}-pyridin-2-yl)-(4-methyl-pyrimidin-2-yl)-amine
- 4-{5-[6-(Pyrazin-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazine-2-one
- 4-{5-[6-(4-Methyl-thiazol-2-ylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazine-2-one
- {6-[2-(4-Methyl-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-yl}-(4-methyl-thiazol-2-yl)-amine
- (4-Methyl-pyridin-2-yl)-[3-(2-styryl-oxazol-5-yl)-phenyl]-amine
- (3-{2-[2-(2,4-Difluoro-phenyl)-vinyl]-oxazol-5-yl}-phenyl)-(4-methyl-pyridin-2-yl)-amine
- (4-Methyl-pyridin-2-yl)-[3-(2-thiophen-3-yl-oxazol-5-yl)-phenyl]-amine

- {3-[2-(2,4-Dimethoxy-phenyl)-oxazol-5-yl]-phenyl}-(4-methyl-pyridin-2-yl)-amine
- {3-[2-(1H-Indol-5-yl)-oxazol-5-yl]-phenyl}-(4-methyl-pyridin-2-yl)-amine
- 1-{5-[3-(4-Methyl-pyridin-2-ylamino)-phenyl]-oxazol-2-yl}-piperidine-4-carboxylic acid amide
- (4-Methyl-pyridin-2-yl)-[3-(2-morpholin-4-yl-oxazol-5-yl)-phenyl]-amine
- (4-Methyl-pyridin-2-yl)-(3-{2-[(pyridin-2-ylmethyl)-amino]-oxazol-5-yl}-phenyl)-amine
- [3-(2-Benzylamino-oxazol-5-yl)-phenyl]-(4-methyl-pyridin-2-yl)-amine
- 4-{5-[3-(4-Methyl-pyrimidin-2-ylamino)-phenyl]-oxazol-2-yl}-piperazine-2-one
- {3-[2-(4-Methyl-piperazin-1-yl)-oxazol-5-yl]-phenyl}-(4-methyl-pyrimidin-2-yl)-amine
- (4,6-Dimethyl-pyridin-2-yl)-{3-[2-(1H-indol-5-yl)-oxazol-5-yl]-phenyl}-amine
- 3-(4-Methyl-pyridin-2-ylamino)-5-[2-(3-oxo-piperazin-1-yl)-oxazol-5-yl]-benzonitrile
- 3-[2-(4-Methyl-piperazin-1-yl)-oxazol-5-yl]-5-(4-methyl-pyridin-2-ylamino)-benzonitrile
- 4-{5-[3-(4-Methyl-pyridin-2-ylamino)-5-trifluoromethoxy-phenyl]-oxazol-2-yl}-piperazin-2-one
- {3-[2-(4-Methyl-piperazin-1-yl)-oxazol-5-yl]-5-trifluoromethoxy-phenyl}-(4-methyl-pyridin-2-yl)-amine
- 4-{5-[4-Methyl-3-(4-methyl-pyridin-2-ylamino)-phenyl]-oxazol-2-yl}-piperazin-2-one
- {5-[2-(1H-Indol-5-yl)-oxazol-5-yl]-2-methyl-phenyl}-(4-methyl-pyridin-2-yl)-amine
- 4-[5-(6-m-Tolylamino-pyridin-2-yl)-oxazol-2-yl]-piperazine-2-one
- {6-[2-(4-Methyl-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-yl}-m-tolylamine
- (6-{2-[(2-Methoxy-ethyl)-methyl-amino]-oxazol-5-yl}-pyridin-2-yl)-m-tolylamine
- (3,5-Dimethyl-phenyl)-{6-[2-(1H-indol-5-yl)-oxazol-5-yl]-pyridin-2-yl}-amine
- 4-{5-[6-(4-Chloro-phenylamino)-pyridin-2-yl]-oxazol-2-yl}-piperazine-2-one
- (4-Chloro-phenyl)-{6-[2-(4-methyl-piperazin-1-yl)-oxazol-5-yl]-pyridin-2-yl}-amine

9. A pharmaceutical composition comprising a compound according to one of claims 1 to 8.

10. A cosmetic composition for topical administration comprising a compound according to one of claims 1 to 8.

11. A compound according to any one or more of claims 1 to 8 for use as a medicament.

12. A compound as defined in any one of claims 1 to 8, for use in treating hematological malignancies, myeloproliferative disorder, other proliferative disorders, autoimmune disorders, inflammatory diseases, allergic diseases and/or neurological diseases.

13. The compound for use according to claim 12, wherein the hematological malignancies is acute myeloid leukemias (AML), myelodysplastic syndromes (MDS), acute lymphoblastic leukemia (ALL), and/or chronic myeloid leukemia (CML).

14. The compound for use according to claim 12, wherein proliferative disorder is cancer.

15. The compound for use according to claim 12, wherein autoimmune disorders is multiple sclerosis, psoriasis, intestine inflammatory disease, ulcerative colitis, Crohn's disease, rheumatoid arthritis and polyarthritis, local and systemic scleroderma, systemic lupus erythematosus, discoid lupus erythematosus, cutaneous lupus, dermatomyositis, polymyositis, Sjogren's syndrome, nodular panarteritis, autoimmune enteropathy, atopic dermatitis and/or proliferative glomerulonephritis.

16. The compound for use according to claim 12, wherein allergic diseases is asthma, allergic rhinitis, allergic sinusitis, anaphylactic syndrome, urticaria, angioedema, atopic dermatitis, allergic contact dermatitis, erythema nodosum, erythema multiforme, cutaneous necrotizing venulitis and insect bite skin inflammation and/or blood sucking parasitic infestation.

17. The compound for use according to claim 12, wherein neurological diseases is Huntington's disease, schizophrenia, Parkinson's disease and/or Alzheimer's disease.

18. A compound according to any one of claims 1 to 8 for use in treating a disease that is improved by inhibiting a protein kinase.

19. The compound for use according to claim 18 wherein the protein kinase is Flt-3 or syk.

20. A pharmaceutical composition comprising an effective amount of a combination of a compound according to any one of claims 1 to 8 and another molecularly targeted agent.

21. A pharmaceutical composition according to claim 20 for use in treating haematological malignancies, myeloproliferative disorder, other proliferative disorders, autoimmune disorders and skin disorders.