



Figure 2 is a hexagonal radar chart titled "ヒート N W (Ala+Na)". It compares seven samples (例B2 to 例B7) across six categories. The categories are: 水素結合の割合 (Hydrogen bond ratio), 水素結合の長さ (Hydrogen bond length), フォーカシング効果 (Focusing effect), フォーカシングの強さ (Focusing strength), 熱伝導率 (Thermal conductivity), and 熱伝導率の方向性 (Directionality of thermal conductivity). The chart uses concentric dashed lines to represent values from 0 to 1.5. The legend indicates: 例B2 (solid line), 例B3 (dotted line), 例B4 (dashed line), 例B5 (dash-dot line), 例B6 (long-dashed line), and 例B7 (short-dashed line).


【図3】




【図4】




【図5】




【図6】




【図7】




【図8】




【図9】




【図10】



【図11】



【図12】



【図13】




図13

【図14】




図14

【図15】




図15

【図16】

エナジードリンクフレーバー (Ala+Na_RebD100ppm)




図16

【図17】

エナジードリンクフレーバー (Ala+Na_RebD300ppm)




図17

【図18】

エナジードリンクフレーバー (Ala+Na_RebA)




図18

WO 2022/050327

PCT/JP2021/032209

【図19】

エネルギードリンクフレーバー (Ala+His_RebM)




図19

【図20】

エネルギードリンクフレーバー (Ala+His_MetG)




図20

【図21】


エネルギードリンクフレーバー（Ala+Na₂糖質系抽出物）

図21

【図22】


エネルギードリンクフレーバー（Ala+Na₂糖質系抽出物のみ）

図22