23. Use of a compound of any one of claims 1 to 20 or a composition of any one of claims 21 to 22 in the manufacture of a medicament for treating pain, cough, itch, or a neurogenic inflammatory disorder.

24. The use of claim 23, wherein said pain is selected from the group consisting of pain due to back and neck pain, lower back pain, cancer pain, gynecological and labor pain, fibromyalgia, arthritis, rheumatoid arthritis, osteoarthritis, rheumatological pains, orthopedic pains, acute and post herpetic neuralgia and other neuropathic pains (including peripheral neuropathy), sickle cell crises, vulvodynia, peri-anal pain, irritable bowel disease, irritable bowel syndrome, inflammatory bowel disease, oral mucositis, esophagitis, interstitial cystitis, urethritis and other urological pains, dental pain, headaches, trigeminal trophic syndrome, erythromelalgia, abdominal wall pain, chronic abdominal wall pain, allergic rhinitis, muscle pain, rectal pain, Levator ani syndrome, proctalgia fugax, hemorrhoid pain, stomach pain, skin ulcers, stomach ulcers, burn pain, ophthalmic irritation, conjunctivitis (e.g., allergic conjunctivitis), eye redness, dry eye, dry eye syndrome (chronic ocular pain), complex regional pain syndrome, post-surgical ocular pain, postoperative pain, acute postoperative pain, and procedural pain (i.e., pain associated with injections, draining an abscess, surgery, dental procedures, ophthalmic procedures, ophthalmic irritation, conjunctivitis (e.g., allergic conjunctivitis), eye redness, dry eye, arthroscopies and use of other medical instrumentation, cosmetic surgical procedures, dermatological procedures, setting fractures, biopsies, and the like).

25. The use of claim 23, wherein said cough is selected from the group consisting of cough in patients with asthma, COPD, asthma-COPD overlap syndrome (ACOS), interstitial pulmonary fibrosis (IPF), idiopathic pulmonary fibrosis, post viral cough, post-infection cough, chronic idiopathic cough and lung cancer.

26. The use of claim 23, wherein said itch is selected from the group consisting of itch due to pruritus, brachioradial pruritus, chronic idiopathic pruritus, genital/anal pruritus, notalgia paresthetica, scalp pruritus, allergic dermatitis, contact dermatitis, atopic dermatitis, hand eczema, poison ivy, infections, parasites, insect bites,

pregnancy, metabolic disorders, liver or renal failure, drug reactions, allergic reactions, eczema, genital and anal itch, hemorrhoid itch, and cancer.

27. The use of claim 23, wherein said neurogenic inflammatory disorder is selected from the group consisting of allergic inflammation, asthma, chronic cough, conjunctivitis, rhinitis, psoriasis, inflammatory bowel disease, interstitial cystitis, arthritis, colitis, contact dermatitis, diabetes, eczema, cystitis, gastritis, migraine headache, rosacea, sunburn, pancreatitis, chronic rhinosinusistis, traumatic brain injury, polymicrobial sepsis, tendinopathies, chronic urticaria, rheumatic disease, acute lung injury, exposure to irritants, inhalation of irritants, pollutants, chemical warfare agents, and atopic dermatitis.

28. The use of claim 23, wherein a compound represented by Formula (**I**) is used in combination with one or more exogenous large pore receptor agonists.