
WHAT IS CLAIMED IS:

1. A compound having formula (I):



(**I**),

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof, wherein:

X^1 is selected from the group consisting of nitrogen and CH;

R^{1a} is selected from the group consisting of hydrogen, halogen, CF_3, OCF_3, C_{1-4} linear alkyl, C_{3-4} branched alkyl, (C_{2-8} dialkylamino)(C_{2-4} alkyl), (C_{3-6} alkyleneamino)(C_{2-4} alkyl), (C_{2-8} dialkylamino)(C_{2-4} alkoxy), (C_{3-6} alkyleneamino)(C_{2-4} alkoxy), C_{1-4} linear alkoxy, and C_{3-4} branched alkoxy;


R^{1b} is selected from the group consisting of hydrogen, halogen, CF_3, OCF_3, C_{1-4} linear alkyl, C_{3-4} branched alkyl, (C_{2-8} dialkylamino)(C_{2-4} alkyl), (C_{3-6} alkyleneamino)(C_{2-4} alkyl), (C_{2-8} dialkylamino)(C_{2-4} alkoxy), (C_{3-6} alkyleneamino)(C_{2-4} alkoxy), C_{1-4} linear alkoxy, and C_{3-4} branched alkoxy;














R^{1c} is selected from the group consisting of hydrogen, halogen, CF_3, OCF_3, C_{1-4} linear alkyl, C_{3-4} branched alkyl, (C_{2-8} dialkylamino)(C_{2-4} alkyl), (C_{3-6} alkyleneamino)(C_{2-4} alkyl), (C_{2-8} dialkylamino)(C_{2-4} alkoxy), (C_{3-6} alkyleneamino)(C_{2-4} alkoxy), C_{1-4} linear alkoxy, and C_{3-4} branched alkoxy;

R^{1d} is selected from the group consisting of hydrogen, halogen, CF_3, OCF_3, C_{1-4} linear alkyl, C_{3-4} branched alkyl, (C_{2-8} dialkylamino)(C_{2-4} alkyl), (C_{3-6} alkyleneamino)(C_{2-4} alkyl), (C_{2-8} dialkylamino)(C_{2-4} alkoxy), (C_{3-6} alkyleneamino)(C_{2-4} alkoxy), C_{1-4} linear alkoxy, and C_{3-4} branched alkoxy;





wherein any two selected from the group consisting of R^{1a}, R^{1b}, R^{1c}, and R^{1d} are optionally connected to form a ring;


















R^2 is selected from the group consisting of $–(CH_2)_n$-NR^5R^6, $–(CH_2)_nC(O)$-NR^5R^6,



,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

n^1 is 1 or 2;

R^4 is hydrogen; CF_3; a five-membered monocyclic heteroaryl ring comprising at least one heteroatom selected from the group consisting from O, N, and S that is optionally substituted with up to 2 groups selected from C_{1-4} linear alkyl, C_{3-4} branched alkyl, C_{1-4} linear alkoxy, C_{3-4} branched alkoxy, CF_3, CF_3O, halogen, 
,

,

; a five-membered monocyclic heteroaryl ring comprising at least one heteroatom selected from the group consisting from O, N, and S;

,

, , , , , , , a phenyl ring that is optionally substituted with up to 2 groups selected from C_{1-4} linear alkyl, C_{3-4} branched alkyl, C_{1-4} linear alkoxy, C_{3-4} branched alkoxy, C_{3-6} cycloalkyl, C_{3-6} cycloalkoxy, CF_3, CF_3O, halogen, $NR^{3a}R^{3b}$, $SO_2NR^{3a}R^{3b}$, $NHSO_2R^{3a}$, , , , , , , , , , , ,





, and ;

R^{3a} is at each occurrence independently selected from the group consisting of C_{1-4} linear alkyl and C_{3-4} branched alkyl;


R^{3b} is at each occurrence independently selected from the group consisting of C_{1-4} linear alkyl and C_{3-4} branched alkyl;

R^5 is selected from the group consisting of hydrogen, C_{1-4} linear alkyl, C_{3-4} branched alkyl, $-CH_2-(C_{1-6}$ cycloalkyl), $C(O)C_{1-6}$ linear alkyl, $C(O)C_{3-6}$ branched alkyl, $C(O)CH(NH_2)C_{1-6}$ linear alkyl, $C(O)CH(NH_2)C_{3-6}$ branched alkyl,






, and




;


R^6 is selected from the group consisting of C_{3-4} branched alkyl,




,




,



,



, and an optionally

substituted benzyl group wherein the optionally substituted benzyl group is substituted with 0 to 2 groups selected from the group consisting of halogen, –CN, $–NO_2$, -OH, $-NH_2$, C_{1-6} alkyl, C_{3-7} branched alkyl, C_{1-6} linear haloalkyl, C_{3-7} branched haloalkyl, C_{1-6} linear alkoxy, C_{3-7} branched alkoxy, C_{1-6} linear haloalkoxy, C_{3-7} branched haloalkoxy, C_{3-7} cycloalkyl, aryl, heterocycle, and heteroaryl, provided that when R^2 is , R^6 is not hydrogen, C_{1-4} linear alkyl, C_{3-4} branched alkyl, or benzyl;

n^2 is 1 or 2;

n^3 is 0 or 1;

n^4 is 0 or 1;

n^5 is 0, 1, or 2;


n^6 is 0 or 1;

R^7 is selected from the group consisting of hydrogen and $C(O)OR^8$;

R^8 is selected from the group consisting of C_{1-4} linear alkyl and C_{3-4} branched alkyl;

X^2 is selected from the group consisting of a single bond, oxygen, CH_2, CHOH, and NR^9;

R^9 is C_{1-4} linear alkyl that is optionally substituted with an NH_2;

R^{10} is selected from the group consisting of OH, OR^{11}, $NR^{12}R^{13}$, $NHSO_2R^{22}$, and ;


R^{11} is selected from the group consisting of C_{1-4} linear alkyl and C_{3-4} branched alkyl;

R^{12} is selected from the group consisting of hydrogen, C_{1-4} linear alkyl, C_{3-4} branched alkyl, C_{1-4} linear fluoroalkyl, $C(O)R^{14}$;

R^{13} is selected from the group consisting of hydrogen, C_{1-4} linear alkyl, C_{3-4} branched alkyl, and heteroaryl;

R^{12} and R^{13} are optionally taken together with the atoms to which they are connected to form a ring with 3 to 6 atoms;

R^{14} is selected from the group consisting of C_{1-4} linear alkyl C_{3-4} branched alkyl, and



;

R^{15} is selected from the group consisting of C_{1-4} linear alkyl and C_{3-4} branched alkyl;

R^{16} is selected from the group consisting of hydrogen, C_{1-4} linear alkyl, C_{3-4} branched alkyl, CH_2-(C_{1-6} cycloalkyl), and $C(O)R^{18}$;

R^{17} is selected from the group consisting of hydrogen, benzyl and $C(O)R^{18}$;


R^{18} is selected from the group consisting of C_{1-4} linear alkyl and C_{3-4} branched alkyl;

R^{19} is selected from the group consisting of hydrogen and $C(O)R^{20}$;

R^{20} is selected from the group consisting of C_{1-4} linear alkyl and C_{3-4} branched alkyl;

R^{21} is a benzene ring that is optionally substituted with 0 to 2 groups selected from the group consisting of halogen, –CN, $–NO_2$, -OH, $-NH_2$, C_{1-6} alkyl, C_{3-7} branched alkyl, C_{1-6} linear haloalkyl, C_{3-7} branched haloalkyl, C_{1-6} linear alkoxy, C_{3-7} branched alkoxy, C_{1-6} linear haloalkoxy, C_{3-7} branched haloalkoxy, C_{3-7} cycloalkyl, aryl, heterocycle, and heteroaryl;

R^{22} is selected from the group consisting of C_{1-4} linear alkyl, C_{3-4} branched alkyl,



;

n is 2, 3, or 4;

m is 2, 3, or 4;

q is 2, 3, or 4;

y is 2, 3, or 4;

u is 2, 3, or 4;

v is 2, 3, or 4;


w is 2, 3, or 4;

z is 1, 2 or 3;

r is 2, 3, or 4; and

x is 2, 3, or 4.

2. The compound of claim 1 having formula (**II**):




(**II**)

,

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.

3. The compound of claim 1 having formula (**III**):




(**III**)

,

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.

4. The compound of claim 1 having formula (**IV**):




(**IV**)

,

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.

5. The compound of claim 1 having formula (**V**):




(**V**)

,

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.

6. The compound of claim 1 having formula (**VI**):




(**VI**)

,

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.

7. The compound of claim 1 having formula (**VII**):




(**VII**)

,

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.


8. The compound of claim 1 having formula (**VIII**):



(**VIII**),

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.


9. The compound of claim 1 having formula (**IX**):



(**IX**),

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.


10. The compound of claim 1 having formula (**X**):



(**X**),

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.


11. The compound of claim 1 having formula (**XI**):



(XI),

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, an isotopic analog, a prodrug, and a complex thereof.


12. The compound of claim 1 having formula (**XII**):



(XII),

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.


13. The compound of claim 1 having formula (**XIII**):



(XIII),

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.

14. The compound of claim 1 having formula (**XIV**):




(XIV)

,

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, an isotopic analog, a prodrugs, or a complex thereof.

15. The compound of claim 1 having formula (**XV**):




(XV)

,

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.

16. The compound of claim 1 having formula (**XVI**):




(XVI)

,

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.


17. The compound of claim 1 having formula (**XVII**):



(XVII),

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.


18. The compound of claim 1 having formula (**XVIII**):



(XVIII),

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salts, or an isotopic analog thereof.


19. The compound of claim 1 having formula (**XIX**):



(XIX),

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.


20. The compound of claim 1 having formula (**XX**):



(**XX**) ,

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.


21. The compound of claim 1 having formula (**XXI**):



(**XXI**) ,

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.


22. The compound of claim 1 having formula (**XXII**):



(**XXII**) ,

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.


23. The compound of claim 1 having formula (**XXIII**):



(XXIII),

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.


24. The compound of claim 1 having formula (**XXIV**):



(XXIV),

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.


25. The compound of claim 1 having formula (**XXV**):



(XXV),

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analogs thereof.

26. The compound of claim 1 having formula (**XXVI**):




(XXVI)

,

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.

27. The compound of claim 1 having formula (**XXVII**):



(XXVII)

,

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.

28. A compound that is:

N^1-(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)-N^1,N^3,N^3-trimethyl propane-1,3-diamine;

2-(4-Methoxyphenyl)-N-(3-{methyl[3-(methylamino)propyl]-amino}propyl)quinolin-4-amine;

N^1-(3-Aminopropyl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(2-(4-Methoxyphenyl)quinolin-4-yl)-N^3-(3-(piperidin-1-yl)propyl)propane-1,3-diamine;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-methyl-N^3-(3-(piperidin-1-yl)propyl)propane-1,3-diamine;

tert-Butyl N-{3-[(3-{[2-(4-methoxyphenyl)quinolin-4yl]amino}propyl)amino]propyl}carbamate;

N^1-(3-aminopropyl)-N^3-(5-fluoro-2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine:

N-{3-[(3-Aminopropyl)amino]propyl}-2-(4-methoxyphenyl)quinolin-4-amine;

N^1-(3-Aminopropyl)-N^3-(6-methoxy-2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(3-Aminopropyl)-N^3-(2-(2-methyl-4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(3-Aminopropyl)-N^3-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)-N^1,N^4-dimethylbutane-1,4-diamine;

N^1-(2-fluoroethyl)-N^3-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)-N^1,N^3-dimethylpropane-1,3-diamine;

3-((3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)amino)-propan-1-ol;

N-(3-(3-methoxypropylamino)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

N-(3-(2-(4-Methoxyphenyl)quinolin-4-ylamino)propyl)-N-(3-aminopropyl)acetamide;

N^1-(Cyclopropylmethyl)-N^1-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)-N^3,N^3-dimethyl propane-1,3-diamine:

tert-Butyl 3-(((3-(dimethylamino)propyl)(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl) amino)methyl)azetidine-1-carboxylate;

tert-Butyl 4-(((3-(dimethylamino)propyl)(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl) amino)methyl)piperidine-1-carboxylate:

N^1-(Azetidin-3-ylmethyl)-N^1-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^{1-}(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)-N^3,N^3-dimethyl-N^1-(piperidin-4-ylmethyl)propane-1,3-diamine**;**

N^1-(2-(4-Methoxyphenyl)quinolin-4-yl)-N^3-((1-methyl-1H-imidazol-5-yl)methyl)propane-1,3-diamine**;**

N-(3-(Hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

N^1-((6-Aminopyridin-3-yl)methyl)-N^3-(2-(4-methoxyphenyl)-quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

1-(Dimethylamino)-3-((3-((2-(4-methoxyphenyl)quinolin-4-yl)-amino)propyl)(methyl)amino)propan-2-ol;

1-(3-((3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)-methylamino)propyl)piperidin-4-ol;

tert-butyl 5-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)hexahydro-pyrrolo[3,4-c]pyrrole-2(1H)-carboxylate;

N^1-((6-(dimethylamino)pyridin-3-yl)methyl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methyl propane-1,3-diamine;

N^1-(3-aminopropyl)-N^1-methyl-N^3-(2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-methyl-N^3-((1-methylpiperidin-4-yl)methyl)propane-1,3-diamine:

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-methyl-N^3-(2-(piperidin-2-yl)ethyl)propane-1,3-diamine;

tert-Butyl (2-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)octahydrocyclopenta[c]pyrrol-4-yl)carbamate:

N^1-(2-(4-Methoxyphenyl)quinolin-4-yl)-N^3-(octahydrocyclopenta[c]pyrrol-4-yl)propane-1,3-diamine;

N-(3-(4-Aminohexahydrocyclopenta[c]pyrrol-2(1H)-yl)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

tert-Butyl 2-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)hexahydro-1H-pyrrolo[3,4-c]pyridine-5(6H)-carboxylate;

N-(3-(Hexahydro-1H-pyrrolo[3,4-c]pyridin-2(3H)-yl)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

tert-Butyl 4-((3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)amino)hexahydrocyclopenta[c] pyrrole-2(1H)-carboxylate;

N^1-((1-(Cyclopropylmethyl)piperidin-4-yl)methyl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methyl propane-1,3-diamine;

N-(2-(1-(3-Aminopropyl)piperidin-2-yl)ethyl)-2-(4-methoxyphenyl)quinolin-4-amine:

N^1-(1-(4-Fluorobenzyl)piperidin-4-yl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)propane-1,3-diamine:

tert-Butyl 6-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)-2,6-diazaspiro[3.4]octane-2-carboxylate;

N-(3-(2,6-Diazaspiro[3.4]octan-6-yl)propyl)-2-(4-methoxyphenyl)quinolin-4-amine:

2-(4-Methoxyphenyl)-N-(3-(4-methyl-1,4-diazepan-1-yl)propyl)quinolin-4-amine:

tert-Butyl 2-(2-((3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)amino)ethyl)piperidine-1-carboxylate;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-(2-(piperidin-2-yl)ethyl)propane-1,3-diamine;

N-(3-(4-(3-Aminopropyl)piperazin-1-yl)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

tert-Butyl 4-{[(3-{[2-(4-methoxyphenyl)quinolin-4-yl]amino}propyl)(methyl)amino]methyl} piperidine-1-carboxylate;

N-(3-(N-Methyl-N-((piperidin-4-yl)methyl)amino)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

N-(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)-4-(2H-tetrazol-5-yl)benzenesulfonamide;

N^1-(4-(2H-Tetrazol-5-yl)phenyl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)propane-1,3-diamine;

(1-(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)piperidin-4-yl)methanol;

1-(Diethylamino)-3-((3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)amino)propan-2-ol;

N^1-(2-(4-Methoxyphenyl)quinolin-4-yl)-N^3-((1-methyl-1H-pyrazol-5-yl)methyl)propane-1,3-diamine;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-(2-(pyridin-2-yl)ethyl)propane-1,3-diamine;

N^1-(2-(4-Methoxyphenyl)quinolin-4-yl)-N^3-(4-(piperidin-1-yl)phenyl)propane-1,3-diamine;

N-((1-(3-Aminopropyl)piperidin-3-yl)methyl)-2-(4-methoxyphenyl)quinolin-4-amine;

N-(3-(2-(6-Methoxy-1H-indol-3-yl)ethylamino)propyl)-2-(4-methoxyphenyl)quinolin-4-amine:

tert-Butyl 4-{[({1-[(tert-butoxy)carbonyl]piperidin-4-yl}methyl)(3-{[2-(4-methoxyphenyl)-quinolin-4-yl]amino}propyl)amino]methyl}piperidine-1-carboxylate;

N-(3-(Bis((piperidin-4-yl)methyl)amino)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

N^1-(4-Methoxybenzyl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

tert-Butyl (3-((4-((2-(4-methoxyphenyl)quinolin-4-yl)amino)cyclohexyl)amino)propyl)carbamate;

tert-Butyl 4-{[(3-{[2-(4-methoxyphenyl)quinolin-4-yl]amino}propyl)amino]methyl}piperidine- 1-carboxylate;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-(3-(pyridin-4-ylamino)propyl)propane-1,3-diamine;

2-(3-(4-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)piperidin-1-yl)propyl)isoindoline-1,3-dione;

2-(3-(3-(((2-(4-Methoxyphenyl)quinolin-4-yl)amino)methyl)piperidin-1-yl)propyl)isoindoline-1,3-dione;

N-(3-((3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)amino)propyl) methanesulfonamide;

2-(3-(2-(2-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)ethyl)piperidin-1-yl)propyl)isoindoline-1,3-dione;

N-(3-(Hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)propyl)-2-(4-methoxy phenyl)quinolin-4-amine;

2-(4-Methoxyphenyl)-N-(1'-methyl-[1,4'-bipiperidine]-4-yl)quinolin-4-amine;

N^1-(2-Benzyloctahydrocyclopenta[c]pyrrol-4-yl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-((1-(Cyclopropylmethyl)piperidin-4-yl)methyl)-N^3-(2-(4-methoxyphenyl)\quinolin-4-yl)propane-1,3-diamine;

1-(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)piperidine-4-carboxamide;

2-(4-Methoxyphenyl)-N-(3-(4-methylpiperazin-1-yl)propyl)quinolin-4-amine;

2-(4-Methoxyphenyl)-N-(2-(4-methylpiperazin-1-yl)ethyl)quinolin-4-amine;

2-(4-Methoxyphenyl)-N-(3-morpholinopropyl)quinolin-4-amine;

2-(7-Amino-4-methyl-2-oxo-2H-chromen-3-yl)-N-(3-((3-((2-(4-methoxyphenyl)quinolin-4-yl)amino) propyl)(methyl)amino)propyl)acetamide;

5-(dimethylamino)-N-{3-[(3-{[2-(4-methoxyphenyl)quinolin-4yl]amino}propyl)(methyl)amino] propyl}naphthalene-1-sulfonamide;

cis-N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

trans-N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

trans-N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

cis-N^1-(2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

N^1-(2-(4-(5,6-dihydropyrrolo[3,4-*c*]pyrazol-2(4*H*)-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

cis-N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

N^1-(2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(3-aminopropyl)-N^1-methyl-N^3-(2-(3-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

N^1-(2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

2-amino-1-(4-(4-(4-((3-(dimethylamino)propyl)amino)quinolin-2-yl)phenyl)piperazin-1-yl)-3-methylbutan-1-one;

2-amino-1-(4-(4-(4-((3-(dimethylamino)propyl)amino)quinolin-2-yl)phenyl)piperazin-1-yl)propan-1-one;

N^1-(2-(1-(1-methylpiperidin-4-yl)-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(3-aminopropyl)-N^3-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(2-(4-(piperidin-4-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(1-(piperidin-4-yl)-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

trans-N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

N^1,N^1-dimethyl-N^3-(2-(3-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1,N^1-dimethyl-N^3-(2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(1-(2-(pyrrolidin-1-yl)ethyl)-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

trans-N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

N-(1-(4-aminocyclohexyl)piperidin-4-yl)-2-(4-methoxyphenyl)quinolin-4-amine;

N^1-(6-fluoro-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N-(1-(3-aminopropyl)piperidin-4-yl)-2-(4-methoxyphenyl)quinolin-4-amine;

cis-N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

2-amino-*N*-(1-((1-(4-(4-(4-((3-(dimethylamino)propyl)amino)quinolin-2-yl)phenyl)piperazin-1-yl)-3-methyl-1-oxobutan-2-yl)amino)-3-methyl-1-oxobutan-2-yl)-3-methylbutanamide;

N^1,N^1-dimethyl-N^3-(2-(1-(1-methylpiperidin-4-yl)-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)propane-1,3-diamine;

N^1,N^1-dimethyl-N^3-(2-(4-(4-methylpiperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

2-amino-*N*-(1-(4-(4-(4-((3-(dimethylamino)propyl)amino)quinolin-2-yl)phenyl)piperazin-1-yl)-3-methyl-1-oxobutan-2-yl)-3-methylbutanamide;

cis-N^1-(2-(4-methoxyphenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

N^1-([2,6'-biquinolin]-4-yl)propane-1,3-diamine;

4-(4-(4-((3-(dimethylamino)propyl)amino)quinolin-2-yl)phenyl)-1-methylpiperazin-2-one;

N^1-(2-(piperidin-4-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(2,3-dihydrobenzofuran-5-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(4-(methoxy-d_3)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-([2,6'-biquinolin]-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

N^1-(2-(1,2,3,6-tetrahydropyridin-4-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

2-(4-methoxyphenyl)-*N*-(piperidin-4-yl)quinolin-4-amine;

N^1-(2-(4-(methoxy-d_3)phenyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(benzofuran-5-yl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(1-methyl-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(1-(azetidin-3-yl)-1*H*-pyrazol-4-yl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(1-cyclopropyl-1*H*-pyrazol-4-yl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(cyclohex-1-en-1-yl)quinolin-4-yl)propane-1,3-diamine;

(*S*)-2-amino-*N*-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)-*N*-methylpropanamide;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3,N^3-bis(methyl-d_3)propane-1,3-diamine;

N^1-(2-(furan-2-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(5-fluoro-2-(4-methoxyphenyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(1-(2-morpholinoethyl)-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propan-1-ol;

N^1-(2-(2-methoxypyrimidin-5-yl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1,N^1-dimethyl-N^3-(2-methylquinolin-4-yl)propane-1,3-diamine;

3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)-*N*,*N*-dimethylpropanamide;

N^1-(2-(6-methoxypyridin-3-yl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2,2-difluoro-6-(4-methoxyphenyl)-[1,3]dioxolo[4,5-*g*]quinolin-8-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N-(4,4-difluorocyclohexyl)-2-(4-methoxyphenyl)quinolin-4-amine;

tert-butyl 3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propanoate;

N^1-(6-methoxy-2-(trifluoromethyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(6-methoxy-7-(3-(pyrrolidin-1-yl)propoxy)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

2-cyclohexyl-*N*-(1-isopropylpiperidin-4-yl)-6-methoxy-7-(3-(pyrrolidin-1-yl)propoxy)quinolin-4-amine;

N^1-(3-aminopropyl)-N^3-(6,7-dimethoxyquinolin-4-yl)-N^1-methylpropane-1,3-diamine;

6-methoxy-*N*-(1-methylpiperidin-4-yl)-7-(3-(pyrrolidin-1-yl)propoxy)quinolin-4-amine;

N^1-(6,7-dimethoxyquinolin-4-yl)-N^3,N^3-diethylpropane-1,3-diamine;

6,7-dimethoxy-*N*-(1'-methyl-[1,4'-bipiperidin]-4-yl)quinolin-4-amine;

N^1-(3-aminopropyl)-N^3-(7-chloroquinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(3-aminopropyl)-N^3-(2-(4-(dimethylamino)phenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine,

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.

29. A composition comprising an effective amount of at least one compound according to claim 1.

30. The composition according to claim 29, further comprising at least one excipient.

31. A composition comprising at least one compound selected from the group consisting of:

N^1-(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)-N^1,N^3,N^3-trimethyl propane-1,3-diamine;

2-(4-Methoxyphenyl)-N-(3-{methyl[3-(methylamino)propyl]-amino}propyl)quinolin-4-amine;

N^1-(3-Aminopropyl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(2-(4-Methoxyphenyl)quinolin-4-yl)-N^3-(3-(piperidin-1-yl)propyl)propane-1,3-diamine;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-methyl-N^3-(3-(piperidin-1-yl)propyl)propane-1,3-diamine;

tert-Butyl N-{3-[(3-{[2-(4-methoxyphenyl)quinolin-4yl]amino}propyl)amino]propyl}carbamate;

N^1-(3-aminopropyl)-N^3-(5-fluoro-2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine:

N-{3-[(3-Aminopropyl)amino]propyl}-2-(4-methoxyphenyl)quinolin-4-amine;

N^1-(3-Aminopropyl)-N^3-(6-methoxy-2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(3-Aminopropyl)-N^3-(2-(2-methyl-4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(3-Aminopropyl)-N^3-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)-N^1,N^4-dimethylbutane-1,4-diamine;

N^1-(2-fluoroethyl)-N^3-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)-N^1,N^3-dimethylpropane-1,3-diamine;

3-((3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)amino)-propan-1-ol;

N-(3-(3-methoxypropylamino)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

N-(3-(2-(4-Methoxyphenyl)quinolin-4-ylamino)propyl)-N-(3-aminopropyl)acetamide;

N^1-(Cyclopropylmethyl)-N^1-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)-N^3,N^3-dimethyl propane-1,3-diamine:

tert-Butyl 3-(((3-(dimethylamino)propyl)(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl) amino)methyl)azetidine-1-carboxylate;

tert-Butyl 4-(((3-(dimethylamino)propyl)(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl) amino)methyl)piperidine-1-carboxylate:

N^1-(Azetidin-3-ylmethyl)-N^1-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^{1-}(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)-N^3,N^3-dimethyl-N^1-(piperidin-4-ylmethyl)propane-1,3-diamine**;**

N^1-(2-(4-Methoxyphenyl)quinolin-4-yl)-N^3-((1-methyl-1H-imidazol-5-yl)methyl)propane-1,3-diamine**;**

N-(3-(Hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

N^1-((6-Aminopyridin-3-yl)methyl)-N^3-(2-(4-methoxyphenyl)-quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

1-(Dimethylamino)-3-((3-((2-(4-methoxyphenyl)quinolin-4-yl)-amino)propyl)(methyl)amino)propan-2-ol;

1-(3-((3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)-methylamino)propyl)piperidin-4-ol;

tert-butyl 5-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)hexahydro-pyrrolo[3,4-c]pyrrole-2(1H)-carboxylate;

N^1-((6-(dimethylamino)pyridin-3-yl)methyl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methyl propane-1,3-diamine;

N^1-(3-aminopropyl)-N^1-methyl-N^3-(2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-methyl-N^3-((1-methylpiperidin-4-yl)methyl)propane-1,3-diamine:

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-methyl-N^3-(2-(piperidin-2-yl)ethyl)propane-1,3-diamine;

tert-Butyl (2-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)octahydrocyclopenta[c]pyrrol-4-yl)carbamate:

N^1-(2-(4-Methoxyphenyl)quinolin-4-yl)-N^3-(octahydrocyclopenta[c]pyrrol-4-yl)propane-1,3-diamine;

N-(3-(4-Aminohexahydrocyclopenta[c]pyrrol-2(1H)-yl)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

tert-Butyl 2-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)hexahydro-1H-pyrrolo[3,4-c]pyridine-5(6H)-carboxylate;

N-(3-(Hexahydro-1H-pyrrolo[3,4-c]pyridin-2(3H)-yl)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

tert-Butyl 4-((3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)amino)hexahydrocyclopenta[c] pyrrole-2(1H)-carboxylate;

N^1-((1-(Cyclopropylmethyl)piperidin-4-yl)methyl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methyl propane-1,3-diamine;

N-(2-(1-(3-Aminopropyl)piperidin-2-yl)ethyl)-2-(4-methoxyphenyl)quinolin-4-amine:

N^1-(1-(4-Fluorobenzyl)piperidin-4-yl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)propane-1,3-diamine:

tert-Butyl 6-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)-2,6-diazaspiro[3.4]octane-2-carboxylate;

N-(3-(2,6-Diazaspiro[3.4]octan-6-yl)propyl)-2-(4-methoxyphenyl)quinolin-4-amine:

2-(4-Methoxyphenyl)-N-(3-(4-methyl-1,4-diazepan-1-yl)propyl)quinolin-4-amine:

tert-Butyl 2-(2-((3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)amino)ethyl)piperidine-1-carboxylate;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-(2-(piperidin-2-yl)ethyl)propane-1,3-diamine;

N-(3-(4-(3-Aminopropyl)piperazin-1-yl)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

tert-Butyl 4-{[(3-{[2-(4-methoxyphenyl)quinolin-4-yl]amino}propyl)(methyl)amino]methyl} piperidine-1-carboxylate;

N-(3-(N-Methyl-N-((piperidin-4-yl)methyl)amino)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

N-(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)-4-(2H-tetrazol-5-yl)benzenesulfonamide;

N^1-(4-(2H-Tetrazol-5-yl)phenyl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)propane-1,3-diamine;

(1-(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)piperidin-4-yl)methanol;

1-(Diethylamino)-3-((3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)amino)propan-2-ol;

N^1-(2-(4-Methoxyphenyl)quinolin-4-yl)-N^3-((1-methyl-1H-pyrazol-5-yl)methyl)propane-1,3-diamine;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-(2-(pyridin-2-yl)ethyl)propane-1,3-diamine;

N^1-(2-(4-Methoxyphenyl)quinolin-4-yl)-N^3-(4-(piperidin-1-yl)phenyl)propane-1,3-diamine;

N-((1-(3-Aminopropyl)piperidin-3-yl)methyl)-2-(4-methoxyphenyl)quinolin-4-amine;

N-(3-(2-(6-Methoxy-1H-indol-3-yl)ethylamino)propyl)-2-(4-methoxyphenyl)quinolin-4-amine:

tert-Butyl 4-{[({1-[(tert-butoxy)carbonyl]piperidin-4-yl}methyl)(3-{[2-(4-methoxyphenyl)-quinolin-4-yl]amino}propyl)amino]methyl}piperidine-1-carboxylate;

N-(3-(Bis((piperidin-4-yl)methyl)amino)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

N^1-(4-Methoxybenzyl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

tert-Butyl (3-((4-((2-(4-methoxyphenyl)quinolin-4-yl)amino)cyclohexyl)amino)propyl)carbamate;

tert-Butyl 4-{[(3-{[2-(4-methoxyphenyl)quinolin-4-yl]amino}propyl)amino]methyl}piperidine- 1-carboxylate;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-(3-(pyridin-4-ylamino)propyl)propane-1,3-diamine;

2-(3-(4-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)piperidin-1-yl)propyl)isoindoline-1,3-dione;

2-(3-(3-(((2-(4-Methoxyphenyl)quinolin-4-yl)amino)methyl)piperidin-1-yl)propyl)isoindoline-1,3-dione;

N-(3-((3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)amino)propyl) methanesulfonamide;

2-(3-(2-(2-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)ethyl)piperidin-1-yl)propyl)isoindoline-1,3-dione;

N-(3-(Hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)propyl)-2-(4-methoxy phenyl)quinolin-4-amine;

2-(4-Methoxyphenyl)-N-(1'-methyl-[1,4'-bipiperidine]-4-yl)quinolin-4-amine;

N^1-(2-Benzyloctahydrocyclopenta[c]pyrrol-4-yl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-((1-(Cyclopropylmethyl)piperidin-4-yl)methyl)-N^3-(2-(4-methoxyphenyl)\quinolin-4-yl)propane-1,3-diamine;

1-(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)piperidine-4-carboxamide;

2-(4-Methoxyphenyl)-N-(3-(4-methylpiperazin-1-yl)propyl)quinolin-4-amine;

2-(4-Methoxyphenyl)-N-(2-(4-methylpiperazin-1-yl)ethyl)quinolin-4-amine;

2-(4-Methoxyphenyl)-N-(3-morpholinopropyl)quinolin-4-amine;

2-(7-Amino-4-methyl-2-oxo-2H-chromen-3-yl)-N-(3-((3-((2-(4-methoxyphenyl)quinolin-4-yl)amino) propyl)(methyl)amino)propyl)acetamide;

5-(dimethylamino)-N-{3-[(3-{[2-(4-methoxyphenyl)quinolin-4yl]amino}propyl)(methyl)amino] propyl}naphthalene-1-sulfonamide,

cis-N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

trans-N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

trans-N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

cis-N^1-(2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

N^1-(2-(4-(5,6-dihydropyrrolo[3,4-*c*]pyrazol-2(4*H*)-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

cis-N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

N^1-(2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(3-aminopropyl)-N^1-methyl-N^3-(2-(3-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

N^1-(2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

2-amino-1-(4-(4-(4-((3-(dimethylamino)propyl)amino)quinolin-2-yl)phenyl)piperazin-1-yl)-3-methylbutan-1-one;

2-amino-1-(4-(4-(4-((3-(dimethylamino)propyl)amino)quinolin-2-yl)phenyl)piperazin-1-yl)propan-1-one;

N^1-(2-(1-(1-methylpiperidin-4-yl)-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(3-aminopropyl)-N^3-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(2-(4-(piperidin-4-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(1-(piperidin-4-yl)-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

trans-N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

N^1,N^1-dimethyl-N^3-(2-(3-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1,N^1-dimethyl-N^3-(2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(1-(2-(pyrrolidin-1-yl)ethyl)-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

trans-N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

N-(1-(4-aminocyclohexyl)piperidin-4-yl)-2-(4-methoxyphenyl)quinolin-4-amine;

N^1-(6-fluoro-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N-(1-(3-aminopropyl)piperidin-4-yl)-2-(4-methoxyphenyl)quinolin-4-amine;

cis-N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

2-amino-*N*-(1-((1-(4-(4-(4-((3-(dimethylamino)propyl)amino)quinolin-2-yl)phenyl)piperazin-1-yl)-3-methyl-1-oxobutan-2-yl)amino)-3-methyl-1-oxobutan-2-yl)-3-methylbutanamide;

N^1,N^1-dimethyl-N^3-(2-(1-(1-methylpiperidin-4-yl)-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)propane-1,3-diamine;

N^1,N^1-dimethyl-N^3-(2-(4-(4-methylpiperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

2-amino-*N*-(1-(4-(4-(4-((3-(dimethylamino)propyl)amino)quinolin-2-yl)phenyl)piperazin-1-yl)-3-methyl-1-oxobutan-2-yl)-3-methylbutanamide;

cis-N^1-(2-(4-methoxyphenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

N^1-([2,6'-biquinolin]-4-yl)propane-1,3-diamine;

4-(4-(4-((3-(dimethylamino)propyl)amino)quinolin-2-yl)phenyl)-1-methylpiperazin-2-one;

N^1-(2-(piperidin-4-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(2,3-dihydrobenzofuran-5-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(4-(methoxy-d_3)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-([2,6'-biquinolin]-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

N^1-(2-(1,2,3,6-tetrahydropyridin-4-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

2-(4-methoxyphenyl)-*N*-(piperidin-4-yl)quinolin-4-amine;

N^1-(2-(4-(methoxy-d_3)phenyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(benzofuran-5-yl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(1-methyl-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(1-(azetidin-3-yl)-1*H*-pyrazol-4-yl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(1-cyclopropyl-1*H*-pyrazol-4-yl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(cyclohex-1-en-1-yl)quinolin-4-yl)propane-1,3-diamine;

(*S*)-2-amino-*N*-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)-*N*-methylpropanamide;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3,N^3-bis(methyl-d_3)propane-1,3-diamine;

N^1-(2-(furan-2-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(5-fluoro-2-(4-methoxyphenyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(1-(2-morpholinoethyl)-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propan-1-ol;

N^1-(2-(2-methoxypyrimidin-5-yl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1,N^1-dimethyl-N^3-(2-methylquinolin-4-yl)propane-1,3-diamine;

3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)-*N*,*N*-dimethylpropanamide;

N^1-(2-(6-methoxypyridin-3-yl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2,2-difluoro-6-(4-methoxyphenyl)-[1,3]dioxolo[4,5-*g*]quinolin-8-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N-(4,4-difluorocyclohexyl)-2-(4-methoxyphenyl)quinolin-4-amine;

tert-butyl 3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propanoate;

N^1-(6-methoxy-2-(trifluoromethyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(6-methoxy-7-(3-(pyrrolidin-1-yl)propoxy)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine,

N^1-(6-methoxy-7-(3-(pyrrolidin-1-yl)propoxy)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

2-cyclohexyl-*N*-(1-isopropylpiperidin-4-yl)-6-methoxy-7-(3-(pyrrolidin-1-yl)propoxy)quinolin-4-amine;

N^1-(3-aminopropyl)-N^3-(6,7-dimethoxyquinolin-4-yl)-N^1-methylpropane-1,3-diamine;

6-methoxy-*N*-(1-methylpiperidin-4-yl)-7-(3-(pyrrolidin-1-yl)propoxy)quinolin-4-amine;

N^1-(6,7-dimethoxyquinolin-4-yl)-N^3,N^3-diethylpropane-1,3-diamine;


6,7-dimethoxy-*N*-(1'-methyl-[1,4'-bipiperidin]-4-yl)quinolin-4-amine;

N^1-(3-aminopropyl)-N^3-(7-chloroquinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(3-aminopropyl)-N^3-(2-(4-(dimethylamino)phenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.

32. Use of an effective amount of at least one compound having formula (I):



(I),

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, an isotopic analog, a prodrug or a complex thereof, in the manufacture of a medicament for treating or preventing a disease that involves TDP-43,

wherein:

X^1 is selected from the group consisting of nitrogen and CH;

R^{1a} is selected from the group consisting of hydrogen, halogen, C_{1-20} linear alkyl, C_{3-20} branched alkyl, C_{1-20} linear heteroalkyl, C_{3-20} branched heteroalkyl, each of which except hydrogen and halogen are optionally substituted;

R^{1b} is selected from the group consisting of hydrogen, halogen, C_{1-20} linear alkyl, C_{3-20} branched alkyl, C_{1-20} linear heteroalkyl, C_{3-20} branched heteroalkyl, each of which except hydrogen and halogen are optionally substituted;


R^{1c} is selected from the group consisting of hydrogen, halogen, C_{1-20} linear alkyl, C_{3-20} branched alkyl, C_{1-20} linear heteroalkyl, C_{3-20} branched heteroalkyl, each of which except hydrogen and halogen are optionally substituted; and

R^{1d} is selected from the group consisting of hydrogen, halogen, C_{1-20} linear alkyl, C_{3-20} branched alkyl, C_{1-20} linear heteroalkyl, C_{3-20} branched heteroalkyl, each of which except hydrogen and halogen are optionally substituted.

R^2 is a substituted or unsubstituted C_1-C_{20} linear, branched, or cyclic organic group including at least one nitrogen; and

R^4 is a hydrogen, halogen, a hydroxyl group, a cyano group, a nitro group, a substituted or unsubstituted C_0-C_{10} amino group, a substituted or unsubstituted C_1-C_{10} alkyl group, a substituted or unsubstituted C_2-C_{10} alkenyl group, a substituted or unsubstituted C_2-C_{10} alkynyl group, and a substituted or unsubstituted C_1-C_{10} alkoxy group, a substituted or unsubstituted C_3-C_{10} cycloalkyl group, a substituted or unsubstituted C_2-C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3-C_{10} cycloalkenyl group, a substituted or unsubstituted C_2-C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6-C_{20} aryl group, a substituted or unsubstituted C_6-C_{20} aryloxy group, a substituted or unsubstituted C_6-C_{20} arylthio group, a substituted or unsubstituted C_2-C_{20} heteroaryl group, a substituted or unsubstituted C_2-C_{20} heteroaryloxy group, or a substituted or unsubstituted C_2-C_{20} heteroarylthio group,

provided that the following compounds in which each hydrogen is a proton are excluded:



, and

wherein the disease that involves TDP-43 is selected from the group consisting of ALS, FTLD, CTE, hippocampal sclerosis of aging (CARTS), Alzheimer's disease, and Alzheimer's disease related disorders.

33. The use according to claim 32, wherein the at least one compound is to be administered in a composition further comprising at least one excipient.

34. Use of an effective amount of at least one compound according to claim 1 in the manufacture of a medicament for treating or preventing a disease associated with TDP-43 proteinopathies.

35. The use according to claim 34, wherein the at least one compound is to be administered in a composition further comprising at least one excipient.

36. Use of an effective amount of at least one compound according to claim 1 in the manufacture of a medicament for treating or preventing diseases that involve excess amounts of TDP-43 in the cytosol.

37. The use according to claim 36, wherein the at least one compound is to be administered in a composition further comprising at least one excipient.

38. Use of an effective amount of an isotopically labeled compound according to claim 1 in the manufacture of a TDP-43 binder for use as positron emission tomography (PET) imaging agents.

39. The use according to claim 40, wherein the compound is to be administered to a subject as an effective amount of an isotopically labeled compound.

40. The use according to claim 32, wherein, in formula (I),

R^{1a} is selected from the group consisting of hydrogen, halogen, C_{1-20} linear alkyl, C_{3-20} branched alkyl, C_{1-20} linear alkoxy, C_{3-20} branched alkoxy, C_{1-20} linear aminoalkyl, C_{3-20} branched aminoalkyl, C_{1-20} linear aminoalkoxy, and C_{3-20} branched aminoalkoxy, each of which except hydrogen and halogen are optionally substituted;

R^{1b} is selected from the group consisting of hydrogen, halogen, C_{1-20} linear alkyl, C_{3-20} branched alkyl, C_{1-20} linear alkoxy, C_{3-20} branched alkoxy, C_{1-20} linear aminoalkyl, C_{3-20} branched aminoalkyl, C_{1-20} linear aminoalkoxy, and C_{3-20} branched aminoalkoxy, each of which except hydrogen and halogen are optionally substituted;

R^{1c} is selected from the group consisting of hydrogen, halogen, C_{1-20} linear alkyl, C_{3-20} branched alkyl, C_{1-20} linear alkoxy, C_{3-20} branched alkoxy, C_{1-20} linear aminoalkyl, C_{3-20} branched aminoalkyl, C_{1-20} linear aminoalkoxy, and C_{3-20} branched aminoalkoxy, each of which except hydrogen and halogen are optionally substituted; and

R^{1d} is selected from the group consisting of hydrogen, halogen, C_{1-20} linear alkyl, C_{3-20} branched alkyl, C_{1-20} linear alkoxy, C_{3-20} branched alkoxy, C_{1-20} linear aminoalkyl, C_{3-20} branched aminoalkyl, C_{1-20} linear aminoalkoxy, and C_{3-20} branched aminoalkoxy, each of which except hydrogen and halogen are optionally substituted.

41. The use according to claim 40, wherein, in formula (I), at least one selected from the group consisting of R^{1a}, R^{1b}, R^{1c}, and R^{1d} is a substituted or unsubstituted C_{1-20} aminoalkoxy group.

42. The use according to claim 40, wherein, in formula (I), at least one selected from the group consisting of R^{1a}, R^{1b}, R^{1c}, and R^{1d} is a substituted or unsubstituted (C_{2-8} dialkylamino)(C_{2-4} alkoxy) group or a substituted or unsubstituted (C_{3-6} alkyleneamino)(C_{2-4} alkoxy) group.

43. The use according to claim 32, wherein the compound is:

N^1-(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)-N^1,N^3,N^3-trimethyl propane-1,3-diamine;

2-(4-Methoxyphenyl)-N-(3-{methyl[3-(methylamino)propyl]-amino}propyl)quinolin-4-amine;

N^1-(3-Aminopropyl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(2-(4-Methoxyphenyl)quinolin-4-yl)-N^3-(3-(piperidin-1-yl)propyl)propane-1,3-diamine;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-methyl-N^3-(3-(piperidin-1-yl)propyl)propane-1,3-diamine;

tert-Butyl N-{3-[(3-{[2-(4-methoxyphenyl)quinolin-4yl]amino}propyl)amino]propyl}carbamate;

N^1-(3-aminopropyl)-N^3-(5-fluoro-2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine:

N-{3-[(3-Aminopropyl)amino]propyl}-2-(4-methoxyphenyl)quinolin-4-amine;

N^1-(3-Aminopropyl)-N^3-(6-methoxy-2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(3-Aminopropyl)-N^3-(2-(2-methyl-4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(3-Aminopropyl)-N^3-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)-N^1,N^4-dimethylbutane-1,4-diamine;

N^1-(2-fluoroethyl)-N^3-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)-N^1,N^3-dimethylpropane-1,3-diamine;

3-((3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)amino)-propan-1-ol;

N-(3-(3-methoxypropylamino)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

N-(3-(2-(4-Methoxyphenyl)quinolin-4-ylamino)propyl)-N-(3-aminopropyl)acetamide;

N^1-(Cyclopropylmethyl)-N^1-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)-N^3,N^3-dimethyl propane-1,3-diamine:

tert-Butyl 3-(((3-(dimethylamino)propyl)(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl) amino)methyl)azetidine-1-carboxylate;

tert-Butyl 4-(((3-(dimethylamino)propyl)(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl) amino)methyl)piperidine-1-carboxylate:

N^1-(Azetidin-3-ylmethyl)-N^1-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^{1-}(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)-N^3,N^3-dimethyl-N^1-(piperidin-4-ylmethyl)propane-1,3-diamine**;**

N^1-(2-(4-Methoxyphenyl)quinolin-4-yl)-N^3-((1-methyl-1H-imidazol-5-yl)methyl)propane-1,3-diamine**;**

N-(3-(Hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

N^1-((6-Aminopyridin-3-yl)methyl)-N^3-(2-(4-methoxyphenyl)-quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

1-(Dimethylamino)-3-((3-((2-(4-methoxyphenyl)quinolin-4-yl)-amino)propyl)(methyl)amino)propan-2-ol;

1-(3-((3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)-methylamino)propyl)piperidin-4-ol;

tert-butyl 5-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)hexahydro-pyrrolo[3,4-c]pyrrole-2(1H)-carboxylate;

N^1-((6-(dimethylamino)pyridin-3-yl)methyl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methyl propane-1,3-diamine;

N^1-(3-aminopropyl)-N^1-methyl-N^3-(2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-methyl-N^3-((1-methylpiperidin-4-yl)methyl)propane-1,3-diamine:

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-methyl-N^3-(2-(piperidin-2-yl)ethyl)propane-1,3-diamine;

tert-Butyl (2-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)octahydrocyclopenta[c]pyrrol-4-yl)carbamate:

N^1-(2-(4-Methoxyphenyl)quinolin-4-yl)-N^3-(octahydrocyclopenta[c]pyrrol-4-yl)propane-1,3-diamine;

N-(3-(4-Aminohexahydrocyclopenta[c]pyrrol-2(1H)-yl)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

tert-Butyl 2-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)hexahydro-1H-pyrrolo[3,4-c]pyridine-5(6H)-carboxylate;

N-(3-(Hexahydro-1H-pyrrolo[3,4-c]pyridin-2(3H)-yl)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

tert-Butyl 4-((3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)amino)hexahydrocyclopenta[c] pyrrole-2(1H)-carboxylate;

N^1-((1-(Cyclopropylmethyl)piperidin-4-yl)methyl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methyl propane-1,3-diamine;

N-(2-(1-(3-Aminopropyl)piperidin-2-yl)ethyl)-2-(4-methoxyphenyl)quinolin-4-amine:

N^1-(1-(4-Fluorobenzyl)piperidin-4-yl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)propane-1,3-diamine:

tert-Butyl 6-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)-2,6-diazaspiro[3.4]octane-2-carboxylate;

N-(3-(2,6-Diazaspiro[3.4]octan-6-yl)propyl)-2-(4-methoxyphenyl)quinolin-4-amine:

2-(4-Methoxyphenyl)-N-(3-(4-methyl-1,4-diazepan-1-yl)propyl)quinolin-4-amine:

tert-Butyl 2-(2-((3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)amino)ethyl)piperidine-1-carboxylate;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-(2-(piperidin-2-yl)ethyl)propane-1,3-diamine;

N-(3-(4-(3-Aminopropyl)piperazin-1-yl)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

tert-Butyl 4-{[(3-{[2-(4-methoxyphenyl)quinolin-4-yl]amino}propyl)(methyl)amino]methyl} piperidine-1-carboxylate;

N-(3-(N-Methyl-N-((piperidin-4-yl)methyl)amino)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

N-(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)-4-(2H-tetrazol-5-yl)benzenesulfonamide;

N^1-(4-(2H-Tetrazol-5-yl)phenyl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)propane-1,3-diamine;

(1-(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)piperidin-4-yl)methanol;

1-(Diethylamino)-3-((3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)amino)propan-2-ol;

N^1-(2-(4-Methoxyphenyl)quinolin-4-yl)-N^3-((1-methyl-1H-pyrazol-5-yl)methyl)propane-1,3-diamine;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-(2-(pyridin-2-yl)ethyl)propane-1,3-diamine;

N^1-(2-(4-Methoxyphenyl)quinolin-4-yl)-N^3-(4-(piperidin-1-yl)phenyl)propane-1,3-diamine;

N-((1-(3-Aminopropyl)piperidin-3-yl)methyl)-2-(4-methoxyphenyl)quinolin-4-amine;

N-(3-(2-(6-Methoxy-1H-indol-3-yl)ethylamino)propyl)-2-(4-methoxyphenyl)quinolin-4-amine:

tert-Butyl 4-{[({1-[(tert-butoxy)carbonyl]piperidin-4-yl}methyl)(3-{[2-(4-methoxyphenyl)-quinolin-4-yl]amino}propyl)amino]methyl}piperidine-1-carboxylate;

N-(3-(Bis((piperidin-4-yl)methyl)amino)propyl)-2-(4-methoxyphenyl)quinolin-4-amine;

N^1-(4-Methoxybenzyl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

tert-Butyl (3-((4-((2-(4-methoxyphenyl)quinolin-4-yl)amino)cyclohexyl)amino)propyl)carbamate;

tert-Butyl 4-{[(3-{[2-(4-methoxyphenyl)quinolin-4-yl]amino}propyl)amino]methyl}piperidine- 1-carboxylate;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3-(3-(pyridin-4-ylamino)propyl)propane-1,3-diamine;

2-(3-(4-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)piperidin-1-yl)propyl)isoindoline-1,3-dione;

2-(3-(3-(((2-(4-Methoxyphenyl)quinolin-4-yl)amino)methyl)piperidin-1-yl)propyl)isoindoline-1,3-dione;

N-(3-((3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)amino)propyl) methanesulfonamide;

2-(3-(2-(2-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)ethyl)piperidin-1-yl)propyl)isoindoline-1,3-dione;

N-(3-(Hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)propyl)-2-(4-methoxy phenyl)quinolin-4-amine;

2-(4-Methoxyphenyl)-N-(1'-methyl-[1,4'-bipiperidine]-4-yl)quinolin-4-amine;

N^1-(2-Benzyloctahydrocyclopenta[c]pyrrol-4-yl)-N^3-(2-(4-methoxyphenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-((1-(Cyclopropylmethyl)piperidin-4-yl)methyl)-N^3-(2-(4-methoxyphenyl)\quinolin-4-yl)propane-1,3-diamine;

1-(3-((2-(4-Methoxyphenyl)quinolin-4-yl)amino)propyl)piperidine-4-carboxamide;

2-(4-Methoxyphenyl)-N-(3-(4-methylpiperazin-1-yl)propyl)quinolin-4-amine;

2-(4-Methoxyphenyl)-N-(2-(4-methylpiperazin-1-yl)ethyl)quinolin-4-amine;

2-(4-Methoxyphenyl)-N-(3-morpholinopropyl)quinolin-4-amine;

2-(7-Amino-4-methyl-2-oxo-2H-chromen-3-yl)-N-(3-((3-((2-(4-methoxyphenyl)quinolin-4-yl)amino) propyl)(methyl)amino)propyl)acetamide;

5-(dimethylamino)-N-{3-[(3-{[2-(4-methoxyphenyl)quinolin-4yl]amino}propyl)(methyl)amino] propyl}naphthalene-1-sulfonamide;

cis-N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

trans-N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

trans-N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

cis-N^1-(2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

N^1-(2-(4-(5,6-dihydropyrrolo[3,4-*c*]pyrazol-2(4*H*)-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

cis-N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

N^1-(2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-(6,7-dimethoxy-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(3-aminopropyl)-N^1-methyl-N^3-(2-(3-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

N^1-(2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

2-amino-1-(4-(4-(4-((3-(dimethylamino)propyl)amino)quinolin-2-yl)phenyl)piperazin-1-yl)-3-methylbutan-1-one;

2-amino-1-(4-(4-(4-((3-(dimethylamino)propyl)amino)quinolin-2-yl)phenyl)piperazin-1-yl)propan-1-one;

N^1-(2-(1-(1-methylpiperidin-4-yl)-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(3-aminopropyl)-N^3-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(2-(4-(piperidin-4-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(1-(piperidin-4-yl)-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

trans-N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

N^1,N^1-dimethyl-N^3-(2-(3-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1,N^1-dimethyl-N^3-(2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(1-(2-(pyrrolidin-1-yl)ethyl)-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

trans-N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

N-(1-(4-aminocyclohexyl)piperidin-4-yl)-2-(4-methoxyphenyl)quinolin-4-amine;

N^1-(6-fluoro-2-(4-(piperazin-1-yl)phenyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N-(1-(3-aminopropyl)piperidin-4-yl)-2-(4-methoxyphenyl)quinolin-4-amine;

cis-N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

2-amino-*N*-(1-((1-(4-(4-(4-((3-(dimethylamino)propyl)amino)quinolin-2-yl)phenyl)piperazin-1-yl)-3-methyl-1-oxobutan-2-yl)amino)-3-methyl-1-oxobutan-2-yl)-3-methylbutanamide;

N^1,N^1-dimethyl-N^3-(2-(1-(1-methylpiperidin-4-yl)-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(6,7-dimethoxy-2-(4-methoxyphenyl)quinolin-4-yl)propane-1,3-diamine;

N^1,N^1-dimethyl-N^3-(2-(4-(4-methylpiperazin-1-yl)phenyl)quinolin-4-yl)propane-1,3-diamine;

2-amino-*N*-(1-(4-(4-(4-((3-(dimethylamino)propyl)amino)quinolin-2-yl)phenyl)piperazin-1-yl)-3-methyl-1-oxobutan-2-yl)-3-methylbutanamide;

cis-N^1-(2-(4-methoxyphenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

N^1-([2,6'-biquinolin]-4-yl)propane-1,3-diamine;

4-(4-(4-((3-(dimethylamino)propyl)amino)quinolin-2-yl)phenyl)-1-methylpiperazin-2-one;

N^1-(2-(piperidin-4-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(2,3-dihydrobenzofuran-5-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(4-(methoxy-d_3)phenyl)quinolin-4-yl)propane-1,3-diamine;

N^1-([2,6'-biquinolin]-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)cyclobutane-1,3-diamine;

N^1-(2-(1,2,3,6-tetrahydropyridin-4-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)cyclohexane-1,4-diamine;

2-(4-methoxyphenyl)-*N*-(piperidin-4-yl)quinolin-4-amine;

N^1-(2-(4-(methoxy-d_3)phenyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(benzofuran-5-yl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(1-methyl-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(2-(1-(azetidin-3-yl)-1*H*-pyrazol-4-yl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(1-cyclopropyl-1*H*-pyrazol-4-yl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(cyclohex-1-en-1-yl)quinolin-4-yl)propane-1,3-diamine;

(*S*)-2-amino-*N*-(3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propyl)-*N*-methylpropanamide;

N^1-(2-(4-methoxyphenyl)quinolin-4-yl)-N^3,N^3-bis(methyl-d_3)propane-1,3-diamine;

N^1-(2-(furan-2-yl)quinolin-4-yl)propane-1,3-diamine;

N^1-(5-fluoro-2-(4-methoxyphenyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(1-(2-morpholinoethyl)-1*H*-pyrazol-4-yl)quinolin-4-yl)propane-1,3-diamine;

3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propan-1-ol;

N^1-(2-(2-methoxypyrimidin-5-yl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1,N^1-dimethyl-N^3-(2-methylquinolin-4-yl)propane-1,3-diamine;

3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)-*N*,*N*-dimethylpropanamide;

N^1-(2-(6-methoxypyridin-3-yl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2,2-difluoro-6-(4-methoxyphenyl)-[1,3]dioxolo[4,5-*g*]quinolin-8-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N-(4,4-difluorocyclohexyl)-2-(4-methoxyphenyl)quinolin-4-amine;

tert-butyl 3-((2-(4-methoxyphenyl)quinolin-4-yl)amino)propanoate;

N^1-(6-methoxy-2-(trifluoromethyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(6-methoxy-7-(3-(pyrrolidin-1-yl)propoxy)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

2-cyclohexyl-*N*-(1-isopropylpiperidin-4-yl)-6-methoxy-7-(3-(pyrrolidin-1-yl)propoxy)quinolin-4-amine;

N^1-(3-aminopropyl)-N^3-(6,7-dimethoxyquinolin-4-yl)-N^1-methylpropane-1,3-diamine;

6-methoxy-*N*-(1-methylpiperidin-4-yl)-7-(3-(pyrrolidin-1-yl)propoxy)quinolin-4-amine;

N^1-(6,7-dimethoxyquinolin-4-yl)-N^3,N^3-diethylpropane-1,3-diamine;

6,7-dimethoxy-*N*-(1'-methyl-[1,4'-bipiperidin]-4-yl)quinolin-4-amine;

N^1-(3-aminopropyl)-N^3-(7-chloroquinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(3-aminopropyl)-N^3-(2-(4-(dimethylamino)phenyl)quinolin-4-yl)-N^1-methylpropane-1,3-diamine;

N^1-(6-methoxy-7-(2-(pyrrolidin-1-yl)ethoxy)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine;

N^1-(2-(4-(2-(1*H*-pyrazol-1-yl)ethoxy)phenyl)quinolin-4-yl)-N^3,N^3-dimethylpropane-1,3-diamine,

an enantiomer, a diastereomer, a hydrate, a solvate, a pharmaceutically acceptable salt, or an isotopic analog thereof.