







Figure 1



Kd 5 e-12 M



Kd 9.96 e-9 M

Figure 2




Figure 3A




Figure 3B




Figure 4A




Figure 4B




Figure 5A




Figure 5B




Figure 6A




Figure 6B



10000000
1000000
100000
10000
1000
AUC(inf) (d•ng/mL)
slope = 1.036
r² = 0.998
IV
SC
0.01
0.1
1
10
Dose (mg/kg)

Figure 7



2500
2000
1500
1000
500
0
Conc (ng/mL)
0
20
40
60
80
100
120
Time (days)
IV 0.1 mg/kg
SC 0.1 mg/kg

Figure 8



750
600
450
300
150
0
AUEC(0-28) (d•%Change)
0
250000
500000
750000
1000000
AUC(0-28) (d•ng/mL)
3 mg/kg
1 mg/kg
0.3 mg/kg
0.1 mg/kg
0.1 mg/kg
Observed IV
Observed SC
Predicted

Figure 9



IV Median Change and Range of Change from Baseline - Hematocrit
Median Change from Baseline (%)
9
7
5
3
1
-1
-3
0
10
20
30
40
50
60
70
80
90
100
110
120
Protocol Schedule Day
Cohort:
Placebo
0.1 mg/kg
0.3 mg/kg
1.0 mg/kg
3.0 mg/kg

Figure 10



IV Median Change and Range of Change from Baseline - Hemoglobin
Median Change from Baseline (G/DL)
3
2
1
0
-1
0
10
20
30
40
50
60
70
80
90
100
110
120
Protocol Schedule Day
Cohort:
Placebo
0.1 mg/kg
0.3 mg/kg
1.0 mg/kg
3.0 mg/kg

Figure 11



IV Median Change and Range of Change from Baseline - RBC
Median Change from Baseline (10^12/L)
1.0
0.8
0.6
0.4
0.2
0.0
-0.2
-0.4
0
10
20
30
40
50
60
70
80
90
100
110
120
Protocol Schedule Day
Cohort:
Placebo
0.1 mg/kg
0.3 mg/kg
1.0 mg/kg
3.0 mg/kg

Figure 12



IV Median Change and Range of Change from Baseline - Reticulocyte Count (%)
Median Change from Baseline (%)
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
-0.2
-0.4
0
10
20
30
40
50
60
70
80
90
100
110
120
Protocol Schedule Day
Cohort:
Placebo
0.1 mg/kg
0.3 mg/kg

Figure 13