

- [12] (Non-patent Literature 0003) New England Journal of Medicine 2004;350:2129-39.
- [13] (Non-patent Literature 0004) Clin Cancer Res 2006;12:6494-6501.
- [14] (Non-patent Literature 0005) Fukuoka et al. JCO 2003.
- [15] (Non-patent Literature 0006) Kris et al. JAMA 2003.
- [16] (Non-patent Literature 0007) Shepherd et al. NEJM 2004.
- [17] (Non-patent Literature 0008) Kobayashi et al. NEJM 2005.
- [18] (Non-patent Literature 0009) Pao et al. PLOS Medicine 2005.
- [19] (Non-patent Literature 0010) Kosaka et al. CCR 2006.
- [20] (Non-patent Literature 0011) Balak et al. CCR 2006.
- [21] (Non-patent Literature 0012) Engelman et al. Science 2007.

**Summary**

[21a] In an aspect of the present disclosure, there is provided a compound selected from any one of the compounds 1 through 1059 below, or pharmaceutically acceptable salts of the same:

- 1) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((S)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 2) N-(4-methoxy-2-morpholino-5-((6-((S)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 3) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((S)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 4) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 5) N-(4-methoxy-2-morpholino-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 6) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 7) N-(2-(4-cyclopropylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 8) N-(2-(2-(dimethylamino)ethoxy)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 9) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 10) N-(4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 11) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 12) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 13) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 14) N-(2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 15) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 16) N-(2-(4-acetyl piperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 17) N-(4-methoxy-2-((2-methoxyethyl)(methyl)amino)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 18) N-(4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 19) N-(4-methoxy-2-(2-methyl-1H-imidazole-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 20) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
- 21) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
- 22) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
- 23) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
- 24) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

25) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

26) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

27) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

28) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

29) N-(2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

30) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

31) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

32) N-(4-methoxy-2-(5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

33) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

34) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

35) N-(4-methoxy-2-(3-methyl-3,6-diazabicyclo[3.1.1]heptane-6-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

36) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

37) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

38) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

39) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

40) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

41) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

42) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

43) N-(4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-morpholinophenyl)acrylamide;

44) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

45) N-(4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

46) N-(2-(4-cyclopropylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

47) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

48) N-(4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

49) N-(2-(4-acetyl piperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

50) N-(2-(4-dimethylaminopiperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

51) N-(2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

52) N-(4-methoxy-2-(4-(5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

53) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

54) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

55) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

56) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

57) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

58) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

59) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

60) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

61) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

62) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

63) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

64) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

65) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

66) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

67) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

68) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

69) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

70) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

71) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

72) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

73) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

74) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

75) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

76) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

77) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-

difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 78) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 79) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 80) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 81) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 82) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 83) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 84) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 85) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 86) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 87) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 88) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 89) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 90) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 91) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 92) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 93) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 94) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 95) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 96) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 97) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 98) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 99) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 100) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 101) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 102) N-(4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

103) N-(2-(4-(2-oxa-6-azaspiro[3.3]heptane-6-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

104) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(5-ethylhexahydropyrrolo[3,4-c]pyrrole-2(1H)-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

105) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aS)-tetrahydro-1H-puro[3,4-c]pyrrole-5(3H)-yl)piperidine-1-yl)phenyl)acrylamide;

106) N-(2-(4-(4-cyclopropyl-3,3-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

107) N-(2-(4-((2R,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

108) N-(2-(4-((2S,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

109) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

110) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

111) N-(2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

112) N-(2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

113) N-(2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

114) N-(2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

115) N-(2-(4-((1R,5S)-8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

116) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-ethoxyphenyl)acrylamide;

117) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)-(E)-4-(dimethylamino)but-2-enamide;

118) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

119) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-(((R)-1,1,1-trifluoropropane-2-yl)oxy)phenyl)acrylamide;

120) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)-2-fluoroacrylamide;

121) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

122) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

123) N-(2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

124) N-(2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

125) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

126) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

127) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

128) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

129) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

130) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

131) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

132) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

133) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

134) N-(2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

135) N-(2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

136) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

137) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

138) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

139) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

140) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

141) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

142) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

143) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

144) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

145) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

146) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

147) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(thiophene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

148) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

149) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

150) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

151) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

152) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

153) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

154) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

155) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

156) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

157) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

158) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

159) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

160) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

161) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

162) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

163) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

164) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
165) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
166) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
167) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
168) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
169) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
170) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
171) N-(2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
172) N-(2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
173) N-(2-(4-((2R,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
174) N-(2-(4-((2S,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
175) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
176) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
177) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
178) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
179) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
180) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
181) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropyl-3,3-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
182) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
183) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

184) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

185) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

186) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

187) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

188) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

189) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

190) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

191) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

192) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

193) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

194) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

195) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

196) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

197) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

198) N-(4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

199) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

200) N-(4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

201) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

202) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

203) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

204) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

205) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

206) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

207) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

208) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

209) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

210) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

211) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

212) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

213) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

214) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

215) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

216) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

217) N-(2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

218) N-(4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

219) N-(2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

220) N-(2-(4-isopropylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

221) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

222) N-(2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

223) N-(4-methoxy-2-((2-methoxyethyl)(methyl)amino)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

224) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

225) N-(2-(4-cyclopentylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

226) N-(2-(4-cyclopentylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

227) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

228) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

229) N-(4-methoxy-2-(4-((2-methoxyethyl)(methyl)amino)piperidine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

230) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

231) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

232) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

233) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

234) N-(4-methoxy-2-(4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-

yl)piperidine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

235) N-(4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-morpholino-[1,4'-bipiperidine]-1'-yl)phenyl)acrylamide;

236) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

237) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

238) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

239) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

240) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

241) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

242) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

243) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

244) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

245) N-(2-(4-(dimethylamino)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

246) N-(2-(4-ethylpiperazine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

247) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

248) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

249) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(3-ethyl-3,6-diazabicyclo[3.1.1]heptane-6-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

250) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

251) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

252) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(6-ethyl-3,6-diazabicyclo[3.1.1]heptane-3-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

253) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-1,4'-bipiperidine-1'-yl)-4-methoxyphenyl)acrylamide;

254) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

255) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

256) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

257) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

258) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

259) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

260) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)phenyl)acrylamide;

261) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-(3-methyl-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

262) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

263) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

264) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

265) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

266) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

267) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

268) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

269) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-methyl-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

270) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-methyl-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

271) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

272) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

273) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

274) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methyl-3-oxopiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

275) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1-isopropylpiperidine-4-yl)amino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

276) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2-(dimethylamino)ethyl)(methyl)amino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

277) N-(2-(4-(cyclopropylmethyl)piperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

278) N-(2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

279) N-(2-(4-(cyclopentylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

280) N-(2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

281) N-(2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

282) N-(4-methoxy-2-(4-methyl-1H-imidazole-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

283) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

284) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

285) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

286) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

287) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

288) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

289) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

290) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

291) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

292) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

293) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

294) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

295) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

296) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

297) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

298) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

299) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

300) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-propylpiperazine-1-yl)phenyl)acrylamide;

301) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

302) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

303) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

304) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

305) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-(1,4'-bipiperidine)-1'-yl)-4-methoxyphenyl)acrylamide;

306) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-

(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;  
307) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;  
308) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
309) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
310) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
311) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
312) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
313) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
314) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
315) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
316) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;  
317) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;  
318) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
319) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;  
320) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
321) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;  
322) N-(2-(4-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
323) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;  
324) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
325) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;  
326) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;  
327) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;  
328) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
329) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
330) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(2-methyl-1H-imidazole-1-yl)phenyl)acrylamide;

331) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

332) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

333) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

334) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

335) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

336) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

337) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-2-methylmorpholino)phenyl)acrylamide;

338) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-2-methylmorpholino)phenyl)acrylamide;

339) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

340) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

341) N-(2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

342) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

343) N-(2-(4-acetyl)piperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

344) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

345) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;

346) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

347) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;

348) N-(2-(4-cyclopentylpiperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

349) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;

350) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

351) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

352) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

353) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

354) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

355) N-(2-(4-(6-azaspiro[2.5]octan-6-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

356) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;  
357) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;  
358) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropyl-1,4-diazepane-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
359) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;  
360) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;  
361) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
362) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
363) N-(2-(4-acetylpiperazine-1-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
364) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
365) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;  
366) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
367) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;  
368) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;  
369) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;  
370) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((3S,5R)-4-ethyl-3,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
371) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;  
372) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;  
373) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
374) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
375) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
376) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
377) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(5-methyl-1H-imidazole-1-yl)phenyl)acrylamide;  
378) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;  
379) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)phenyl)acrylamide;  
380) N-(2-(4-(cyclopropylmethyl)piperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
381) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-

3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

382) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

383) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

384) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

385) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

386) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methyl-1H-imidazole-1-yl)phenyl)acrylamide;

387) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((2-methoxyethyl)(methyl)amino)piperidine-1-yl)phenyl)acrylamide;

388) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-3-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

389) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

390) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-hydroxypiperidine-1-yl)-4-methoxyphenyl)acrylamide;

391) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

392) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

393) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

394) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

395) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

396) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

397) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)-(E)-4-(dimethylamino)but-2-enamide;

398) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

399) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

400) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

401) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

402) N-(1-(2-acrylamido-4-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-5-methoxyphenyl)piperidine-4-yl)-N-(1-isopropylpiperidine-4-yl)acrylamide;

403) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

404) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

405) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

406) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

407) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

408) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

409) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

410) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

411) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

412) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

413) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

414) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

415) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

416) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

417) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

418) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

419) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

420) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

421) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

422) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2-(dimethylamino)ethyl)(methyl)amino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

423) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

424) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

425) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

426) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholino-[1,4'-bipiperidine]-1'-yl)phenyl)acrylamide;

427) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

428) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

429) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

430) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

431) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

432) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

433) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

434) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

435) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

436) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

437) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

438) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

439) N-(4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

440) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

441) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

442) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

443) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

444) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

445) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

446) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

447) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

448) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

449) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

450) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

451) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

452) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

453) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

454) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

455) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;  
456) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
457) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;  
458) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;  
459) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
460) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
461) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
462) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
463) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
464) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
465) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;  
466) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
467) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;  
468) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
469) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
470) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;  
471) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
472) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
473) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)phenyl)acrylamide;  
474) N-(2-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
475) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
476) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
477) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)-[1,4'-bipiperidine]-1'-yl)phenyl)acrylamide;  
478) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;  
479) N-(2-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
480) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-

ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

481) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

482) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

483) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

484) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

485) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

486) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

487) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

488) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

489) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

490) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

491) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

492) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

493) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

494) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

495) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(3-methoxy-3-methylbutoxy)phenyl)acrylamide;

496) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(3-methoxy-3-methylbutoxy)phenyl)-(E)-4-(dimethylamino)but-2-enamide;

497) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

498) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

499) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

500) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

501) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

502) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

503) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

504) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

505) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

506) N-(4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

507) N-(4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

508) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

509) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

510) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

511) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

512) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

513) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

514) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

515) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

516) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

517) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

518) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

519) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

520) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

521) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

522) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

523) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

524) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

525) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

526) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

527) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methyl-1H-imidazole-1-yl)phenyl)acrylamide;

528) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

529) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

530) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

531) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

532) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

533) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-fluorophenyl)acrylamide;

534) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methylphenyl)acrylamide;

535) N-(4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

536) N-(4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

537) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

538) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

539) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

540) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

541) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

542) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(3-methyl-3,6-diazabicyclo[3.1.1]heptane-6-yl)phenyl)acrylamide;

543) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

544) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

545) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

546) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

547) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

548) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

549) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

550) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

551) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

552) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

553) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
554) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
555) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
556) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
557) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
558) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
559) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
560) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
561) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)phenyl)acrylamide;  
562) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;  
563) N-(2-(4-cyclopentylpiperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
564) N-(2-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
565) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
566) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;  
567) N-(2-(4-(cyclopropylmethyl)piperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
568) N-(2-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
569) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
570) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
571) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
572) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
573) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
574) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
575) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
576) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
577) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
578) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-

methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

579) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

580) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

581) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

582) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

583) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

584) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

585) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

586) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

587) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(3-(4-cyclopropylpiperazine-1-yl)azetidine-1-yl)-4-methoxyphenyl)acrylamide;

588) N-(2-(3-(4-cyclopropylpiperazine-1-yl)azetidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

589) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

590) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

591) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-hydroxypiperidine-1-yl)-4-methoxyphenyl)acrylamide;

592) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

593) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

594) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

595) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

596) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

597) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

598) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

599) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

600) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

601) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

602) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

603) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

604) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

605) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

606) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

607) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

608) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

609) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

610) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

611) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

612) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

613) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2-(dimethylamino)ethyl)(methyl)amino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

614) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholino-[1,4'-bipiperidine]-1'-yl)phenyl)acrylamide;

615) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

616) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

617) N-(5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

618) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

619) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

620) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

621) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

622) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

623) N-(4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

624) N-(4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

625) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-((dimethylamino)methyl)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

626) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-((dimethylamino)methyl)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

627) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

628) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

629) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

630) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

631) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

632) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

633) N-(3-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-5-(4-methylpiperazine-1-yl)phenyl)acrylamide;

634) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

635) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

636) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

637) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

638) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

639) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

640) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

641) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

642) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

643) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

644) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

645) N-(4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

646) N-(4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

647) N-(2-(4-(dimethylamino)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

648) N-(2-(4-ethylpiperazine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

649) N-(5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

650) N-(5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

651) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(3-

ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

652) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

653) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

654) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

655) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

656) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

657) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-2-methylmorpholino)phenyl)acrylamide;

658) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2S,6S)-2,6-dimethylmorpholino)-4-methoxyphenyl)acrylamide;

659) N-(4-methoxy-2-((S)-2-methylmorpholino)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

660) N-(2-((2S,6S)-2,6-dimethylmorpholino)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

661) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

662) N-(2-((S)-3,4-dimethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

663) N-(4-methoxy-2-((R)-2-methylmorpholino)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

664) N-(2-((2S,6R)-2,6-dimethylmorpholino)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

665) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

666) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-2-methylmorpholino)phenyl)acrylamide;

667) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2S,6R)-2,6-dimethylmorpholino)-4-methoxyphenyl)acrylamide;

668) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

669) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

670) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

671) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

672) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

673) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

674) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)phenyl)acrylamide;

675) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

676) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

677) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

678) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;  
679) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;  
680) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
681) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
682) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
683) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;  
684) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)phenyl)acrylamide;  
685) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;  
686) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;  
687) N-(2-(4-(cyclopropylmethyl)piperazine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
688) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
689) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
690) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
691) N-(5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
692) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
693) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
694) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;  
695) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
696) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
697) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;  
698) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
699) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
700) N-(2-(4-(6-azaspiro[2.5]octan-6-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
701) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;  
702) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

703) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

704) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

705) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

706) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

707) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

708) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

709) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

710) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

711) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

712) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

713) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(3-(dimethylamino)azetidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

714) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

715) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

716) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

717) N-(2-(4-(4-cyclopropyl-1,4-diazepane-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

718) N-(2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

719) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

720) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

721) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

722) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methyl-2-oxopiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

723) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

724) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

725) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

726) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

727) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-

(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
728) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
729) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
730) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;  
731) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
732) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
733) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;  
734) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;  
735) N-(2-(4-((2-(dimethylamino)ethyl)(methyl)amino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
736) N-(4-methoxy-2-(4-((2-methoxyethyl)(methyl)amino)piperidine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
737) N-(2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
738) N-(2-(4-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
739) N-(2-(4-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
740) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
741) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
742) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
743) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;  
744) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
745) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;  
746) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;  
747) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
748) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
749) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
750) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;  
751) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
752) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6S)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
753) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

754) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

755) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

756) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

757) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

758) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

759) N-(2-(4-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

760) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

761) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-2,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

762) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-2,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

763) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

764) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

765) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

766) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

767) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

768) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

769) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

770) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

771) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

772) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

773) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

774) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

775) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

776) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

777) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

778) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

779) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

780) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

781) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

782) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

783) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

784) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

785) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

786) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

787) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

788) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

789) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

790) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

791) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

792) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

793) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

794) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

795) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

796) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

797) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

798) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

799) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

800) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

801) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

802) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

803) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

804) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

805) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

806) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

807) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

808) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

809) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

810) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

811) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

812) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

813) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

814) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

815) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

816) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

817) N-(2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

818) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

819) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

820) N-(2-(4-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

821) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

822) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

823) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

824) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

825) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

826) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

827) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((3S,5R)-4-ethyl-3,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

828) N-(2-(4-(6-azaspiro[2.5]octan-6-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-

difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 829) N-(2-(4-(4-cyclopropyl-1,4-diazepane-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 830) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 831) N-(2-(4-acetylpiperazine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 832) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 833) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 834) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
 835) N-(2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 836) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
 837) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)phenyl)acrylamide;  
 838) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;  
 839) N-(2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 840) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;  
 841) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((3S,5R)-4-ethyl-3,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 842) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-3-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;  
 843) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-3-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;  
 844) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;  
 845) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;  
 846) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 847) N-(2-(4-ethylpiperazine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 848) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
 849) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
 850) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 851) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 852) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(hexahydropyrrolo[1,2-a]pyrazine-2(1H)-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 853) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;

854) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

855) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

856) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

857) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)phenyl)acrylamide;

858) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

859) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

860) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

861) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(2-methyl-1H-imidazole-1-yl)phenyl)acrylamide;

862) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

863) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

864) N-(2-(4-(dimethylamino)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

865) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

866) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

867) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

868) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

869) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

870) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

871) N-(2-(4-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

872) N-(2-(4-(6-azaspiro[2.5]octan-6-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

873) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

874) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

875) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

876) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

877) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)phenyl)acrylamide;

878) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((3S,5R)-4-ethyl-3,5-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

879) N-(2-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

880) N-(2-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

881) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

882) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

883) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

884) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

885) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-2,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

886) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-2,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

887) N-(2-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

888) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-2-methylmorpholino)phenyl)acrylamide;

889) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-2-methylmorpholino)phenyl)acrylamide;

890) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

891) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

892) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

893) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

894) N-(2-(4-(4-(sec-butyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

895) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

896) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

897) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

898) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

899) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

900) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

901) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

902) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

903) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

904) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;

905) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

906) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

907) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

908) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

909) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

910) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

911) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

912) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

913) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

914) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

915) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

916) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

917) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

918) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-2,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

919) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-2,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

920) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-

methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;  
921) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
922) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
923) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;  
924) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;  
925) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;  
926) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
927) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
928) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(thiophene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
929) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(thiophene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
930) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(thiophene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
931) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
932) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
933) N-(5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
934) N-(5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
935) N-(5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
936) N-(5-((6-((S)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
937) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
938) N-(5-((6-((R)-3-(3-chloro-2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
939) N-(5-((6-((R)-3-(3-chloro-2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
940) N-(2-(4-cyclopropylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
941) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
942) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
943) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-

5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

944) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

945) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

946) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

947) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

948) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

949) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

950) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

951) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

952) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

953) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;

954) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

955) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

956) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

957) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxyphenyl)acrylamide;

958) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

959) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(cyclopropylmethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;

960) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(2-methyl-1H-imidazole-1-yl)phenyl)acrylamide;

961) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;

962) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxyphenyl)acrylamide;

963) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

964) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

965) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

966) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

967) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(cyclopropylmethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;

968) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

969) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)phenyl)acrylamide;

970) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;

971) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)phenyl)acrylamide;

972) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopentylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

973) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

974) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;

975) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)phenyl)acrylamide;

976) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;

977) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopentylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

978) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(diethylamino)ethoxy)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

979) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

980) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

981) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

982) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

983) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

984) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

985) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

986) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

987) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

988) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

989) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

990) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

991) N-(5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

992) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

993) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

994) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

995) N-(2-(4-((1R,5S)-8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

996) N-(5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

997) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

998) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

999) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1000) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1001) N-(5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

1002) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1003) N-(2-(4-ethylpiperazine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1004) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1005) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1006) N-(5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

1007) N-(5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1008) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

1009) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1010) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1011) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

1012) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1013) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

1014) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1015) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1016) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;  
1017) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
1018) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
1019) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
1020) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
1021) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
1022) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
1023) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
1024) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
1025) N-(5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
1026) N-(5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
1027) N-(5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
1028) N-(5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
1029) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
1030) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
1031) N-(5-((6-((S)-3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;  
1032) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((S)-3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
1033) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
1034) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
1035) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
1036) N-(5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1037) N-(5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1038) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1039) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1040) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1041) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1042) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1043) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1044) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1045) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1046) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1047) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1048) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1049) N-(2-(4-cyclopropylpiperazine-1-yl)-4-methoxy-5-((6-((S)-3-(4-(trifluoromethyl)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

1050) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(4-(trifluoromethyl)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

1051) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(4-(trifluoromethyl)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

1052) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(4-(trifluoromethyl)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

1053) N-(5-((6-((S)-3-(3-chloro-2-methoxybenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

1054) N-(5-((6-((S)-3-(3-chloro-2-methoxybenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1055) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-chloro-2-methoxybenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1056) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
1057) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
1058) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(pyridine-2-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
1059) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-2-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide.

[21b] In another aspect of the present disclosure, there is provided a compound disclosed herein, or a pharmaceutically acceptable salt thereof, for use in treating cancer.

[21c] In a further aspect of the present disclosure, there is provided a use of a compound disclosed herein, or a pharmaceutically acceptable salt thereof, for the preparation of a medicament for the treatment of cancer.

[21d] In another aspect of the present disclosure, there is provided a pharmaceutical composition comprising a compound disclosed herein, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.

## **Disclosure**

### **Technical Problem**

[22] The purpose of one aspect of the present invention is to provide a compound which exhibits inhibitory effects against wild type or mutant EGFR and is therefore useful in the treating of cancer, and stereoisomers, hydrates, or pharmaceutically acceptable salts of the compound.

[23] The purpose of another aspect of the present invention is to provide a method for preparation of the compound.

[24] The purpose of yet another aspect of the present invention is to provide a pharmaceutical composition for preventing or treating cancer, the composition comprising the compound or stereoisomers, hydrates or pharmaceutically acceptable salts of the same as an effective component.

[25] The purpose of yet another aspect of the present invention is to provide a pharmaceutical composition which suppresses wild type EGFR (epidermal growth factor receptor) or EGFR mutations to prevent or treat cancer.


### **Technical Solution**

[26] To achieve the above-stated purposes,

[27] The present invention provides a compound represented by Chemical Formula 1, stereoisomers of the same, hydrates or the same, or pharmaceutically acceptable salts of the same:

[28] [Chemical Formula 1]

[29]



[30] In Chemical Formula 1,

## What is claimed is...

**[Claim 1]** A compound selected from any one of the compounds 1 through 1059 below, or pharmaceutically acceptable salts of the same:

- 1) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((S)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 2) N-(4-methoxy-2-morpholino-5-((6-((S)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 3) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((S)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 4) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 5) N-(4-methoxy-2-morpholino-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 6) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 7) N-(2-(4-cyclopropylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 8) N-(2-(2-(dimethylamino)ethoxy)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 9) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 10) N-(4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 11) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 12) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 13) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 14) N-(2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 15) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 16) N-(2-(4-acetyl piperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 17) N-(4-methoxy-2-((2-methoxyethyl)(methyl)amino)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 18) N-(4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 19) N-(4-methoxy-2-(2-methyl-1H-imidazole-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;
- 20) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;
- 21) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;
- 22) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;
- 23) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

24) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 25) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;  
 26) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 27) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 28) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 29) N-(2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 30) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;  
 31) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 32) N-(4-methoxy-2-(5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 33) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 34) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 35) N-(4-methoxy-2-(3-methyl-3,6-diazabicyclo[3.1.1]heptane-6-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 36) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 37) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;  
 38) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;  
 39) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 40) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 41) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 42) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 43) N-(4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-morpholinophenyl)acrylamide;  
 44) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 45) N-(4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;  
 46) N-(2-(4-cyclopropylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 47) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 48) N-(4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

49) N-(2-(4-acetylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

50) N-(2-(4-dimethylaminopiperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

51) N-(2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

52) N-(4-methoxy-2-(4-(5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

53) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

54) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

55) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

56) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

57) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

58) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

59) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

60) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

61) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

62) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

63) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

64) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

65) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

66) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

67) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

68) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-

difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 69) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 70) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 71) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 72) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 73) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 74) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 75) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 76) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 77) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 78) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 79) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 80) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 81) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 82) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 83) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 84) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 85) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 86) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 87) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-

methoxyphenyl)acrylamide;

88) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

89) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

90) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

91) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

92) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

93) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

94) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

95) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

96) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

97) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

98) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

99) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

100) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

101) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

102) N-(4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

103) N-(2-(4-(2-oxa-6-azaspiro[3.3]heptane-6-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

104) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(5-ethylhexahydropyrrolo[3,4-c]pyrrole-2(1H)-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

105) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aS)-tetrahydro-1H-puro[3,4-c]pyrrole-5(3H)-yl)piperidine-

1-yl)phenyl)acrylamide;

106) N-(2-(4-(4-cyclopropyl-3,3-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

107) N-(2-(4-((2R,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

108) N-(2-(4-((2S,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

109) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

110) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

111) N-(2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

112) N-(2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

113) N-(2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

114) N-(2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

115) N-(2-(4-((1R,5S)-8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

116) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-ethoxyphenyl)acrylamide;

117) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)-(E)-4-(dimethylamino)but-2-enamide;

118) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

119) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-(((R)-1,1,1-trifluoropropane-2-yl)oxy)phenyl)acrylamide;

120) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)-2-fluoroacrylamide;

121) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

122) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

123) N-(2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

124) N-(2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

125) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

126) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

127) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

128) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

129) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

130) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

131) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

132) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

133) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

134) N-(2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

135) N-(2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

136) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

137) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

138) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

139) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

140) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-

methoxyphenyl)acrylamide;

141) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

142) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

143) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

144) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

145) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

146) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

147) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(thiophene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

148) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

149) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

150) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

151) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

152) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

153) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

154) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

155) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

156) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

157) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

158) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

159) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-

yl)amino)-2-(4-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

160) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

161) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

162) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

163) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

164) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

165) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

166) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

167) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

168) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

169) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

170) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

171) N-(2-(4-((2S,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

172) N-(2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

173) N-(2-(4-((2R,5S)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

174) N-(2-(4-((2S,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

175) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

176) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-

methoxyphenyl)acrylamide;

177) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

178) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2R,5R)-4-cyclopropyl-2,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

179) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

180) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

181) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropyl-3,3-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

182) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

183) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

184) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

185) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

186) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

187) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

188) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

189) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

190) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

191) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

192) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

193) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

194) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

195) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

196) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

197) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

198) N-(4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

199) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

200) N-(4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

201) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

202) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

203) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

204) N-(2-(4-(4-(cyclopropylmethyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

205) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

206) N-(2-(4-(4-cyclopentylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

207) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

208) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

209) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

210) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

211) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

212) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

213) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

214) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-

methoxyphenyl)acrylamide;

215) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

216) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

217) N-(2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

218) N-(4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

219) N-(2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

220) N-(2-(4-isopropylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

221) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

222) N-(2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

223) N-(4-methoxy-2-((2-methoxyethyl)(methyl)amino)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

224) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

225) N-(2-(4-cyclopentylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

226) N-(2-(4-cyclopentylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

227) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

228) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

229) N-(4-methoxy-2-(4-((2-methoxyethyl)(methyl)amino)piperidine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

230) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

231) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

232) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

233) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

234) N-(4-methoxy-2-(4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

235) N-(4-methoxy-5-((6-((R)-3-(6-methylpyridine-3-yl)isoxazolidine-2-

yl)pyrimidine-4-yl)amino)-2-(4-morpholino-[1,4'-bipiperidine]-1'-yl)phenyl)acrylamide;

236) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

237) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

238) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

239) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

240) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

241) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

242) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

243) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

244) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

245) N-(2-(4-(dimethylamino)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

246) N-(2-(4-ethylpiperazine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

247) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

248) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

249) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(3-ethyl-3,6-diazabicyclo[3.1.1]heptane-6-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

250) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

251) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

252) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(6-ethyl-3,6-diazabicyclo[3.1.1]heptane-3-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

253) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-1,4'-bipiperidine-1'-yl)-4-methoxyphenyl)acrylamide;

254) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

255) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

256) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

257) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

258) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

259) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

260) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)phenyl)acrylamide;

261) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-(3-methyl-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

262) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

263) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

264) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

265) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

266) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

267) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

268) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

269) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-methyl-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

270) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-methyl-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

271) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

272) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

273) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

274) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

4-methoxy-2-(4-(4-methyl-3-oxopiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
275) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1-isopropylpiperidine-4-yl)amino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
276) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2-(dimethylamino)ethyl)(methyl)amino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
277) N-(2-(4-(cyclopropylmethyl)piperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
278) N-(2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
279) N-(2-(4-cyclopentylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
280) N-(2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
281) N-(2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
282) N-(4-methoxy-2-(4-methyl-1H-imidazole-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
283) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
284) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
285) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
286) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
287) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;  
288) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;  
289) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;  
290) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
291) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
292) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
293) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
294) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;  
295) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;  
296) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;  
297) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
298) N-(2-(4-acetyl)piperazine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-

2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 299) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 300) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-propylpiperazine-1-yl)phenyl)acrylamide;  
 301) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
 302) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;  
 303) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 304) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 305) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-(1,4'-bipiperidine)-1'-yl)-4-methoxyphenyl)acrylamide;  
 306) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;  
 307) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;  
 308) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 309) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 310) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 311) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 312) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 313) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 314) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 315) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 316) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;  
 317) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;  
 318) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 319) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-

yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;

320) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

321) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

322) N-(2-(4-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

323) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

324) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

325) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

326) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

327) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;

328) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

329) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

330) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(2-methyl-1H-imidazole-1-yl)phenyl)acrylamide;

331) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

332) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

333) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

334) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

335) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

336) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

337) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-2-methylmorpholino)phenyl)acrylamide;

338) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-2-methylmorpholino)phenyl)acrylamide;

339) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

340) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

341) N-(2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

342) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

343) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

344) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

345) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;

346) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

347) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;

348) N-(2-(4-cyclopentylpiperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

349) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;

350) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

351) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

352) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

353) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

354) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

355) N-(2-(4-(6-azaspiro[2.5]octan-6-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

356) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

357) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

358) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropyl-1,4-diazepane-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

359) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

360) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

361) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

362) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

363) N-(2-(4-acetylpiperazine-1-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

364) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

365) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

366) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

367) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

368) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

369) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

370) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((3S,5R)-4-ethyl-3,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

371) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

372) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

373) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

374) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

375) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

376) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

377) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(5-methyl-1H-imidazole-1-yl)phenyl)acrylamide;

378) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

379) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)phenyl)acrylamide;

380) N-(2-(4-(cyclopropylmethyl)piperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

381) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

382) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

383) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

384) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

385) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

386) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methyl-1H-imidazole-1-yl)phenyl)acrylamide;

387) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((2-methoxyethyl)(methyl)amino)piperidine-1-yl)phenyl)acrylamide;

388) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-3-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

389) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

390) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-hydroxypiperidine-1-yl)-4-methoxyphenyl)acrylamide;

391) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

392) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

393) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

394) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

395) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

396) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

397) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)-(E)-4-(dimethylamino)but-2-enamide;

398) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

399) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

400) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

401) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

402) N-(1-(2-acrylamido-4-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-5-methoxyphenyl)piperidine-4-yl)-N-(1-isopropylpiperidine-4-yl)acrylamide;

403) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

404) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

405) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-

yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

406) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

407) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

408) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

409) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

410) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

411) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

412) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

413) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

414) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

415) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

416) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

417) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

418) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

419) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

420) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

421) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

422) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2-(dimethylamino)ethyl)(methyl)amino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

423) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

424) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

425) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

426) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholino-[1,4'-bipiperidine]-1'-yl)phenyl)acrylamide;

427) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

428) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

429) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

430) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

431) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

432) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

433) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

434) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

435) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

436) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

437) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

438) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

439) N-(4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

440) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

441) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

442) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

443) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

444) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

445) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

446) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-

yl)piperidine-1-yl)phenyl)acrylamide;

447) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

448) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

449) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

450) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

451) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

452) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

453) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

454) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

455) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

456) N-(5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

457) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

458) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

459) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

460) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

461) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

462) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

463) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

464) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

465) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

466) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

467) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-

methoxy-2-morpholinophenyl)acrylamide;

468) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

469) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

470) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

471) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

472) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

473) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)phenyl)acrylamide;

474) N-(2-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

475) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

476) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

477) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)-[1,4'-bipiperidine]-1'-yl)phenyl)acrylamide;

478) N-(5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

479) N-(2-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)-5-((6-((R)-3-(2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

480) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

481) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

482) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

483) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

484) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

485) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

486) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

487) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

488) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

489) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

490) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

491) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

492) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

493) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

494) N-(5-((6-((R)-3-(3-cyanophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

495) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(3-methoxy-3-methylbutoxy)phenyl)acrylamide;

496) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(3-methoxy-3-methylbutoxy)phenyl)-(E)-4-(dimethylamino)but-2-enamide;

497) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

498) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

499) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

500) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

501) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

502) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

503) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

504) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

505) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

506) N-(4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

507) N-(4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

508) N-(5-((6-((R)-3-(3-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-

(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

509) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

510) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

511) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

512) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

513) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

514) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

515) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

516) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

517) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

518) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

519) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

520) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

521) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

522) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

523) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

524) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

525) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

526) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

527) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methyl-1H-imidazole-1-yl)phenyl)acrylamide;

528) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

529) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-

yl)phenyl)acrylamide;

530) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

531) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

532) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

533) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-fluorophenyl)acrylamide;

534) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methylphenyl)acrylamide;

535) N-(4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

536) N-(4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(naphthalene-1-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

537) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

538) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

539) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

540) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

541) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)piperidine-1-yl)phenyl)acrylamide;

542) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(3-methyl-3,6-diazabicyclo[3.1.1]heptane-6-yl)phenyl)acrylamide;

543) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

544) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

545) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

546) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

547) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

548) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

549) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-

4-yl)amino)-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
550) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
551) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;  
552) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;  
553) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
554) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
555) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
556) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
557) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
558) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
559) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
560) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
561) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)phenyl)acrylamide;  
562) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;  
563) N-(2-(4-cyclopentylpiperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
564) N-(2-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
565) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
566) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;  
567) N-(2-(4-(cyclopropylmethyl)piperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
568) N-(2-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
569) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-

methoxyphenyl)acrylamide;

570) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

571) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

572) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

573) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

574) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

575) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

576) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

577) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

578) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

579) N-(5-((6-((R)-3-(3,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

580) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

581) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

582) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-propylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

583) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

584) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

585) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

586) N-(5-((6-((R)-3-(3-chloro-2-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

587) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(3-(4-cyclopropylpiperazine-1-yl)azetidine-1-yl)-4-methoxyphenyl)acrylamide;

588) N-(2-(3-(4-cyclopropylpiperazine-1-yl)azetidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

589) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

590) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

591) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-hydroxypiperidine-1-yl)-4-methoxyphenyl)acrylamide;

592) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

593) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

594) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

595) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

596) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

597) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

598) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

599) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

600) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

601) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

602) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

603) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

604) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

605) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

606) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

607) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

608) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

609) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

610) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-

methoxyphenyl)acrylamide;

611) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

612) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

613) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2-(dimethylamino)ethyl)(methyl)amino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

614) N-(5-((6-((R)-3-(2,3-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholino-[1,4'-bipiperidine]-1'-yl)phenyl)acrylamide;

615) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

616) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

617) N-(5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

618) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

619) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

620) N-(4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

621) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

622) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

623) N-(4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

624) N-(4-methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

625) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-((dimethylamino)methyl)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

626) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-((dimethylamino)methyl)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

627) N-(5-((6-((R)-3-(3-chloro-5-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

628) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

629) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

630) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

631) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

632) N-(4-methoxy-2-(4-morpholinopiperidine-1-yl)-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

633) N-(3-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-5-(4-methylpiperazine-1-yl)phenyl)acrylamide;

634) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

635) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

636) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

637) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

638) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

639) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

640) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

641) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

642) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

643) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

644) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

645) N-(4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

646) N-(4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

647) N-(2-(4-(dimethylamino)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

648) N-(2-(4-ethylpiperazine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

649) N-(5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

650) N-(5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

651) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

652) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

653) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

654) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

655) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(3-ethynylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

656) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxy-5-((6-((R)-3-(2,3,4-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

657) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-2-methylmorpholino)phenyl)acrylamide;

658) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2S,6S)-2,6-dimethylmorpholino)-4-methoxyphenyl)acrylamide;

659) N-(4-methoxy-2-((S)-2-methylmorpholino)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

660) N-(2-((2S,6S)-2,6-dimethylmorpholino)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

661) N-(5-((6-((R)-3-(2-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

662) N-(2-((S)-3,4-dimethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

663) N-(4-methoxy-2-((R)-2-methylmorpholino)-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

664) N-(2-((2S,6R)-2,6-dimethylmorpholino)-4-methoxy-5-((6-((R)-3-(naphthalene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

665) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

666) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-2-methylmorpholino)phenyl)acrylamide;

667) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2S,6R)-2,6-dimethylmorpholino)-4-methoxyphenyl)acrylamide;

668) N-(5-((6-((R)-3-(3-chloro-2,4-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

669) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

670) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

671) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

672) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

673) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

674) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-

yl)phenyl)acrylamide;

675) N-(2-(4-acetylpiperazine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

676) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

677) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

678) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

679) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;

680) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

681) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

682) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

683) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

684) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)phenyl)acrylamide;

685) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;

686) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;

687) N-(2-(4-(cyclopropylmethyl)piperazine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

688) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

689) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

690) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

691) N-(5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

692) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

693) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

694) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-

methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

695) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

696) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

697) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

698) N-(2-(4-ethylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

699) N-(2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

700) N-(2-(4-(6-azaspiro[2.5]octan-6-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

701) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

702) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

703) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

704) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

705) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

706) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

707) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

708) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

709) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

710) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

711) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

712) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

713) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(3-(dimethylamino)azetidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

714) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

715) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

716) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

717) N-(2-(4-(4-cyclopropyl-1,4-diazepane-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

718) N-(2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

719) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

720) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

721) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

722) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methyl-2-oxopiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

723) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

724) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

725) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

726) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

727) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

728) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

729) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

730) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

731) N-(2-(4-(dimethylamino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

732) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

733) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

734) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-

methoxy-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

735) N-(2-(4-((2-(dimethylamino)ethyl)(methyl)amino)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

736) N-(4-methoxy-2-(4-((2-methoxyethyl)(methyl)amino)piperidine-1-yl)-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

737) N-(2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

738) N-(2-(4-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

739) N-(2-(4-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

740) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

741) N-(2-(4-(4-acetyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

742) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

743) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

744) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

745) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

746) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

747) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

748) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-(3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

749) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

750) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

751) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

752) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6S)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

753) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

754) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

4-methoxy-2-(4-(piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
755) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
756) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
757) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;  
758) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;  
759) N-(2-(4-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
760) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
761) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-2,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
762) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-2,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
763) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
764) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
765) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
766) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;  
767) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
768) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;  
769) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
770) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
771) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
772) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
773) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
774) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichloro-2-

fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

775) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

776) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

777) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

778) N-(4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-morpholinopyrrolidine-1-yl)phenyl)acrylamide;

779) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

780) N-(2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

781) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxy-5-((6-((R)-3-(3-methoxyphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

782) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

783) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

784) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

785) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

786) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

787) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-phenylisoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

788) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

789) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

790) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

791) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

792) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

793) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

794) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

795) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

796) N-(2-(4-(4-acetylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

797) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

798) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

799) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

800) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

801) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

802) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

803) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

804) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

805) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

806) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

807) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

808) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

809) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

810) N-(2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

811) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

812) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

813) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

814) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

815) N-(2-(4-(4-acetyl piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

816) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

817) N-(2-(4,4-difluoro-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

818) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

819) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

820) N-(2-(4-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

821) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

822) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

823) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

824) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

825) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;

826) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

827) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((3S,5R)-4-ethyl-3,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

828) N-(2-(4-(6-azaspiro[2.5]octan-6-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

829) N-(2-(4-(4-cyclopropyl-1,4-diazepane-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

830) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

831) N-(2-(4-acetyl piperazine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

832) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

833) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

834) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

835) N-(2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

836) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

837) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-

yl)phenyl)acrylamide;  
838) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;  
839) N-(2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
840) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;  
841) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((3S,5R)-4-ethyl-3,5-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
842) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-3-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;  
843) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-3-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;  
844) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;  
845) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;  
846) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
847) N-(2-(4-ethylpiperazine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
848) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
849) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
850) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
851) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
852) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(hexahydropyrrolo[1,2-a]pyrazine-2(1H)-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
853) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;  
854) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;  
855) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
856) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;  
857) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)phenyl)acrylamide;  
858) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-

yl)-4-methoxyphenyl)acrylamide;

859) N-(5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

860) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

861) N-(5-((6-((R)-3-(3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(2-methyl-1H-imidazole-1-yl)phenyl)acrylamide;

862) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

863) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(4-chloro-3-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

864) N-(2-(4-(dimethylamino)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

865) N-(5-((6-((R)-3-(3,4-dichloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

866) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

867) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

868) N-(5-((6-((R)-3-(4-chlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

869) N-(5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

870) N-(2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-5-((6-((R)-3-(4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

871) N-(2-(4-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

872) N-(2-(4-(6-azaspiro[2.5]octan-6-yl)piperidine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

873) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

874) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

875) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

876) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

877) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)piperidine-1-yl)phenyl)acrylamide;

878) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((3S,5R)-4-ethyl-3,5-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

879) N-(2-((S)-4-cyclopropyl-2-methylpiperazine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

880) N-(2-((R)-4-cyclopropyl-2-methylpiperazine-1-yl)-5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

881) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

882) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

883) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

884) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

885) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-2,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

886) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-2,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

887) N-(2-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

888) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((S)-2-methylmorpholino)phenyl)acrylamide;

889) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((R)-2-methylmorpholino)phenyl)acrylamide;

890) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

891) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

892) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

893) N-(5-((6-((R)-3-(2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

894) N-(2-(4-(4-(sec-butyl)piperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

895) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

896) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;

897) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

898) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

4-methoxy-2-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

899) N-(5-((6-((S)-3-(2,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrole-5(1H)-yl)phenyl)acrylamide;

900) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

901) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3,4-dimethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

902) N-(2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

903) N-(2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

904) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;

905) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

906) N-(5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;

907) N-(2-(4-acetylpiperazine-1-yl)-5-((6-((R)-3-(3-chloro-4-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

908) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

909) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

910) N-(2-(4-((S)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

911) N-(5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

912) N-(2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-5-((6-((R)-3-(2-fluoro-3-methylphenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

913) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

914) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-3-(dimethylamino)pyrrolidine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

915) N-(5-((6-((R)-3-(3-chloro-2-fluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)-[1,4'-bipiperidine]-1'-yl)-4-methoxyphenyl)acrylamide;

916) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

917) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-

2-((R)-3,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
918) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-2,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
919) N-(5-((6-((R)-3-(3,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((S)-2,4-dimethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
920) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;  
921) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
922) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-ethylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
923) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;  
924) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;  
925) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;  
926) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
927) N-(5-((6-((R)-3-(2,3-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
928) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxy-5-((6-((R)-3-(thiophene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
929) N-(4-methoxy-2-(4-methylpiperazine-1-yl)-5-((6-((R)-3-(thiophene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
930) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(thiophene-2-yl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
931) N-(5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-(oxetane-3-yl)piperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
932) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((R)-3-(3,4-dichlorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
933) N-(5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
934) N-(5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
935) N-(5-((6-((R)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
936) N-(5-((6-((S)-3-(2-chloro-3,6-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
937) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(2,3,6-trifluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
938) N-(5-((6-((R)-3-(3-chloro-2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

939) N-(5-((6-((R)-3-(3-chloro-2,5-difluorophenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

940) N-(2-(4-cyclopropylpiperazine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

941) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

942) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

943) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

944) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(3-(trifluoromethyl)phenyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

945) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

946) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

947) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

948) N-(2-(4-acetylpiperazine-1-yl)-5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

949) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

950) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)-4-methoxyphenyl)acrylamide;

951) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(dimethylamino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

952) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

953) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-((2-methoxyethyl)(methyl)amino)phenyl)acrylamide;

954) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-isopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

955) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

956) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

957) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxyphenyl)acrylamide;

958) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(oxetane-3-yl)piperazine-1-yl)phenyl)acrylamide;

959) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(cyclopropylmethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;

960) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(2-methyl-1H-imidazole-1-yl)phenyl)acrylamide;

961) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;

962) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((1S,4S)-2-

oxa-5-azabicyclo[2.2.1]heptane-5-yl)-4-methoxyphenyl)acrylamide;  
 963) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(4-methylpiperazine-1-yl)piperidine-1-yl)phenyl)acrylamide;  
 964) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
 965) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;  
 966) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-morpholinophenyl)acrylamide;  
 967) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(cyclopropylmethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;  
 968) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;  
 969) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(5-methyl-2,5-diazabicyclo[2.2.1]heptane-2-yl)phenyl)acrylamide;  
 970) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;  
 971) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)phenyl)acrylamide;  
 972) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopentylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
 973) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;  
 974) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(1-methylpiperidine-4-yl)piperazine-1-yl)phenyl)acrylamide;  
 975) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-(tetrahydro-2H-pyran-4-yl)piperazine-1-yl)phenyl)acrylamide;  
 976) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(dimethylamino)ethyl)piperazine-1-yl)-4-methoxyphenyl)acrylamide;  
 977) N-(5-((6-((R)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopentylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;  
 978) N-(5-((6-((S)-3-benzylisoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(2-(diethylamino)ethoxy)piperidine-1-yl)-4-methoxyphenyl)acrylamide;  
 979) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;  
 980) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 981) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;  
 982) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;  
 983) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;  
 984) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-4-methoxyphenyl)acrylamide;  
 985) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;  
 986) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-

yl)amino)phenyl)acrylamide;

987) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

988) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

989) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

990) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

991) N-(5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

992) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

993) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

994) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

995) N-(2-(4-((1R,5S)-8-cyclopropyl-3,8-diazabicyclo[3.2.1]octan-3-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

996) N-(5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-morpholinopiperidine-1-yl)phenyl)acrylamide;

997) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

998) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

999) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1000) N-(2-((2-(dimethylamino)ethyl)(methyl)amino)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1001) N-(5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-methylpiperazine-1-yl)phenyl)acrylamide;

1002) N-(2-((R)-3-(dimethylamino)pyrrolidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1003) N-(2-(4-ethylpiperazine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1004) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1005) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1006) N-(5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

1007) N-(5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1008) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-ethylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

1009) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1010) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((2S,6R)-2,6-dimethylmorpholino)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1011) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((R)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

1012) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1013) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxy-2-(4-((S)-2-methylmorpholino)piperidine-1-yl)phenyl)acrylamide;

1014) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1015) N-(5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-isopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1016) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

1017) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

1018) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1019) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1020) N-(5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1021) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1022) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-chloro-2-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1023) N-(2-(4-(4-cyclobutylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-

dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1024) N-(2-(4-(4-allylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(2,3-dichlorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1025) N-(5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1026) N-(5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

1027) N-(5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1028) N-(5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1029) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1030) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-chloro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1031) N-(5-((6-((S)-3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-((2-(dimethylamino)ethyl)(methyl)amino)-4-methoxyphenyl)acrylamide;

1032) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-(S)-3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1033) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1034) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1035) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3,5-difluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1036) N-(5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1037) N-(5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1038) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1039) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1040) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-fluoro-2-methylbenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1041) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1042) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(2-chloro-3-fluorobenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1043) N-(2-(4-cyclopropylpiperazine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1044) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1045) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1046) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1047) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1048) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-(dimethylamino)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;

1049) N-(2-(4-cyclopropylpiperazine-1-yl)-4-methoxy-5-((6-((S)-3-(4-(trifluoromethyl)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

1050) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(4-(trifluoromethyl)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

1051) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(4-(trifluoromethyl)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

1052) N-(2-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(4-(trifluoromethyl)benzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;

1053) N-(5-((6-((S)-3-(3-chloro-2-methoxybenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-cyclopropylpiperazine-1-yl)-4-methoxyphenyl)acrylamide;

1054) N-(5-((6-((S)-3-(3-chloro-2-methoxybenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxyphenyl)acrylamide;

1055) N-(2-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptane-5-yl)piperidine-1-yl)-5-((6-((S)-3-(3-chloro-2-methoxybenzyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)-4-methoxyphenyl)acrylamide;


1056) N-(2-(4-((R)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;


1057) N-(2-(4-((S)-4-cyclopropyl-3-methylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-3-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide;




1058) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((R)-3-(pyridine-2-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-





yl)amino)phenyl)acrylamide;  
 1059) N-(2-(4-(4-cyclopropylpiperazine-1-yl)piperidine-1-yl)-4-methoxy-5-((6-((S)-3-(pyridine-2-ylmethyl)isoxazolidine-2-yl)pyrimidine-4-yl)amino)phenyl)acrylamide.


**[Claim 2]** A compound of claim 1 selected from the group consisting of:













or a pharmaceutically acceptable salt thereof.

**[Claim 3]** A compound of Claim 2 which is selected from the group consisting of:





or a pharmaceutically acceptable salt thereof.

**[Claim 4]** A compound of Claim 2 which is selected from the group consisting of:




, and  
or a pharmaceutically acceptable salt thereof.

**[Claim 5]** A compound of Claim 2 which is selected from the group consisting of:




or a pharmaceutically acceptable salt thereof.

**[Claim 6]** A compound of Claim 2 which is selected from the group consisting of:




or a pharmaceutically acceptable salt thereof.

**[Claim 7]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 8]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 9]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 10]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 11]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 12]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 13]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 14]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 15]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 16]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 17]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 18]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 19]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 20]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 21]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 22]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 23]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 24]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 25]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 26]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 27]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 28]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 29]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 30]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 31]** A compound of Claim 2 which is




or a pharmaceutically acceptable salt thereof.

**[Claim 32]** A compound of Claim 2 which is



or a pharmaceutically acceptable salt thereof.

**[Claim 33]** A compound of Claim 2 which is



or a pharmaceutically acceptable salt thereof.

**[Claim 34]** A compound of any of Claims 1 to 33, or a pharmaceutically acceptable salt thereof, for use in treating cancer.

**[Claim 35]** The compound for use of Claim 34, wherein the cancer comprises an epidermal growth factor receptor (EGFR) mutation or one or more wild-type or mutant kinases selected from the group consisting of: ERBB2 and ERBB4.

**[Claim 36]** The compound for use of Claim 34, wherein the cancer comprises one or more mutations selected from the group consisting of: EGFR Del19/T790M, EGFR L858R/T790M, EGFR L858R, EGFR Exon20 ins NPH, EGFR Exon20 ins SVD, EGFR Exon20 ins FQEA, EGFR Exon20 ins H, EGFR Exon20 ins ASV, and a mutation of ERBB2, and wherein the mutation of ERBB2 is Her2 Exon20 ins YVMA.

**[Claim 37]** The compound for use of Claim 34, wherein the cancer is selected from the group consisting of: pseudomyxoma, intrahepatic cholangiocarcinoma, hepatoblastoma, liver cancer, thyroid cancer, colorectal cancer, testicular cancer, myelodysplastic syndrome, glioblastoma, oral cancer, lip cancer, mycosis fungoides,

acute myeloid leukemia, acute lymphocytic leukemia, basal cell carcinoma, ovarian epithelial cancer, ovarian germ cell cancer, male breast cancer, brain cancer, pituitary adenomas, multiple myeloma, gallbladder cancer, biliary tract cancer, colorectal cancer, chronic myelogenous leukemia, chronic lymphocytic leukemia, retinoblastoma, choroidal melanoma, ampulla of vater cancer, bladder cancer, peritoneal cancer, parathyroid cancer, adrenal cancer, nasal and paranasal sinus cancer, non-small cell lung cancer, tongue cancer, astrocytoma, small cell lung cancer, childhood brain cancer, pediatric lymphoma, pediatric leukemia, small intestine cancer, meningioma, esophageal cancer, glioma, renal carcinoma, kidney cancer, heart cancer, duodenal cancer, malignant soft tissue cancer, malignant bone cancer, malignant lymphoma, malignant mesothelioma, malignant melanoma, eye cancer, vulvar cancer, ureter cancer, urethral cancer, cancer of unknown primary site, gastric lymphoma, gastric cancer, gastric carcinoid tumors, gastrointestinal stromal tumors, Wilms cancer, breast cancer, sarcoma, penile cancer, pharyngeal cancer, gestational choriocarcinoma, cervical cancer, endometrial cancer, uterine sarcoma, prostate cancer, metastatic bone cancer, metastatic brain cancer, mediastinal cancer, rectal cancer, rectal carcinoid tumors, vaginal cancer, spinal carcinoma, pancreatic cancer, salivary gland cancer, Kaposi's sarcoma, Paget's disease, tonsillar cancer, squamous cell carcinoma, lung adenocarcinoma, lung cancer, lung squamous cell carcinoma, skin cancer, anal cancer, rhabdomyosarcoma, laryngeal cancer, pleural cancer, blood cancer, and thymic carcinoma.

**[Claim 38]** The compound for use of Claim 37, wherein the cancer is selected from the group consisting of: metastatic brain cancer, breast cancer, and non-small cell lung cancer.

**[Claim 39]** The compound for use of Claim 38, wherein the cancer is metastatic brain cancer.

**[Claim 40]** The compound for use of Claim 38, wherein the cancer is breast cancer.

**[Claim 41]** The compound for use of Claim 38, wherein the cancer is non-small cell lung cancer.

**[Claim 42]** Use of a compound of any one of Claims 1 to 33, or a pharmaceutically acceptable salt thereof, for the preparation of a medicament for the treatment of cancer.

**[Claim 43]** The use of Claim 42, wherein the cancer comprises an epidermal growth factor receptor (EGFR) mutation or one or more wild-type or mutant kinases selected from the group consisting of: ERBB2 and ERBB4.

**[Claim 44]** The use of Claim 42, wherein the cancer comprises one or more mutations selected from the group consisting of: EGFR Del19/T790M, EGFR L858R/T790M, EGFR L858R, EGFR Exon20 ins NPH, EGFR Exon20 ins SVD, EGFR Exon20 ins FQEA, EGFR Exon20 ins H, EGFR Exon20 ins ASV and a mutation of ERBB2, and wherein the mutation of ERBB2 is Her2 Exon20 ins YVMA.

**[Claim 45]** The use of Claim 42, wherein the cancer is selected from the group consisting of: pseudomyxoma, intrahepatic cholangiocarcinoma, hepatoblastoma, liver cancer, thyroid cancer, colorectal cancer, testicular cancer, myelodysplastic syndrome, glioblastoma, oral cancer, lip cancer, mycosis fungoides, acute myeloid leukemia, acute lymphocytic leukemia, basal cell carcinoma, ovarian epithelial cancer, ovarian germ cell cancer, male breast cancer, brain cancer, pituitary adenomas, multiple myeloma,

gallbladder cancer, biliary tract cancer, colorectal cancer, chronic myelogenous leukemia, chronic lymphocytic leukemia, retinoblastoma, choroidal melanoma, ampulla of vater cancer, bladder cancer, peritoneal cancer, parathyroid cancer, adrenal cancer, nasal and paranasal sinus cancer, non-small cell lung cancer, tongue cancer, astrocytoma, small cell lung cancer, childhood brain cancer, pediatric lymphoma, pediatric leukemia, small intestine cancer, meningioma, esophageal cancer, glioma, renal carcinoma, kidney cancer, heart cancer, duodenal cancer, malignant soft tissue cancer, malignant bone cancer, malignant lymphoma, malignant mesothelioma, malignant melanoma, eye cancer, vulvar cancer, ureter cancer, urethral cancer, cancer of unknown primary site, gastric lymphoma, gastric cancer, gastric carcinoid tumors, gastrointestinal stromal tumors, Wilms cancer, breast cancer, sarcoma, penile cancer, pharyngeal cancer, gestational choriocarcinoma, cervical cancer, endometrial cancer, uterine sarcoma, prostate cancer, metastatic bone cancer, metastatic brain cancer, mediastinal cancer, rectal cancer, rectal carcinoid tumors, vaginal cancer, spinal carcinoma, pancreatic cancer, salivary gland cancer, Kaposi's sarcoma, Paget's disease, tonsillar cancer, squamous cell carcinoma, lung adenocarcinoma, lung cancer, lung squamous cell carcinoma, skin cancer, anal cancer, rhabdomyosarcoma, laryngeal cancer, pleural cancer, blood cancer, and thymic carcinoma.

**[Claim 46]** The use of Claim 45, wherein the cancer is selected from the group consisting of metastatic brain cancer, breast cancer, and non-small cell lung cancer.

**[Claim 47]** The use of Claim 46, wherein the cancer is metastatic brain cancer.

**[Claim 48]** The use of Claim 46, wherein the cancer is breast cancer.

**[Claim 49]** The use of Claim 46, wherein the cancer is non-small cell lung cancer.

**[Claim 50]** A pharmaceutical composition comprising a compound of any one of Claims 1 to 33, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.