




[Fig. 1]




[Fig. 2]




[Fig. 3]




[Fig. 4]




[Fig. 5]




[Fig. 6]




[Fig. 7]




[Fig. 8]




[Fig. 9]




[Fig. 10]




[Fig. 11]




[Fig. 12]




[Fig. 13]




[Fig. 14]




[Fig. 15]




[Fig. 16]




[Fig. 17]




[Fig. 18]




[Fig. 19]



[Fig. 20a]




[Fig. 20b]



Curve Name	A	B	C	D	R2
StdCurve	0.00689	1.09	1.13E+03	7.1	1


Y (AVG)	X (AVG)	Dilution factor	ng/mL
0.556	96.20	5000	481.0

[Fig. 21]




[Fig.


22]




[Fig. 23]



[Fig. 24a]




[Fig. 24b]




Curve Name	A	B	C	D	R2
StdCurve	0.00806	1.11	9.70E+02	6.08	1

Y (AVG)	X (AVG)	Dilution factor	ng/mL
0.566	120.11	5000	610.6


[Fig. 25]




[Fig. 26]




[Fig. 27]




[Fig. 28]




[Fig. 29]




[Fig. 30]




[Fig. 31]




[Fig. 32]




[Fig. 33]




[Fig. 34]



[Fig. 35]



[Fig. 36]



[Fig. 37]

