




FIG. 1

Response	40 mg x 10 d		80 mg x 10 d		160 mg x 10 d		160 mg x 28 d		Total	
	TN	R/R	TN	R/R	TN	R/R	TN	R/R	TN	R/R
	(n=9)	(n=7)	(n=11)	(n=6)	(n=8)	(n=8)	(n=3)	(n=5)	(n=31)	(n=26)
CR+CRh, n (%)	5 (56)	4 (57)	8 (73)	4 (67)	6 (75)	3 (38)	1 (33)	2 (40)	20 (65)	13 (50)
CR+CRh after 1 cycle	4 (44)	1 (14)	5 (45)	1 (17)	5 (63)	1 (13)	1 (33)	2 (40)	15 (48)	5 (19)
CR+CRi, n (%)	5 (56)	3 (43)	8 (73)	4 (67)	6 (75)	3 (38)	1 (33)	2 (40)	20 (65)	12 (46)
CR	4 (44)	2 (29)	8 (73)	3 (50)	3 (38)	1 (13)	1 (33)	1 (20)	16 (52)	7 (27)
Median time to CR, mo	1.3	3.2	1.8	3.8	1.2	1.9	1.2	1.1	1.3	3.8
Median Compound A treatment duration, (range), mo	(0.3-10.6) (1.3-6.2) (0.3-15.2) (0.4-15.4) (0.3-9.9) (0.1-9.7) (0.0-2.7) (0.9-4.1) (0.1-15.4)									

CR, complete response;
CRh, complete response with partial hematologic recovery;
CRi, CR with incomplete hematologic recovery.

FIG. 2




FIG. 3




FIG. 4