
CLAIMS

1. A compound of Formula (I):




(I)

wherein:

one of Z^1 and Z^2 is -N=N-Ar, and the other of Z^1 and Z^2 is H;

wherein Ar is selected from phenyl, naphthyl, and



,

wherein each phenyl and naphthyl is optionally substituted with up to three groups selected from -OR, COOR, C_{1-4} alkyl, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, $-NR_2$, CN, $-PO_3R_2$, $-SO_2R$, $-SO_3R$, and halo;

R^3 is selected from H, CN, halo, C_{1-4} alkyl, C_{1-4} haloalkyl, and C_{1-4} haloalkoxy;

each R^1 and R^4 is independently selected from -OR, COOR, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, $-NR_2$, CN, $-PO_3R_2$, $-SO_2R$, $-SO_3R$, halo, and C_{1-4} alkyl optionally substituted with one or two groups selected from -OR', COOR', C_{1-4} alkoxy, C_{1-4} haloalkoxy, C_{1-4} haloalkyl, -CN, and $-NR'_2$;

each R^2 and R^5 is independently selected from halo, -OR, COOR, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, $-NR_2$, CN, $-PO_3R_2$, $-SO_2R$, $-SO_3R$, and C_{1-4} alkyl optionally substituted with one or two groups selected from -OR', COOR', C_{1-4} alkoxy, C_{1-4} haloalkoxy, C_{1-4} haloalkyl, -CN, and $-NR'_2$;

each R is independently selected from H, C_{1-4} haloalkyl, and C_{1-4} alkyl optionally substituted with one or two groups selected from -OR', COOR', C_{1-4} alkoxy, C_{1-4} haloalkoxy, C_{1-4} haloalkyl, -CN, and $-NR'_2$;

each R' is independently selected from H and C_{1-3} alkyl;

each m, n, p, and q is independently selected from 0, 1 and 2; and


[N] represents the attachment of Ar to N in -N=N-Ar;

or a pharmaceutically acceptable salt thereof.

2. The compound of claim 1, wherein Ar is phenyl or naphthyl, and is optionally substituted with up to three groups selected from -OR, COOR, C_{1-4} alkyl, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, -NR_2, CN, -PO_3R_2, -SO_2R, -SO_3R, and halo;

or a pharmaceutically acceptable salt thereof.


3. The compound of claim 2, wherein Ar is selected from the group consisting of:



;






wherein the dashed bond indicates which atom of Ar is attached to N=N;






or a pharmaceutically acceptable salt thereof.






4. The compound of claim 3, wherein Ar is , wherein the dashed bond indicates which atom of Ar is attached to -N=N;






or a pharmaceutically acceptable salt thereof.






5. The compound of claim 1, which is selected from:







Example	Structure
27.	
28.	
29.	
30.	
31.	




32.	
33.	
34.	
35.	
36.	

37.	
38.	
39.	
40.	
41.	

42.	
43.	
44.	
45.	
46.	


47.	
48.	
49.	
50.	
51.	

52.	
53.	
54.	
55.	
56.	
57.	

58.	
61.	
62.	

or a pharmaceutically acceptable salt thereof.

6. A compound of Formula (IA):




(IA);

wherein:

Z^2 is selected from $-NH_2$ and -N=N-Ar,

wherein Ar is selected from phenyl, naphthyl, and



,

wherein each phenyl and naphthyl is optionally substituted with up to three groups selected from -OR, COOR, C_{1-4} alkyl, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, $-NR_2$, CN, $-PO_3R_2$, $-SO_2R$, $-SO_3R$, and halo;

R^3 is selected from H, CN, halo, C_{1-4} alkyl, C_{1-4} haloalkyl, and C_{1-4} haloalkoxy;

each R^1 and R^4 is independently selected from -OR, COOR, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, $-NR_2$, CN, $-PO_3R_2$, $-SO_2R$, $-SO_3R$, halo, and C_{1-4} alkyl optionally substituted with one or two groups selected from -OR', COOR', C_{1-4} alkoxy, C_{1-4} haloalkoxy, C_{1-4} haloalkyl, -CN, and $-NR'_2$;

each R is independently selected from H, C_{1-4} haloalkyl, and C_{1-4} alkyl optionally substituted with one or two groups selected from -OR', COOR', C_{1-4} alkoxy, C_{1-4} haloalkoxy, C_{1-4} haloalkyl, -CN, and $-NR'_2$;

each R' is independently selected from H and C_{1-3} alkyl;


each m, p, and q is independently selected from 0, 1 and 2;

n is 0; and

[N] represents the attachment of Ar to N in -N=N-Ar;

or a pharmaceutically acceptable salt thereof.

7. The compound of claim 6, which is a compound of Formula (IB):



(IB),

or a pharmaceutically acceptable salt thereof.

8. The compound of claim 7, wherein Z^2 is $-NH_2$,

or a pharmaceutically acceptable salt thereof.


9. The compound of claim 7, wherein Z^2 is -N=N-Ar;

or a pharmaceutically acceptable salt thereof.

10. The compound of claim 7 or 8, wherein R^1 is CF_3;

or a pharmaceutically acceptable salt thereof.


11. The compound of claim 9, wherein Ar is selected from the group consisting of:



;

wherein the dashed bond indicates which atom of Ar is attached to N=N;









or a pharmaceutically acceptable salt thereof.






12. The compound of claim 11, wherein Ar is ,






wherein the dashed bond indicates which atom of Ar is attached to N=N;






or a pharmaceutically acceptable salt thereof.






13. The compound of any of the preceding claims, which is selected from the compounds in the following Table, or a pharmaceutically acceptable salt thereof.







Example	Structure
3.	
15.	
17.	
19.	
27.	
30.	
31.	
32.	




33.	
34.	
35.	
36.	
37.	

38.	
39.	
40.	
41.	
42.	

43.	
44.	
45.	
46.	
47.	

48.	
49.	
50.	
51.	
52.	

53.	
54.	
55.	
56.	
57.	
58.	

60.	
61.	
62.	

14. A pharmaceutical composition comprising a compound according to any one of claims 1-13 admixed with at least one pharmaceutically acceptable excipient.

15. A compound according to any one of claims 1-13 for use in the treatment of inflammatory bowel disorder, ulcerative colitis, Crohn's disease, multiple sclerosis, or Huntington's disease.