



MLD11: AP MLD



MLD12: 非AP MLD




图 1




图 2




图 3 (a)




图 3 (b)




图 3 (c)




图 4 (a)




图 4 (b)




图 5




图 6




图 7

|      |        |          |             |            |        |             |
|------|--------|----------|-------------|------------|--------|-------------|
| 请求类型 | 目标唤醒时间 | TWT 组分配  | 最小 TWT 醒来时长 | TWT 醒来间隔小数 | TWT 信道 | NDP 寻呼 (可选) |
| 2    | 0 或 8  | 0, 3 或 9 | 1           | 2          | 1      | 0 或 4       |

图 8 (a)

|      |        |             |            |           |
|------|--------|-------------|------------|-----------|
| 请求类型 | 目标唤醒时间 | 最小 TWT 醒来时长 | TWT 醒来间隔小数 | 广播 TWT 信道 |
| 2    | 2      | 1           | 2          | 2         |

图 8 (b)

|        |          |    |    |     |        |            |        |
|--------|----------|----|----|-----|--------|------------|--------|
| B0     | B1 B3    | B4 | B5 | B6  | B7 B9  | B10 B14    | B15    |
| TWT 请求 | TWT 建立命令 | 触发 | 隐式 | 流类型 | TWT 流号 | TWT 醒来间隔指数 | TWT 保护 |
| 1      | 3        | 1  | 1  | 1   | 3      | 5          | 1      |

图 9




图 10




图 11




图 12




图 13




图 14




图 15




图 16