CLAIMS

1. Use of a bacterium belonging to the genus *Enterococcus* in the manufacture of a medicament for reducing the incidence and/or treatment of *Pseudomonas aeruginosa* infection, wherein the bacterium belonging to the genus *Enterococcus* is killed *Enterococcus fecalis* EF-2001 strain.

2. The use of claim 1, wherein the bacterium belonging to the genus *Enterococcus* is to be orally administered.

3. The use of claim 2, wherein the bacterium belonging to the genus *Enterococcus* is to be orally administered in an amount of 1×10^8 - 1×10^{11} CFU/kg body weight per dose.

4. The use of claim 3, wherein the bacterium belonging to the genus *Enterococcus* is to be orally administered one or more times per day in an amount of 1×10^8 - 1×10^{11} CFU/kg body weight per dose.

5. The use of claim 4, wherein the bacterium belonging to the genus *Enterococcus* is to be orally administered one to five times per day in an amount of 1×10^8 - 1×10^{11} CFU/kg body weight per dose.

6. The use of claim 2, wherein the bacterium belonging to the genus *Enterococcus* is to be orally administered in an amount of 1×10^9 - 5×10^{10} CFU/kg body weight per dose.

7. The use of claim 6, wherein the bacterium belonging to the genus *Enterococcus* is to be orally administered one or more times per day in an amount of 1×10^9 - 5×10^{10} CFU/kg body weight per dose.

8. The use of claim 7, wherein the bacterium belonging to the genus *Enterococcus* is to be orally administered one to five times per day in an amount of 1×10^9 - 5×10^{10} CFU/kg body weight per dose.

9. The use of claim 2, wherein the bacterium belonging to the genus *Enterococcus* is to be orally administered in an amount of 1.2×10^{10} or more CFU/kg body weight per dose.

10. The use of claim 9, wherein the bacterium belonging to the genus *Enterococcus* is to be orally administered one or more times per day in an amount of 1.2×10^{10} or more CFU/kg body weight per dose.

11. The use of claim 10, wherein the bacterium belonging to the genus *Enterococcus* is to be orally administered one to five times per day in an amount of 1.2×10^{10} or more CFU/kg body weight per dose.

12. The use of any one of claims 2-11, wherein the bacterium belonging to the genus *Enterococcus* is to be orally administered for seven or more days.