


CLAIMS:

1. A compound of Formula (I) or a pharmaceutically acceptable salt thereof:



Formula (I)

wherein:

R¹ is selected from H, C₁-C₆ acyl or C₁-C₆ alkyl, each of which is substituted with 0, 1, 2, or 3 R⁶;

R² and R³ are each independently selected from H, C₁-C₃ alkyl, or C₁-C₃ haloalkyl, each of which is substituted with 0, 1, 2, or 3 R⁶;

each R⁴ is independently selected from H, hydroxyl, C₁-C₃ alkyl, C₁-C₃ alkoxy, or C₁-C₃ haloalkyl, each of which is substituted with 0, 1, 2, or 3 R⁶, or two R⁴ groups are taken together to form an oxo;

R⁵ is selected from H, halogen, hydroxy, C₁-C₃ alkyl, C₁-C₃ alkoxy, C₁-C₃ haloalkyl, -N(R⁷)₂, and -CN, each of which is substituted with 0, 1, 2, or 3 R⁶;

X¹ and X² are each independently selected from H, halogen, cyano, C₁-C₆ alkyl, C₁-C₆ alkoxy, or C₁-C₆ haloalkyl each of which is substituted with 0, 1, 2, or 3 R⁶;

X³ and X⁴ are each independently H or halo;

L is a linker of 1 to 22 carbon atoms in length, wherein one or more carbon atoms are each optionally and independently replaced by a group selected from C(O), O, NR⁷, S, C₂-alkenyl, C₂-alkynyl, cycloalkyl, aryl, heterocycle, and heteroaryl, each of which is substituted with 0, 1, 2, or 3 R⁶;

each R⁶ is independently selected from C₁-C₆ alkyl, halo, cyano, and hydroxy,

each R⁷ is independently selected from hydrogen, C₁-C₆ alkyl, and acyl, each of which is substituted with 0, 1, 2, or 3 R⁶, or two R⁷ groups are taken together to form a 3- to 6-membered heterocycle or heteroaryl.

2. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein R¹ is H or methyl.

3. The compound according to claim 1 or 2, or a pharmaceutically acceptable salt thereof, wherein R² and R³ are each independently H or methyl.

4. The compound according to any one of claims 1-3, or a pharmaceutically acceptable salt thereof, wherein R⁴ is H.

5. The compound according to any one of claims 1-3, or a pharmaceutically acceptable salt thereof, wherein two R⁴ groups are taken together to form an oxo.

6. The compound according to any one of claims 1-5, or a pharmaceutically acceptable salt thereof, wherein R⁵ is halogen.

7. The compound according to any one of claims 1-6, or a pharmaceutically acceptable salt thereof, wherein X¹ and X² are each independently selected from H, F, CN, methyl, methoxy, and trifluoromethyl.


8. The compound according to any one of claims 1-7, or a pharmaceutically acceptable salt thereof, wherein X³ and X⁴ are each H.


9. The compound according to any one of claims 1-7, or a pharmaceutically acceptable salt thereof, wherein X³ and X⁴ are each independently H or F.

10. The compound according to any one of claims 1-9, or a pharmaceutically acceptable salt thereof, wherein L is a linker of 1 to 4 carbon atoms in length, wherein one or more carbon atoms are each optionally and independently replaced by a group selected from C(O), O, NR⁷, S, C₂-alkenyl, C₂-alkynyl, cycloalkyl, aryl, heterocycle, and heteroaryl, each of which is independently substituted with 0, 1, 2, or 3 R⁶.

11. The compound according to any one of claims 1-10, or a pharmaceutically acceptable salt thereof, wherein L is a linker wherein two carbon atoms are each independently replaced by a heterocycle, which is independently substituted with 0, 1, 2, or 3 R⁶.

12. The compound according to any one of claims 1-10, or a pharmaceutically acceptable salt






13. The compound according to any one of claims 1-12, or a pharmaceutically acceptable salt thereof, wherein the compound is a mixture of stereoisomers.

14. The compound according to any one of claims 1-12, wherein the compound is a *cis*-isomer.

15. The compound according to any one of claims 1-12, wherein the compound is represented by Formula (I)*:



16. The compound of claim 15, wherein R¹ is H.

17. The compound of claim 15 or 16, wherein R² and R³ are each independently H or C₁-C₃ alkyl.


18. The compound of any one of claims 15-17, wherein R⁴ is H.

19. The compound of any one of claims 15-18, wherein R⁵ is hydrogen or halogen.

20. The compound of any one of claims 15-19, wherein X¹ and X² are each independently H or methoxy.


21. The compound of any one of claims 15-20, wherein X^1 and X^2 are each H.

22. The compound of any one of claims 15-21, wherein L is



23. The compound of any one of claims 15-22, wherein X^3 and X^4 are each independently H or F.

24. The compound of any one of claims 15-23, wherein the compound is selected from



or a pharmaceutically acceptable salt thereof.

25. A compound, or a pharmaceutically acceptable salt thereof, selected from:

cis-3-(5-(2-(2-(2-(4-(7-hydroxy-3-phenylchroman-4-yl)phenoxy)ethoxy)ethoxy)ethoxy)-1-oxoisindolin-2-yl)piperidine-2,6-dione;

cis-3-(5-(2-(2-((2-(4-(7-hydroxy-3-phenylchroman-4-yl)phenoxy)ethyl)(methyl)amino)ethoxy)ethoxy)-1-oxoisindolin-2-yl)piperidine-2,6-dione;

cis-3-(5-(2-(4-(2-(4-(7-hydroxy-3-phenylchroman-4-yl)phenoxy)ethyl)piperazin-1-yl)ethoxy)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-5-((2-(2,6-dioxopiperidin-3-yl)-1-oxoisindolin-5-yl)oxy)-N-(2-(4-(7-hydroxy-3-phenylchroman-4-yl)phenoxy)ethyl)-N-methylpentanamide;
cis-3-(5-((5-(4-(4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperazin-1-yl)pentyl)oxy)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(6-(4-(4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperazin-1-yl)hex-1-yn-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(4-(6-(4-(4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperazin-1-yl)hex-1-yn-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-2-(2,6-dioxopiperidin-3-yl)-5-((5-(4-(4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperazin-1-yl)pentyl)amino)isoindoline-1,3-dione;
cis-3-(5-(3-(1-(2-(4-(7-hydroxy-3-phenylchroman-4-yl)phenoxy)ethyl)azetidin-3-yl)propoxy)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(4-(1-(2-(4-(7-hydroxy-3-phenylchroman-4-yl)phenoxy)ethyl)azetidin-3-yl)but-1-yn-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(4-(4-(1-(2-(4-(7-hydroxy-3-phenylchroman-4-yl)phenoxy)ethyl)azetidin-3-yl)but-1-yn-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-2-(2,6-dioxopiperidin-3-yl)-5-(4-(5-(4-(7-hydroxy-3-phenylchroman-4-yl)phenoxy)pentyl)piperazin-1-yl)isoindoline-1,3-dione;
cis-3-(5-(4-(5-(4-(7-hydroxy-3-phenylchroman-4-yl)phenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(4-(5-(2-fluoro-4-(3-(4-fluoro-3-(trifluoromethyl)phenyl)-7-hydroxychroman-4-yl)phenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(4-(5-(2-fluoro-4-(3-(4-fluorophenyl)-7-hydroxychroman-4-yl)phenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(4-(5-(2-fluoro-4-(3-(4-fluoro-3-methylphenyl)-7-hydroxychroman-4-yl)phenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(4-(5-(2-fluoro-4-(7-hydroxy-3-(*m*-tolyl)chroman-4-yl)phenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(4-(5-(2-fluoro-4-(3-(4-fluoro-2-methylphenyl)-7-hydroxychroman-4-yl)phenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(4-(5-(4-(3-(3,4-difluorophenyl)-7-hydroxychroman-4-yl)-2-fluorophenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(4-(5-(4-(3-(4-fluoro-3-(trifluoromethyl)phenyl)-7-hydroxychroman-4-yl)phenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;

cis-3-(5-(4-(5-(4-(3-(4-fluoro-3-methoxyphenyl)-7-hydroxychroman-4-yl)phenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(4-(5-(4-(3-(4-fluoro-2-(trifluoromethyl)phenyl)-7-hydroxychroman-4-yl)phenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(4-(5-(4-(3-(4-fluoro-3-methylphenyl)-7-hydroxychroman-4-yl)phenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(4-(5-(4-(7-hydroxy-3-(*o*-tolyl)chroman-4-yl)phenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(4-(4-(4-(7-hydroxy-3-phenylchroman-4-yl)phenoxy)butyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(4-(5-(4-(7-hydroxy-2,2-dimethyl-3-phenylchroman-4-yl)phenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(4-(5-(4-(7-methoxy-3-phenylchroman-4-yl)phenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
3-(5-(4-(5-(4-((2*R*,3*S*,4*R*)-7-hydroxy-2-methyl-3-phenylchroman-4-yl)phenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
3-(5-(4-(5-(4-((2*S*,3*S*,4*R*)-7-hydroxy-2-methyl-3-phenylchroman-4-yl)phenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
3-(5-(4-(5-(4-((2*R*,3*R*,4*S*)-7-hydroxy-2-methyl-3-phenylchroman-4-yl)phenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
3-(5-(4-(5-(4-((2*S*,3*R*,4*S*)-7-hydroxy-2-methyl-3-phenylchroman-4-yl)phenoxy)pentyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(*S*)-3-(5-(4-((1-(4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
(*S*)-3-(5-(4-((1-(4-((3*S*,4*R*)-7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
(*S*)-3-(5-(4-((1-(4-((3*R*,4*S*)-7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(4-((1-(4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-2-(2,6-dioxopiperidin-3-yl)-5-(4-((1-(4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)isoindoline-1,3-dione;
cis-2-(2,6-dioxopiperidin-3-yl)-5-(4-(2-(1-(4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)ethyl)piperazin-1-yl)isoindoline-1,3-dione;
cis-2-(2,6-dioxopiperidin-3-yl)-5-fluoro-6-(4-((1-(4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)isoindoline-1,3-dione;

cis-(S)-3-(6-fluoro-5-(4-((1-(4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(6-fluoro-5-(4-((1-(2-fluoro-4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
(S)-3-(6-fluoro-5-(4-((1-(2-fluoro-4-((3S,4R)-7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
(S)-3-(6-fluoro-5-(4-((1-(4-((3S,4R)-7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
(S)-3-(6-fluoro-5-(4-((1-(4-((3R,4S)-7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-(2-(1-(4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)ethyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
(S)-3-(5-(4-((1-(2-fluoro-4-((3R,4S)-7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
(S)-3-(5-(4-((1-(2-fluoro-4-((3S,4R)-7-hydroxy-2,2-dimethyl-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
(S)-3-(5-(4-((1-(2-fluoro-4-((2R,3S,4R)-7-hydroxy-2-methyl-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
(S)-3-(5-(4-((1-(2-fluoro-4-((2S,3S,4R)-7-hydroxy-2-methyl-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
(S)-3-(5-(4-((1-(2-fluoro-4-((3S,4R)-7-methoxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(2-fluoro-4-(3-(4-fluorophenyl)-7-hydroxychroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(4-(3-(4-fluorophenyl)-7-hydroxychroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(2-fluoro-4-(7-hydroxy-3-(*m*-tolyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(4-(7-hydroxy-3-(*m*-tolyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(2-fluoro-4-(7-hydroxy-3-(3-methoxyphenyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
(S)-3-(5-(4-((1-(2-fluoro-4-((3S,4R)-7-hydroxy-3-(3-methoxyphenyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(4-(7-hydroxy-3-(3-methoxyphenyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;

cis-3-(5-(4-((1-(4-(7-hydroxy-3-(3-methoxyphenyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(2-fluoro-4-(7-hydroxy-3-(3-methoxyphenyl)-2,2-dimethylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(4-(7-hydroxy-3-(3-methoxyphenyl)-2,2-dimethylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(2-fluoro-4-(3-(4-fluoro-3-methylphenyl)-7-hydroxychroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(2-fluoro-4-(3-(4-fluoro-3-methoxyphenyl)-7-hydroxychroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(4-(3-(4-fluoro-3-methylphenyl)-7-hydroxychroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(4-(3-(4-fluoro-3-methoxyphenyl)-7-hydroxychroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(2-fluoro-4-(3-(4-fluoro-2-methylphenyl)-7-hydroxychroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(4-(3-(4-fluoro-2-methylphenyl)-7-hydroxychroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(4-((2R)-7-hydroxy-3-(3-methoxyphenyl)-2-methylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(4-((2S)-7-hydroxy-3-(3-methoxyphenyl)-2-methylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(3-(((1-(4-(7-hydroxy-3-(3-methoxyphenyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)(methyl)amino)prop-1-yn-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(3-(((1-(2-fluoro-4-(7-hydroxy-3-(3-methoxyphenyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)(methyl)amino)prop-1-yn-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(3-(((1-(2-fluoro-4-(7-hydroxy-3-(m-tolyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)(methyl)amino)prop-1-yn-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-3-(5-(3-(((1-(4-(7-hydroxy-3-(m-tolyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)(methyl)amino)prop-1-yn-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(6-fluoro-5-(4-((1-(2-fluoro-4-(7-hydroxy-3-(3-methoxyphenyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-2-(2,6-dioxopiperidin-3-yl)-5-fluoro-6-(4-((1-(2-fluoro-4-(7-hydroxy-3-(3-methoxyphenyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)isoindoline-1,3-dione;
cis-(S)-3-(6-fluoro-5-(4-((1-(4-(7-hydroxy-3-(3-methoxyphenyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;

cis-2-(2,6-dioxopiperidin-3-yl)-5-fluoro-6-(4-((1-(4-(7-hydroxy-3-(3-methoxyphenyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)isoindoline-1,3-dione;
cis-(S)-3-(6-fluoro-5-(4-((1-(2-fluoro-4-(3-(4-fluoro-3-methylphenyl)-7-hydroxychroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(6-fluoro-5-(4-((1-(4-(3-(4-fluoro-3-methylphenyl)-7-hydroxychroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(6-fluoro-5-(4-((1-(2-fluoro-4-(7-hydroxy-3-(*m*-tolyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(6-fluoro-5-(4-((1-(4-(7-hydroxy-3-(*m*-tolyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(6-fluoro-5-(4-((1-(2-fluoro-4-(3-(4-fluoro-3-methoxyphenyl)-7-hydroxychroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(2,6-difluoro-4-(7-hydroxy-3-(*m*-tolyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(2-fluoro-4-(7-methoxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-2-(2,6-dioxopiperidin-3-yl)-5-(4-((1-(2-fluoro-4-(7-methoxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)isoindoline-1,3-dione;
cis-(S)-3-(5-(4-((1-(4-(3-(3,4-difluorophenyl)-7-hydroxychroman-4-yl)-2-fluorophenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(2-fluoro-4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
(S)-3-(5-(4-((1-(2-fluoro-4-((3*S*,4*R*)-7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-2-(2,6-dioxopiperidin-3-yl)-5-(4-((1-(2-fluoro-4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)isoindoline-1,3-dione;
cis-(S)-3-(5-(4-((1-(2,6-difluoro-4-(7-hydroxy-3-(3-methoxyphenyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(5-(4-((1-(4-(7-hydroxy-3-(4-methoxyphenyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione; and
cis-(S)-3-(6-fluoro-5-(4-((1-(4-(7-hydroxy-3-(4-methoxyphenyl)chroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione.

26. The compound according to claim 25, wherein the compound is selected from:

cis-(S)-3-(5-(4-((1-(4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;

cis-(S)-3-(6-fluoro-5-(4-((1-(4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
cis-(S)-3-(6-fluoro-5-(4-((1-(2-fluoro-4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione; and
cis-(S)-3-(5-(4-((1-(2-fluoro-4-(7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
or a pharmaceutically acceptable salt thereof.

27. The compound according to claim 25, wherein the compound is selected from:
(S)-3-(5-(4-((1-(4-((3S,4R)-7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
(S)-3-(6-fluoro-5-(4-((1-(2-fluoro-4-((3S,4R)-7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
(S)-3-(6-fluoro-5-(4-((1-(4-((3S,4R)-7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione; and
(S)-3-(5-(4-((1-(2-fluoro-4-((3S,4R)-7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione;
or a pharmaceutically acceptable salt thereof.

28. The compound according to claim 25, wherein the compound is (S)-3-(5-(4-((1-(4-((3S,4R)-7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione or a pharmaceutically acceptable salt thereof.

29. The compound according to claim 25, wherein the compound is (S)-3-(6-fluoro-5-(4-((1-(2-fluoro-4-((3S,4R)-7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione or a pharmaceutically acceptable salt thereof.

30. The compound according to claim 25, wherein the compound is (S)-3-(6-fluoro-5-(4-((1-(4-((3S,4R)-7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione or a pharmaceutically acceptable salt thereof.

31. The compound according to claim 25, wherein the compound is (S)-3-(5-(4-((1-(2-fluoro-4-((3S,4R)-7-hydroxy-3-phenylchroman-4-yl)phenyl)piperidin-4-yl)methyl)piperazin-1-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione or a pharmaceutically acceptable salt thereof.

32. A pharmaceutical composition comprising a therapeutically effective amount of the compound according to any one of claims 1-31 and at least one additional component selected from

pharmaceutically acceptable carriers, pharmaceutically acceptable vehicles, and pharmaceutically acceptable excipients.

33. Use of the compound according to any one of claims 1-31 or of the pharmaceutical composition according to claim 32, in the manufacture of a medicament for the treatment of cancer in a subject wherein the cancer is selected from breast cancer, lung cancer, ovarian cancer, endometrial cancer, prostate cancer, and esophageal cancer.

34. The use according to claim 33, wherein the cancer is positive for ER α .

35. The use according to claim 33 or 34, wherein the cancer is breast cancer.

36. The use according to claim 33 or 34, wherein the cancer is ovarian cancer.

37. The use according to claim 33 or 34, wherein the cancer is endometrial cancer.


38. The use according to any one of claims 33-37, wherein the subject has been previously treated with an anti-cancer agent.

39. The use according to claim 38, wherein the anti-cancer agent is selected from tamoxifen or fulvestrant.

40. Use of the compound according to any one of claims 1-31 or of the pharmaceutical composition according to claim 32, in the manufacture of a medicament for the treatment of a disease or condition in a subject wherein the disease or condition is selected from breast cancer, lung cancer, ovarian cancer, endometrial cancer, prostate cancer, esophageal cancer, infertility, ovulatory dysfunction, postmenopausal osteoporosis, estrogen-related gynecomastia, dyspareunia due to menopause, retroperitoneal fibrosis, and idiopathic sclerosing mesenteritis.

41. The compound according to any one of claims 1-31, for use in therapy.

42. A compound, wherein the compound is of the following structure:




wherein:


X is H or F, and

X₁ and X₂ are H.


43. The compound of claim 42, wherein the compound is




44. The compound of claim 42, wherein the compound is




45. The compound of claim 42, wherein the compound is



46. The compound of claim 42, wherein the compound is



47. The compound of claim 42, wherein the compound is



48. The compound of claim 42, wherein the compound is

