
CLAIMS

1. A compound of formula (I)



(I)

or a pharmaceutically acceptable salt thereof, wherein:

X is $C(R^7)$ or N;

Y is S, S(O), $S(O)_2$, $S(O)N(R^y)$,

R^1 is 5-membered heteroaryl, wherein R^1 is optionally substituted with one or more R^{10} which can be the same or different;

R^2, R^3 and R^7 are each independently selected from hydrogen, halogen, C_{1-6}-alkyl, C_{2-6}-alkynyl, hydroxy, cyano, halo-C_{1-6}-alkyl, $N(R^8R^{8a})$, C_{1-6}-alkoxy, C_{3-7}-cycloalkyl and 3-10 membered heterocyclyl;

R^4 is selected from C_{5-14}-aryl and 5-14 membered heteroaryl, wherein R^4 is optionally substituted with one or more R^{11} which can be the same or different;

R^5 is selected from hydrogen, C_{1-6}-alkyl, $-C(O)(R^9)$, amino, amino-C_{1-6}-alkyl and C_{3-7}-cycloalkyl,

wherein said C_{3-7}-cycloalkyl is optionally substituted with one or more C_{1-6}-alkyl, amino, amino-C_{1-6}-alkyl-;

R^6 and R^{6a} are each independently selected from hydrogen and C_{1-6}-alkyl;

R^8 and R^{8a} are each independently selected from hydrogen and C_{1-6}-alkyl;

R^9 is selected from C_{1-6}-alkyl, hydroxy-C_{1-6}-alkyl, amino-C_{1-6}-alkyl- and -(C_{1-6}-alkyl)-$N(R^{9a}R^{9b})$, wherein said amino-C_{1-6}-alkyl is optionally substituted with one or more hydroxy, hydroxy-C_{1-6}-alkyl-;

R^{9a} and R^{9b} are each independently selected from hydrogen and C_{1-6}-alkyl, wherein said C_{1-6}-alkyl is optionally substituted with one or more hydroxy;

or R^{9a} and R^{9b}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl;

R^{10} is selected from:

i) C_{1-10}-alkyl, optionally substituted with one or more halogen, C_{2-6}-alkynyl, halo-C_{1-6}-alkyl, amino, hydroxy, 5-6 membered heteroaryl, C_{1-6}-haloalkoxy, C_{1-6}-alkoxy, 3-10 membered cycloalkyl, C_{1-3}-alkyl, $-N(R^{10a}R^{10b})$, $-S(O)_2(C_{1-6}$-alkyl), -S(O)2(C_{1-6}-cycloalkyl), 3-10 membered heterocyclyl, phenyl, cyano, $-C(O)N(R^{10c}R^{10d})$, wherein 3-10 membered heterocyclyl, 3-10 membered cycloalkyl, and phenyl are optionally substituted with one or more C_{1-10}-alkyl, C_{1-10}-alkoxy, $-S(O)_2(C_{1-6}$-alkyl), oxo, halogen, C_{2-6}-alkynyl, 3-10 membered cycloalkyl;

ii) C_{3-10}-cycloalkyl, optionally substituted with one or more halogen, C_{1-10}-alkyl, $-S(O)_2(C_{1-6}$-alkyl), cyano, C_{1-6} haloalkyl, C_{1-6}-alkoxy, hydroxy, oxo, amino, $-C(O)N(R^{10c}R^{10d})$, =N(OH), hydroxy-C_{1-6}-alkyl;

iii) 3-10 membered heterocyclyl, optionally substituted with one or more halogen, C_{1-10}-alkyl, $-S(O)_2(C_{1-6}$-alkyl), -C_{1-10}-alkyl-C_{1-4}-alkoxy, amino, $-C(O)N(R^{10h}R^{10i})$, C_{1-6}-haloalkyl, C_{1-6}-alkoxy, cyano, hydroxy-C_{1-10}-alkyl, oxo, $-C(O)(C_{1-6}$-alkyl), $-C(O)O-(R^{10q})$, C_{3-10}-cycloalkyl;

iv) phenyl, optionally substituted with one or more halogen, C_{1-10}-alkyl, $-S(O)_2(C_{1-6}$-alkyl);

v) $-N(R^{10e}R^{10f})$;

vi) $-OR^{10g}$;

vii) $-C(O)NR^{10h}R^{10i}$;

viii) heteroaryl, optionally substituted with one or more C_{1-10}-alkyl, halogen, $-SO_2(C_{1-6}$-alkyl); and

ix) oxo;

R^{10a} and R^{10b} are each independently selected from hydrogen, C_{1-6}-alkyl, halo-C_{1-6}-alkyl, hydroxy-C_{1-6}-alkyl, C_{1-6}-alkoxy,-C(O)(R^{10j}), amino-C_{1-6}-alkyl-, 3-10 membered heterocyclyl, -SO_2(R^{10k}), -C_{1-6}-alkyl-SO_2(R^{10k}) and -N($R^{10l}R^{10m}$), wherein 3-10 membered heterocyclyl is optionally substituted with C_{1-6}-alkyl;

or R^{10a} and R^{10b}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl which is optionally substituted with one or more halogen, C_{1-6}-alkyl;

R^{10c} and R^{10d} are each independently selected from hydrogen and C_{1-6}-alkyl;

R^{10e} and R^{10f} are each independently selected from:

i) hydrogen;

ii) C_{1-6}-alkyl, optionally substituted with one or more cyano, in particular one cyano, halogen, hydroxy;

iii) -C(O)R^{10n};

iv) -C_{1-10}alkyl((O-C_{1-10}alkyl)$_m$), wherein m is an integer between 1 to 5 (more particularly m is 2 or 3), optionally substituted with one or more C_{2-6}-alkynyl;

v) C_{3-10}-cycloalkyl, optionally substituted with one or more halogen, hydroxy, oxo, C_{1-10}-alkyl, halo-C_{1-10}-alkyl, hydroxy-C_{1-6}-alkyl, C_{1-6}-alkoxy, -C(O)O(R^{10o}), -C(O)(R^{10o}), -C(O)N(R^{10p})($R^{10p'}$), -SO_2(C_{1-6}-alkyl), C2-6-alkynyl; and

vi) 3-10 membered heterocyclyl, optionally substituted with one or more halogen, hydroxy, oxo, C_{1-10}-alkyl, halo-C_{1-10}-alkyl, hydroxy-C_{1-6}-alkyl, C_{1-6}-alkoxy, -C(O)O(R^{10o}), -C(O)(R^{10o}), -C(O)N(R^{10p})($R^{10p'}$), -SO_2(C_{1-6}-alkyl), 3-10 membered cycloalkyl;

R^{10g} is selected from halo-C_{1-6}-alkyl, cyano, -C_{1-10}-alkyl-phenyl -C_{1-6}-alkyl-C_{3-7}-cycloalkyl and -C_{1-6}-alkoxy-halo-C_{1-6}-alkyl;

R^{10h} and R^{10i} are each independently selected from hydrogen and C_{1-6}-alkyl, C_{1-6}-haloalkyl, wherein C_{1-6}-alkyl and C_{1-6}-haloalkyl are optionally substituted with one or more hydroxy,

or R^{10h} and R^{10i}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl which is optionally substituted with one or more halogen, hydroxy, C_{1-6}-alkyl;

R^{10j} is selected from C_{1-6}-alkyl, halo-C_{1-6}-alkyl-, hydroxy-C_{1-6}-alkyl- and amino-C_{1-6}-alkyl-;

R^{10k} is selected from hydrogen, C_{1-6}-alkyl and halo-C_{1-6}-alkyl;

R^{10l} and R^{10m} are each independently selected from hydrogen and C_{1-6}-alkyl;

R^{10n} is selected from C_{1-6}-alkyl, amino-C_{1-6}-alkyl-, halo-C_{1-6}-alkyl, C_{3-7}-cycloalkyl and 3-10 membered heterocyclyl, wherein said C_{3-7}-cycloalkyl and 3-10 membered heterocyclyl are optionally substituted with one or more halogen, C_{1-6}-alkyl;

R^{10o} is selected from C_{1-6}-alkyl and halo-C_{1-6}-alkyl;

R^{10p} and $R^{10p'}$ are independently selected from hydrogen, C_{1-6}-alkyl and halo-C_{1-6}-alkyl;

R^{10q} is C_{1-10}-alkyl, C_{1-6}-haloalkyl, aryl, heteroaryl, wherein aryl and heteroaryl are optionally substituted with one or more halogen, C_{1-10}-alkyl;

R^{11} is selected from:

i) halogen;
ii) hydroxy;
iii) cyano;
iv) C_{1-6}-alkyl, optionally substituted with one or more cyano, halogen, hydroxyl, C_{3-7}-cycloalkyl, amino, phenyl, -O-phenyl, 5-6 membered heteroaryl, 3-7 membered heterocyclyl, wherein 3-7 membered heterocyclyl and aryl are optionally substituted with one or more C_{1-6}-alkyl, -SO_2(C_{1-6}-alkyl), hydroxy, halogen, cyano;
v) C_{1-6}-alkoxy, optionally substituted with one or more, particularly one, 3-10 membered heterocyclyl, halogen;
vi) C_{3-7}-cycloalkyl;

vii) 3-10 membered heterocyclyl, optionally substituted with one or more halo-C_{1-6}-alkyl, hydroxy, C_{1-6}-alkyl, C_{3-10}-cycloalkyl, C_{1-6}-alkoxy, oxo;

viii) 5-6 membered heteroaryl, optionally substituted with one or more C_{1-6}-alkyl, 3-10 membered cycloalkyl, halogen, halo-C_{1-6}-alkyl, C_{1-6}-alkoxy, C_{1-6}-haloalkoxy;

ix) phenyl, optionally substituted with one or more halogen, cyano, C_{1-6}-alkoxy, C_{1-6}-haloalkyl, C_{1-6}-haloalkoxy, C_{1-6}-alkyl;

x) -O(R^{11a});

xi) -C(O)N($R^{11b}R^{11c}$);

xii) -SO_2(R^{11d});

xiii) -C(O)OR^{11e};

xiv) -C(O)R^{11f};

xv) oxo;

xvi) -N($R^{11g}R^{11h}$); and

xvii) –S(R^{11k});

R^{11a} is selected from C_{1-12}-alkyl, halo-C_{1-6}-alkyl, amino-C_{1-12}-alkyl-, hydroxy-C_{1-6}-alkyl-, cyano, C_{2-6}-alkynyl, C_{3-7}-cycloalkyl, 3-10 membered heterocyclyl, 3-10 membered -(C_{1-6}-alkyl)heterocyclyl, 5-6 membered heteroaryl, phenyl, -C_{1-6}-alkyl-phenyl, -C_{1-12}-alkyl-C(O)N($R^{11i}R^{11j}$), -C_{1-12}-alkyl-NH-C(O)(C_{1-6}-alkyl), -C_{1-12}-alkoxy-NH-C(O)(C_{1-6}-alkyl), -C_{1-6}-alkyl-NH-C(O)(C_{1-6}-alkyl), -$(CH_2CH_2O)_n$-$CH_2CH_2NH_2$ and -$(CH_2CH_2O)_n$-CH_2CH_2-NH-C(O)(C_{1-6}-alkyl);

wherein said C_{1-12}-alkyl, C_{3-7}-cycloalkyl, 3-10 membered heterocyclyl, 5-6 membered heteroaryl, phenyl and -C_{1-6}-alkyl-phenyl are optionally substituted with one or more halogen, C_{1-6}-alkyl, halo-C_{1-6}-alkyl, C_{1-6}-alkoxyl, C_{1-6}-haloalkoxyl, cyano;

n is an integer between 1 and 6, in particular n is two or three;

R^{11b} and R^{11c} are each independently selected from hydrogen, C_{1-6}-alkyl and halo-C_{1-6}-alkyl,

or R^{11b} and R^{11c}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl;

R^{11d} is selected from hydrogen, C_{1-6}-alkyl, -N($R^{11l}R^{11m}$), halo-C_{1-6}-alkyl and phenyl;

R^{11e} is selected from hydrogen and C_{1-6}-alkyl;

R^{11f} is selected from hydrogen, C_{1-6}-alkyl and phenyl;

R^{11g} and R^{11h} are each independently selected from hydrogen, C_{1-6}-alkyl, -(C_{1-6}-alkyl)phenyl, halo-C_{1-6}-alkyl, -SO_2(C_{1-6}-alkyl), -SO_2(halo-C_{1-6}-alkyl) and -SO(C_{1-6}-alkyl)$_2$,

$R^{11i}R^{11j}$ are each independently selected from hydrogen, C_{1-6}-alkyl and halo-C_{1-6}-alkyl,

or $R^{11i}R^{11j}$, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl;


R^{11k} is selected from hydrogen, C_{1-6}-alkyl and halo-C_{1-6}-alkyl;

R^{11l} and R^{11m} are each independently selected from hydrogen and C_{1-6}-alkyl,

or R^{11l} and R^{11m}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl;

R^y is selected from hydrogen and C_{1-6}-alkyl.

2. The compound according to claim 1, wherein the compound is of formula (I)



(I)

or a pharmaceutically acceptable salt thereof, wherein:

X is C(R^7) or N;

Y is S, S(O), S(O)$_2$, S(O)N(R^y),

R^1 is 5-membered heteroaryl, wherein R^1 is optionally substituted with one or more R^{10} which can be the same or different;

R^2, R^3 and R^7 are each independently selected from hydrogen, halogen, C_{1-6}-alkyl, C_{2-6}-alkynyl, hydroxy, cyano, halo-C_{1-6}-alkyl, $N(R^8R^{8a})$, C_{1-6}-alkoxy, C_{3-7}-cycloalkyl and 3-10 membered heterocyclyl;

R^4 is selected from C_{5-14}-aryl and 5-14 membered heteroaryl, wherein R^4 is optionally substituted with one or more R^{11} which can be the same or different;

R^5 is selected from hydrogen, C_{1-6}-alkyl, $-C(O)(R^9)$, amino, amino-C_{1-6}-alkyl and C_{3-7}-cycloalkyl,

wherein said C_{3-7}-cycloalkyl is optionally substituted with one or more C_{1-6}-alkyl, amino, amino-C_{1-6}-alkyl-;

R^6 and R^{6a} are each independently selected from hydrogen and C_{1-6}-alkyl;

R^8 and R^{8a} are each independently selected from hydrogen and C_{1-6}-alkyl;

R^9 is selected from C_{1-6}-alkyl, hydroxy-C_{1-6}-alkyl, amino-C_{1-6}-alkyl- and -(C_{1-6}-alkyl)-$N(R^{9a}R^{9b})$, wherein said amino-C_{1-6}-alkyl is optionally substituted with one or more hydroxy, hydroxy-C_{1-6}-alkyl;

R^{9a} and R^{9b} are each independently selected from hydrogen and C_{1-6}-alkyl, wherein said C_{1-6}-alkyl is optionally substituted with one or more hydroxy;

or R^{9a} and R^{9b}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl;

R^{10} is selected from:

i) C_{1-10}-alkyl, optionally substituted with one or more halogen, C_{2-6}-alkynyl, halo-C_{1-6}-alkyl, amino, hydroxy, C_{1-6}-alkoxy, $-N(R^{10a}R^{10b})$, $-S(O)_2(C_{1-6}$-alkyl), -S(O)2(C1-6-cycloalkyl), 3-10 membered heterocyclyl, cyano, $-C(O)N(R^{10c}R^{10d})$, wherein 3-10 membered heterocyclyl is optionally substituted with one or more C_{1-10}-alkyl, C1-10-alkoxy , oxo, halogen;

ii) C_{1-10}-haloalkyl, optionally substituted with one or more hydroxy, C_{1-6}-alkoxy, amino, phenyl, wherein phenyl is optionally substituted with one or more C_{1-10}-alkyl, halogen;

iii) amino-C_{1-10}-alkyl- optionally substituted with one or more amino, halogen, C_{1-6}-haloalkyl, C_{1-3}-alkyl, cyano, 3-10 membered cycloalkyl, 3-10 membered heterocyclyl, C_{1-6}-haloalkoxy, C_{1-6}-alkoxy wherein 3-10 membered heterocyclyl and 3-10 membered cycloalkyl are optionally substituted with one or more halogen, C_{2-6}-alkynyl, 3-10 membered cycloalkyl;

iv) hydroxy-C_{1-10}-alkyl-;

v) C_{1-6}-alkoxy, optionally substituted with one or more cyano;

vi) C_{1-6}-alkoxy-C_{1-10}-alkyl-;

vii) C_{3-10}-cycloalkyl, optionally substituted with one or more halogen, C_{1-10}-alkyl, -$S(O)_2$(C_{1-6}-alkyl), cyano, C_{1-6} haloalkyl, C_{1-6}-alkoxy, hydroxy, oxo, amino, -$C(O)N(R^{10c}R^{10d})$, =N(OH), hydroxy-C_{1-6}-alkyl;

viii) 3-10 membered heterocyclyl, optionally substituted with one or more halogen, C_{1-10}-alkyl, -$S(O)_2$(C_{1-6}-alkyl), -C_{1-10}-alkyl-C_{1-4}-alkoxy, amino, -$C(O)N(R^{10h}R^{10i})$, C_{1-6}-haloalkyl, C_{1-6}-alkoxy, cyano, hydroxy-C_{1-10}-alkyl, oxo, -$C(O)$(C_{1-6}-alkyl), -$C(O)O$-(R^{10q}), C_{3-10}-cycloalkyl;

ix) -(C_{1-6}-alkyl)-C_{3-7}-cycloalkyl;

x) 3-10 membered -(C_{1-6}-alkyl)-heterocyclyl, optionally substituted with one or more halogen, C_{1-10}-alkyl;

xi) phenyl, optionally substituted with one or more halogen, C_{1-10}-alkyl, -$S(O)_2$(C_{1-6}-alkyl);

xii) -(C_{1-10}-alkyl)-phenyl, optionally substituted with one or more halogen, wherein C_{1-10}-alkyl is optionally substituted with C_{1-6}-alkyl, cyano;

xiii) 5-6 membered -(C_{1-10}-alkyl)-heteroaryl;

xiv) -(alkoxy-C_{1-10}-alkyl)-phenyl;

xv) -(amino-C_{1-10}-alkyl)-phenyl;

xvi) -C_{1-6}-alkyl-SO_2(C_{1-6}-alkyl);

xvii) -$N(R^{10e}R^{10f})$;

xviii) -OR^{10g}; and

xix) -$C(O)NR^{10h}R^{10i}$;

xx) heteroaryl, optionally substituted with one or more C_{1-10}-alkyl, halogen, -SO_2(C_{1-6}-alkyl); and

xxi) oxo

R^{10a} and R^{10b} are each independently selected from hydrogen, C_{1-6}-alkyl, halo-C_{1-6}-alkyl, hydroxy-C_{1-6}-alkyl, C_{1-6}-alkoxy,-C(O)(R^{10j}), amino-C_{1-6}-alkyl-, 3-10 membered heterocyclyl, -SO_2(R^{10k}), -C_{1-6}-alkyl-SO_2(R^{10k}) and -N($R^{10l}R^{10m}$), wherein 3-10 membered heterocyclyl is optionally substituted with C_{1-6}-alkyl;

or R^{10a} and R^{10b}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl which is optionally substituted with one or more halogen, C_{1-6}-alkyl;

R^{10c} and R^{10d} are each independently selected from hydrogen and C_{1-6}-alkyl;

R^{10e} and R^{10f} are each independently selected from:

i) hydrogen;

ii) C_{1-6}-alkyl, optionally substituted with one or more cyano, in particular one cyano;

iii) halo-C_{1-6}-alkyl, wherein halo-C_{1-6}-alkyl is optionally substituted with one or more hydroxy;

iv) hydroxy-C_{1-6}-alkyl;

v) -C(O)R^{10n};

vi) -C_{1-10}alkyl((O-C_{1-10}alkyl)$_m$), wherein m is an integer between 1 to 5 (more particularly m is 2 or 3), optionally substituted with one or more C_{2-6}-alkynyl;

vii) C_{3-10}-cycloalkyl, optionally substituted with one or more halogen, hydroxy, oxo, C_{1-10}-alkyl, halo-C_{1-10}-alkyl, hydroxy-C_{1-6}-alkyl, C_{1-6}-alkoxy, -C(O)O(R^{10o}), -C(O)(R^{10o}), -C(O)N(R^{10p})($R^{10p'}$), -SO_2(C_{1-6}-alkyl), C2-6-alkynyl; and

viii) 3-10 membered heterocyclyl, optionally substituted with one or more halogen, hydroxy, oxo, C_{1-10}-alkyl, halo-C_{1-10}-alkyl, hydroxy-C_{1-6}-alkyl, C_{1-6}-alkoxy, -C(O)O(R^{10o}), -C(O)(R^{10o}), -C(O)N(R^{10p})($R^{10p'}$), -SO_2(C_{1-6}-alkyl), 3-10 membered cycloalkyl;

or R^{10e} and R^{10f}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl which is optionally substituted with one or more halogen, amino, C_{1-6}-alkyl, halo-C_{1-6}-alkyl, hydroxy-C_{1-6}-alkyl, C_{1-6}-alkoxy, C_{3-7}-cycloalkyl, -C(O)O(C_{1-6}-alkyl);

R^{10g} is selected from halo-C_{1-6}-alkyl, C_{1-6}-alkyl-C_{3-7}-cycloalkyl and C_{1-6}-alkoxy-halo-C_{1-6}-alkyl;

R^{10h} and R^{10i} are each independently selected from hydrogen and C_{1-6}-alkyl, C_{1-6}-haloalkyl, wherein C_{1-6}-alkyl and C_{1-6}-haloalkyl are optionally substituted with one or more hydroxy,

or R^{10h} and R^{10i}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl which is optionally substituted with one or more halogen, hydroxy, C_{1-6}-alkyl;

R^{10j} is selected from C_{1-6}-alkyl, halo-C_{1-6}-alkyl, hydroxy-C_{1-6}-alkyl and amino-C_{1-6}-alkyl-;

R^{10k} is selected from hydrogen, C_{1-6}-alkyl and halo-C_{1-6}-alkyl;

R^{10l} and R^{10m} are each independently selected from hydrogen and C_{1-6}-alkyl;

R^{10n} is selected from C_{1-6}-alkyl, amino-C_{1-6}-alkyl-, halo-C_{1-6}-alkyl, C_{3-7}-cycloalkyl and 3-10 membered heterocyclyl, wherein said C_{3-7}-cycloalkyl and 3-10 membered heterocyclyl are optionally substituted with one or more halogen, C_{1-6}-alkyl;

R^{10o} is selected from C_{1-6}-alkyl and halo-C_{1-6}-alkyl;

R^{10p} and $R^{10p'}$ are independently selected from hydrogen, C_{1-6}-alkyl and halo-C_{1-6}-alkyl;

R^{10q} is C_{1-10}-alkyl, C_{1-6}-haloalkyl, aryl, heteroaryl, wherein aryl and heteroaryl are optionally substituted with one or more halogen, C_{1-10}-alkyl;

R^{11} is selected from:

i) halogen;
ii) hydroxy;
iii) cyano;
iv) C_{1-6}-alkyl, optionally substituted with one or more cyano, aryl, haloaryl;
v) C_{1-6}-alkoxy, optionally substituted with one or more, particularly one, 3-10 membered heterocyclyl;
vi) halo-C_{1-6}-alkyl;

vii) amino-C_{1-10}-alkyl-;

viii) hydroxy-C_{1-6}-alkyl;

ix) C_{3-7}-cycloalkyl;

x) -C_{1-6}-alkyl-C_{3-7}-cycloalkyl;

xi) 3-10 membered heterocyclyl, optionally substituted with one or more halo-C_{1-6}-alkyl, hydroxy, C_{1-6}-alkyl, C_{3-10}-cycloalkyl, C_{1-6}-alkoxy, oxo;

xii) 3-7 membered -(C_{1-6}-alkyl)-heterocyclyl, optionally substituted with one or more C_{1-6}-alkyl;

xiii) 5-6 membered heteroaryl, optionally substituted with one or more C_{1-6}-alkyl, 3-10 membered cycloalkyl, halogen, halo-C_{1-6}-alkyl, C_{1-6}-alkoxy; C_{1-6}-haloalkoxy;

xiv) phenyl, optionally substituted with one or more halogen, cyano, C_{1-6}-alkoxy, halo-C_{1-6}-alkyl, C_{1-6}-haloalkoxy, C_{1-6}-alkyl;

xv) -(C_{1-6}-alkyl)-phenyl, optionally substituted with one or more -SO_2(C_{1-6}-alkyl), hydroxy, halogen, cyano;

xvi) -(C_{1-6}-alkyl)-O-phenyl;

xvii) 5-6 membered -(C_{1-6}-alkyl)-heteroaryl;

xviii) -O(R^{11a});

xix) -C(O)N($R^{11b}R^{11c}$);

xx) -SO_2(R^{11d});

xxi) -C(O)OR^{11e};

xxii) -C(O)R^{11f};

xxiii) oxo;

xxiv) -N($R^{11g}R^{11h}$);

xxv) –S(R^{11k}); and

xxvi) C_{1-6}-haloalkoxyl;

R^{11a} is selected from C_{1-12}-alkyl, halo-C_{1-6}-alkyl, amino-C_{1-12}-alkyl-, hydroxy-C_{1-6}-alkyl, cyano, -C_{1-6}-alkyl, C_{2-6}-alkynyl, C_{3-7}-cycloalkyl, 3-10 membered heterocyclyl, 3-10 membered -(C_{1-6}-alkyl)heterocyclyl, 5-6 membered heteroaryl, phenyl, -C_{1-6}-alkyl-phenyl, -C_{1-12}-alkyl-C(O)N($R^{11i}R^{11j}$), -C_{1-12}-alkyl-NH-C(O)(C_{1-6}-alkyl), -C_{1-12}-alkoxy-NH-C(O)(C_{1-6}-alkyl), -C_{1-6}-alkyl-NH-C(O)(C_{1-6}-alkyl), -$(CH_2CH_2O)_n$-$CH_2CH_2NH_2$ and -$(CH_2CH_2O)_n$-CH_2CH_2-NH-C(O)(C_{1-6}-alkyl);

wherein said C_{1-12}-alkyl, C_{3-7}-cycloalkyl, 3-10 membered heterocyclyl, 5-6 membered heteroaryl, phenyl and -C_{1-6}-alkyl-phenyl are optionally substituted with one or more halogen, C_{1-6}-alkyl, halo-C_{1-6}-alkyl, C_{1-6}-alkoxyl, C_{1-6}-haloalkoxyl, cyano;

n is an integer between 1 and 6;

R^{11b} and R^{11c} are each independently selected from hydrogen, C_{1-6}-alkyl and halo-C_{1-6}-alkyl,

or R^{11b} and R^{11c}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl;

R^{11d} is selected from hydrogen, C_{1-6}-alkyl, -N($R^{11l}R^{11m}$), halo-C_{1-6}-alkyl and phenyl;

R^{11e} is selected fromhydrogen and C_{1-6}-alkyl;

R^{11f} is selected from hydrogen, C_{1-6}-alkyl and phenyl;

R^{11g} and R^{11h} are each independently selected from hydrogen, C_{1-6}-alkyl, -(C_{1-6}-alkyl)phenyl. halo-C_{1-6}-alkyl, -SO_2(C_{1-6}-alkyl), -SO_2(halo-C_{1-6}-alkyl) and -SO(C_{1-6}-alkyl)$_2$,

or R^{11g} and R^{11h}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl optionally substituted with C_{1-6}-alkyl, C_{1-6}-alkoxy;

$R^{11i}R^{11j}$ are each independently selected from hydrogen, C_{1-6}-alkyl and halo-C_{1-6}-alkyl,

or $R^{11i}R^{11j}$, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl;


R^{11k} is selected from hydrogen, C_{1-6}-alkyl and halo-C_{1-6}-alkyl;

R^{11l} and R^{11m} are each independently selected from hydrogen and C_{1-6}-alkyl,

or R^{11l} and R^{11m}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl;

R^{y} is selected from hydrogen and C_{1-6}-alkyl.

3. The compound according to claim 1 or 2 wherein the compound is of formula (I)



(I)

or a pharmaceutically acceptable salt thereof, wherein:

X is $C(R^7)$ or N;

Y is S, S(O), $S(O)_2$, $S(O)N(R^y)$,

R^1 is 5-membered heteroaryl, wherein R^1 is optionally substituted with one or more R^{10} which can be the same or different;

R^2, R^3 and R^7 are each independently selected from hydrogen, halogen, C_{1-6}-alkyl, C_{2-6}-alkynyl, hydroxy, cyano, halo-C_{1-6}-alkyl, $N(R^8R^{8a})$, C_{1-6}-alkoxy, C_{3-7}-cycloalkyl and 3-10 membered heterocyclyl;

R^4 is selected from C_{5-14}-aryl and 5-14 membered heteroaryl, wherein R^4 is optionally substituted with one or more R^{11} which can be the same or different;

R^5 is selected from hydrogen, C_{1-6}-alkyl, $-C(O)(R^9)$, amino, amino-C_{1-6}-alkyl and C_{3-7}-cycloalkyl,

wherein said C_{3-7}-cycloalkyl is optionally substituted with one or more C_{1-6}-alkyl, amino, amino-C_{1-6}-alkyl;

R^6 and R^{6a} are each independently selected from hydrogen and C_{1-6}-alkyl;

R^8 and R^{8a} are each independently selected from hydrogen and C_{1-6}-alkyl;

R^9 is selected from C_{1-6}-alkyl, hydroxy-C_{1-6}-alkyl, amino-C_{1-6}-alkyl and (C_{1-6}-alkyl)-$N(R^{9a}R^{9b})$, wherein said amino-C_{1-6}-alkyl is optionally substituted with one or more hydroxy, hydroxy-C_{1-6}-alkyl;

R^{9a} and R^{9b} are each independently selected from hydrogen and C_{1-6}-alkyl, wherein said C_{1-6}-alkyl is optionally substituted with one or more hydroxy;

or R^{9a} and R^{9b}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl;

R^{10} is selected from:

i) C_{1-10}-alkyl, optionally substituted with one or more halogen, C_{2-6}-alkynyl, halo-C_{1-6}-alkyl, amino, -$N(R^{10a}R^{10b})$, -$S(O)_2(C_{1-6}$-alkyl), 3-10 membered heterocyclyl, cyano, -$C(O)N(R^{10c}R^{10d})$;

ii) C_{1-10}-haloalkyl;

iii) amino-C_{1-10}-alkyl;

iv) hydroxy-C_{1-10}-alkyl;

v) C_{1-6}-alkoxy;

vi) C_{1-6}-alkoxy-C_{1-10}-alkyl;

vii) C_{3-10}-cycloalkyl, optionally substituted with one or more halogen, C_{1-10}-alkyl, -$S(O)_2(C_{1-6}$-alkyl), hydroxy, oxo, amino, -$C(O)N(R^{10c}R^{10d})$, =N(OH), hydroxy-C_{1-6}-alkyl;

viii) 3-10 membered heterocyclyl, optionally substituted with one or more halogen, C_{1-10}-alkyl, -$S(O)_2(C_{1-6}$-alkyl), cyano, hydroxy-C_{1-10}-alkyl, oxo, -$C(O)(C_{1-6}$-alkyl), -$C(O)O$-(C_{1-6}-alkyl), C_{3-10}-cycloalkyl;

ix) (C_{1-6}-alkyl)-C_{3-7}-cycloalkyl;

x) 3-10 membered (C_{1-6}-alkyl)-heterocyclyl, optionally substituted with one or more halogen, C_{1-10}-alkyl;

xi) phenyl, optionally substituted with one or more halogen;

xii) (C_{1-10}-alkyl)-phenyl, optionally substituted with one or more halogen, wherein C_{1-10}-alkyl is optionally substituted with C_{1-6}-alkyl, cyano;

xiii) 5-6 membered (C_{1-10}-alkyl)-heteroaryl;

xiv) (alkoxy-C_{1-10}-alkyl)-phenyl;

xv) (amino-C_{1-10}-alkyl)-phenyl;

xvi) -C_{1-6}-alkyl-$SO_2(C_{1-6}$-alkyl);

xvii) -$N(R^{10e}R^{10f})$;

xviii) -OR^{10g}; and

xix) -$C(O)NR^{10h}R^{10i}$;

R^{10a} and R^{10b} are each independently selected from hydrogen, C_{1-6}-alkyl, halo-C_{1-6}-alkyl, hydroxy-C_{1-6}-alkyl, C_{1-6}-alkoxy,-C(O)(R^{10j}), amino-C_{1-6}-alkyl, 3-10 membered heterocyclyl, -SO_2(R^{10k}), C_{1-6}-alkyl-SO_2(R^{10k}) and -N($R^{10l}R^{10m}$), wherein 3-10 membered heterocyclyl is optionally substituted with C_{1-6}-alkyl;

or R^{10a} and R^{10b}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl which is optionally substituted with one or more halogen, C_{1-6}-alkyl;

R^{10c} and R^{10d} are each independently selected from hydrogen and C_{1-6}-alkyl;

R^{10e} and R^{10f} are each independently selected from hydrogen, C_{1-6}-alkyl, halo-C_{1-6}-alkyl, hydroxy-C_{1-6}-alkyl, -C(O)R^{10n}, C_{3-10}-cycloalkyl and 3-10 membered heterocyclyl, wherein said C_{3-10}-cycloalkyl and 3-10 membered heterocyclyl are optionally substituted with one or more halogen, hydroxy, oxo, C_{1-10}-alkyl, halo-C_{1-10}-alkyl, hydroxy-C_{1-6}-alkyl, C_{1-6}-alkoxy, -C(O)O(R^{10o}), -C(O)(R^{10o}), -C(O)N(R^{10p})($R^{10p'}$), -SO_2(C_{1-6}-alkyl);

or R^{10e} and R^{10f}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl which is optionally substituted with one or more halogen, amino, C_{1-6}-alkyl, halo-C_{1-6}-alkyl, hydroxy-C_{1-6}-alkyl, C_{1-6}-alkoxy, C_{3-7}-cycloalkyl, -C(O)O(C_{1-6}-alkyl);

R^{10g} is selected from halo-C_{1-6}-alkyl, C_{1-6}-alkyl-C_{3-7}-cycloalkyl and C_{1-6}-alkoxy-halo-C_{1-6}-alkyl;

R^{10h} and R^{10i} are each independently selected from hydrogen and C_{1-6}-alkyl,

or R^{10h} and R^{10i}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl which is optionally substituted with one or more halogen, hydroxy, C_{1-6}-alkyl;

R^{10j} is selected from C_{1-6}-alkyl, halo-C_{1-6}-alkyl, hydroxy-C_{1-6}-alkyl and amino-C_{1-6}-alkyl;

R^{10k} is selected from hydrogen, C_{1-6}-alkyl and halo-C_{1-6}-alkyl;

R^{10l} and R^{10m} are each independently selected from hydrogen and C_{1-6}-alkyl;

R^{10n} is selected from C_{1-6}-alkyl, amino-C_{1-6}-alkyl, halo-C_{1-6}-alkyl, C_{3-7}-cycloalkyl and 3-10 membered heterocyclyl, wherein said C_{3-7}-cycloalkyl and 3-10 membered heterocyclyl are optionally substituted with one or more halogen, C_{1-6}-alkyl;

R^{10o} is selected from C_{1-6}-alkyl and halo-C_{1-6}-alkyl;

R^{10p} and $R^{10p'}$ are independently selected from hydrogen, C_{1-6}-alkyl and halo-C_{1-6}-alkyl;

R^{11} is selected from:

i) halogen;
ii) hydroxy;
iii) cyano;
iv) C_{1-6}-alkyl, optionally substituted with one or more cyano;
v) C_{1-6}-alkoxy;
vi) halo-C_{1-6}-alkyl;
vii) amino-C_{1-10}-alkyl;
viii) hydroxy-C_{1-6}-alkyl;
ix) C_{3-7}-cycloalkyl;
x) C_{1-6}-alkyl-C_{3-7}-cycloalkyl;
xi) 3-10 membered heterocyclyl, optionally substituted with one or more halo-C_{1-6}-alkyl, hydroxy, C_{1-6}-alkyl, C_{1-6}-alkoxy, oxo;
xii) 3-7 membered (C_{1-6}-alkyl)-heterocyclyl, optionally substituted with one or more C_{1-6}-alkyl;
xiii) 5-6 membered heteroaryl, optionally substituted with one or more C_{1-6}-alkyl, halogen, halo-C_{1-6}-alkyl;
xiv) phenyl, optionally substituted with one or more halogen, cyano;
xv) (C_{1-6}-alkyl)-phenyl, optionally substituted with one or more -SO_2(C_{1-6}-alkyl), hydroxy, halogen, cyano;
xvi) (C_{1-6}-alkyl)-O-phenyl;
xvii) 5-6 membered (C_{1-6}-alkyl)-heteroaryl;
xviii) -O(R^{11a});
xix) -C(O)N($R^{11b}R^{11c}$);
xx) -SO_2(R^{11d});
xxi) -C(O)OR^{11e};

xxii) -C(O)R^{11f};

xxiii) oxo;

xxiv) -N($R^{11g}R^{11h}$); and

xxv) –S(R^{11k});

R^{11a} is selected from C_{1-12}-alkyl, halo-C_{1-6}-alkyl, amino-C_{1-12}-alkyl, hydroxy-C_{1-6}-alkyl, cyano, -C_{1-6}-alkyl, C_{2-6}-alkynyl, C_{3-7}-cycloalkyl, 3-10 membered heterocyclyl, 5-6 membered heteroaryl, phenyl, -C_{1-6}-alkyl-phenyl, C_{1-12}-alkyl-C(O)N($R^{11i}R^{11j}$), -C_{1-12}-alkyl-NH-C(O)(C_{1-6}-alkyl), -C_{1-12}-alkoxy-NH-C(O)(C_{1-6}-alkyl), -C_{1-6}-alkyl-NH-C(O)(C_{1-6}-alkyl), -$(CH_2CH_2O)_n$-$CH_2CH_2NH_2$ and -$(CH_2CH_2O)_n$-CH_2CH_2-NH-C(O)(C_{1-6}-alkyl);

wherein said C_{1-12}-alkyl, C_{3-7}-cycloalkyl, 3-10 membered heterocyclyl, 5-6 membered heteroaryl, phenyl and C_{1-6}-alkyl-phenyl are optionally substituted with one or more halogen, C_{1-6}-alkyl, halo-C_{1-6}-alkyl, cyano;

n is an integer between 1 and 6;

R^{11b} and R^{11c} are each independently selected from hydrogen, C_{1-6}-alkyl and halo-C_{1-6}-alkyl,

or R^{11b} and R^{11c}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl;

R^{11d} is selected from hydrogen, C_{1-6}-alkyl, -N($R^{11l}R^{11m}$), halo-C_{1-6}-alkyl and phenyl;

R^{11e} is selected fromhydrogen and C_{1-6}-alkyl;

R^{11f} is selected from hydrogen, C_{1-6}-alkyl and phenyl;

R^{11g} and R^{11h} are each independently selected from hydrogen, C_{1-6}-alkyl, halo-C_{1-6}-alkyl, SO_2(C_{1-6}-alkyl), SO_2(halo-C_{1-6}-alkyl) and SO(C_{1-6}-alkyl)$_2$,

or R^{11g} and R^{11h}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl optionally substituted with C_{1-6}-alkyl, C_{1-6}-alkoxy;

$R^{11i}R^{11j}$ are each independently selected from hydrogen, C_{1-6}-alkyl and halo-C_{1-6}-alkyl,


or $R^{11i}R^{11j}$, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl;

R^{11k} is selected from hydrogen, C_{1-6}-alkyl and halo-C_{1-6}-alkyl;

R^{11l} and R^{11m} are each independently selected from hydrogen and C_{1-6}-alkyl,
or R^{11l} and R^{11m}, taken together with the nitrogen atom to which they are attached, form a 3-10 membered heterocyclyl;

R^y is selected from hydrogen and C_{1-6}-alkyl.

4. The compound according to any one of claims 1 to 3, or a pharmaceutically acceptable salt thereof, wherein the compound is a compound of formula (IA)



(IA)

wherein X, Y, R^1, R^2, R^3, R^4, R^5, R^6, R^{6a} are as defined in any one of claims 1 to 3.

5. The compound according to any one of claims 1 to 4, wherein R^1 is substituted with at least one R^{10}, more particularly with one R^{10}.

6. The compound according to any one of claims 1 to 4, or a pharmaceutically acceptable salt thereof, wherein X is N or C(R^7), wherein R^7 is hydrogen or halogen.

7. The compound according to any one of claims 1 to 6, or a pharmaceutically acceptable salt thereof, wherein X is CH.

8. The compound according to any one of claims 1 to 7, or a pharmaceutically acceptable salt thereof, wherein Y is S(O) or $S(O)_2$.

9. The compound according to any one of claims 1 to 8, or a pharmaceutically acceptable salt thereof, wherein R^{10} is selected from:

i) C_{1-10}-alkyl, optionally substituted with one or more C_{2-6}-alkynyl, cyano;

ii) C_{1-10}-haloalkyl, optionally substituted with C_{1-5}-alkoxy, amino, phenyl, wherein phenyl is optionally substituted with one or more halogen;
iii) C_{3-10}-cycloalkyl, optionally substituted with one or more halogen;
iv) phenyl, optionally substituted with one or more halogen, C_{1-10}-alkyl;
v) heteroaryl, optionally substituted with one or more halogen, C_{1-10}-alkyl;
vi) 3-10 membered heterocyclyl, optionally substituted with one or more C_{1-10}-alkyl, C_{3-10}-cycloalkyl, C_{1-6}-haloalkyl, halogen, -C_{1-10}-alkyl-C_{1-4}-alkoxy, -C(O)O-C_{1-5}-alkyl;
vii) amino, optionally substituted with C_{1-10}-alkyl, C_{1-10}-haloalkyl, C_{3-10}-cycloalkyl, wherein C_{3-10}-cycloalkyl is optionally substituted with one or more C_{1-5}-alkyl, halogen.

10. The compound according to any one of claims 1 to 9, or a pharmaceutically acceptable salt thereof, wherein R^{10} is selected from C_{1-10}-alkyl, C_{1-10}-alkyl substituted with C_{2-6}-alkynyl, C_{1-10}-haloalkyl, amino-C_{1-10}-alkyl-, hydroxy-C_{1-10}-alkyl, C_{3-10}-cycloalkyl, C_{3-10}-cycloalkyl substituted with one or more halogen, phenyl substituted with one or more halogen, -(C_{1-10}-alkyl)-phenyl substituted with one or more halogen, -(alkoxy-C_{1-10}-alkyl)-phenyl, 3-10 membered heterocyclyl, 3-10 membered heterocyclyl substituted with one or more C_{1-10}-alkyl and halogen, heteroaryl, heteroaryl substituted with one or more C_{1-10}-alkyl, heteroaryl substituted with one or more halogen, and -N($R^{10e}R^{10f}$).


11. The compound according to any one of claims 1 to 10, or a pharmaceutically acceptable salt thereof, wherein R^{10} is selected from C_{1-10}-alkyl, C_{1-10}-alkyl substituted with C_{2-6}-alkynyl, C_{1-10}-haloalkyl, amino-C_{1-10}-alkyl, hydroxy-C_{1-10}-alkyl, C_{3-10}-cycloalkyl, C_{3-10}-cycloalkyl substituted with one or more halogen, phenyl substituted with one or more halogen, (C_{1-10}-alkyl)-phenyl substituted with one or more halogen, (alkoxy-C_{1-10}-alkyl)-phenyl, 3-10 membered heterocyclyl, 3-10 membered heterocyclyl substituted with one or more C_{1-10}-alkyl and halogen, and -N($R^{10e}R^{10f}$).


12. The compound according to any one of claims 1 to 11, or a pharmaceutically acceptable salt thereof, wherein R^{10} is selected from C_{1-10}-alkyl, C_{1-10}-haloalkyl, C_{3-10}-cycloalkyl substituted with one or more halogen, hydroxy-C_{1-10}-alkyl, C_{1-10}-alkyl substituted with C_{2-6}-alkynyl, 3-10 membered heterocyclyl, 3-10 membered heterocyclyl substituted with one or more C_{1-10}-alkyl and halogen and -NH(C_{3-7}-cycloalkyl).

13. The compound according to any one of claims 1 to 12, or a pharmaceutically acceptable salt thereof, wherein R^{10} is selected from tert-butyl, methyl 3-azabicyclo[3.1.1]heptane-3-carboxylate, 3-oxa-8-azabicyclo[3.2.1]octan-8-yl, 3,3-(difluorocyclobutyl)aminoyl, (trifluoromethyl)cyclopropyl, 2,2-difluoromorpholin-4-yl, 5,5-difluoro-1-methyl-3-piperidyl, 2,2,2-trifluoroethyl, (3,3-difluoro-1-methyl-cyclobutyl)aminoyl, o-tolyl, cyclobutylaminoyl, 2-methyl-propanenitrile, 6-fluoro-2-methyl-3-pyridyl, 1,2,2,2-tetrafluoro-1-methoxy-ethyl, 4-oxa-7-azaspiro[2.5]octan-7-yl, ethyl, 1-amino-2,2,2-trifluoro-1-methyl-ethyl, morpholinyl, 1-amino-2,2,2-trifluoro-1-(4-fluorophenyl)ethyl, methyl(2,2,2-trifluoroethyl)amino, 2,2-difluoromorpholin-4-yl, tert-butylaminoyl, cyclohexylaminoyl, methyl 4-methylpiperidine-1-carboxylate, 2-oxa-5-azabicyclo[4.1.0]heptan-5-yl, 2-(trifluoromethyl)morpholin-4-yl, 3,3-difluorocyclohexyl, 1,1-dimethylbut-3-ynyl, 3,3-difluorocyclobutyl, isobutyl, methyl 3,3-difluoropiperidine-1-carboxylate, difluorocyclopentyl, trifluoromethylmorpholinyl, 2,2-difluorospiro[3.3]heptan-6-yl, difluorocyclohexyl, 5,5-difluoro-1-(2-methoxyethyl)-3-piperidyl, 1-ethyl-5,5-difluoro-3-piperidyl, 2-cyclopropyltetrahydrofuran-2-yl, 3-fluoro-1-methyl-3-piperidyl, 6-fluoro-2-methyl-3-pyridyl, 2-fluoro-6-methyl-phenyl, fluorophenyl, 1,2,2,2-tetrafluoro-1-methoxy-ethyl.

14. The compound according to any one of claims 1 to 13, or a pharmaceutically acceptable salt thereof, wherein R^{10} is selected from ethyl, tertbutyl, isopropyl, $-CH_2CF_3$, $-C((CH_3)_2)F$, $-C((CH_3)_2)CH_2OH$, $-C((CH_3)_2)CH_2CCH_3$, difluorocyclohexyl, difluorocyclobutyl, piperidyl substituted with fluorine and methyl, morpholinyl and -NH(cyclopentyl).


15. The compound according to any one of claims 1 to 14, or a pharmaceutically acceptable salt thereof, wherein R^1 is selected from



and ;

wherein R^1 is optionally substituted with one or more R^{10} which can be the same or different as defined in any one of claims 1 or 9 to 14.

16. The compound according to any one of claims 1 to 15, , or a pharmaceutically acceptable salt thereof, wherein R^1 is selected from



wherein R^1 is optionally substituted with one or more R^{10} which can be the same or different as defined in any one of claims 1 or 9 to 14.

17. The compound according to any one of claims 1 to 16, or a pharmaceutically acceptable salt thereof, wherein R^2 is hydrogen, halogen, C_{1-6}-alkyl, hydroxy or $N(R^8R^{8a})$.

18. The compound according to any one of claims 1 to 17, or a pharmaceutically acceptable salt thereof, wherein R^8 and R^{8a} are each independently selected from hydrogen and C_{1-6}-alkyl.

19. The compound according to any one of claims 1 to 18, or a pharmaceutically acceptable salt thereof, wherein R^2 is hydrogen, halogen or C_{1-6}-alkyl.

20. The compound according to any one of claims 1 to 19, or a pharmaceutically acceptable salt thereof, wherein R^2 is hydrogen, fluorine or methyl.

21. The compound according to any one of claims 1 to 20, or a pharmaceutically acceptable salt thereof, wherein R^2 is hydrogen, fluorine.

22. The compound according to any one of claims 1 to 21, or a pharmaceutically acceptable salt thereof, wherein R^3 is hydrogen.

23. The compound according to any one of claims 1 to 22, or a pharmaceutically acceptable salt thereof, wherein R^{11} is selected from halogen, C_{1-6}-haloalkoxy, C_{1-6}-alkoxy, -O-R^{11a}, C_{1-6}-alkyl, C_{1-6}-alkyl substituted with cyano.

24. The compound according to any one of claims 1 to 23, or a pharmaceutically acceptable salt thereof, wherein R^{11} is selected from halogen, C_{1-6}-haloalkoxy, C_{1-6}-alkoxy, -O-arly, -O-C_{3-10}-cycloalkyl, C_{1-6}-alkyl, C_{1-6}-alkyl substituted with cyano.

25. The compound according to any one of claims 1 to 24, or a pharmaceutically acceptable salt thereof, wherein R^{11} is selected from halogen, -O(R^{11a}), cyano, amino-C_{1-10}-alkyl, -SO_2(C_{1-6}-alkyl) and 3-10 membered heterocyclyl substituted with one or more halo-C_{1-6}-alkyl.

26. The compound according to any one of claims 1 to 25, or a pharmaceutically acceptable salt thereof, wherein R^{11a} is selected from C_{1-12}-alkyl, halo-C_{1-6}-alkyl, 3-7 membered heterocycloalkyl and amino-C_{1-12}-alkyl.



27. The compound according to any one of claims 1 to 26, or a pharmaceutically acceptable salt thereof, wherein R^{11} is selected from halogen, -O(halo-C_{1-6}-alkyl), -O(C_{1-6}-alkyl), cyano and 3-10 membered heterocyclyl substituted with one or more halo-C_{1-6}-alkyl.


28. The compound according to any one of claims 1 to 27, or a pharmaceutically acceptable salt thereof, wherein R^{11} is selected from halogen, -O(R^{11a}), cyano, C_{1-6}-haloalkoxy, amino-C_{1-10}-alkyl-, -SO_2(C_{1-6}-alkyl) and 3-10 membered heterocyclyl substituted with one or more halo-C_{1-6}-alkyl.

29. The compound according to any one of claims 1 to 28, or a pharmaceutically acceptable salt thereof, wherein R^{11} is selected from, chloro, fluoro, trifluoromethoxy, 1,1,2,2-tetrafluoroethoxy, phenoxy, 2-methyl-propanenitrile, isopropoxy, methoxy, cyclopentoxy.

30. The compound according to any one of claims 1 to 29, or a pharmaceutically acceptable salt thereof, wherein R^{11} is selected from chlorine, -OCF_3, -OCH_3, cyano and 3-trifluoromethyl-diazirin-3-yl.


31. The compound according to any one of claims 1 to 30, or a pharmaceutically acceptable salt thereof, wherein R^4 is selected from



wherein R^4 is optionally substituted with one or more R^{11} as defined in any one of claims 1 or 23 to 30.

32. The compound according to any one of claims 1 to 31, or a pharmaceutically acceptable salt



thereof, wherein R^4 is

wherein R^4 is optionally substituted with one or more R^{11} as defined in any one of claims 1 or 23 to 30.

33. The compound according to any one of claims 1 to 32, or a pharmaceutically acceptable salt thereof, wherein R^5 is hydrogen or -C(O)(R^9).

34. The compound according to any one of claims 1 to 33, or a pharmaceutically acceptable salt thereof, wherein R^5 is hydrogen or -C(O)(amino-C_{1-6}-alkyl).

35. The compound according to any one of claims 1 to 34, or a pharmaceutically acceptable salt thereof, wherein R^5 is hydrogen or -C(O)(CH_2NH_2).


36. The compound according to any one of claims 1 to 35, or a pharmaceutically acceptable salt thereof, wherein R^6 and R^{6a} are hydrogen.

37. The compound according to any one of claims 1 to 36, or a pharmaceutically acceptable salt thereof, wherein

X is N or C(R^7);

Y is S, SO or $S(O)_2$;

R^1 is selected from





and


wherein R^1 is optionally substituted with one or more R^{10} which can be the same or different;

R^2 is hydrogen, halogen, C_{1-6}-alkyl, hydroxy or $N(R^8R^{8a})$;

R^3 is hydrogen;

R^4 is selected from



R^5 is hydrogen or $-C(O)(R^9)$;

R^6 and R^{6a} are hydrogen;

R^7 is hydrogen or halogen;

R^8 and R^{8a} are each independently selected from hydrogen and C_{1-6}-alkyl;

R^9 is amino-C_{1-6}-alkyl;

R^{10} is selected from C_{1-10}-alkyl, C_{1-10}-alkyl substituted with C_{2-6}-alkynyl, C_{1-10}-haloalkyl, amino-C_{1-10}-alkyl, hydroxy-C_{1-10}-alkyl, C_{3-10}-cycloalkyl, C_{3-10}-cycloalkyl substituted with one or more halogen, phenyl substituted with one or more halogen, (C_{1-10}-alkyl)-phenyl substituted with one or more halogen, (alkoxy-C_{1-10}-alkyl)-phenyl, 3-10 membered heterocyclyl, 3-10 membered heterocyclyl substituted with one or more C_{1-10}-alkyl and halogen, heteroaryl, heteroaryl substituted with one or more C_{1-10}-alkyl, heteroaryl substituted with one or more halogen, and $-N(R^{10e}R^{10f})$;

R^{10e} is hydrogen, R^{10f} is C_{3-7}-cycloalkyl;

R^{11} is selected from halogen, $-O(R^{11a})$, cyano, amino-C_{1-10}-alkyl, C_{1-6}-haloalkoxy, $-S(O_2)(C_{1-6}$-alkyl) and 3-10 membered heterocyclyl substituted with one or more halo-C_{1-6}-alkyl;


R^{11a} is selected from C_{1-12}-alkyl, halo-C_{1-6}-alkyl, 3-7 membered heterocycloalkyl, amino-C_{1-12}-alkyl.


38. The compound according to any one of claims 1 to 37, or a pharmaceutically acceptable salt thereof, wherein

X is N or $C(R^7)$;

Y is S, SO or $S(O)_{2;}$

R^1 is selected from




and 

wherein R^1 is optionally substituted with one or more R^{10} which can be the same or different;

R^2 is hydrogen, halogen, C_{1-6}-alkyl, hydroxy or $N(R^8R^{8a})$;

R^3 is hydrogen;

R^4 is selected



R^5 is hydrogen or $-C(O)(R^9)$;

R^6 and R^{6a} are hydrogen;

R^7 is hydrogen or halogen;

R^8 and R^{8a} are each independently selected from hydrogen and C_{1-6}-alkyl;

R^9 is amino-C_{1-6}-alkyl;

R^{10} is selected from C_{1-10}-alkyl, C_{1-10}-alkyl substituted with C_{2-6}-alkynyl, C_{1-10}-haloalkyl, amino-C_{1-10}-alkyl, hydroxy-C_{1-10}-alkyl, C_{3-10}-cycloalkyl, C_{3-10}-cycloalkyl substituted with one or more halogen, phenyl substituted with one or more halogen, (C_{1-10}-alkyl)-phenyl substituted with one or more halogen, (alkoxy-C_{1-10}-alkyl)-phenyl, 3-10 membered heterocyclyl, 3-10 membered heterocyclyl substituted with one or more C_{1-10}-alkyl and halogen, -N($R^{10e}R^{10f}$);

R^{10e} is hydrogen, R^{10f} is C_{3-7}-cycloalkyl;

R^{11} is selected from halogen, -O(R^{11a}), cyano, amino-C_{1-10}-alkyl, -S(O_2)(C_{1-6}-alkyl) and 3-10 membered heterocyclyl substituted with one or more halo-C_{1-6}-alkyl;


R^{11a} is selected from C_{1-12}-alkyl, halo-C_{1-6}-alkyl, 3-7 membered heterocycloalkyl, amino-C_{1-12}-alkyl.

39. The compound according to any one of claims 1 to 38, or a pharmaceutically acceptable salt thereof, wherein

X is CH;

Y is SO or $S(O)_2$;


R^1 is selected



wherein R^1 is optionally substituted with one or more R^{10} which can be the same or different;

R^2 is hydrogen, halogen, C_{1-6}-alkyl;

R^3 is hydrogen;



R^4 is

R^5 is hydrogen or -C(O)(amino-C_{1-6}-alkyl);

R^6 and R^{6a} are hydrogen;

R^{10} is selected from

C_{1-10}-alkyl, optionally substituted with one or more C_{2-6}-alkynyl, cyano;

C_{1-10}-haloalkyl, optionally substituted with C_{1-5}-alkoxy, amino, phenyl, wherein phenyl is optionally substituted with one or more halogen;

C_{3-10}-cycloalkyl, optionally substituted with one or more halogen;

phenyl, optionally substituted with one or more halogen, C_{1-10}-alkyl;

heteroaryl, optionally substituted with one or more halogen, C_{1-10}-alkyl;

3-10 membered heterocyclyl, optionally substituted with one or more C_{1-10}-alkyl, C_{3-10}-cycloalkyl, C_{1-6}-haloalkyl, halogen, -C_{1-10}-alkyl-C_{1-4}-alkoxy, -C(O)O-C_{1-5}-alkyl;

amino, optionally substituted with C_{1-10}-alkyl, C_{1-10}-haloalkyl, C_{3-10}-cycloalkyl, wherein C_{3-10}-cycloalkyl is optionally substituted with one or more C_{1-5}-alkyl, halogen;


R^{11} is selected from halogen, -O(halo-C_{1-6}-alkyl), -O(C_{1-6}-alkyl), cyano, 3-10 membered heterocyclyl substituted with one or more halo-C_{1-6}-alkyl.

40. The compound according to any one of claims 1 to 39, or a pharmaceutically acceptable salt thereof, wherein

X is CH;

Y is SO or $S(O)_2$;

R^1 is selected from




;

wherein R^1 is optionally substituted with one or more R^{10} which can be the same or different;

R^2 is hydrogen, fluorine or methyl;

R^3 is hydrogen;



R^4 is selected

R^5 is hydrogen or -C(O)(CH_2NH_2);

R^6 and R^{6a} are hydrogen;

R^{10} is selected from tert-butyl, methyl 3-azabicyclo[3.1.1]heptane-3-carboxylate, 3-oxa-8-azabicyclo[3.2.1]octan-8-yl, 3,3-(difluorocyclobutyl)aminoyl, (trifluoromethyl)cyclopropyl, 2,2-difluoromorpholin-4-yl, 5,5-difluoro-1-methyl-3-piperidyl, 2,2,2-trifluoroethyl, (3,3-difluoro-1-methyl-cyclobutyl)aminoyl, o-tolyl, cyclobutylaminoyl, 2-methyl-propanenitrile, 6-fluoro-2-methyl-3-pyridyl, 1,2,2,2-tetrafluoro-1-methoxy-ethyl, 4-oxa-7-azaspiro[2.5]octan-7-yl, ethyl, 1-amino-2,2,2-trifluoro-1-methyl-ethyl, morpholinyl, 1-amino-2,2,2-trifluoro-1-(4-fluorophenyl)ethyl, methyl(2,2,2-trifluoroethyl)amino, 2,2-difluoromorpholin-4-yl, tert-butylaminoyl, cyclohexylaminoyl, methyl 4-methylpiperidine-1-carboxylate, 2-oxa-5-azabicyclo[4.1.0]heptan-5-yl, 2-(trifluoromethyl)morpholin-4-yl, 3,3-difluorocyclohexyl, 1,1-dimethylbut-3-ynyl, 3,3-difluorocyclobutyl, isobutyl, methyl 3,3-difluoropiperidine-1-carboxylate, difluorocyclopentyl, trifluoromethylmorpholinyl, 2,2-difluorospiro[3.3]heptan-6-yl, difluorocyclohexyl, 5,5-difluoro-1-(2-methoxyethyl)-3-piperidyl, 1-ethyl-5,5-difluoro-3-

piperidyl, 2-cyclopropyltetrahydrofuran-2-yl, 3-fluoro-1-methyl-3-piperidyl, 6-fluoro-2-methyl-3-pyridyl, 2-fluoro-6-methyl-phenyl, fluorophenyl, 1,2,2,2-tetrafluoro-1-methoxy-ethyl;

R^{11} is selected from chlorine, $-OCF_3$, $-OCH_3$, cyano, 3-trifluoromethyl-diazirin-3-yl.

41. The compound according to any one of claims 1 to 40, selected from

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(2-oxa-5-azabicyclo[4.1.0]heptan-5-yl)-1,2,4-oxadiazol-3-yl]-1-oxo-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-(1-amino-2,2,2-trifluoro-ethyl)-1,2,4-oxadiazol-3-yl]-8-fluoro-5-[(4-isopropoxyphenyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[3-fluoro-1-(2-methoxyethyl)-3-piperidyl]-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(2-oxa-5-azabicyclo[4.1.0]heptan-5-yl)-1,2,4-oxadiazol-3-yl]-1-oxo-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,2,4-oxadiazol-3-yl)-8-fluoro-5-[(4-fluorophenyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-(5-morpholino-1,2,4-oxadiazol-3-yl)-1-oxo-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(4-oxa-7-azaspiro[2.5]octan-7-yl)-1,2,4-oxadiazol-3-yl]-1-oxo-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(4-oxa-7-azaspiro[2.5]octan-7-yl)-1,2,4-oxadiazol-3-yl]-1-oxo-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-8-fluoro-5-[(6-isopropoxy-3-pyridyl)methyl]-7-[5-(4-oxa-7-azaspiro[2.5]octan-7-yl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[2-(difluoromethyl)morpholin-4-yl]-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1-oxo-7-[5-[2-(trifluoromethyl)morpholin-4-yl]-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(5-morpholino-1,3,4-oxadiazol-2-yl)-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1-oxo-7-[5-[2-(trifluoromethyl)morpholin-4-yl]-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(4-oxa-7-azaspiro[2.5]octan-7-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

methyl 3-[5-[(3R)-3-amino-5-[[4-(cyclopentoxy)phenyl]methyl]-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]pyrrolidine-1-carboxylate;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1-dioxo-7-[5-[2-(trifluoromethyl)morpholin-4-yl]-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-8-fluoro-5-[(5-isopropoxy-2-pyridyl)methyl]-7-[5-(4-oxa-7-azaspiro[2.5]octan-7-yl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

2-amino-N-[(3R)-7-(2-tert-butyltetrazol-5-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-3-yl]acetamide

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(6-methyl-3-pyridyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(4,6-dimethyl-3-pyridyl)-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-8-fluoro-7-[5-[2-(hydroxymethyl)tetrahydrofuran-2-yl]-1,2,4-oxadiazol-3-yl]-1,1-dioxo-5-[(4-phenoxyphenyl)methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

2-[5-[(3R)-3-amino-1,1,4-trioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-2-methyl-propanenitrile;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(1-fluoro-1-methyl-ethyl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-8-fluoro-7-[5-(1-fluoro-1-methyl-ethyl)-1,2,4-oxadiazol-3-yl]-5-[(4-fluorophenyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-(2,2-difluoromorpholin-4-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-5-[(4-phenoxyphenyl)methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2-oxa-5-azabicyclo[4.1.0]heptan-5-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-[5-(3-aminooxetan-3-yl)-1,2,4-oxadiazol-3-yl]-8-fluoro-5-[[4-(4-methoxyphenyl)phenyl]methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(6-fluoro-2-methyl-3-pyridyl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(2-methyl-4-methylsulfonyl-phenyl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(2-methyl-5-methylsulfonyl-phenyl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(4-methyl-3-pyridyl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(1R,5S)-3-oxa-8-azabicyclo[3.2.1]octan-8-yl]-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2,2-dimethylmorpholin-4-yl)-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2-methyl-4-methylsulfonyl-phenyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

methyl 3-[3-[(3R)-3-amino-5-[[4-(cyclopentoxy)phenyl]methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,2,4-oxadiazol-5-yl]pyrrolidine-1-carboxylate

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2,2-difluoromorpholin-4-yl)-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,2,4-oxadiazol-3-yl)-5-[[4-(cyclopentoxy)phenyl]methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(5-methyl-1,2,4-oxadiazol-3-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-8-fluoro-7-[5-(3-fluoro-1-methyl-3-piperidyl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-5-[(4-phenoxyphenyl)methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(6-fluoro-2-methyl-3-pyridyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(4,6-dimethyl-3-pyridyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(4,4-difluoro-1-methoxy-cyclohexyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(2-fluoro-6-methyl-phenyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;

methyl 4-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-4-methoxy-piperidine-1-carboxylate;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(5-methyl-1,3,4-oxadiazol-2-yl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

methyl N-[2-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-2-methyl-1-(trifluoromethyl)propyl]carbamate;

(3R)-3-amino-7-[5-(2-amino-3,3,3-trifluoro-1,1-dimethyl-propyl)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

3-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-N-(3,3,3-trifluoro-2-hydroxy-2-methyl-propyl)-1,2,4-oxadiazole-5-carboxamide;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-[2-(hydroxymethyl)tetrahydrofuran-2-yl]-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-8-fluoro-7-[5-(5-methyl-1,3,4-oxadiazol-2-yl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-[1-amino-2,2,2-trifluoro-1-(4-fluorophenyl)ethyl]-1,2,4-oxadiazol-3-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-8-fluoro-7-[5-(5-methyl-1,3,4-oxadiazol-2-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-[2-(trifluoromethyl)morpholin-4-yl]-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(2-oxa-5-azabicyclo[4.1.0]heptan-5-yl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-8-fluoro-7-[5-[2-(hydroxymethyl)tetrahydrofuran-2-yl]-1,2,4-oxadiazol-3-yl]-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2-fluorophenyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(4-fluorophenyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1-dioxo-7-[5-(p-tolyl)-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(2-fluorophenyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(m-tolyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-(p-tolyl)-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

methyl 1-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-2-oxa-5-azabicyclo[2.2.1]heptane-5-carboxylate

(3R)-3-amino-7-[5-(1-amino-2,2,2-trifluoro-1-tetrahydropyran-4-yl-ethyl)-1,2,4-oxadiazol-3-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

3-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-N-(2,2-difluoropropyl)-1,2,4-oxadiazole-5-carboxamide;

(3R)-3-amino-7-[5-(1-amino-2,2,2-trifluoro-1-methyl-ethyl)-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-7-[5-[1-(trifluoromethyl)cyclopropyl]-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-[5-(1-amino-2,2,2-trifluoro-1-methyl-ethyl)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-[1-(trifluoromethyl)cyclopropyl]-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1-dioxo-7-[5-[1-(trifluoromethyl)cyclopropyl]-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

3-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-N-(2,2,2-trifluoroethyl)-1,2,4-oxadiazole-5-carboxamide;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1-dioxo-7-(5-phenyl-1,3,4-oxadiazol-2-yl)-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(4-fluorophenyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(o-tolyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-(5-phenyl-1,3,4-oxadiazol-2-yl)-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

methyl 3-[5-[(3R)-3-amino-1,1,4-trioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]pyrrolidine-1-carboxylate;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(5-methyl-2-pyridyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(6-methyl-3-pyridyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-[(3,3,3-trifluoro-2-hydroxy-2-methyl-propyl)amino]-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-[[1-(2-hydroxyethyl)cyclohexyl]amino]-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-benzyl-8-fluoro-1,1-dioxo-7-[5-(1,2,2,2-tetrafluoro-1-methoxy-ethyl)-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-(3-aminooxetan-3-yl)-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(6-fluoro-3-pyridyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-1,1-dioxo-5-[(4-phenoxyphenyl)methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(5-fluoro-2-pyridyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2,2-difluoropropylamino)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

2-[[3-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,2,4-oxadiazol-5-yl]amino]-2-methyl-propanenitrile

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(1-methoxycyclopropyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1-dioxo-7-[5-(2,2,2-trifluoro-1-methoxy-1-methyl-ethyl)-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(4-methoxytetrahydropyran-4-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-(1,1,2,2,2-pentafluoroethyl)-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

N-[11-[4-[[(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-5-yl]methyl]phenoxy]undecyl]-3-[2,2-difluoro-12-(1H-pyrrol-2-yl)-1-aza-3-azonia-2-boranuidatricyclo[7.3.0.03,7]dodeca-3,5,7,9,11-pent

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(1-methoxy-1-methyl-ethyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(1-ethynylcyclohexyl)amino]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,2,4-oxadiazol-3-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1-imino-1-oxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(9,9-difluoro-3-oxa-7-azabicyclo[3.3.1]nonan-7-yl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[4,4-difluoro-3-(hydroxymethyl)-1-piperidyl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(3,3-dimethylmorpholin-4-yl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(5,5-difluoro-1-methyl-3-piperidyl)-1,2,4-oxadiazol-3-yl]-8-fluoro-1-oxo-2,3-dihydro-1lambda4,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(5,5-difluoro-1-methyl-3-piperidyl)-1,2,4-oxadiazol-3-yl]-8-fluoro-1-oxo-2,3-dihydro-1lambda4,5-benzothiazepin-4-one

methyl 4-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-4-cyano-piperidine-1-carboxylate

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(3,3-difluoro-1,8-diazaspiro[4.5]decan-8-yl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,2,4-oxadiazol-3-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1-oxo-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,2,4-oxadiazol-3-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1-oxo-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(1-methyl-1-pyrrolidin-1-yl-ethyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-[4-methyl-1-oxido-1-(2,2,2-trifluoroethyl)piperidin-1-ium-4-yl]-1,2,4-oxadiazol-3-yl]-1-oxo-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

2-[4-[[(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-5-yl]methyl]phenyl]-2-methyl-propanenitrile

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(1S,5R)-6,6-difluoro-3-azabicyclo[3.1.1]heptan-3-yl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

1-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-4-methyl-piperidine-4-carbonitrile;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1-dioxo-5-[[4-(2,2,2-trifluoroethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[[1,1-dimethyl-4-(2-prop-2-ynoxyethoxy)butyl]amino]-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

3-[(3R)-3-amino-8-fluoro-1,1,4-trioxo-5-[[4-(1,1,2,2-tetrafluoroethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-N,N-dimethyl-1,2,4-oxadiazole-5-carboxamide;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(6-chloropyridazin-3-yl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-(2,2,2-trifluoroethylamino)-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[1,1-dimethyl-4-[2-(2-prop-2-ynoxyethoxy)ethoxy]butyl]-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[2-(5,5-difluoro-1-methylsulfonyl-3-piperidyl)tetrazol-5-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

methyl 5-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]tetrazol-2-yl]-3,3-difluoro-piperidine-1-carboxylate

2-[[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]amino]-2-methyl-propanenitrile;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-[4-methyl-1-(2,2,2-trifluoroethyl)-4-piperidyl]-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2,2-difluoropropylamino)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-(1-bicyclo[1.1.1]pentanylamino)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-[(3,3,3-trifluoro-1-methyl-propyl)amino]-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-1,1-dioxo-5-[(4-tetrahydropyran-4-yloxyphenyl)methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

methyl 1-[3-[(3R)-3-amino-8-fluoro-1-imino-1,4-dioxo-5-[[4-(1,1,2,2-tetrafluoroethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,2,4-oxadiazol-5-yl]-3-azabicyclo[3.1.1]heptane-3-carboxylate

methyl 1-[3-[(3R)-3-amino-8-fluoro-1,4-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda4,5-benzothiazepin-7-yl]-1,2,4-oxadiazol-5-yl]-3-azabicyclo[3.1.1]heptane-3-carboxylate

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1-imino-1-oxo-7-[5-(1,2,2,2-tetrafluoro-1-methoxy-ethyl)-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(2-tert-butyltetrazol-5-yl)-8-fluoro-1,1-dioxo-5-[[4-(tetrahydropyran-4-ylmethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,2,4-oxadiazol-3-yl)-8-fluoro-1,1-dioxo-5-[[4-(tetrahydropyran-4-ylmethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[[4-(cyclopropoxy)phenyl]methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

methyl 1-[3-[(3R)-3-amino-8-fluoro-1,4-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda4,5-benzothiazepin-7-yl]-1,2,4-oxadiazol-5-yl]-3-azabicyclo[3.1.1]heptane-3-carboxylate

(3R)-7-[2-(1-acetyl-5,5-difluoro-3-piperidyl)tetrazol-5-yl]-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

N-[(3R)-5-[(4-chlorophenyl)methyl]-7-[2-(5,5-difluoro-3-piperidyl)tetrazol-5-yl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-3-yl]acetamide;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-(1,5,5-trimethyl-3-piperidyl)-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[[4-(cyclohexoxy)phenyl]methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

methyl 1-[3-[(3R)-3-amino-8-fluoro-1,4-dioxo-5-[[4-(1,1,2,2-tetrafluoroethoxy)phenyl]methyl]-2,3-dihydro-1lambda4,5-benzothiazepin-7-yl]-1,2,4-oxadiazol-5-yl]-3-azabicyclo[3.1.1]heptane-3-carboxylate

(3R)-3-amino-7-(2-tert-butyltetrazol-5-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1-oxo-2,3-dihydro-1lambda4,5-benzothiazepin-4-one

(3R)-3-amino-7-(2-tert-butyltetrazol-5-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1-oxo-2,3-dihydro-1lambda4,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1-oxo-7-[5-(1,2,2,2-tetrafluoro-1-methoxy-ethyl)-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1-oxo-7-[5-(1,2,2,2-tetrafluoro-1-methoxy-ethyl)-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda4,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1-oxo-7-[5-(1,2,2,2-tetrafluoro-1-methoxy-ethyl)-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-[[(1S)-1-methyl-2-(trifluoromethoxy)ethyl]amino]-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-benzyl-7-[2-(5,5-difluoro-1-methyl-3-piperidyl)tetrazol-5-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[2-(5,5-difluoro-1-methyl-3-piperidyl)tetrazol-5-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-1,1-dioxo-5-[[4-(tetrahydropyran-4-ylmethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-7-[8-(trifluoromethyl)-5,6,7,8-tetrahydro-[1,2,4]triazolo[1,5-a]pyrazin-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-8-fluoro-5-[(4-fluorophenyl)methyl]-1-oxo-7-[5-(1,2,2,2-tetrafluoro-1-methoxy-ethyl)-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-8-fluoro-5-[(4-fluorophenyl)methyl]-1,1-dioxo-7-[5-(1,2,2,2-tetrafluoro-1-methoxy-ethyl)-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-(2,2,2-trifluoro-1-hydroxy-1-methyl-ethyl)-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-1,1-dioxo-5-[[4-[[5-(trifluoromethyl)-2-pyridyl]oxy]phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

methyl 1-[3-[(3R)-3-amino-8-fluoro-1,1,4-trioxo-5-[[4-(1,1,2,2-tetrafluoroethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,2,4-oxadiazol-5-yl]-3-azabicyclo[3.1.1]heptane-3-carboxylate

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[[4-(4-fluorophenoxy)phenyl]methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

methyl 1-[3-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,2,4-oxadiazol-5-yl]-3-azabicyclo[3.1.1]heptane-3-carboxylate

methyl 1-[3-[(3R)-3-amino-8-fluoro-1,1,4-trioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,2,4-oxadiazol-5-yl]-3-azabicyclo[3.1.1]heptane-3-carboxylate

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-[1-(trifluoromethyl)cyclopropyl]-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(2-tert-butyltetrazol-5-yl)-8-fluoro-5-[(4-fluorophenyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-1-oxo-7-[5-(2,2,2-trifluoroethyl)-1,3,4-oxadiazol-2-yl]-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-1-oxo-7-[5-(2,2,2-trifluoroethyl)-1,3,4-oxadiazol-2-yl]-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-1-oxo-7-[5-(1,2,2,2-tetrafluoro-1-methoxy-ethyl)-1,3,4-oxadiazol-2-yl]-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-1-oxo-7-[5-(1,2,2,2-tetrafluoro-1-methoxy-ethyl)-1,3,4-oxadiazol-2-yl]-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-(1-amino-2,2,2-trifluoro-ethyl)-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

isopropyl 1-[3-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,2,4-oxadiazol-5-yl]-3-azabicyclo[3.1.1]heptane-3-carboxylate

ethyl 1-[3-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,2,4-oxadiazol-5-yl]-3-azabicyclo[3.1.1]heptane-3-carboxylate

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[1-(2,2-difluorocyclopropyl)ethylamino]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[1-(2,2-difluorocyclopropyl)ethylamino]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[1-(3,3-difluorocyclobutyl)ethylamino]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-[(3,3,3-trifluoro-1,1-dimethyl-propyl)amino]-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-[1-methyl-1-(2,2,2-trifluoroethylamino)ethyl]-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

methyl 3-[3-[(3R)-3-amino-8-fluoro-5-[(4-isopropoxyphenyl)methyl]-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,2,4-oxadiazol-5-yl]pyrrolidine-1-carboxylate;

methyl 1-[5-[(3R)-3-amino-1,1,4-trioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-3-azabicyclo[3.1.1]heptane-3-carboxylate

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-1,1-dioxo-5-[[4-(trifluoromethylsulfonyl)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-[5-(5,5-difluoro-1-methyl-3-piperidyl)-1,2,4-oxadiazol-3-yl]-8-fluoro-5-[(4-isopropoxyphenyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-(5,5-difluoro-1-methyl-3-piperidyl)-1,2,4-oxadiazol-3-yl]-8-fluoro-5-[(6-isopropoxy-3-pyridyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-[[3-(trifluoromethyl)cyclobutyl]amino]-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-(1,2,2,2-tetrafluoroethyl)-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

methyl 1-[5-[(3R)-3-amino-1,1,4-trioxo-5-[[4-(1,1,2,2-tetrafluoroethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-3-azabicyclo[3.1.1]heptane-3-carboxylate

(3R)-3-amino-7-[5-[(3-chloro-1-bicyclo[1.1.1]pentanyl)amino]-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-[(3-fluoro-1-bicyclo[1.1.1]pentanyl)amino]-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-(1,1,2,2,2-pentafluoroethyl)-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(3,3-difluoro-1-methyl-cyclobutyl)amino]-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[2-[(3R)-1-methylpyrrolidin-3-yl]tetrazol-5-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[2-[(3S)-1-methylpyrrolidin-3-yl]tetrazol-5-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

3-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-N,N-dimethyl-1,2,4-oxadiazole-5-carboxamide;

3-[(3R)-3-amino-8-fluoro-1,1,4-trioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-N,N-dimethyl-1,2,4-oxadiazole-5-carboxamide;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[1-(5,5-difluoro-1-methyl-3-piperidyl)pyrazol-4-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-[(2-amino-3,3,3-trifluoro-propyl)amino]-1,2,4-oxadiazol-3-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-1,1-dioxo-5-[(4-pyrrolidin-1-ylphenyl)methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(6-methyl-3-pyridyl) 4-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-4-methyl-piperidine-1-carboxylate;

(3R)-3-amino-7-[5-(5,5-difluoro-1-methyl-3-piperidyl)-1,2,4-oxadiazol-3-yl]-8-fluoro-5-[(5-isopropoxy-2-pyridyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(1-ethyl-4-methyl-4-piperidyl)-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-(1,2,2,2-tetrafluoro-1-methoxy-ethyl)-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

2-[3-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,2,4-oxadiazol-5-yl]-2-methyl-propanenitrile;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(5,5-dimethyl-3-piperidyl)-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

2,2,2-trifluoroethyl 4-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-4-methyl-piperidine-1-carboxylate;

methyl 4-[3-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,2,4-oxadiazol-5-yl]-4-methyl-piperidine-1-carboxylate;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-[[1-(2,2,2-trifluoroethyl)-3-piperidyl]amino]-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-[2-(2-amino-3,3,3-trifluoro-propyl)tetrazol-5-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

4-[3-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,2,4-oxadiazol-5-yl]-N,4-dimethyl-piperidine-1-carboxamide;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-[4-methyl-1-(pyrrolidine-1-carbonyl)-4-piperidyl]-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-(5,5-difluoro-1-methyl-3-piperidyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-[(2,2,2-trifluoro-1-methyl-ethyl)amino]-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-(1-amino-2,2,2-trifluoro-1-methyl-ethyl)-1,2,4-oxadiazol-3-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

methyl 3-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]tetrazol-2-yl]pyrrolidine-1-carboxylate

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(3,3-difluorocyclobutyl)amino]-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[[4-(4-cyclopropylpiperazin-1-yl)phenyl]methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[[4-(4-methoxy-1-piperidyl)phenyl]methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[[4-(cyclopropylmethoxy)phenyl]methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[[4-(2,2-difluoroethoxy)phenyl]methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-but-2-ynoxyphenyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-[5-(1-amino-2,2,2-trifluoro-1-methyl-ethyl)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-1,1-dioxo-5-[[4-(2,2,2-trifluoroethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-morpholinophenyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-[3-(trifluoromethyl)piperazin-1-yl]-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;2,2,2-trifluoroacetic acid

(3R)-3-amino-1,1-dioxo-7-[5-(1,1,2,2,2-pentafluoroethyl)-1,3,4-oxadiazol-2-yl]-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(3,3-difluorocyclohexyl)amino]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(3,3-difluorocyclobutyl)amino]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(3,3-difluoro-1-methyl-cyclobutyl)amino]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

2-[4-[[(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-5-yl]methyl]phenyl]-2-methyl-propanenitrile

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(4,4-difluoro-1-piperidyl)-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-(5-morpholino-1,2,4-oxadiazol-3-yl)-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(cyclobutylamino)-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(4-oxa-7-azaspiro[2.5]octan-7-yl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-7-[2-(1-acetyl-3-piperidyl)tetrazol-5-yl]-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[2-(1-methyl-3-piperidyl)tetrazol-5-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(3-tert-butyl-1,2,4-triazol-1-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-[1-methyl-1-(methylamino)ethyl]-1,3,4-oxadiazol-2-yl]-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[3-(dimethylamino)-1,1-dimethyl-propyl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

3-[(3R)-3-amino-1,1,4-trioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-N-tert-butyl-1,2,4-oxadiazole-5-carboxamide

3-[(3R)-3-amino-8-fluoro-1,1,4-trioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-N-tert-butyl-1,2,4-oxadiazole-5-carboxamide

3-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-N-tert-butyl-1,2,4-oxadiazole-5-carboxamide

3-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-N-tert-butyl-1,2,4-oxadiazole-5-carboxamide

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(dimethylamino)methyl]-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-[5-(1-aminocyclopentyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(3,3-difluorocyclohexyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[cyclopropyl(methyl)amino]-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[methyl(2,2,2-trifluoroethyl)amino]-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[[3,3-difluoro-1-(methoxymethyl)cyclobutyl]amino]-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-(4-aminotetrahydropyran-4-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-[5-(1-aminocyclohexyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(1-hydroxy-1-methyl-ethyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;2,2,2-trifluoroacetic acid

(3R)-3-amino-7-(2-tert-butyltetrazol-5-yl)-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(2-tert-butyltetrazol-5-yl)-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[2-(1-methylsulfonyl-3-piperidyl)tetrazol-5-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(3,3-difluoro-1-methyl-cyclobutyl)amino]-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(3,3-difluorocyclobutyl)amino]-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(3,3-difluorocyclohexyl)amino]-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(4-tert-butylimidazol-1-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(5-oxa-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2-cyclopropyltetrahydrofuran-2-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2-cyclopropyltetrahydrofuran-2-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(2-tert-butyltetrazol-5-yl)-5-[(4-chlorophenyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-7-[5-(3-acetyl-3-azabicyclo[3.1.0]hexan-1-yl)-1,3,4-oxadiazol-2-yl]-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

methyl 3-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]azetidine-1-carboxylate;2,2,2-trifluoroacetic acid

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2,2-difluoromorpholin-4-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1-dioxo-7-[5-(1,2,2,2-tetrafluoroethyl)-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(3-methylsulfonyl-3-azabicyclo[3.1.0]hexan-1-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

methyl 1-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-3-azabicyclo[3.1.0]hexane-3-carboxylate

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[2-(1-methylsulfonylpyrrolidin-3-yl)tetrazol-5-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2-hydroxyspiro[3.3]heptan-6-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-[5-[3-(chloromethyl)-3-(hydroxymethyl)azetidin-1-yl]-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

2-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-2-methoxy-acetonitrile;

(3R)-3-amino-1,1-dioxo-7-[5-(2,2,2-trifluoroethyl)-1,3,4-oxadiazol-2-yl]-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[2-(1-methylsulfonyl-4-piperidyl)tetrazol-5-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-1,1-dioxo-5-[[4-(1,1,2,2-tetrafluoroethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(5-oxa-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(6-oxa-2-azaspiro[3.5]nonan-2-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[[4-(cyclopentoxy)phenyl]methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1-dioxo-7-[5-(1,1,2,2,2-pentafluoroethyl)-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

methyl 7-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-5-azaspiro[2.4]heptane-5-carboxylate;

2-[5-[(3R)-3-amino-8-fluoro-1,1,4-trioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-2-methyl-propanenitrile;

(3R)-3-amino-1,1-dioxo-7-[5-(1,2,2,2-tetrafluoro-1-methoxy-ethyl)-1,3,4-oxadiazol-2-yl]-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1-dioxo-7-[5-(1,2,2,2-tetrafluoro-1-methoxy-ethyl)-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-[(1R,5S)-8-azabicyclo[3.2.1]octane-8-carbonyl]-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(5-methylsulfonyl-5-azaspiro[2.4]heptan-7-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-7-[5-(1-acetyl-4-piperidyl)-1,3,4-oxadiazol-2-yl]-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-(2-methyltetrazol-5-yl)-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[2-(1-methylpyrrolidin-3-yl)tetrazol-5-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-7-[2-(1-acetyl-4-piperidyl)tetrazol-5-yl]-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-7-[5-(3-acetyl-3-azabicyclo[4.1.0]heptan-1-yl)-1,3,4-oxadiazol-2-yl]-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(3-methylsulfonyl-3-azabicyclo[4.1.0]heptan-1-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

methyl 1-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-3-azabicyclo[4.1.0]heptane-3-carboxylate;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(6,6-difluoro-2-azaspiro[3.3]heptan-2-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(isopropylamino)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-(2-azaspiro[3.3]heptan-2-yl)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

methyl 5-[[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]amino]-3,3-difluoro-piperidine-1-carboxylate;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(4,4-difluoro-1-piperidyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2,2-dimethylmorpholin-4-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(3-fluoro-1-methyl-3-piperidyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

methyl 4-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]piperidine-1-carboxylate

(3R)-3-amino-7-[5-(1-amino-2,2,2-trifluoro-ethyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

methyl 3-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]pyrrolidine-1-carboxylate

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(5,5-difluoro-1-methyl-3-piperidyl)-1,3,4-oxadiazol-2-yl]-8-methyl-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(5,5-difluoro-1-methyl-3-piperidyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

2-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-methyl-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-2-methyl-propanenitrile;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(5,5-difluoro-3-piperidyl)amino]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-(3-azabicyclo[4.1.0]heptan-1-yl)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-7-[5-(5-acetyl-5-azaspiro[2.4]heptan-7-yl)-1,3,4-oxadiazol-2-yl]-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(3,3-difluoropiperidine-1-carbonyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

2-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-methyl-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]propanenitrile;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(3-methylsulfonyl-3-azabicyclo[3.1.1]heptan-1-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

methyl 1-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-3-azabicyclo[3.1.1]heptane-3-carboxylate;

methyl 1-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-3-azabicyclo[3.1.1]heptane-3-carboxylate

2-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-2-methyl-propanenitrile;

(3R)-7-[5-(3-acetyl-3-azabicyclo[3.1.1]heptan-1-yl)-1,3,4-oxadiazol-2-yl]-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-[5-(1-amino-2,2,2-trifluoro-ethyl)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;2,2,2-trifluoroacetic acid

(3R)-3-amino-7-[5-(1-amino-2,2,2-trifluoro-ethyl)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[4-(dimethylamino)-1,1-dimethyl-butyl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(3,3-difluorocyclopentyl)amino]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(4,4-difluorocyclohexyl)amino]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(1,3-dimethylazetidin-3-yl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-(tert-butylamino)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

1-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]cyclopropanecarbonitrile;

2-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]propanenitrile;

methyl 3-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]piperidine-1-carboxylate

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(3,3-difluoropyrrolidine-1-carbonyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-[5-(2-aminospiro[3.3]heptan-6-yl)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(2-oxa-7-azaspiro[3.5]nonan-7-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

4-[[(3R)-3-amino-8-fluoro-7-[5-(2-hydroxy-1,1-dimethyl-ethyl)-1,3,4-oxadiazol-2-yl]-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-5-yl]methyl]benzonitrile;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(5,5-difluoro-1-methyl-3-piperidyl)-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-[5-(5-amino-3,3-difluoro-1-piperidyl)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-[1-(chloromethyl)-2-hydroxy-1-methyl-ethyl]-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-N-isopropyl-N-methyl-1,3,4-oxadiazole-2-carboxamide

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(1-cyclopropyl-5,5-difluoro-3-piperidyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-[4-(chloromethyl)-4-(hydroxymethyl)-1-piperidyl]-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(4,4-difluoro-1-methyl-3-piperidyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(2-methylsulfonylethyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-N-tert-butyl-1,3,4-oxadiazole-2-carboxamide

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(isopropoxymethyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[5,5-difluoro-1-(2-methoxyethyl)-3-piperidyl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-3-tert-butyl-1,3,4-oxadiazol-2-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(2-methyltetrahydrofuran-2-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-(4-amino-1,1-dimethyl-butyl)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(1,3-dimethyl-3-piperidyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(1-ethyl-3-piperidyl)amino]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-[5-(3-amino-4,4-difluoro-1-piperidyl)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[2-(1,1-dioxo-1,4-thiazinan-4-yl)-1,1-dimethyl-ethyl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-N,N-dimethyl-1,3,4-oxadiazole-2-carboxamide

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(1-ethyl-5,5-difluoro-3-piperidyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(1-methylpyrrolidin-3-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

methyl 5-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-3,3-difluoro-piperidine-1-carboxylate

(3R)-3-amino-7-[5-(2-azaspiro[3.3]heptan-2-yl)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(isopropylamino)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(4,4-difluoro-3-piperidyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(1-cyclopropyl-4-piperidyl)amino]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2,2-dimethylmorpholin-4-yl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(4-oxa-7-azaspiro[2.5]octan-7-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[[6-(cyclopentoxy)-3-pyridyl]methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[1,1-dimethyl-2-(2-oxo-1-piperidyl)ethyl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

2-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-2-methyl-propanenitrile;

2-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]propanenitrile;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(3-methylazetidin-3-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(5,5-difluoro-1-methylsulfonyl-3-piperidyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[5,5-difluoro-1-(2-hydroxyethyl)-3-piperidyl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-[1-(hydroxymethyl)cyclopropyl]-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(cyclobutylamino)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-7-[5-(1-acetyl-5,5-difluoro-3-piperidyl)-1,3,4-oxadiazol-2-yl]-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(5,5-difluoro-3-piperidyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(3-ethyl-1,2,4-triazol-1-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-7-[5-(4-acetylpiperazin-1-yl)-1,3,4-oxadiazol-2-yl]-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-(5-isobutyl-1,3,4-oxadiazol-2-yl)-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(4-methylpiperazin-1-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-[2-[2-hydroxyethyl(methyl)amino]-1,1-dimethyl-ethyl]-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[1,1-dimethyl-2-(2-oxopyrrolidin-1-yl)ethyl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(1-methyl-3-piperidyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[1,1-dimethyl-2-(4-methylpiperazin-1-yl)ethyl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[1,1-dimethyl-2-(tetrahydrofuran-3-ylamino)ethyl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-5-[(5-isopropoxy-2-pyridyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[1,1-dimethyl-2-(oxetan-3-ylamino)ethyl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(3,4-difluorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chloro-3-fluoro-phenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(4,4-difluoro-1-piperidyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(1,1-dimethyl-2-morpholino-ethyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[2-(dimethylamino)-1,1-dimethyl-ethyl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(6,6-difluoro-2-azaspiro[3.3]heptan-2-yl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-5-[(6-isopropoxy-3-pyridyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[2-(4,4-difluoro-1-piperidyl)-1,1-dimethyl-ethyl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[2-(2-hydroxy-1,1-dimethyl-ethyl)tetrazol-5-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[2-(2-hydroxy-2-methyl-propyl)tetrazol-5-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(cyclopropylamino)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[1,1-dimethyl-2-(1-piperidyl)ethyl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1-oxo-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1-oxo-2,3-dihydro-1lambda4,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2,2-difluorospiro[3.3]heptan-6-yl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(dimethylamino)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-[(3-methylazetidin-1-yl)methyl]-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;

methyl 4-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-4-methyl-piperidine-1-carboxylate;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(4-methyl-1-methylsulfonyl-4-piperidyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(cyclohexylamino)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(1-methylcyclopropyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[3-(difluoromethyl)azetidin-3-yl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;

(3R)-3-amino-7-[5-(2-amino-1,1-dimethyl-ethyl)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(6-oxaspiro[3.4]octan-2-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(5,5-difluoro-1-methyl-3-piperidyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-5-[(3-fluoro-4-methylsulfonyl-phenyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-ethyloxazol-2-yl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1-imino-1-oxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-5-[(2-fluoro-4-methylsulfonyl-phenyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;

2-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-N,N,2-trimethyl-propanamide;1,1,1,3,3,3-hexafluoropropan-2-ol;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[3-(2-hydroxy-1,1-dimethyl-ethyl)-1,2,4-oxadiazol-5-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-5-[[4-(3-hydroxyoxetan-3-yl)phenyl]methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(2-hydroxy-1,1-dimethyl-ethyl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;2,2,2-trifluoroacetic acid

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(2-hydroxy-1,1-dimethyl-ethyl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1-dioxo-5-[(4-phenoxyphenyl)methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1-dioxo-5-[[4-(1,1,2,2-tetrafluoroethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-5-[[4-(2-hydroxyethoxy)phenyl]methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;2,2,2-trifluoroacetic acid

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-9-methyl-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[[1-(cyclopropylmethyl)pyrazol-4-yl]methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;2,2,2-trifluoroacetic acid

(3R)-7-[5-(1-acetyl-4-methyl-4-piperidyl)-1,3,4-oxadiazol-2-yl]-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1-methylimino-1-oxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

2-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-N,2-dimethyl-propanamide;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(2-cyclopropylpyrimidin-5-yl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(6-chloro-3-pyridyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;

(2R,3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-2-methyl-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[[5-[(4-chlorophenyl)methyl]-3-pyridyl]methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(4-methyl-4-piperidyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(4-methyltetrahydropyran-4-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;2,2,2-trifluoroacetic acid

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1-oxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1-imino-1-oxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-chloro-5-[(4-chlorophenyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

2-[4-[[(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-5-yl]methyl]phenoxy]acetamide;1,1,1,3,3,3-hexafluoropropan-2-ol;

N-[11-[4-[[(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-5-yl]methyl]phenoxy]undecyl]acetamide;

(2S)-N-[(3R)-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-3-yl]-2-(methylamino)propanamide

(2S)-2-amino-N-[(3R)-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-3-yl]butanamide

(2S)-N-[(3R)-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-3-yl]-3-hydroxy-2-(methylamino)propanamide

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[[4-(cyclopentoxy)phenyl]methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-5-[(4-isopropoxyphenyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1-dioxo-7-[5-[2,2,2-trideuterio-1,1-bis(trideuteriomethyl)ethyl]-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(3,3-difluorocyclohexyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(4-ethyltriazol-1-yl)-8-fluoro-2,3-dihydro-1,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[4-[(4-chlorophenyl)methyl]triazol-1-yl]-8-fluoro-2,3-dihydro-1,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(4-ethyltriazol-1-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[4-[(4-chlorophenyl)methyl]triazol-1-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(4-tert-butyltriazol-1-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(1-ethyltriazol-4-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(2-ethyltetrazol-5-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(2-tert-butyltetrazol-5-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-(1H-pyrazol-5-yl)-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(5-ethyl-1H-1,2,4-triazol-3-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1-dioxo-7-[3-(2,2,2-trifluoroethyl)-1,2,4-oxadiazol-5-yl]-2,3-dihydropyrido[3,2-b][1,4]thiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(3-cyclopropyl-1,2,4-oxadiazol-5-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-7-(3-ethyl-1,2,4-oxadiazol-5-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-(3-propyl-1,2,4-oxadiazol-5-yl)-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-7-(3-tert-butyl-1,2,4-oxadiazol-5-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-7-[3-[(4-chlorophenyl)methyl]-1,2,4-oxadiazol-5-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-7-[3-(benzyloxymethyl)-1,2,4-oxadiazol-5-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[3-(2,2,2-trifluoroethyl)-1,2,4-oxadiazol-5-yl]-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-[3-(aminomethyl)-1,2,4-oxadiazol-5-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(3-ethyl-1,2,4-oxadiazol-5-yl)-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(3-tert-butylisoxazol-5-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-(2,2-difluorocyclohexyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1,5-benzothiazepin-4-one;

(3R)-3-Amino-7-[5-(3,3-difluorocyclohexyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-8-fluoro-1,1-dioxo-7-[5-(2,2,2-trifluoroethyl)-1,3,4-oxadiazol-2-yl]-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(2S)-N-[(3R)-8-fluoro-1,1,4-trioxo-7-[5-(2,2,2-trifluoroethyl)-1,3,4-oxadiazol-2-yl]-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1λ⁶,5-benzothiazepin-3-yl]-2-(methylamino)propanamide;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-(3,3,3-trifluoropropyl)-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-(2,2,2-trifluoroethyl)-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-7-[5-(1-amino-1-methyl-ethyl)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(1-fluoro-1-methyl-ethyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-7-[5-(2,2-difluoroethyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-7-(5-ethyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-7-[5-(4,4-difluorocyclohexyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-7-[5-(2,2-difluorocyclohexyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one:

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-7-[5-(3,3-difluorocyclopentyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-7-[5-(2,2-difluorocyclopentyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-7-[5-[(3,3-difluorocyclobutyl)methyl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-(tetrahydropyran-4-ylmethyl)-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-(4,4,4-trifluorobutyl)-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-7-[5-(3,3-difluorocyclobutyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-7-[5-(2,2-difluorocyclobutyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-(5-tetrahydropyran-4-yl-1,3,4-oxadiazol-2-yl)-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(2-fluoroethyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-(5-isopropyl-1,3,4-oxadiazol-2-yl)-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-Amino-5-[(4-chlorophenyl)methyl]-7-(5-cyclopropyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(2-hydroxy-1,1-dimethyl-ethyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-(azetidin-1-yl)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(4-ethyloxazol-2-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-6-fluoro-1,1-dioxo-7-[5-(2,2,2-trifluoroethyl)-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(3-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

4-[[(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1,4-trioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-5-yl]methyl]benzonitrile;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1-dioxo-5-[(4-tetrahydrofuran-3-yloxyphenyl)methyl]-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[[4-(2,2-difluoroethoxy)phenyl]methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[[4-(difluoromethoxy)phenyl]methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1-dioxo-5-(2-pyridylmethyl)-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-5-[(6-methoxy-3-pyridyl)methyl]-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[[4-(aminomethyl)phenyl]methyl]-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(2-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-5-[(5-methoxy-2-pyridyl)methyl]-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-5-[(4-methylsulfonylphenyl)methyl]-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-5-[(4-methoxyphenyl)methyl]-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-5-[(4-fluorophenyl)methyl]-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[[2-(aminomethyl)-4-chloro-phenyl]methyl]-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[[4-(11-aminoundecoxy)phenyl]methyl]-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

N-[(3R)-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1 *λ⁶,5*,5-benzothiazepin-3-yl]acetamide;

N-[(3R)-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-3-yl]propanamide;

(2S)-N-[(3R)-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-3-yl]-2-hydroxy-butanamide;

N-[(3R)-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-3-yl]butanamide;

(2S)-2-amino-N-[(3R)-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-3-yl]propanamide;

(2S)-N-[(3R)-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-3-yl]-2-(methylamino)butanamide;

3-amino-N-[(3R)-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-3-yl]propanamide;

N-[(3R)-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-3-yl]-2-(methylamino)acetamide;

2-amino-N-[(3R)-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-3-yl]acetamide;

4-amino-N-[(3R)-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-3-yl]butanamide;

(3R)-3-amino-8-bromo-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-methyl-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-hydroxy-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-(dimethylamino)-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3,8-diamino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(1-tert-butylpyrazol-4-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

((3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(1-ethylpyrazol-4-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(1-ethylpyrazol-3-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(4-tert-butylpyrazol-1-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(3-tert-butylpyrazol-1-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(4-ethylpyrazol-1-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(1-ethyl-1,2,4-triazol-3-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(1-tert-butyl-1,2,4-triazol-3-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(1-tert-butylpyrazol-3-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,2,4-oxadiazol-3-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(5-ethyl-1,2,4-oxadiazol-3-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-(1,1-dimethylbut-3-ynyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-5-[[4-[3-(trifluoromethyl)diazirin-3-yl]phenyl]methyl]-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-[5-(1,1-dimethylbut-3-ynyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(5,5-difluoro-1-methyl-3-piperidyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1-oxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1λ⁴,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1-oxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1λ⁴,5-benzothiazepin-4-one;

3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-(5-morpholino-1,3,4-oxadiazol-2-yl)-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(cyclopentylamino)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-7-(5-tert-butyl-1,3,4-thiadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(5-ethyltetrazol-2-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1λ⁶,5-benzothiazepin-4-one;

or a pharmaceutically acceptable salt thereof.

42. The compound according to any one of claims 1 to 41, selected from

methyl 1-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-3-azabicyclo[3.1.1]heptane-3-carboxylate

2-amino-N-[(3R)-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-3-yl]acetamide

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

2-amino-N-[(3R)-7-(2-tert-butyltetrazol-5-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-3-yl]acetamide

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(3,3-difluorocyclobutyl)amino]-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1-imino-1-oxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(2S)-2-amino-N-[(3R)-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-3-yl]propanamide

(3R)-3-amino-7-(2-tert-butyltetrazol-5-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1-dioxo-5-[[4-(1,1,2,2-tetrafluoroethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-7-[5-[1-(trifluoromethyl)cyclopropyl]-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,2,4-oxadiazol-3-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-[5-(2,2-difluoromorpholin-4-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-5-[(4-phenoxyphenyl)methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(5,5-difluoro-1-methyl-3-piperidyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;formic acid

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1-oxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(3,3-difluorocyclobutyl)amino]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(2S)-2-amino-N-[(3R)-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-3-yl]butanamide

(3R)-3-amino-8-fluoro-1,1-dioxo-7-[5-(2,2,2-trifluoroethyl)-1,3,4-oxadiazol-2-yl]-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[(3,3-difluoro-1-methyl-cyclobutyl)amino]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

2-[4-[[(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-5-yl]methyl]phenyl]-2-methyl-propanenitrile

(3R)-3-amino-7-(3-tert-butyl-1,2,4-oxadiazol-5-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1-oxo-2,3-dihydro-1lambda4,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(5,5-difluoro-1-methyl-3-piperidyl)-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1-oxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-7-(2-tert-butyltetrazol-5-yl)-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(o-tolyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(cyclobutylamino)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

2-[5-[(3R)-3-amino-8-fluoro-1,1,4-trioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-2-methyl-propanenitrile;hydrochloride

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-5-[(6-isopropoxy-3-pyridyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[3-(2,2,2-trifluoroethyl)-1,2,4-oxadiazol-5-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(6-fluoro-2-methyl-3-pyridyl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-1,1-dioxo-7-[5-(1,2,2,2-tetrafluoro-1-methoxy-ethyl)-1,3,4-oxadiazol-2-yl]-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(4-oxa-7-azaspiro[2.5]octan-7-yl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(5-ethyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-[5-(1-amino-2,2,2-trifluoro-1-methyl-ethyl)-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-5-[(4-methoxyphenyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-(5-morpholino-1,2,4-oxadiazol-3-yl)-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-7-[5-[1-amino-2,2,2-trifluoro-1-(4-fluorophenyl)ethyl]-1,2,4-oxadiazol-3-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[methyl(2,2,2-trifluoroethyl)amino]-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(5-ethyltetrazol-2-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2,2-difluoromorpholin-4-yl)-1,2,4-oxadiazol-3-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-[5-(tert-butylamino)-1,3,4-oxadiazol-2-yl]-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-(5-morpholino-1,3,4-oxadiazol-2-yl)-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;hydrochloride

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(cyclohexylamino)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;hydrochloride

(3R)-3-amino-7-(1-tert-butyl-1,2,4-triazol-3-yl)-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

methyl 4-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-4-methyl-piperidine-1-carboxylate;hydrochloride

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-(3-ethyl-1,2,4-oxadiazol-5-yl)-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(2-oxa-5-azabicyclo[4.1.0]heptan-5-yl)-1,2,4-oxadiazol-3-yl]-1-oxo-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[(4-chloro-3-fluoro-phenyl)methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-5-[(4-isopropoxyphenyl)methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-1,1-dioxo-7-[5-[2-(trifluoromethyl)morpholin-4-yl]-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-7-[5-(3,3-difluorocyclohexyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2,2-difluoromorpholin-4-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(2-oxa-5-azabicyclo[4.1.0]heptan-5-yl)-1,2,4-oxadiazol-3-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-7-[5-(1,1-dimethylbut-3-ynyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-5-[[4-(trifluoromethoxy)phenyl]methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(4-oxa-7-azaspiro[2.5]octan-7-yl)-1,2,4-oxadiazol-3-yl]-1-oxo-2,3-dihydro-1lambda4,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(3,3-difluorocyclobutyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-(5-isobutyl-1,3,4-oxadiazol-2-yl)-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

methyl 5-[5-[(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1,4-trioxo-2,3-dihydro-1lambda6,5-benzothiazepin-7-yl]-1,3,4-oxadiazol-2-yl]-3,3-difluoro-piperidine-1-carboxylate

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(3,3-difluorocyclopentyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-[2-(trifluoromethyl)morpholin-4-yl]-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2,2-difluorospiro[3.3]heptan-6-yl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(3,3-difluorocyclohexyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2,2-difluorocyclohexyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-[5,5-difluoro-1-(2-methoxyethyl)-3-piperidyl]-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(1-ethyl-5,5-difluoro-3-piperidyl)-1,3,4-oxadiazol-2-yl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(2-cyclopropyltetrahydrofuran-2-yl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-7-[5-(3-fluoro-1-methyl-3-piperidyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(6-fluoro-2-methyl-3-pyridyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-7-(5-tert-butyl-1,2,4-oxadiazol-3-yl)-5-[[4-(cyclopentoxy)phenyl]methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(2-fluoro-6-methyl-phenyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;1,1,1,3,3,3-hexafluoropropan-2-ol;hydrochloride

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[[4-(cyclopentoxy)phenyl]methyl]-8-fluoro-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-5-[[4-(cyclopentoxy)phenyl]methyl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one

(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-7-[5-(4-fluorophenyl)-1,3,4-oxadiazol-2-yl]-1,1-dioxo-2,3-dihydro-1lambda6,5-benzothiazepin-4-one


(3R)-3-amino-5-[(4-chlorophenyl)methyl]-8-fluoro-1,1-dioxo-7-[5-(1,2,2,2-tetrafluoro-1-methoxy-ethyl)-1,2,4-oxadiazol-3-yl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

(3R)-3-amino-7-(5-tert-butyl-1,3,4-oxadiazol-2-yl)-8-fluoro-1,1-dioxo-5-[(4-phenoxyphenyl)methyl]-2,3-dihydro-1lambda6,5-benzothiazepin-4-one;hydrochloride

or a pharmaceutically acceptable salt thereof.

43. A process for the preparation of a compound according to any one of claims 1 to 42, or a pharmaceutically acceptable salt thereof, comprising

reacting a compound of formula (IX)




(IX)

wherein X, Y, R^1, R^2, R^3, R^4, R^6, R^{6a} are as defined in any one of claims 1 to 34 and PG is an amino protecting group,

with a suitable deprotection agent to form said compound of formula (I), or a pharmaceutically acceptable salt thereof, wherein X, Y, R^1, R^2, R^3, R^4, R^6, R^{6a} are as defined in any one of claims 1 to 34 and R^5 is hydrogen; or

reacting a compound of formula (I')



(I')

wherein X, Y, R^1, R^2, R^3, R^4, R^6, R^{6a} are as defined in any one of claims 1 to 34 and R^5 is hydrogen,

with a carboxylic acid derivative of formula R^9CO_2H wherein R^9 is as defined in any one of claims 1 to 30, in the presence of a base to form a compound of formula (I), or a pharmaceutically acceptable salt thereof, wherein R^5 is -C(O)(R^9).

44. The compound according to any one of claims 1 to 42, or a pharmaceutically acceptable salt thereof, when manufactured according to the process of claim 43.

45. The compound according to any one of claims 1 to 42, or a pharmaceutically acceptable salt thereof, for use as therapeutically active substance.

46. A pharmaceutical composition comprising a compound according to any one of claims 1 to 42, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable excipient.

47. The pharmaceutical composition according to claim 46, further comprising an additional therapeutic agent.

48. The compound according to any one of claims 1 to 42, or a pharmaceutically acceptable salt thereof, for use in the treatment, prevention and/or delay of progression of cancer.

49. The compound for use according to claim 48, wherein the cancer is associated with aberrant diacylglycerol kinase signaling, wherein the diacylglycerol kinase is selected from DGKα and/or DGKζ.

50. The compound for use according to claim 48 or 49, wherein the cancer is selected from the group consisting of B-cell acute lymphoid leukemia, T-cell acute lymphoid leukemia, acute lymphoid leukemia, chronic myelogenous leukemia, chronic lymphocytic leukemia B-cell prolymphocytic leukemia, blastic plasmacytoid dendritic cell neoplasm, Burkitt's lymphoma, diffuse large B cell lymphoma, follicular lymphoma, hairy cell leukemia, small cell- or a large cell-follicular lymphoma, malignant lymphoproliferative conditions, MALT lymphoma, mantle cell lymphoma, Marginal zone lymphoma, multiple myeloma, myelodysplasia and myelodysplastic syndrome, non-Hodgkin's lymphoma, plasmablastic lymphoma, plasmacytoid dendritic cell neoplasm, Waldenstrom’s macroglobulinemia, preleukemia, sarcoma, carcinoma, melanoma, neuroblastoma, renal cell carcinoma, colon cancer, colorectal cancer, breast cancer, epithelial squamous cell cancer, melanoma, stomach cancer, brain cancer, lung cancer (e.g., NSCLC), pancreatic cancer, cervical cancer, ovarian cancer, liver cancer, bladder cancer, prostate cancer, testicular cancer, thyroid cancer, uterine cancer, adrenal cancer and head and neck cancer.

51. The use of a compound according to any one of claims 1 to 42, or a pharmaceutically acceptable salt thereof, for the treatment, prevention and/or delay of progression of cancer.

52. The use of a compound according to any one of claims 1 to 42, or a pharmaceutically acceptable salt thereof, for the preparation of a medicament for the treatment, prevention and/or delay of progression of cancer.

53. A method for the treatment, prevention and/or delay of progression of cancer, which method comprises administering a therapeutically effective amount of a compound according to any one of claims 1 to 42, or a pharmaceutically acceptable salt thereof.

54. Use of a compound according to any one of claims 1 to 42, or a pharmaceutically acceptable salt thereof, for inhibiting activity of at least one of diacylglycerol kinases selected from DGKα and DGKζ.

55. A method of inhibiting activity of at least one of diacylglycerol kinases selected from DGKα and DGKζ comprising administering to a subject in need thereof a therapeutically effective amount of at least one compound according to any one of claims 1 to 42, or a pharmaceutically acceptable salt thereof.