


FIG. 1




FIG. 2



A
A
Display Element
Flexible Connection
Pull Bar
Flexible Electronic Display surface
Support Cables
B
B
Holes for Cables to enter axle
Power Cables
Power/Data Distributor
Signal Cable
Power / Signal Cables
Roll Wheel
Canister
Axle (Hollow for Cables)

FIG 3



Cable to Stick Clamp
B
B
Power/ Signal Cable (Stick-Stick)
Pull Bar
Support Cables
A
A

FIG. 4




FIG. 5A

FIG. 5B




FIG. 6A




FIG. 6B




FIG. 6C




FIG. 6D




FIG. 7




FIG. 8





FIG. 9

FIG. 10





100
1101
1109
1104'
60
1105
20
1104
1101
20
20
1103
1102
21
16
27
29
16

FIG. 11




FIG. 12A




FIG. 12B




FIG. 13




FIG. 14




FIG. 15



120
114
150
500
501d
160
140
110
501a
501c
130
501e
120'
130'
500
130"

FIG. 16




FIG. 17





FIG. 18

FIG. 19A






FIG. 19B

FIG. 20A




FIG. 20B




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25A

FIG. 25B




FIG. 26




FIG. 27




FIG. 28




FIG. 29



500
502'
122
120
127
140
124
502
141
121
122
126
502"
120
137
140
141
121
125
123
127
124

FIG. 30



165
120
156
114
121
128
155
130'
502
122
137
111'
124
140
160
154
132
131
110
111
128
130
124

FIG. 31




FIG. 32




FIG. 33




FIG. 34B




FIG. 34A




FIG. 35A

FIG. 35B




FIG. 36A





FIG. 36B

FIG. 37






FIG. 1




FIG. 2



A
Display Element
Flexible Connection
Pull Bar
Flexible Electronic Display surface
Support Cables
B
A
Holes for Cables to enter axle
Power Cables
Signal Cable
Power/Data Distributor
Power / Signal Cables
Roll Wheel
Canister
B
Axle (Hollow for Cables)

FIG 3



Cable to Stick Clamp
B
Power/ Signal Cable (Stick-Stick)
Pull Bar
Support Cables
A
B
A

FIG. 4




FIG. 5B




FIG. 5A




FIG. 6A




FIG. 6B




FIG. 6C




FIG. 6D




FIG. 7




FIG. 8





FIG. 9

FIG. 10





100
1101
1109
1104'
60
1105
20
1104
1101
20
20
1103
1102
21
16
27
29
16

FIG. 11




FIG. 12A




FIG. 12B




FIG. 13




FIG. 14




FIG. 15



120
114
150
500
501d
160
140
110
501a
501c
501e
120'
130
130'
500
130"

FIG. 16




FIG. 17





FIG. 18

FIG. 19A






FIG. 19B

FIG. 20A




FIG. 20B




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25A

FIG. 25B




FIG. 26




FIG. 27




FIG. 28




FIG. 29



500
502'
122
120
127
140
502
124
141
121
122
126
502"
120
137
140
141
121
125
127
123
124

FIG. 30



165
156
120
114
121
128
155
130'
502
122
137
124
111'
140
160
154
32
131
110
111
128
130
124

FIG. 31




FIG. 32




FIG. 33




FIG. 34B





FIG. 34A

FIG. 35A







FIG. 35B

FIG. 36A






FIG. 36B

FIG. 37

