

PENICILLIN-G ACYLASES

[0001] The present application claims priority to US Prov. Pat. Appln. Ser. No. 62/525,404, filed June 27, 2017, and to US Prov. Pat. Appln. Ser. No. 62/527,199, filed June 30, 2017, which are hereby incorporated by reference in their entirety for all purposes.

FIELD OF THE INVENTION

[0002] The present invention provides engineered penicillin G acylase (PGA) enzymes, polynucleotides encoding the enzymes, compositions comprising the enzymes, and methods of using the engineered PGA enzymes.

REFERENCE TO SEQUENCE LISTING, TABLE OR COMPUTER PROGRAM

[0003] The official copy of the Sequence Listing is submitted concurrently with the specification as an ASCII formatted text file via EFS-Web, with a file name of "CX2-163USP1_ST25.txt", a creation date of June 26, 2017, and a size of 424 kilobytes. The Sequence Listing filed via EFS-Web is part of the specification and is incorporated in its entirety by reference herein.

BACKGROUND OF THE INVENTION

[0004] Penicillin G acylase (PGA) (penicillin amidase, EC 3.5.1.11) catalyzes the cleavage of the amide bond of the penicillin G (benzylpenicillin) side chain. The enzyme is used commercially in the manufacture of 6-amino-penicillanic acid (6-APA) and phenyl-acetic acid (PAA). 6-APA is a key compound in the industrial production of semi-synthetic β -lactam antibiotics such as amoxicillin, ampicillin and cephalexin. The naturally occurring PGA enzyme shows instability in commercial processes, requiring immobilization on solid substrates for commercial applications. PGA has been covalently bonded to various supports and PGA immobilized systems have been reported as useful tools for the synthesis of pure optical isomers. Attachment to solid surfaces, however, leads to compromised enzyme properties, such as reduced activity and/or selectivity, and limitations to solute access. Moreover, although attachment to solid substrates allows capture of enzymes and reuse in additional processing cycles, the stability of the enzyme is such that such applications may be limited. The enzymatic catalysis by PGA of penicillin G to 6-APA is regiospecific (it does not cleave the lactam amide bond) and stereospecific. The production of 6-APA constitutes perhaps the largest utilization of enzymatic catalysis in the production of pharmaceuticals. The enzymatic activity of PGA, associated with the phenacetyl moiety, allows the stereospecific hydrolysis of a rich variety of phenacetyl derivatives of primary amines as well as alcohols.

SUMMARY OF THE INVENTION

[0005] The present invention provides engineered penicillin G acylase (PGA) enzymes, polynucleotides encoding the enzymes, compositions comprising the enzymes, and methods of using the engineered PGA enzymes.

[0006] The present invention provides engineered penicillin G acylase enzymes capable of removing the A1/B1/A1'/B1'-tetra-phenyl acetate protecting groups from an insulin-dimer to produce a free insulin-dimer, wherein the penicillin G acylase is at least about 85%, about 86%, about 87%, about 88%, about 89%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, about 99%, or more identical to SEQ ID NO:2, 4, 6, 8, 34, 46, 54, 74 and/or 88. In some embodiments, the present invention provides engineered penicillin G acylases capable of removing the A1/B1/A1'/B1'-tetra-phenyl acetate protecting groups from insulin-dimer to produce free insulin-dimer, wherein the penicillin G acylase is at least 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or more identical to SEQ ID NO:2, 4, 6, 8, 34, 46, 54, 74 and/or 88. In some additional embodiments, the present invention provides engineered penicillin G acylases capable of removing the A1/B1/A1'/B1'-tetra-phenyl acetate protecting groups from insulin to produce free insulin-dimer, wherein the penicillin G acylase comprises SEQ ID NO:2, 4, 6, 8, 34, 46, 54, 74 and/or 88. In some further embodiments, the penicillin G acylase comprises at least one mutation as provided in Table(s) 6.1, 7.1, 8.1, 8.2, 9.1, 10.1, and/or 11.1.

[0007] The present invention provides engineered penicillin G acylase enzymes capable of removing the A1/A1'-di-phenyl acetate protecting groups from an insulin-dimer to produce a free insulin-dimer, wherein the penicillin G acylase is at least about 85%, about 86%, about 87%, about 88%, about 89%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, about 99%, or more identical to SEQ ID NO:2, 4, 6, 8, 34, 46, 54, 74 and/or 88. In some embodiments, the present invention provides engineered penicillin G acylases capable of removing the A1/A1'-di-phenyl acetate protecting groups from insulin-dimer to produce free insulin-dimer, wherein the penicillin G acylase is at least 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or more identical to SEQ ID NO:2, 4, 6, 8, 34, 46, 54, 74 and/or 88. In some additional embodiments, the present invention provides engineered penicillin G acylases capable of removing the A1/B1/A1'/B1'-di-phenyl acetate protecting groups from insulin to produce free insulin-dimer, wherein the penicillin G acylase comprises SEQ ID NO:2, 4, 6, 8, 34, 46, 54, 74 and/or 88. In some further embodiments, the penicillin G acylase comprises at least one mutation as provided in Table(s) 6.1, , 7.1, 8.1, 8.2, 9.1, 10.1, and/or 11.1.

[0008] The present invention also provides engineered penicillin G acylase variants having at least 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO:6, and at least one substitution at a position selected from positions 54, 62, 115, 125, 127, 127,

185, 253, 254, 254/255, 254/255/370, 255, 256, 257, 257, 260, 268, 322, 325, 348, 369, 370, 372, 373, 377, 378, 384, 384/513/536, 388, 389, 391, 435, 461, 517, 530, 554, 556, 557, 559, 560, 600/623, 623, 624, 626, 627, 705, 706, 707, 723, 740, 748, and 752, wherein said positions are numbered with reference to SEQ ID NO:6. In some embodiments, the engineered penicillin G acylase variants have at least 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% sequence identity to SEQ ID NO:6, and or more substitutions selected from 54C, 62G, 115A/P, 125L/T, 127S/V, 185V, 253K/V, 254T, 254W/255G, 254W/255G/370L, 255L, 255M/Q/T/Y, 256Q, 257I, 257V, 260A/P, 268S/V, 322P, 325G, 348C, 348Q, 369L, 369P, 369V, 369W, 370F/G/S, 372A/H/L, 373F/M, 377P, 378H, 384A, 384F/513Q/536M, 384G/L, 388T, 389L, 391P/S, 435R, 461A, 517L/P, 530C/Y, 554A/E/P/V, 556G, 557G/S, 559P/S, 560I, 600T/623V, 623A/G/R/W, 624A, 626G, 627G/H, 705G/P, 706G, 707S, 723A/G, 740L, 748G, and 752E. In some additional embodiments, the the engineered penicillin G acylase variants have at least 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% sequence identity to SEQ ID NO:6, and or more substitutions selected from G54C, T62G, T115A/P, N125L/T, I127S/V, N185V, L253K/V, F254T, F254W/A255G, F254W/A255G/W370L, A255L/M/Q/T/Y, F256Q, L257I/V, G260A/P, D268S/V, K322P, S325G, N348C/Q, K369L/P/V/W, W370F/G/S, S372A/H/L, A373F/M, E377P, T378H, T384A, T384F/P513Q/L536M, T384G, T384L, N388T, I389L, V391P/S, S435R, G461A, A517L/P, S530C/Y, Q554A/E/P/V, Q556G, L557G/S, Q559P/S, T560I, M600T/D623V, D623A/G/R/W, I624A, Q626G, N627G/H, T705G/P, S706G, E707S, K723A/G, S740L, R748G, and Y752E

[0009] The present invention also provides engineered penicillin G acylase variants having at least 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO:8, and at least one substitution set selected from positions 103/370/444/706/766,

103/369/370/442/444/536/556/766, 103/369/370/444, 103/369/370/444/556/706/766, 103/369/370/444/765/766, 103/369/370/765/766, 257/362/384/451, 257/362/384/451/723, 362/451/705, 369/370, 369/370/444/706/766, 369/370/556/766, 369/370/388/444/556/766, 369/370/444, 369/370/444/556/766, 369/370/556, 369/370/556/765, 369/370/556/766, 369/370/766, 369/370/444/556, 369/370/444/556/612/766, 369/370/444/556/706/765, 369/370/444/706/765/766, 372/373/384/513/560, 372/384/451/705, 372/384/560/705, 384/451/560/705/723, 384/451/705/723, 451/560/705/723, and 451/705/723, wherein said positions are numbered with reference to SEQ ID NO:8. In some additional embodiments, the engineered penicillin G acylase variants comprise a substitution set is selected from 103V/370F/444S/706G/766G,

103V/369W/370F/442I/444S/536M/556G/766G, 103V/369W/370F/444S, 103V/369W/370F/444S/556G/706G/766G, 103V/369W/370F/444S/765P/766G, 103V/369W/370F/765P/766G, 257V/362V/384A/451R, 257V/362V/384L/451R/723L, 362V/451R/705D, 369P/370F, 369P/370F/444S/706G/766G, 369P/370F/556G/766G, 369V/370F/388T/444S/556G/766G, 369V/370F/444S,

369V/370F/444S/556G/766G, 369V/370F/556G, 369V/370F/556G/765P, 369V/370F/556G/766G, 369V/370F/766G, 369W/370F/444S/556G, 369W/370F/444S/556G/612A/766G, 369W/370F/444S/556G/706G/765P, 369W/370F/444S/706G/765P/766G, 372A/373M/384L/513Q/560G, 372A/384L/451R/705D, 372A/384L/560G/705D, 384A/451R/560G/705D/723L, 384L/451R/705D/723L, 451R/560G/705D/723L, and 451R/705D/723L, wherein said positions are numbered with reference to SEQ ID NO:8. In some additional embodiments, the engineered penicillin G acylase variants comprise a substitution set selected from K103V/I370F/G444S/S706G/H766G, K103V/K369W/I370F/V442I/G444S/L536M/Q556G/H766G, K103V/K369W/I370F/G444S, K103V/K369W/I370F/G444S/Q556G/S706G/H766G, K103V/K369W/I370F/G444S/H765P/H766G, K103V/K369W/I370F/H765P/H766G, L257V/A362V/T384A/A451R, L257V/A362V/T384L/A451R/K723L, A362V/A451R/T705D, K369P/I370F, K369P/I370F/G444S/S706G/H766G, K369P/I370F/Q556G/H766G, K369V/I370F/N388T/G444S/Q556G/H766G, K369V/I370F/G444S, K369V/I370F/G444S/Q556G/H766G, K369V/I370F/Q556G, K369V/I370F/Q556G/H765P, K369V/I370F/Q556G/H766G, K369V/I370F/H766G, K369W/I370F/G444S/Q556G, K369W/I370F/G444S/Q556G/V612A/H766G, K369W/I370F/G444S/Q556G/S706G/H765P, K369W/I370F/G444S/S706G/H765P/H766G, S372A/A373M/T384L/P513Q/T560G, S372A/T384L/A451R/T705D, S372A/T384L/T560G/T705D, T384A/A451R/T560G/T705D/K723L, T384L/A451R/T705D/K723L, A451R/T560G/T705D/K723L, and A451R/T705D/K723L, wherein said positions are numbered with reference to SEQ ID NO:8

[0010] The present invention also provides engineered penicillin G acylase variants having at least 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO:34, and at least one substitution at a position selected from positions 55, 275, 403, 482, 496, 541, 616, 619/664, 622, 639, 664, 747, and 759, wherein said positions are numbered with reference to SEQ ID NO:34. In some embodiments the engineered penicillin G acylase variants comprise at least one substitution or substitution set selected from 55V, 275E, 403T, 482A/S, 496K, 541A, 616G, 619N/664G, 622R, 639G, 664G, 747G, and 759N, wherein said positions are numbered with reference to SEQ ID NO:34. In some embodiments of the engineered penicillin G acylase variants comprise at least one substitution or substitution set selected from L55V, P275E, D403T, E482A/S, P496K, Q541A, A616G, K619N/A664G, K622R, S639G, A664G, A747G, and Q759N, wherein said positions are numbered with reference to SEQ ID NO:34.

[0011] The present invention also provides engineered penicillin G acylase variants comprising at least one substitution set selected from 103/372/373/557, 253/322/369/623, 253/254/322/369/623, 253/254/369/391/623/723, 253/254/369/619/623/723, 253/254/369/623/723, 253/254/373/623/723, 253/254/255/369/623/723, 253/254/369, 253/322/369/373/723, 253/369/623/723, 253/373/623,

253/254/255/322/369/619/723, 260/372/373/556, 260/372/373/556/557/559, 322/369, 322/369/373/723, 322/369/623/723, and 369/373/556, wherein said positions are numbered with reference to SEQ ID NO:34. In some further embodiments, the engineered penicillin G acylase variants comprise a substitution set is selected from 103V/372S/373F/557G, 253H/322T/369W/623G, 253H/254Q/322T/369W/623G, 253H/254Q/369W/391A/623G/723A, 253H/254Q/369W/619R/623G/723A, 253H/254Q/369W/623G/723A, 253H/254Q/373L/623G/723A, 253H/254S/255V/369W/623S/723A, 253H/254S/369W, 253H/322T/369W/373W/723A, 253H/369W/623G/723A, 253H/373L/623S, 253S/254S/255V/322T/369W/619R/723A, 260S/372S/373F/556G, 260S/372S/373F/556G/557V/559S, 322T/369W, 322T/369W/373W/723A, 322T/369W/623G/723A, and 369W/373F/556G, wherein said positions are numbered with reference to SEQ ID NO:34. In some additional embodiments, the penicillin G acylase variants comprise a substitution set selected from K103V/A372S/M373F/L557G, L253H/K322T/K369W/D623G, L253H/W254Q/K322T/K369W/D623G, L253H/W254Q/K369W/V391A/D623G/K723A, L253H/W254Q/K369W/K619R/D623G/K723A, L253H/W254Q/K369W/D623G/K723A, L253H/W254Q/M373L/D623G/K723A, L253H/W254S/G255V/K369W/D623S/K723A, L253H/W254S/K369W, L253H/K322T/K369W/M373W/K723A, L253H/K369W/D623G/K723A, L253H/M373L/D623S, L253S/W254S/G255V/K322T/K369W/K619R/K723A, G260S/A372S/M373F/Q556G, G260S/A372S/M373F/Q556G/L557V/Q559S, K322T/K369W, K322T/K369W/M373W/K723A, K322T/K369W/D623G/K723A, and K369W/M373F/Q556G, wherein said positions are numbered with reference to SEQ ID NO:34.

[0012] The present invention also provides engineered penicillin G acylase variants having at least 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO:46, and at least one substitution or substitution set at a position selected from positions 9/25/103/253/348/444/557/623, 9/103/322/391/444/557/623, 9/103/253/322/348/444/556/557/623, 25/103/241/253/322/348/444/556/557/623, 28, 71, 77, 103/257/260/322/348/384/444/556/623, 103/257/260/322/348/444/557, 103/322/348/373/444/556/557, 103/260/322/348/444/556/557/623, 103/260/322/348/444/623, 103/260/322/348/373/391/444/556/557/623, 111, 128, 129, 131, 146/309/556/619/748, 176/233/373/619/664, 176/373/482/569, 176/373/482/622/664, 176/373/482/622, 176/373/482/569/622/623/764, 176/482, 225/304/309/556/557/619/748, 225/304/322/494/496/616/619/664/747/756, 225/304/494/616/619/664/747/759, 233/275/482/569/664, 233/275/482/619, 233/373/482/622/664, 304/496/616/619/664/747/756/759, 322/348/373/391/444/556/623, 322/348/444/557, 369, 369/764, 370, 373/482/569/619/764S, 373, 379D, 380, 389, 451, 471, 482/623, 494/496/616/619/664, 616, 617, 619, 622, 626, and 705, wherein

said positions are numbered with reference to SEQ ID NO:46. In some embodiments, the engineered penicillin G acylase variants comprise at least one substitution or substitution set selected from 9K/25V/103V/253S/348A/444S/557G/623D, 9K/103V/322T/391A/444S/557G/623D, 9K/103V/253S/322T/348A/444S/556G/557G/623D, 25V/103V/241K/253S/322T/348A/444S/556G/557G/623D, 28A/C/Q/S, A71C/F/G/L, 77T/V, 103V/257V/260S/322T/348A/384T/444S/556G/623D, 103V/257V/260S/322T/348A/444S/557G, 103V/322T/348A/373A/444S/556G/557G, 103V/260S, 322T/348A/444S/556G/557G/623D, 103V/260S/322T/348A/444S/623D, 103V/260S/322T/348A/373A/391A/444S/556G/557G/623D, 111S, 128H, 129E, 131D, 146M/309D/556N/619S/748A, 176S/233E/373A/619N/664R, 176S/373F/482A/569W, 176S/373F/482A/622F/664G, 176S/373F/482A/622V, 176S/373F/482C/569W/622C/623D/764S, 176S/482A, 225K/304C/309V/556N/557R/619S/748A, 225T/304I/322T/494E/496N/616G/619N/664G/747S/756P, 225T/304I/494E/616G/619N/664G/747P/759E, 233E/275E/482A/569W/664G, 233E/275E/482C/619N 233E/373F/482A/622V/664G, 304I/496K/616S/619N/664E/747P/756P/759E, 322T/348A/373A/391A/444S/556G/623D, 322T/348A/444S/557G, 369A/E/L, 369, 369L/764G, 369V, I370M/Q, 373A/482C/569W/619N/764S, 373G, 379D/S, 380D, 389V, 451H, 471V 482S/623D, 494E/496K/616S/619N/664E, 616D/E/G/N/Q/T, 617W, 619A/H/L/P/S/V, 622I/V, 626D/E, and 705N, wherein said positions are numbered with reference to SEQ ID NO: 46. In some additional embodiments, the engineered penicillin G acylase variants comprise at least one substitution or substitution set selected from N9K/G25V/K103V/H253S/N348A/G444S/L557G/G623D, N9K/K103V/K322T/V391A/G444S/L557G/G623D, N9K/K103V/H253S/K322T/N348A/G444S/Q556G/L557G/G623D, G25V/K103V/N241K/H253S/K322T/N348A/G444S/Q556G/L557G/G623D, N28A/C/Q/S, A71C/F/G/L, I77T/V, K103V/L257V/G260S/K322T/N348A/L384T/G444S/Q556G/G623D, K103V/L257V/G260S/K322T/N348A/G444S/L557G, K103V/K322T/N348A/M373A/G444S/Q556G/L557G, K103V/G260S/K322T/N348A/G444S/Q556G/L557G/G623D, K103V/G260S/K322T/N348A/G444S/G623D, K103V/G260S/K322T/N348A/M373A/V391A/G444S/Q556G/L557G/G623D, G111S, K128H, T129E, T131D, K146M/N309D/Q556N/K619S/R748A, T176S/Q233E/M373A/K619N/A664R T176S/M373F/E482A/Y569W, T176S/M373F/E482A/K622F/A664G, T176S/M373F/E482A/K622V, T176S/M373F/E482C/Y569W/K622C/G623D/A764S, T176S/E482A,

L225K/K304C/N309V/Q556N/L557R/K619S/R748A,
 L225T/K304I/K322T/N494E/P496N/A616G/K619N/A664G/A747S/F756P,
 L225T/K304I/N494E/A616G/K619N/A664G/A747P/Q759E, Q233E/P275E/E482A/Y569W/A664G,
 Q233E/P275E/E482C/K619N, Q233E/M373F/E482A/K622V/A664G,
 K304I/P496K/A616S/K619N/A664E/A747P/F756P/Q759E,
 K322T/N348A/M373A/V391A/G444S/Q556G/G623D, K322T/N348A/G444S/L557G, W369A/E/L,
 W369L/A764G, W369V, I370M/Q, M373A/E482C/Y569W/K619N/A764S, M373G, T379D/S,
 Q380D, I389V, A451H, R471V, E482S/G623D, N494E/P496K/A616S/K619N/A664E,
 A616D/E/G/N/Q/T, F617W, K619A/H/L/P/S/V, K622I, K622V, Q626D/E, and T705N, wherein said
 positions are numbered with reference to SEQ ID NO:46.

[0013] The present invention also provides engineered penicillin G acylase variants having at least 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO:54, and at least one substitution or substitution set at a position selected from positions 28/71/128/176/619/664, 28/71/128/176/626/753, 71, 71/176/233/260/275/482/619/759, 71/176/233/482, 71/176/260/451/619, 71/176/275/482, 71/176/275/664, 71, 71/128/176/373/482/496/619, 71/128/176/373/482/496/569, 71/128/176/482/496, 71/128/176/496/664, 71/128/373/482/664/753, 71/176/233/260/451/482/664/759, 71/176/233/373/482/569/753, 71/176/260/275/482/557/759, 71/176/260/482, 71/176/260/482/557/619/664, 71/176/373/626/664/753, 71/176/451/482/619/759, 71/176/482, 71/176/482/619/664/759, 71/233/260/482/557/759, 71/260/451/482/664/759, 71/373/756, 82, 122, 126, 128/176/233/373/482/626/753, 128/176/233/496/664/753, 128/176/373/482/664, 128/176/373/496/753, 176/233/260/275/482/664/759, 176/233/451/482/619/664/759, 180, 184, 472, 496, 658, 679, 686, and 739, wherein said positions are numbered with reference to SEQ ID NO:54. In some embodiments, the engineered penicillin G acylase variants comprise at least one substitution or substitution set selected from 28A/71L/128H/176S/619N/664E, 28A/71L/128H/176S/626D/753C, 71F/176S/233E/260G/275C/482S/619N/759D, 71F/176S/233E/482A, 71F/176S/260G/451H/619V, 71F/176S/275C/482S, 71F/176S/275E/664D, 71F/G/I/L, 71L/128H/176S/373A/482C/496K/619S, 71L/128H/176S/373A/482S/496K/569C, 71L/128H/176S/482S/496K, 71L/128H/176S/496K/664E, 71L/128H/373A/482S/664E/753C, 71L/176S/233E/260G/451H/482S/664C/759E, 71L/176S/233E/373A/482C/569C/753C, 71L/176S/260G/275C/482A/557G/759E, 71L/176S/260G/482A, 71L/176S/260G/482A/557G/619P/664D, 71L/176S/373A/626E/664E/753C, 71L/176S/451H/482A/619V/759E, 71L/176S/482A, 71L/176S/482A/619P/664D/759E, 71L/233E/260G/482A/557G/759E, 71L/260G/451H/482A/664D/759E, 71L/373A/756C, 71M/V, 82V, 122M, 126L, 128H/176S/233E/373A/482S/626E/753C, 128H/176S/233E/496K/664E/753C, 128H/176S/373A/482S/664E, 128H/176S/373A/496K/753C,

176S/233E/260G/275E/482C/664E/759D, 176S/233E/451H/482S/619N/664C/759D, 180F, 184A/F, 472F/V, 496K, 658C, 679L, 686A, and P739D/S, wherein said positions are numbered with reference to SEQ ID NO:54. In some additional embodiments, the engineered penicillin G acylase variants comprise at least one substitution or substitution set selected from

N28A/A71L/K128H/T176S/K619N/A664E, N28A/A71L/K128H/T176S/Q626D/P753C, A71F/T176S/Q233E/S260G/P275C/E482S/K619N/Q759D, A71F/T176S/Q233E/E482A, A71F/T176S/S260G/A451H/K619V, A71F/T176S/P275C/E482S, A71F/T176S/P275E/A664D, A71F/G/I/L, A71L/K128H/T176S/M373A/E482C/P496K/K619S, A71L/K128H/T176S/M373A/E482S/P496K/Y569C, A71L/K128H/T176S/E482S/P496K, A71L/K128H/T176S/P496K/A664E, A71L/K128H/M373A/E482S/A664E/P753C, A71L/T176S/Q233E/S260G/A451H/E482S/A664C/Q759E, A71L/T176S/Q233E/M373A/E482C/Y569C/P753C, A71L/T176S/S260G/P275C/E482A/L557G/Q759E, A71L/T176S/S260G/E482A, A71L/T176S/S260G/E482A/L557G/K619P/A664D, A71L/T176S/M373A/Q626E/A664E/P753C, A71L/T176S/A451H/E482A/K619V/Q759E, A71L/T176S/E482A, A71L/T176S/E482A/K619P/A664D/Q759E, A71L/Q233E/S260G/E482A/L557G/Q759E, A71L/S260G/A451H/E482A/A664D/Q759E, A71L/M373A/F756C, A71M/V, L82V, L122M, V126L, K128H/T176S/Q233E/M373A/E482S/Q626E/P753C, K128H/T176S/Q233E/P496K/A664E/P753C, K128H/T176S/M373A/E482S/A664E, K128H/T176S/M373A/P496K/P753C, T176S/Q233E/S260G/P275E/E482C/A664E/Q759D, T176S/Q233E/A451H/E482S/K619N/A664C/Q759D, Y180F, V184A/F, H472F/V, P496K, W658C, F679L, P686A, and P739D/S, wherein said positions are numbered with reference to SEQ ID NO:54.

[0014] The present invention also provides engineered penicillin G acylase variants having at least 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO:74, and at least one substitution or substitution set at a position selected from positions 71/352, 71/451/748, 71/353/357/451/705/748, 71/451/556/705/748, 77/176/712, 111/176/352, 176, 176/233, 176/233/352, 176/233/557/619/759, 176/233/759, 176/275/348/557/759, 176/275/569/759, 176/275/557/759, 176/275, 176/348/557/569/616, 176/352, 176/361, 176/482/616/759, 176/557/616, 176/557/708, 176/557/569/616/708, 176/557/569/616, 176/557/619, 176/569/616/619/759, 176/616, 176/616/619, 176/616, and 176/Q759, wherein said positions are numbered with reference to SEQ ID NO:74. In some embodiments, the engineered penicillin G acylase variants comprise at least one substitution or substitution set selected from 71C/352S, 71C/451H/748A, 71F/353A/357A/451H/705N/748A, 71F/451H/556N/705N/748A, 77T/176S/712V, 111S/176S/352S, 176S, 176S/233E, 176S/233E/352S, 176S/233E/557G/619G/759D, 176S/233E/759E, 176S/275C/348M/557G/759D, 176S/275C/569W/759D, 176S/275E/557G/759E, 176S/275E,

176S/348M/557G/569W/616G, 176S/352S, 176S/361T, 176S/482C/616G/759E, 176S/557G/616N, 176S/557G/708L, 176S/557G/569W/616G/708L, 176S/557G/569W/616T, 176S/557G/619G, 176S/569W/616G/619S/759D, 176S/616G, 176S/616S, 176S/616G/619R, 176S/616T, and 176S/759D, wherein said positions are numbered with reference to SEQ ID NO:74. In some additional embodiments, the engineered penicillin G acylase variants comprise at least one substitution or substitution set selected from L71C/T352S, L71C/A451H/R748A, L71F/S353A/R357A/A451H/T705N/R748A, L71F/A451H/Q556N/T705N/R748A, I77T/T176S/A712V, G111S/T176S/T352S, T176S, T176S/Q233E, T176S/Q233E/T352S, T176S/Q233E/L557G/K619G/Q759D, T176S/Q233E/Q759E, T176S/P275C/A348M/L557G/Q759D, T176S/P275C/Y569W/Q759D, T176S/P275E/L557G/Q759E, T176S/P275E, T176S/A348M/L557G/Y569W/A616G, T176S/T352S, T176S/A361T, T176S/S482C/A616G/Q759E, T176S/L557G/A616N, T176S/L557G/I708L, T176S/L557G/Y569W/A616G/I708L, T176S/L557G/Y569W/A616T, T176S/L557G/K619G, T176S/Y569W/A616G/K619S/Q759D, T176S/A616G, T176S/A616S, T176S/A616G/K619R, T176S/A616T, and T176S/Q759D, wherein said positions are numbered with reference to SEQ ID NO:74.

[0015] The present invention also provides engineered penicillin G acylase variants wherein said engineered penicillin G acylases comprise a histidine tag. In some embodiments, the histidine tag is present at the C-terminus of said engineered penicillin G acylase variants.

[0016] The present invention also provides engineered penicillin G acylase variants comprising a polypeptide sequence set forth in variant numbers 1-308. In some additional embodiments, the engineered penicillin G acylase variants comprise a polypeptide sequence selected from SEQ ID NOS: 2, 4, 6, 8, 34, 46, 54, 74 and/or 88.

[0017] The present invention also provides engineered penicillin G acylase variants that are capable of deacylating protected insulin. In some embodiments, the protected insulin comprises di-protected insulin, while in some embodiments, the protected insulin comprises tetra-protected insulin. In some further embodiments, the protected insulin is a dimer, while in some alternative embodiments, the protected insulin is a tetramer.

[0018] The present invention also provides engineered polynucleotide sequences encoding the engineered penicillin G acylase variants provided herein. In some embodiments, the engineered polynucleotide sequences encode the penicillin G acylases set forth in variant numbers 1-308. In some embodiments, the engineered polynucleotide sequence comprises a polynucleotide sequence that is at least 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more identical to a sequence selected from SEQ ID NOS: 3, 5, 7, 33, 45, 53, 73 and 87.

[0019] The present invention also provides a penicillin G acylase variants encoded by polynucleotide sequences having at least about 85%, about 86%, about 87%, about 88%, about 89%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, about

99%, or more sequence identity to at least one sequence selected from SEQ ID NOS:3, 5, 7, 33, 45, 53, 73 and 87.

[0020] In some embodiments, a penicillin G acylase variant encoded by a polynucleotide sequence has at least 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or more sequence identity to a sequence selected from SEQ ID NOS:3, 5, 7, 33, 45, 53, 73 and 87. In some embodiments, the penicillin G acylase variant is encoded by a polynucleotide sequence selected from SEQ ID NOS: 3, 5, 7, 33, 45, 53, 73 and 87.

[0021] The present invention also provides vectors comprising the engineered polynucleotide sequences encoding penicillin G acylase variants provided herein. In some embodiments, the vectors comprise the polynucleotide sequences provided herein (e.g., SEQ ID NOS: 3, 5, 7, 33, 45, 53, 73 and 87). The present invention also provides host cells comprising the vectors provided herein (e.g., vectors comprising the polynucleotide sequences of SEQ ID NOS: 3, 5, 7, 33, 45, 53, 73 and 87). In some embodiments, the vectors further comprise at least one control sequence. In some embodiments, the control sequence is a promoter. In some further embodiments, the promoter is a heterologous promoter. It is not intended that the present invention be limited to control sequences comprising promoters, as any suitable and/or desirable control sequence finds use in the present invention.

[0022] The present invention further provides host cells comprising at least one of the vectors provided herein. In some embodiments, the host cell is eukaryotic, while in some alternative embodiments, the host cell is prokaryotic. In some embodiments, the host cell is *E. coli*.

[0023] The present invention also provides methods for production of the engineered penicillin G acylase variants provided herein, comprising culturing a host cell comprising a vector and/or polynucleotide encoding at least one engineered penicillin G acylase variant, under conditions that said engineered penicillin G acylase variant is produced by said host cell. In some embodiments, the methods further comprise the step of recovering the engineered penicillin G acylase variant produced by the host cell.

[0024] The present invention also provides methods for producing free insulin, comprising i) providing at least one engineered penicillin G acylase variant provided herein and a composition comprising insulin-dimer comprising A1/B1/ A1'/B1'-tetra-phenyl acetate protecting groups; and ii) exposing the engineered penicillin G acylase variant to the insulin-dimer comprising A1/B1/A1'/B1'-tetra-phenyl acetate protecting groups, under conditions such that the engineered penicillin G acylase variant removes the A1/B1/ A1'/B1'-tetra-phenyl acetate protecting groups and free insulin is produced.

[0025] The present invention also provides methods for producing free insulin, comprising i) providing at least one engineered penicillin G acylase variant provided herein and a composition comprising insulin-dimer comprising A1/A1'-di-phenyl acetate protecting groups; and ii) exposing the engineered penicillin G acylase variant to the insulin-dimer comprising A1/A1'- di-phenyl acetate

protecting groups, under conditions such that the engineered penicillin G acylase variant removes the A1/ A1'-di-phenyl acetate protecting groups and free insulin is produced.

[0026] The present invention also provides methods for producing free insulin-dimer, comprising: i) providing at least one engineered penicillin G acylase provided herein, and insulin-dimer comprising A1/B1/ A1'/B1'-tetra-phenyl acetate protecting groups; and ii) exposing the engineered penicillin G acylase to the insulin-dimer comprising A1/B1/A1'/B1'- tetra-phenyl acetate protecting groups, under conditions such that the engineered penicillin G acylase removes the A1/B1/ A1'/B1'-tetra-phenyl acetate protecting groups and free insulin-dimer is produced. In some embodiments of the methods, the penicillin G acylase is at least about 85%, about 86%, about 87%, about 88%, about 89%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, about 99%, or more identical to SEQ ID NO:2, 4, 6, 8, 34, 46, 54, 74 and/or 88. In some embodiments of the methods, the penicillin G acylase is at least 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or more identical to SEQ ID NO:2, 4, 6, 8, 34, 46, 54, 74 and/or 88. In some further embodiments of the methods, the penicillin G acylase comprises SEQ ID NO:2, 4, 6, 8, 34, 46, 54, 74 and/or 88. In some embodiments, the engineered penicillin G acylase produces more than 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more free insulin-dimer. The present invention also provides compositions comprising free insulin-dimer produced according to the method(s) provided herein.

[0027] The present invention also provides methods for producing free insulin-dimer, comprising: i) providing at least one engineered penicillin G acylase variant provided herein, and insulin-dimer comprising A1/ A1'-di-phenyl acetate protecting groups; and ii) exposing the engineered penicillin G acylase variant to the insulin-dimer comprising A1/A1'- di-phenyl acetate protecting groups, under conditions such that the engineered penicillin G acylase variant removes the A1/A1'-di-phenyl acetate protecting groups and free insulin-dimer is produced. In some embodiments of the methods, the engineered penicillin G acylase variant is at least about 85%, about 86%, about 87%, about 88%, about 89%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, about 99%, or more identical to SEQ ID NO:2, 4, 6, 8, 34, 46, 54, 74 and/or 88. In some embodiments of the methods, the engineered penicillin G acylase variant is at least 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or more identical to SEQ ID NO:2, 4, 6, 8, 34, 46, 54, 74 and/or 88. In some further embodiments of the methods, the engineered penicillin G acylase variant comprises SEQ ID NO:2, 4, 6, 8, 34, 46, 54, 74 and/or 88. In some embodiments, the engineered penicillin G acylase variant produces more than 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more free insulin-dimer. The present invention also provides compositions comprising free insulin-dimer produced according to the method(s) provided herein.

[0028] The present invention also provides methods for producing free insulin, comprising i) providing at least one engineered penicillin G acylase variant provided herein, and a composition comprising insulin comprising a A1/A1'-di-phenyl acetate protecting groups; and ii) exposing the engineered penicillin G acylase variant to the insulin comprising A1/A1'-di-phenyl acetate protecting groups, under conditions such that the engineered penicillin G acylase variant removes the A1/A1'-di-phenyl acetate protecting groups and free insulin is produced. In some embodiments of the methods, the engineered penicillin G acylase variant is at least about 85%, about 86%, about 87%, about 88%, about 89%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, about 99%, or more identical to SEQ ID NO:2, 4, 6, 8, 34, 46, 54, 74 and/or 88. In some embodiments of the methods, the engineered penicillin G acylase variant is at least 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or more identical to SEQ ID NO:2, 4, 6, 8, 34, 46, 54, 74 and/or 88. In some further embodiments of the methods, the engineered penicillin G acylase variant comprises SEQ ID NO:2, 4, 6, 8, 34, 46, 54, 74 and/or 88. In some embodiments, the engineered penicillin G acylase variant produces more than 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more free insulin. The present invention also provides compositions comprising free insulin produced according to the method(s) provided herein.

DESCRIPTION OF THE INVENTION

[0029] The present invention provides engineered penicillin G acylases (PGA; i.e., penicillin G acylase variants) that are capable of cleaving penicillin to phenylacetic acid and 6-aminopenicillanic acid (6-APA), which is a key intermediate in the synthesis of a large variety of β -lactam antibiotics. In particular, the present invention provides engineered PGAs that are capable of removing the A1/B1/A1'/B1' tetra-phenyl acetate protecting groups from an insulin-dimer to produce a free insulin-dimer. In some additional embodiments, the PGAs are capable of removing the A1/A1' di-phenyl acetate protecting groups from an insulin dimer to produce free insulin.

[0030] Generally, naturally occurring PGAs are heterodimeric enzymes composed of an alpha subunit and a beta-subunit. Wild-type PGA is naturally synthesized as a pre-pro-PGA polypeptide, containing an N-terminal signal peptide that mediates translocation to the periplasm and a linker region connecting the C-terminus of the alpha subunit to the N-terminus of the beta subunit. Proteolytic processing leads to the mature heterodimeric enzyme. The intermolecular linker region can also function in promoting proper folding of the enzyme. The PGAs provided herein are based on the PGA from *Kluyvera citrophila* in which various modifications have been introduced to generate improved enzymatic properties as described in detail below.

[0031] For the descriptions provided herein, the use of the singular includes the plural (and vice versa) unless specifically stated otherwise. For instance, the singular forms "a", "an" and "the" include plural referents unless the context clearly indicates otherwise. Similarly, "comprise,"

“comprises,” “comprising” “include,” “includes,” and “including” are interchangeable and not intended to be limiting.

[0032] It is to be further understood that where descriptions of various embodiments use the term “comprising,” those skilled in the art would understand that in some specific instances, an embodiment can be alternatively described using language “consisting essentially of” or “consisting of.”

[0033] Both the foregoing general description, including the drawings, and the following detailed description are exemplary and explanatory only and are not restrictive of this disclosure. Moreover, the section headings used herein are for organizational purposes only and not to be construed as limiting the subject matter described.

Definitions

[0034] As used herein, the following terms are intended to have the following meanings. In reference to the present disclosure, the technical and scientific terms used in the descriptions herein will have the meanings commonly understood by one of ordinary skill in the art, unless specifically defined otherwise. Accordingly, the following terms are intended to have the following meanings. In addition, all patents and publications, including all sequences disclosed within such patents and publications, referred to herein are expressly incorporated by reference.

[0035] Unless otherwise indicated, the practice of the present invention involves conventional techniques commonly used in molecular biology, fermentation, microbiology, and related fields, which are known to those of skill in the art. Unless defined otherwise herein, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. Although any methods and materials similar or equivalent to those described herein can be used in the practice or testing of the present invention, the preferred methods and materials are described. Indeed, it is intended that the present invention not be limited to the particular methodology, protocols, and reagents described herein, as these may vary, depending upon the context in which they are used. The headings provided herein are not limitations of the various aspects or embodiments of the present invention that can be had by reference to the specification as a whole. Accordingly, the terms defined below are more fully defined by reference to the specification as a whole.

[0036] Nonetheless, in order to facilitate understanding of the present invention, a number of terms are defined below. Numeric ranges are inclusive of the numbers defining the range. Thus, every numerical range disclosed herein is intended to encompass every narrower numerical range that falls within such broader numerical range, as if such narrower numerical ranges were all expressly written herein. It is also intended that every maximum (or minimum) numerical limitation disclosed herein

includes every lower (or higher) numerical limitation, as if such lower (or higher) numerical limitations were expressly written herein.

[0037] As used herein, the term “comprising” and its cognates are used in their inclusive sense (i.e., equivalent to the term “including” and its corresponding cognates).

[0038] As used herein and in the appended claims, the singular “a”, “an” and “the” include the plural reference unless the context clearly dictates otherwise. Thus, for example, reference to a “host cell” includes a plurality of such host cells.

[0039] Unless otherwise indicated, nucleic acids are written left to right in 5' to 3' orientation and amino acid sequences are written left to right in amino to carboxy orientation, respectively.

[0040] As used herein, the terms “protein”, “polypeptide”, and “peptide” are used interchangeably herein to denote a polymer of at least two amino acids covalently linked by an amide bond, regardless of length or post-translational modification (e.g., glycosylation, phosphorylation, lipidation, myristilation, ubiquitination, etc.). Included within this definition are D- and L-amino acids, and mixtures of D- and L-amino acids.

[0041] As used herein, “polynucleotide” and “nucleic acid” refer to two or more nucleosides that are covalently linked together. The polynucleotide may be wholly comprised ribonucleosides (i.e., an RNA), wholly comprised of 2' deoxyribonucleotides (i.e., a DNA) or mixtures of ribo- and 2' deoxyribonucleosides. While the nucleosides will typically be linked together via standard phosphodiester linkages, the polynucleotides may include one or more non-standard linkages. The polynucleotide may be single-stranded or double-stranded, or may include both single-stranded regions and double-stranded regions. Moreover, while a polynucleotide will typically be composed of the naturally occurring encoding nucleobases (i.e., adenine, guanine, uracil, thymine, and cytosine), it may include one or more modified and/or synthetic nucleobases (e.g., inosine, xanthine, hypoxanthine, etc.). Preferably, such modified or synthetic nucleobases will be encoding nucleobases.

[0042] As used herein, “hybridization stringency” relates to hybridization conditions, such as washing conditions, in the hybridization of nucleic acids. Generally, hybridization reactions are performed under conditions of lower stringency, followed by washes of varying but higher stringency. The term “moderately stringent hybridization” refers to conditions that permit target-DNA to bind a complementary nucleic acid that has about 60% identity, preferably about 75% identity, about 85% identity to the target DNA; with greater than about 90% identity to target-polynucleotide. Exemplary moderately stringent conditions are conditions equivalent to hybridization in 50% formamide, 5× Denhart's solution, 5×SSPE, 0.2% SDS at 42°C., followed by washing in 0.2×SSPE, 0.2% SDS, at 42°C. “High stringency hybridization” refers generally to conditions that are about 10°C or less from the thermal melting temperature T_m as determined under the solution condition for a defined polynucleotide sequence. In some embodiments, a high stringency condition refers to conditions that

permit hybridization of only those nucleic acid sequences that form stable hybrids in 0.018M NaCl at 65°C. (i.e., if a hybrid is not stable in 0.018M NaCl at 65°C, it will not be stable under high stringency conditions, as contemplated herein). High stringency conditions can be provided, for example, by hybridization in conditions equivalent to 50% formamide, 5× Denhart's solution, 5×SSPE, 0.2% SDS at 42°C, followed by washing in 0.1×SSPE, and 0.1% SDS at 65°C. Another high stringency condition is hybridizing in conditions equivalent to hybridizing in 5X SSC containing 0.1% (w:v) SDS at 65°C and washing in 0.1x SSC containing 0.1% SDS at 65°C. Other high stringency hybridization conditions, as well as moderately stringent conditions, are known to those of skill in the art.

[0043] As used herein, “coding sequence” refers to that portion of a nucleic acid (e.g., a gene) that encodes an amino acid sequence of a protein.

[0044] As used herein, “codon optimized” refers to changes in the codons of the polynucleotide encoding a protein to those preferentially used in a particular organism such that the encoded protein is efficiently expressed in the organism of interest. In some embodiments, the polynucleotides encoding the PGA enzymes may be codon optimized for optimal production from the host organism selected for expression. Although the genetic code is degenerate in that most amino acids are represented by several codons, called “synonyms” or “synonymous” codons, it is well known that codon usage by particular organisms is nonrandom and biased towards particular codon triplets. This codon usage bias may be higher in reference to a given gene, genes of common function or ancestral origin, highly expressed proteins versus low copy number proteins, and the aggregate protein coding regions of an organism's genome. In some embodiments, the polynucleotides encoding the PGAs enzymes may be codon optimized for optimal production from the host organism selected for expression.

[0045] As used herein, “preferred, optimal, high codon usage bias codons” refers interchangeably to codons that are used at higher frequency in the protein coding regions than other codons that code for the same amino acid. The preferred codons may be determined in relation to codon usage in a single gene, a set of genes of common function or origin, highly expressed genes, the codon frequency in the aggregate protein coding regions of the whole organism, codon frequency in the aggregate protein coding regions of related organisms, or combinations thereof. Codons whose frequency increases with the level of gene expression are typically optimal codons for expression. A variety of methods are known for determining the codon frequency (e.g., codon usage, relative synonymous codon usage) and codon preference in specific organisms, including multivariate analysis, for example, using cluster analysis or correspondence analysis, and the effective number of codons used in a gene (See e.g., GCG CodonPreference, Genetics Computer Group Wisconsin Package; CodonW, John Peden, University of Nottingham; McInerney, *Bioinform.*, 14:372-73 [1998]; Stenico et al., *Nucleic Acids Res.*, 22:437-46 [1994]; and Wright, *Gene* 87:23-29 [1990]). Codon usage tables are available for a

growing list of organisms (See e.g., Wada et al., *Nucleic Acids Res.*, 20:2111-2118 [1992]; Nakamura et al., *Nucl. Acids Res.*, 28:292 [2000]; Duret, et al., *supra*; Henaut and Danchin, "*Escherichia coli* and *Salmonella*," Neidhardt, et al. (eds.), ASM Press, Washington D.C., [1996], p. 2047-2066. The data source for obtaining codon usage may rely on any available nucleotide sequence capable of coding for a protein. These data sets include nucleic acid sequences actually known to encode expressed proteins (e.g., complete protein coding sequences-CDS), expressed sequence tags (ESTS), or predicted coding regions of genomic sequences (See e.g., Uberbacher, *Meth. Enzymol.*, 266:259-281 [1996]; Tiwari et al., *Comput. Appl. Biosci.*, 13:263-270 [1997]).

[0046] As used herein, "control sequence" is defined herein to include all components, which are necessary or advantageous for the expression of a polynucleotide and/or polypeptide of the present invention. Each control sequence may be native or foreign to the polynucleotide of interest. Such control sequences include, but are not limited to, a leader, polyadenylation sequence, propeptide sequence, promoter, signal peptide sequence, and transcription terminator.

[0047] As used herein, "operably linked" is defined herein as a configuration in which a control sequence is appropriately placed (i.e., in a functional relationship) at a position relative to a polynucleotide of interest such that the control sequence directs or regulates the expression of the polynucleotide and/or polypeptide of interest.

[0048] As used herein, "promoter sequence" refers to a nucleic acid sequence that is recognized by a host cell for expression of a polynucleotide of interest, such as a coding sequence. The control sequence may comprise an appropriate promoter sequence. The promoter sequence contains transcriptional control sequences, which mediate the expression of a polynucleotide of interest. The promoter may be any nucleic acid sequence which shows transcriptional activity in the host cell of choice including mutant, truncated, and hybrid promoters, and may be obtained from genes encoding extracellular or intracellular polypeptides either homologous or heterologous to the host cell.

[0049] As used herein, "naturally occurring" and "wild-type" refers to the form found in nature. For example, a naturally occurring or wild-type polypeptide or polynucleotide sequence is a sequence present in an organism that can be isolated from a source in nature and which has not been intentionally modified by human manipulation.

[0050] As used herein, "non-naturally occurring," "engineered," and "recombinant" when used in the present disclosure with reference to (e.g., a cell, nucleic acid, or polypeptide), refers to a material, or a material corresponding to the natural or native form of the material, that has been modified in a manner that would not otherwise exist in nature. In some embodiments the material is identical to naturally occurring material, but is produced or derived from synthetic materials and/or by manipulation using recombinant techniques. Non-limiting examples include, among others, recombinant cells expressing genes that are not found within the native (non-recombinant) form of the cell or express native genes that are otherwise expressed at a different level.

[0051] As used herein, “percentage of sequence identity,” “percent identity,” and “percent identical” refer to comparisons between polynucleotide sequences or polypeptide sequences, and are determined by comparing two optimally aligned sequences over a comparison window, wherein the portion of the polynucleotide or polypeptide sequence in the comparison window may comprise additions or deletions (i.e., gaps) as compared to the reference sequence for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which either the identical nucleic acid base or amino acid residue occurs in both sequences or a nucleic acid base or amino acid residue is aligned with a gap to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the window of comparison and multiplying the result by 100 to yield the percentage of sequence identity. Determination of optimal alignment and percent sequence identity is performed using the BLAST and BLAST 2.0 algorithms (See e.g., Altschul et al., J. Mol. Biol. 215: 403-410 [1990]; and Altschul et al., Nucl. Acids Res., 25:3389-3402 [1977]). Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information website.

[0052] Briefly, the BLAST analyses involve first identifying high scoring sequence pairs (HSPs) by identifying short words of length *W* in the query sequence, which either match or satisfy some positive-valued threshold score *T* when aligned with a word of the same length in a database sequence. *T* is referred to as, the neighborhood word score threshold (Altschul et al., *supra*). These initial neighborhood word hits act as seeds for initiating searches to find longer HSPs containing them. The word hits are then extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, for nucleotide sequences, the parameters *M* (reward score for a pair of matching residues; always >0) and *N* (penalty score for mismatching residues; always <0). For amino acid sequences, a scoring matrix is used to calculate the cumulative score. Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity *X* from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters *W*, *T*, and *X* determine the sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences) uses as defaults a wordlength (*W*) of 11, an expectation (*E*) of 10, *M*=5, *N*=-4, and a comparison of both strands. For amino acid sequences, the BLASTP program uses as defaults a wordlength (*W*) of 3, an expectation (*E*) of 10, and the BLOSUM62 scoring matrix (See e.g., Henikoff and Henikoff, Proc. Natl. Acad. Sci. USA 89:10915 [1989]).

[0053] Numerous other algorithms are available and known in the art that function similarly to BLAST in providing percent identity for two sequences. Optimal alignment of sequences for comparison can be conducted using any suitable method known in the art (e.g., by the local homology algorithm of Smith and Waterman, Adv. Appl. Math. 2:482 [1981]; by the homology alignment

algorithm of Needleman and Wunsch, J. Mol. Biol. 48:443 [1970]; by the search for similarity method of Pearson and Lipman, Proc. Natl. Acad. Sci. USA 85:2444 [1988]; and/or by computerized implementations of these algorithms [GAP, BESTFIT, FASTA, and TFASTA in the GCG Wisconsin Software Package]), or by visual inspection, using methods commonly known in the art.

Additionally, determination of sequence alignment and percent sequence identity can employ the BESTFIT or GAP programs in the GCG Wisconsin Software package (Accelrys, Madison WI), using the default parameters provided.

[0054] As used herein, “substantial identity” refers to a polynucleotide or polypeptide sequence that has at least 80 percent sequence identity, at least 85 percent identity and 89 to 95 percent sequence identity, more usually at least 99 percent sequence identity as compared to a reference sequence over a comparison window of at least 20 residue positions, frequently over a window of at least 30-50 residues, wherein the percentage of sequence identity is calculated by comparing the reference sequence to a sequence that includes deletions or additions which total 20 percent or less of the reference sequence over the window of comparison. In specific embodiments applied to polypeptides, the term “substantial identity” means that two polypeptide sequences, when optimally aligned, such as by the programs GAP or BESTFIT using default gap weights, share at least 80 percent sequence identity, preferably at least 89 percent sequence identity, at least 95 percent sequence identity or more (e.g., 99 percent sequence identity). In some preferred embodiments, residue positions that are not identical differ by conservative amino acid substitutions.

[0055] As used herein, “reference sequence” refers to a defined sequence to which another sequence is compared. A reference sequence may be a subset of a larger sequence, for example, a segment of a full-length gene or polypeptide sequence. Generally, a reference sequence is at least 20 nucleotide or amino acid residues in length, at least 25 residues in length, at least 50 residues in length, or the full length of the nucleic acid or polypeptide. Since two polynucleotides or polypeptides may each (1) comprise a sequence (i.e., a portion of the complete sequence) that is similar between the two sequences, and (2) may further comprise a sequence that is divergent between the two sequences, sequence comparisons between two (or more) polynucleotides or polypeptide are typically performed by comparing sequences of the two polynucleotides over a comparison window to identify and compare local regions of sequence similarity. The term “reference sequence” is not intended to be limited to wild-type sequences, and can include engineered or altered sequences. For example, in some embodiments, a “reference sequence” can be a previously engineered or altered amino acid sequence.

[0056] As used herein, “comparison window” refers to a conceptual segment of at least about 20 contiguous nucleotide positions or amino acids residues wherein a sequence may be compared to a reference sequence of at least 20 contiguous nucleotides or amino acids and wherein the portion of the sequence in the comparison window may comprise additions or deletions (i.e., gaps) of 20 percent or

less as compared to the reference sequence (which does not comprise additions or deletions) for optimal alignment of the two sequences. The comparison window can be longer than 20 contiguous residues, and includes, optionally 30, 40, 50, 100, or longer windows.

[0057] As used herein, “corresponding to,” “reference to,” and “relative to” when used in the context of the numbering of a given amino acid or polynucleotide sequence refers to the numbering of the residues of a specified reference sequence when the given amino acid or polynucleotide sequence is compared to the reference sequence. In other words, the residue number or residue position of a given polymer is designated with respect to the reference sequence rather than by the actual numerical position of the residue within the given amino acid or polynucleotide sequence. For example, a given amino acid sequence, such as that of an engineered PGA, can be aligned to a reference sequence by introducing gaps to optimize residue matches between the two sequences. In these cases, although the gaps are present, the numbering of the residue in the given amino acid or polynucleotide sequence is made with respect to the reference sequence to which it has been aligned. As used herein, a reference to a residue position, such as “X_n” as further described below, is to be construed as referring to “a residue corresponding to”, unless specifically denoted otherwise. Thus, for example, “X₉₄” refers to any amino acid at position 94 in a polypeptide sequence.

[0058] As used herein, “improved enzyme property” refers to a PGA that exhibits an improvement in any enzyme property as compared to a reference PGA. For the engineered PGA polypeptides described herein, the comparison is generally made to the wild-type PGA enzyme, although in some embodiments, the reference PGA can be another improved engineered PGA. Enzyme properties for which improvement is desirable include, but are not limited to, enzymatic activity (which can be expressed in terms of percent conversion of the substrate at a specified reaction time using a specified amount of PGA), chemoselectivity, thermal stability, solvent stability, pH activity profile, cofactor requirements, refractoriness to inhibitors (e.g., product inhibition), stereospecificity, and stereoselectivity (including enantioselectivity).

[0059] As used herein, “increased enzymatic activity” refers to an improved property of the engineered PGA polypeptides, which can be represented by an increase in specific activity (e.g., product produced/time/weight protein) or an increase in percent conversion of the substrate to the product (e.g., percent conversion of starting amount of substrate to product in a specified time period using a specified amount of PGA) as compared to the reference PGA enzyme. Exemplary methods to determine enzyme activity are provided in the Examples. Any property relating to enzyme activity may be affected, including the classical enzyme properties of K_m , V_{max} or k_{cat} , changes of which can lead to increased enzymatic activity. Improvements in enzyme activity can be from about 1.5 times the enzymatic activity of the corresponding wild-type PGA enzyme, to as much as 2 times, 5 times, 10 times, 20 times, 25 times, 50 times, 75 times, 100 times, or more enzymatic activity than the naturally occurring PGA or another engineered PGA from which the PGA polypeptides were derived.

In specific embodiments, the engineered PGA enzyme exhibits improved enzymatic activity in the range of 1.5 to 50 times, 1.5 to 100 times greater than that of the parent PGA enzyme. It is understood by the skilled artisan that the activity of any enzyme is diffusion limited such that the catalytic turnover rate cannot exceed the diffusion rate of the substrate, including any required cofactors. The theoretical maximum of the diffusion limit, or k_{cat}/K_m , is generally about 10^8 to 10^9 ($M^{-1} s^{-1}$). Hence, any improvements in the enzyme activity of the PGA will have an upper limit related to the diffusion rate of the substrates acted on by the PGA enzyme. PGA activity can be measured by any one of standard assays used for measuring the release of phenylacetic acid upon cleavage of penicillin G, such as by titration (See e.g., Simons and Gibson, *Biotechnol. Tech.*, 13:365-367 [1999]). In some embodiments, the PGA activity can be measured by using 6-nitrophenylacetamido benzoic acid (NIPAB), which cleavage product 5-amino-2-nitro-benzoic acid is detectable spectrophotometrically ($\lambda_{max} = 405$ nm). Comparisons of enzyme activities are made using a defined preparation of enzyme, a defined assay under a set condition, and one or more defined substrates, as further described in detail herein. Generally, when lysates are compared, the numbers of cells and the amount of protein assayed are determined as well as use of identical expression systems and identical host cells to minimize variations in amount of enzyme produced by the host cells and present in the lysates.

[0060] As used herein, “increased enzymatic activity” and “increased activity” refer to an improved property of an engineered enzyme, which can be represented by an increase in specific activity (e.g., product produced/time/weight protein) or an increase in percent conversion of the substrate to the product (e.g., percent conversion of starting amount of substrate to product in a specified time period using a specified amount of PGA) as compared to a reference enzyme as described herein. Any property relating to enzyme activity may be affected, including the classical enzyme properties of K_m , V_{max} or k_{cat} , changes of which can lead to increased enzymatic activity. In some embodiments, the PGA enzymes provided herein frees insulin by removing tri-phenyl acetate protecting groups from specific residues of insulin. Comparisons of enzyme activities are made using a defined preparation of enzyme, a defined assay under a set condition, and one or more defined substrates, as further described in detail herein. Generally, when enzymes in cell lysates are compared, the numbers of cells and the amount of protein assayed are determined as well as use of identical expression systems and identical host cells to minimize variations in amount of enzyme produced by the host cells and present in the lysates.

[0061] As used herein, “conversion” refers to the enzymatic transformation of a substrate to the corresponding product.

[0062] As used herein “percent conversion” refers to the percent of the substrate that is converted to the product within a period of time under specified conditions. Thus, for example, the “enzymatic

activity” or “activity” of a PGA polypeptide can be expressed as “percent conversion” of the substrate to the product.

[0063] As used herein, “chemoselectivity” refers to the preferential formation in a chemical or enzymatic reaction of one product over another.

[0064] As used herein, “thermostable” and “thermal stable” are used interchangeably to refer to a polypeptide that is resistant to inactivation when exposed to a set of temperature conditions (e.g., 40-80°C) for a period of time (e.g., 0.5-24 hrs) compared to the untreated enzyme, thus retaining a certain level of residual activity (e.g., more than 60% to 80%) after exposure to elevated temperatures.

[0065] As used herein, “solvent stable” refers to the ability of a polypeptide to maintain similar activity (e.g., more than e.g., 60% to 80%) after exposure to varying concentrations (e.g., 5-99%) of solvent (e.g., isopropyl alcohol, tetrahydrofuran, 2-methyltetrahydrofuran, acetone, toluene, butylacetate, methyl tert-butylether, etc.) for a period of time (e.g., 0.5-24 hrs) compared to the untreated enzyme.

[0066] As used herein, “pH stable” refers to a PGA polypeptide that maintains similar activity (e.g., more than 60% to 80%) after exposure to high or low pH (e.g., 4.5-6 or 8 to 12) for a period of time (e.g., 0.5-24 hrs) compared to the untreated enzyme.

[0067] As used herein, “thermo- and solvent stable” refers to a PGA polypeptide that is both thermostable and solvent stable.

[0068] As used herein, “hydrophilic amino acid or residue” refers to an amino acid or residue having a side chain exhibiting a hydrophobicity of less than zero according to the normalized consensus hydrophobicity scale of Eisenberg et al., (Eisenberg et al., J. Mol. Biol., 179:125-142 [1984]). Genetically encoded hydrophilic amino acids include L-Thr (T), L-Ser (S), L-His (H), L-Glu (E), L-Asn (N), L-Gln (Q), L-Asp (D), L-Lys (K) and L-Arg (R).

[0069] As used herein, “acidic amino acid or residue” refers to a hydrophilic amino acid or residue having a side chain exhibiting a pK value of less than about 6 when the amino acid is included in a peptide or polypeptide. Acidic amino acids typically have negatively charged side chains at physiological pH due to loss of a hydrogen ion. Genetically encoded acidic amino acids include L-Glu (E) and L-Asp (D).

[0070] As used herein, “basic amino acid or residue” refers to a hydrophilic amino acid or residue having a side chain exhibiting a pK value of greater than about 6 when the amino acid is included in a peptide or polypeptide. Basic amino acids typically have positively charged side chains at physiological pH due to association with hydronium ion. Genetically encoded basic amino acids include L-Arg (R) and L-Lys (K).

[0071] As used herein, “polar amino acid or residue” refers to a hydrophilic amino acid or residue having a side chain that is uncharged at physiological pH, but which has at least one bond in which

the pair of electrons shared in common by two atoms is held more closely by one of the atoms.

Genetically encoded polar amino acids include L-Asn (N), L-Gln (Q), L-Ser (S) and L-Thr (T).

[0072] As used herein, “hydrophobic amino acid or residue” refers to an amino acid or residue having a side chain exhibiting a hydrophobicity of greater than zero according to the normalized consensus hydrophobicity scale of Eisenberg et al., (Eisenberg et al., J. Mol. Biol., 179:125-142 [1984]). Genetically encoded hydrophobic amino acids include L-Pro (P), L-Ile (I), L-Phe (F), L-Val (V), L-Leu (L), L-Trp (W), L-Met (M), L-Ala (A) and L-Tyr (Y).

[0073] As used herein, “aromatic amino acid or residue” refers to a hydrophilic or hydrophobic amino acid or residue having a side chain that includes at least one aromatic or heteroaromatic ring. Genetically encoded aromatic amino acids include L-Phe (F), L-Tyr (Y) and L-Trp (W). Although owing to the pKa of its heteroaromatic nitrogen atom L-His (H) it is sometimes classified as a basic residue, or as an aromatic residue as its side chain includes a heteroaromatic ring, herein histidine is classified as a hydrophilic residue or as a “constrained residue” (see below).

[0074] As used herein, “constrained amino acid or residue” refers to an amino acid or residue that has a constrained geometry. Herein, constrained residues include L-Pro (P) and L-His (H). Histidine has a constrained geometry because it has a relatively small imidazole ring. Proline has a constrained geometry because it also has a five membered ring.

[0075] As used herein, “non-polar amino acid or residue” refers to a hydrophobic amino acid or residue having a side chain that is uncharged at physiological pH and which has bonds in which the pair of electrons shared in common by two atoms is generally held equally by each of the two atoms (i.e., the side chain is not polar). Genetically encoded non-polar amino acids include L-Gly (G), L-Leu (L), L-Val (V), L-Ile (I), L-Met (M) and L-Ala (A).

[0076] As used herein, “aliphatic amino acid or residue” refers to a hydrophobic amino acid or residue having an aliphatic hydrocarbon side chain. Genetically encoded aliphatic amino acids include L-Ala (A), L-Val (V), L-Leu (L) and L-Ile (I). It is noted that cysteine (or “L-Cys” or “[C]”) is unusual in that it can form disulfide bridges with other L-Cys (C) amino acids or other sulfanyl- or sulfhydryl-containing amino acids. The “cysteine-like residues” include cysteine and other amino acids that contain sulfhydryl moieties that are available for formation of disulfide bridges. The ability of L-Cys (C) (and other amino acids with -SH containing side chains) to exist in a peptide in either the reduced free -SH or oxidized disulfide-bridged form affects whether L-Cys (C) contributes net hydrophobic or hydrophilic character to a peptide. While L-Cys (C) exhibits a hydrophobicity of 0.29 according to the normalized consensus scale of Eisenberg (Eisenberg et al., 1984, *supra*), it is to be understood that for purposes of the present disclosure, L-Cys (C) is categorized into its own unique group.

[0077] As used herein, “small amino acid or residue” refers to an amino acid or residue having a side chain that is composed of a total three or fewer carbon and/or heteroatoms (excluding the α -carbon

and hydrogens). The small amino acids or residues may be further categorized as aliphatic, non-polar, polar or acidic small amino acids or residues, in accordance with the above definitions. Genetically-encoded small amino acids include L-Ala (A), L-Val (V), L-Cys (C), L-Asn (N), L-Ser (S), L-Thr (T) and L-Asp (D).

[0078] As used herein, “hydroxyl-containing amino acid or residue” refers to an amino acid containing a hydroxyl (-OH) moiety. Genetically-encoded hydroxyl-containing amino acids include L-Ser (S) L-Thr (T) and L-Tyr (Y).

[0079] As used herein, “amino acid difference” and “residue difference” refer to a difference in the amino acid residue at a position of a polypeptide sequence relative to the amino acid residue at a corresponding position in a reference sequence. The positions of amino acid differences generally are referred to herein as “X_n,” where n refers to the corresponding position in the reference sequence upon which the residue difference is based. For example, a “residue difference at position X₄₀ as compared to SEQ ID NO:2” refers to a difference of the amino acid residue at the polypeptide position corresponding to position 40 of SEQ ID NO:2. Thus, if the reference polypeptide of SEQ ID NO:2 has a histidine at position 40, then a “residue difference at position X₄₀ as compared to SEQ ID NO:2” refers to an amino acid substitution of any residue other than histidine at the position of the polypeptide corresponding to position 40 of SEQ ID NO:2. In most instances herein, the specific amino acid residue difference at a position is indicated as “X_nY” where “X_n” specified the corresponding position as described above, and “Y” is the single letter identifier of the amino acid found in the engineered polypeptide (i.e., the different residue than in the reference polypeptide). In some instances, the present disclosure also provides specific amino acid differences denoted by the conventional notation “A_nB”, where A is the single letter identifier of the residue in the reference sequence, “n” is the number of the residue position in the reference sequence, and B is the single letter identifier of the residue substitution in the sequence of the engineered polypeptide. In some instances, a polypeptide of the present disclosure can include one or more amino acid residue differences relative to a reference sequence, which is indicated by a list of the specified positions where residue differences are present relative to the reference sequence. In some embodiments, where more than one amino acid can be used in a specific residue position of a polypeptide, the various amino acid residues that can be used are separated by a “/” (e.g., X₁₉₂A/G). The present disclosure includes engineered polypeptide sequences comprising one or more amino acid differences that include either/or both conservative and non-conservative amino acid substitutions. The amino acid sequences of the specific recombinant carbonic anhydrase polypeptides included in the Sequence Listing of the present disclosure include an initiating methionine (M) residue (i.e., M represents residue position 1). The skilled artisan, however, understands that this initiating methionine residue can be removed by biological processing machinery, such as in a host cell or in vitro translation system, to generate a mature protein lacking the initiating methionine residue, but otherwise retaining the enzyme’s

properties. Consequently, the term “amino acid residue difference relative to SEQ ID NO:2 at position Xn” as used herein may refer to position “Xn” or to the corresponding position (e.g., position (X-1)n) in a reference sequence that has been processed so as to lack the starting methionine.

[0080] As used herein, the phrase “conservative amino acid substitutions” refers to the interchangeability of residues having similar side chains, and thus typically involves substitution of the amino acid in the polypeptide with amino acids within the same or similar defined class of amino acids. By way of example and not limitation, in some embodiments, an amino acid with an aliphatic side chain is substituted with another aliphatic amino acid (e.g., alanine, valine, leucine, and isoleucine); an amino acid with a hydroxyl side chain is substituted with another amino acid with a hydroxyl side chain (e.g., serine and threonine); an amino acids having aromatic side chains is substituted with another amino acid having an aromatic side chain (e.g., phenylalanine, tyrosine, tryptophan, and histidine); an amino acid with a basic side chain is substituted with another amino acid with a basis side chain (e.g., lysine and arginine); an amino acid with an acidic side chain is substituted with another amino acid with an acidic side chain (e.g., aspartic acid or glutamic acid); and/or a hydrophobic or hydrophilic amino acid is replaced with another hydrophobic or hydrophilic amino acid, respectively. Exemplary conservative substitutions are provided in Table 1.

Table 1. Exemplary Conservative Amino Acid Substitutions	
Residue	Potential Conservative Substitutions
A, L, V, I	Other aliphatic (A, L, V, I) Other non-polar (A, L, V, I, G, M)
G, M	Other non-polar (A, L, V, I, G, M)
D, E	Other acidic (D, E)
K, R	Other basic (K, R)
N, Q, S, T	Other polar
H, Y, W, F	Other aromatic (H, Y, W, F)
C, P	Non-polar

[0081] As used herein, the phrase “non-conservative substitution” refers to substitution of an amino acid in the polypeptide with an amino acid with significantly differing side chain properties. Non-conservative substitutions may use amino acids between, rather than within, the defined groups and affects (a) the structure of the peptide backbone in the area of the substitution (e.g., proline for glycine) (b) the charge or hydrophobicity, or (c) the bulk of the side chain. By way of example and not limitation, an exemplary non-conservative substitution can be an acidic amino acid substituted with a basic or aliphatic amino acid; an aromatic amino acid substituted with a small amino acid; and a hydrophilic amino acid substituted with a hydrophobic amino acid.

[0082] As used herein, “deletion” refers to modification of the polypeptide by removal of one or more amino acids from the reference polypeptide. Deletions can comprise removal of 1 or more amino acids, 2 or more amino acids, 5 or more amino acids, 10 or more amino acids, 15 or more amino acids, or 20 or more amino acids, up to 10% of the total number of amino acids, or up to 20% of the total number of amino acids making up the polypeptide while retaining enzymatic activity and/or retaining the improved properties of an engineered enzyme. Deletions can be directed to the internal portions and/or terminal portions of the polypeptide. In various embodiments, the deletion can comprise a continuous segment or can be discontinuous.

[0083] As used herein, “insertion” refers to modification of the polypeptide by addition of one or more amino acids to the reference polypeptide. In some embodiments, the improved engineered PGA enzymes comprise insertions of one or more amino acids to the naturally occurring PGA polypeptide as well as insertions of one or more amino acids to engineered PGA polypeptides. Insertions can be in the internal portions of the polypeptide, or to the carboxy or amino terminus. Insertions as used herein include fusion proteins as is known in the art. The insertion can be a contiguous segment of amino acids or separated by one or more of the amino acids in the naturally occurring polypeptide.

[0084] The term “amino acid substitution set” or “substitution set” refers to a group of amino acid substitutions in a polypeptide sequence, as compared to a reference sequence. A substitution set can have 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, or more amino acid substitutions. In some embodiments, a substitution set refers to the set of amino acid substitutions that is present in any of the variant PGAs listed in the Tables provided in the Examples.

[0085] As used herein, “fragment” refers to a polypeptide that has an amino-terminal and/or carboxy-terminal deletion, but where the remaining amino acid sequence is identical to the corresponding positions in the sequence. Fragments can typically have about 80%, about 90%, about 95%, about 98%, or about 99% of the full-length PGA polypeptide, for example the polypeptide of SEQ ID NO:2. In some embodiments, the fragment is “biologically active” (i.e., it exhibits the same enzymatic activity as the full-length sequence).

[0086] As used herein, “isolated polypeptide” refers to a polypeptide that is substantially separated from other contaminants that naturally accompany it (e.g., proteins, lipids, and polynucleotides). The term embraces polypeptides which have been removed or purified from their naturally-occurring environment or expression system (e.g., host cell or in vitro synthesis). The improved PGA enzymes may be present within a cell, present in the cellular medium, or prepared in various forms, such as lysates or isolated preparations. As such, in some embodiments, the engineered PGA polypeptides of the present disclosure can be an isolated polypeptide.

[0087] As used herein, “substantially pure polypeptide” refers to a composition in which the polypeptide species is the predominant species present (i.e., on a molar or weight basis it is more abundant than any other individual macromolecular species in the composition), and is generally a

substantially purified composition when the object species comprises at least about 50 percent of the macromolecular species present by mole or % weight. Generally, a substantially pure engineered PGA polypeptide composition comprises about 60% or more, about 70% or more, about 80% or more, about 90% or more, about 91% or more, about 92% or more, about 93% or more, about 94% or more, about 95% or more, about 96% or more, about 97% or more, about 98% or more, or about 99% of all macromolecular species by mole or % weight present in the composition. Solvent species, small molecules (<500 Daltons), and elemental ion species are not considered macromolecular species. In some embodiments, the isolated improved PGA polypeptide is a substantially pure polypeptide composition.

[0088] As used herein, when used in reference to a nucleic acid or polypeptide, the term “heterologous” refers to a sequence that is not normally expressed and secreted by an organism (e.g., a wild-type organism). In some embodiments, the term encompasses a sequence that comprises two or more subsequences which are not found in the same relationship to each other as normally found in nature, or is recombinantly engineered so that its level of expression, or physical relationship to other nucleic acids or other molecules in a cell, or structure, is not normally found in nature. For instance, a heterologous nucleic acid is typically recombinantly produced, having two or more sequences from unrelated genes arranged in a manner not found in nature (e.g., a nucleic acid open reading frame (ORF) of the invention operatively linked to a promoter sequence inserted into an expression cassette, such as a vector). In some embodiments, “heterologous polynucleotide” refers to any polynucleotide that is introduced into a host cell by laboratory techniques, and includes polynucleotides that are removed from a host cell, subjected to laboratory manipulation, and then reintroduced into a host cell.

[0089] As used herein, “suitable reaction conditions” refer to those conditions in the biocatalytic reaction solution (e.g., ranges of enzyme loading, substrate loading, cofactor loading, temperature, pH, buffers, co-solvents, etc.) under which a PGA polypeptide of the present disclosure is capable of releasing free insulin by removing tri-phenyl acetate protecting groups. Exemplary “suitable reaction conditions” are provided in the present disclosure and illustrated by the Examples.

[0090] As used herein, “loading,” such as in “compound loading,” “enzyme loading,” or “cofactor loading” refers to the concentration or amount of a component in a reaction mixture at the start of the reaction.

[0091] As used herein, “substrate” in the context of a biocatalyst mediated process refers to the compound or molecule acted on by the biocatalyst.

[0092] As used herein “product” in the context of a biocatalyst mediated process refers to the compound or molecule resulting from the action of the biocatalyst.

[0093] As used herein, “equilibration” as used herein refers to the process resulting in a steady state concentration of chemical species in a chemical or enzymatic reaction (e.g., interconversion of two

species A and B), including interconversion of stereoisomers, as determined by the forward rate constant and the reverse rate constant of the chemical or enzymatic reaction.

[0094] As used herein “acylase” and “acyltransferases” are used interchangeably to refer to enzymes that are capable of transferring an acyl group from a donor to an acceptor to form esters or amides. The acylase mediated reverse reaction results in hydrolysis of the ester or amide.

[0095] As used herein, “penicillin G” and “benzylpenicillin” refer to the antibiotic also known as (2S,5R,6R)-3,3-dimethyl-7-oxo-6-(2-phenylacetamido)-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid (C₁₆H₁₈N₂O₄S). It is primarily effective against Gram-positive organisms, although some Gram-negative organisms are also susceptible to it.

[0096] As used herein, “penicillin G acylase” and “PGA” are used interchangeably to refer to an enzyme having the capability of mediating cleavage of penicillin G (benzylpenicillin) to phenylacetic acid (PHA) and 6-aminopenicillanic acid (6-APA). In some embodiments, PGA activity can be based on cleavage of model substrates, for instance the cleavage of 6-nitro-3-(phenylacetamide)benzoic acid to phenylacetic acid and 5-amino-2-nitro-benzoic acid. PGAs are also capable of carrying out the reverse reaction of transferring an acyl group of an acyl donor to an acyl acceptor. PGAs as used herein include naturally occurring (wild type) PGAs as well as non-naturally occurring PGA enzymes comprising one or more engineered polypeptides generated by human manipulation. The wild-type PGA gene is a heterodimer consisting of alpha subunit (23.8 KDa) and beta subunit (62.2KDa) linked by a spacer region of 54 amino acids. Due to the presence of the spacer region, an auto-processing step is required to form the active protein.

[0097] As used herein, “acyl donor” refers to that portion of the acylase substrate which donates the acyl group to an acyl acceptor to form esters or amides.

[0098] As used herein, “acyl acceptor” refers to that portion of the acylase substrate which accepts the acyl group of the acyl donor to form esters or amides.

[0099] As used herein, “α-chain sequence” refers to an amino acid sequence that corresponds to (e.g., has at least 85% identity to) the residues at positions 27 to 235 of SEQ ID NO: 2. As used herein, a single chain polypeptide can comprise an “α-chain sequence” and additional sequence(s).

[0100] As used herein, “β-chain sequence” refers to an amino acid sequence that corresponds to (e.g., has at least 85% identity to) residues at positions 290 to 846 of SEQ ID NO:2. As used herein, a single chain polypeptide can comprise an “β-chain sequence” and additional sequence(s).

[0101] As used herein, “derived from” when used in the context of engineered PGA enzymes, identifies the originating PGA enzyme, and/or the gene encoding such PGA enzyme, upon which the engineering was based. For example, the engineered PGA enzyme of SEQ ID NO: 88 was obtained by artificially evolving, over multiple generations the gene encoding the *K. citrophila* PGA alpha-chain and beta-chain sequences of SEQ ID NO:6. Thus, this engineered PGA enzyme is “derived from” the naturally occurring or wild-type PGA of SEQ ID NO: 6.

[0102] As used herein, “insulin” refers to the polypeptide hormone produced by the beta-cells of the pancreas in normal individuals. Insulin is necessary for regulating carbohydrate metabolism, by reducing blood glucose levels. Systematic deficiency of insulin results in diabetes. Insulin is comprised of 51 amino acids and has a molecular weight of approximately 5800 daltons. Insulin is comprised of two peptide chains (designated “A” and “B”), containing one intrasubunit and two intersubunit disulfide bonds. The A chain is composed of 21 amino acids and the B chain is composed of 30 amino acids. The two chains form a highly ordered structure, with several alpha-helical regions in both the A and B chains. Isolated chains are inactive. In solution, insulin is either a monomer, dimer, or hexamer. It is hexameric in the highly concentrated preparations used for subcutaneous injection, but becomes monomeric as it is diluted in body fluids. The definition is intended to encompass proinsulin and any purified isolated polypeptide having part or all of the structural conformation and at least one of the biological properties of naturally-occurring insulin. It is further intended to encompass natural and synthetically-derived insulin, including glycoforms, as well as analogs (e.g., polypeptides having deletions, insertions, and/or substitutions).

[0103] Insulin contains three nucleophilic amines that can potentially react with a phenylacetate-donor and be deprotected by PGA. These residues include a Lys on the B-chain at position 29 (B29) and two N-terminal free amines, Gly on the A-chain at position 1 (A1) and Phe on the B-chain at position 1 (B1). An insulin dimer is composed of two insulin molecules are linked through a linker at the Lys on the B-chain at position 29 (B29) of insulin. In some embodiments, the insulin dimers comprise two molecules of insulin linked by covalent bonds, hydrogen bonds, electrostatic interactions, and/or hydrophobic interactions. It is not intended that the present invention be limited to any specific means of dimerization nor any specific positions of dimerization. PGA has previously been reported to catalyze hydrolysis of N-phenylacetate-protected peptides and insulin with exclusive selectivity for the phenylacetate amide bond, leaving the rest of the peptide bonds of the protein intact (Brtnik et al., Coll. Czech. Chem. Commun., 46 (8), 1983-1989 [1981]; and Wang et al. Biopolym. 25 (Suppl.), S109-S114 [1986]).

[0104] As used herein, “tetra-phenyl acetate protecting group,” refers to an insulin-dimer molecule in which the four primary amines at the A1/A1’ and B1/B1’ positions that are protected with a phenyl acyl group.


[0105] As used herein, “di-phenyl acetate protecting group” refers to an insulin-dimer molecule in which the two primary amines at the A1, and A1’ positions that are protected with a phenyl acyl group.

Penicillin G Acylases

[0106] Penicillin acylase was first described from *Penicillium chrysogenum* Wisc. Q176 by Sakaguchi and Murao (Sakaguchi and Murao, J. Agr.Chem. Soc. Jpn., 23:411 [1950]). Penicillin G


acylase is a hydrolytic enzyme that acts on the side chains of penicillin G, cephalosporin G, and related antibiotics to produce the β -lactam antibiotic intermediates 6-amino penicillanic acid and 7-amino des-acetoxy cephalosporanic acid, with phenyl acetic acid as a common by-product. These antibiotic intermediates are among the potential building blocks of semi-synthetic antibiotics, such as ampicillin, amoxicillin, cloxacillin, cephalexin, and cefatoxime.

[0107] As indicated above, penicillin G acylases (PGA) are characterized by the ability to catalyze the hydrolytic cleavage of penicillin G, with a conjugate base of structural formula (I), to 6-amino penicillanic acid, with a conjugate base of structural formula (II), and phenylacetic acid of structural formula (III), as shown in Scheme 1:



Scheme 1

[0108] While not being bound by theory, substrate specificity appears associated with recognition of the hydrophobic phenyl group while a nucleophile, which in some PGAs is a serine residue at the N-terminus of the beta-chain acts as the acceptor of beta-lactam and a variety of other groups, such as beta-amino acids. PGAs can also be characterized by the ability to cleave a model substrates analogous to penicillin G, for instance cleavage of 6-nitro-3-(phenylacetamido)benzoic acid (NIPAB) of structural formula (IV), as shown in Scheme 2:



Scheme 2

to phenylacetic acid of structural formula (III) and 5-amino-2-nitro-benzoic acid of structural formula (V) (See e.g., Alkema et al., Anal. Biochem., 275:47-53 [1999]). Because the 5-amino-2-nitro-benzoic acid is chromogenic, the substrate of formula (IV) provides a convenient way of measuring PGA activity. In addition to the foregoing reactions, PGAs can also be used in the kinetic resolution of DL-

tert leucine for the preparation of optically pure tert leucine (See e.g., Liu et al., Prep. Biochem. Biotechnol., 36:235-41 [2006]).

[0109] The variant PGAs of the present invention are derived from based on the enzyme obtained from the organism *Kluyvera citrophila* (*K. citrophila*). As with PGAs from other organisms, the PGA of *K. citrophila* is a heterodimeric enzyme comprised of an alpha-subunit and a beta-subunit that is generated by proteolytic processing of a pre-pro-PGA polypeptide. Removal of a signal peptide and a spacer peptide produces the mature heterodimer (See e.g., Barbero et al., Gene 49:69-80 [1986]). The amino acid sequence of the naturally occurring pre-pro-PGA polypeptide of *K. citrophila* is publicly available (See e.g., Genbank accession No. P07941, [gi:129551]) and is provided herein as SEQ ID NO:2. The alpha-chain sequence of the naturally occurring *K. citrophila* PGA corresponds to residues 27 to 235 of SEQ ID NO:2. The beta-chain sequence of the naturally occurring *K. citrophila* PGA corresponds to residues 290 to 846 of SEQ ID NO:2. Residues 1 to 26 of SEQ ID NO:2 correspond to the signal peptide and residues 236-289 of SEQ ID NO:2 correspond to the linking propeptide, both of which are removed to generate the naturally occurring mature PGA enzyme which is a heterodimer comprising an α -chain subunit and a β -chain subunit.

[0110] In some embodiments, the present invention provides engineered PGA polypeptides with amino acid sequences that have at least about 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99% or more sequence identity to SEQ ID NOS:4, 6, 8, 34, 46, 54, 74, and/or 88.

[0111] In some embodiments, the present invention provides insulin-specific deacylation biocatalysts suitable for commercial use. Directed evolution was used to develop efficient acylase variants capable of deprotecting the A1/A1'/B1/B1'-tetra-phenyl acetate protecting groups and A1/A1'-di-phenyl acetate protecting groups on the insulin-dimer and generate greater than 99% of the free insulin-dimer. As indicated in the Examples, after six rounds of evolution variants were produced that generate more than 99% free insulin in less than 5 hrs. at 0.15g/L enzyme and 30 g/L A1/A1'-di-phenyl acetate protected dimer loading. The activity of one variant (SEQ ID NO: 88) was shown to be ~300-fold improved over the initial backbone tested. Indeed, the PGA variants provided herein are capable of accepting a wide range of acyl groups, exhibit increased solvent stability, and improved thermostability, as compared to the wild-type PGA. In some embodiments, the variant PGAs provided herein lack the spacer region. Thus, the auto-processing step is not required in order to produce active enzymes of interest.

[0112] The present invention also provides polynucleotides encoding the engineered PGA polypeptides. In some embodiments, the polynucleotides are operatively linked to one or more heterologous regulatory sequences that control gene expression, to create a recombinant polynucleotide capable of expressing the polypeptide. Expression constructs containing a

heterologous polynucleotide encoding the engineered PGA polypeptides can be introduced into appropriate host cells to express the corresponding PGA polypeptide.

[0113] Because of the knowledge of the codons corresponding to the various amino acids, availability of a protein sequence provides a description of all the polynucleotides capable of encoding the subject. The degeneracy of the genetic code, where the same amino acids are encoded by alternative or synonymous codons allows an extremely large number of nucleic acids to be made, all of which encode the improved PGA enzymes disclosed herein. Thus, having identified a particular amino acid sequence, those skilled in the art could make any number of different nucleic acids by simply modifying the sequence of one or more codons in a way which does not change the amino acid sequence of the protein. In this regard, the present disclosure specifically contemplates each and every possible variation of polynucleotides that could be made by selecting combinations based on the possible codon choices, and all such variations are to be considered specifically disclosed for any polypeptide disclosed herein, including the amino acid sequences presented in the Tables in Examples 6-11.

[0114] In various embodiments, the codons are preferably selected to fit the host cell in which the protein is being produced. For example, preferred codons used in bacteria are used to express the gene in bacteria; preferred codons used in yeast are used for expression in yeast; and preferred codons used in mammals are used for expression in mammalian cells.

[0115] In some embodiments, all codons need not be replaced to optimize the codon usage of the PGA polypeptides since the natural sequence will comprise preferred codons and because use of preferred codons may not be required for all amino acid residues. Consequently, codon optimized polynucleotides encoding the PGA enzymes may contain preferred codons at about 40%, 50%, 60%, 70%, 80%, or greater than 90% of codon positions of the full length coding region.

[0116] In some embodiments, the polynucleotide comprises a nucleotide sequence encoding a PGA polypeptide with an amino acid sequence that has at least about 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99% or more sequence identity to the alpha-chain and/or beta-chain any of the reference engineered PGA polypeptides described herein. Accordingly, in some embodiments, the polynucleotide encodes an amino acid sequence that is at least about 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more identical to at least one reference alpha- and beta-chain sequence (e.g., SEQ ID NOS: 4, 6, 8, 34, 46, 54, 74, and/or 88). In some embodiments, the polynucleotide encodes an alpha- and/or beta-chain amino acid sequence of SEQ ID NO: 4, 6, 8, 34, 46, 54, 74, and/or 88.

[0117] In some embodiments, the polynucleotide comprises a nucleotide sequence encoding a PGA polypeptide with an amino acid sequence that has at least about 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99% or more sequence identity to SEQ ID NO: 4, 6, 8, 34, 46, 54, 74, and/or 88. Accordingly, in some embodiments, the polynucleotide encodes an

amino acid sequence that is at least about 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more identical to SEQ ID NO: 4, 6, 8, 34, 46, 54, 74, and/or 88.

[0118] In some embodiments, the isolated polynucleotide encoding an improved PGA polypeptide is manipulated in a variety of ways to provide for improved activity and/or expression of the polypeptide. Manipulation of the isolated polynucleotide prior to its insertion into a vector may be desirable or necessary depending on the expression vector. The techniques for modifying polynucleotides and nucleic acid sequences utilizing recombinant DNA methods are well known in the art.

[0119] For example, mutagenesis and directed evolution methods can be readily applied to polynucleotides to generate variant libraries that can be expressed, screened, and assayed.

Mutagenesis and directed evolution methods are well known in the art (See e.g., US Patent Nos.

5,605,793, 5,811,238, 5,830,721, 5,834,252, 5,837,458, 5,928,905, 6,096,548, 6,117,679, 6,132,970, 6,165,793, 6,180,406, 6,251,674, 6,265,201, 6,277,638, 6,287,861, 6,287,862, 6,291,242, 6,297,053, 6,303,344, 6,309,883, 6,319,713, 6,319,714, 6,323,030, 6,326,204, 6,335,160, 6,335,198, 6,344,356, 6,352,859, 6,355,484, 6,358,740, 6,358,742, 6,365,377, 6,365,408, 6,368,861, 6,372,497, 6,337,186, 6,376,246, 6,379,964, 6,387,702, 6,391,552, 6,391,640, 6,395,547, 6,406,855, 6,406,910, 6,413,745, 6,413,774, 6,420,175, 6,423,542, 6,426,224, 6,436,675, 6,444,468, 6,455,253, 6,479,652, 6,482,647, 6,483,011, 6,484,105, 6,489,146, 6,500,617, 6,500,639, 6,506,602, 6,506,603, 6,518,065, 6,519,065, 6,521,453, 6,528,311, 6,537,746, 6,573,098, 6,576,467, 6,579,678, 6,586,182, 6,602,986, 6,605,430, 6,613,514, 6,653,072, 6,686,515, 6,703,240, 6,716,631, 6,825,001, 6,902,922, 6,917,882, 6,946,296, 6,961,664, 6,995,017, 7,024,312, 7,058,515, 7,105,297, 7,148,054, 7,220,566, 7,288,375, 7,384,387, 7,421,347, 7,430,477, 7,462,469, 7,534,564, 7,620,500, 7,620,502, 7,629,170, 7,702,464, 7,747,391, 7,747,393, 7,751,986, 7,776,598, 7,783,428, 7,795,030, 7,853,410, 7,868,138, 7,783,428, 7,873,477, 7,873,499, 7,904,249, 7,957,912, 7,981,614, 8,014,961, 8,029,988, 8,048,674, 8,058,001, 8,076,138, 8,108,150, 8,170,806, 8,224,580, 8,377,681, 8,383,346, 8,457,903, 8,504,498, 8,589,085, 8,762,066, 8,768,871, 9,593,326, and all related non-US counterparts; Ling *et al.*, *Anal. Biochem.*, 254(2):157-78 [1997]; Dale *et al.*, *Meth. Mol. Biol.*, 57:369-74 [1996]; Smith, *Ann. Rev. Genet.*, 19:423-462 [1985]; Botstein *et al.*, *Science*, 229:1193-1201 [1985]; Carter, *Biochem. J.*, 237:1-7 [1986]; Kramer *et al.*, *Cell*, 38:879-887 [1984]; Wells *et al.*, *Gene*, 34:315-323 [1985]; Minshull *et al.*, *Curr. Op. Chem. Biol.*, 3:284-290 [1999]; Christians *et al.*, *Nat. Biotechnol.*, 17:259-264 [1999]; Cramer *et al.*, *Nature*, 391:288-291 [1998]; Cramer *et al.*, *Nat. Biotechnol.*, 15:436-438 [1997]; Zhang *et al.*, *Proc. Nat. Acad. Sci. U.S.A.*, 94:4504-4509 [1997]; Cramer *et al.*, *Nat. Biotechnol.*, 14:315-319 [1996]; Stemmer, *Nature*, 370:389-391 [1994]; Stemmer, *Proc. Nat. Acad. Sci. USA*, 91:10747-10751 [1994]; WO 95/22625; WO 97/0078; WO 97/35966; WO 98/27230; WO 00/42651; WO 01/75767; and WO 2009/152336, all of which are incorporated herein by reference).

[0120] In some embodiments, the variant PGA acylases of the present invention further comprise additional sequences that do not alter the encoded activity of the enzyme. For example, in some embodiments, the variant PGA acylases are linked to an epitope tag or to another sequence useful in purification.

[0121] In some embodiments, the variant PGA acylase polypeptides of the present invention are secreted from the host cell in which they are expressed (e.g., a yeast or filamentous fungal host cell) and are expressed as a pre-protein including a signal peptide (i.e., an amino acid sequence linked to the amino terminus of a polypeptide and which directs the encoded polypeptide into the cell secretory pathway).

[0122] In some embodiments, the signal peptide is an endogenous *K. citrophila* PGA acylase signal peptide. In some additional embodiments, signal peptides from other *K. citrophila* secreted proteins are used. In some embodiments, other signal peptides find use, depending on the host cell and other factors. Effective signal peptide coding regions for filamentous fungal host cells include, but are not limited to, the signal peptide coding regions obtained from *Aspergillus oryzae* TAKA amylase, *Aspergillus niger* neutral amylase, *Aspergillus niger* glucoamylase, *Rhizomucor miehei* aspartic proteinase, *Humicola insolens* cellulase, *Humicola lanuginosa* lipase, and *T. reesei* cellobiohydrolase II. Signal peptide coding regions for bacterial host cells include, but are not limited to the signal peptide coding regions obtained from the genes for *Bacillus* NCIB 11837 maltogenic amylase, *Bacillus stearothermophilus* alpha-amylase, *Bacillus licheniformis* subtilisin, *Bacillus licheniformis* β -lactamase, *Bacillus stearothermophilus* neutral proteases (nprT, nprS, nprM), and *Bacillus subtilis* prsA. In some additional embodiments, other signal peptides find use in the present invention (See e.g., Simonen and Palva, Microbiol. Rev., 57: 109-137 [1993], incorporated herein by reference). Additional useful signal peptides for yeast host cells include those from the genes for *Saccharomyces cerevisiae* alpha-factor, *Saccharomyces cerevisiae* SUC2 invertase (See e.g., Taussig and Carlson, Nucl. Acids Res., 11:1943-54 [1983]; SwissProt Accession No. P00724; and Romanos *et al.*, Yeast 8:423-488 [1992]). In some embodiments, variants of these signal peptides and other signal peptides find use. Indeed, it is not intended that the present invention be limited to any specific signal peptide, as any suitable signal peptide known in the art finds use in the present invention.

[0123] In some embodiments, the present invention provides polynucleotides encoding variant PGA acylase polypeptides, and/or biologically active fragments thereof, as described herein. In some embodiments, the polynucleotide is operably linked to one or more heterologous regulatory or control sequences that control gene expression to create a recombinant polynucleotide capable of expressing the polypeptide. In some embodiments, expression constructs containing a heterologous polynucleotide encoding a variant PGA acylase is introduced into appropriate host cells to express the variant PGA acylase.

[0124] Those of ordinary skill in the art understand that due to the degeneracy of the genetic code, a multitude of nucleotide sequences encoding variant PGA acylase polypeptides of the present invention exist. For example, the codons AGA, AGG, CGA, CGC, CGG, and CGU all encode the amino acid arginine. Thus, at every position in the nucleic acids of the invention where an arginine is specified by a codon, the codon can be altered to any of the corresponding codons described above without altering the encoded polypeptide. It is understood that “U” in an RNA sequence corresponds to “T” in a DNA sequence. The invention contemplates and provides each and every possible variation of nucleic acid sequence encoding a polypeptide of the invention that could be made by selecting combinations based on possible codon choices.

[0125] As indicated above, DNA sequence encoding a PGA may also be designed for high codon usage bias codons (codons that are used at higher frequency in the protein coding regions than other codons that code for the same amino acid). The preferred codons may be determined in relation to codon usage in a single gene, a set of genes of common function or origin, highly expressed genes, the codon frequency in the aggregate protein coding regions of the whole organism, codon frequency in the aggregate protein coding regions of related organisms, or combinations thereof. A codon whose frequency increases with the level of gene expression is typically an optimal codon for expression. In particular, a DNA sequence can be optimized for expression in a particular host organism. A variety of methods are well-known in the art for determining the codon frequency (e.g., codon usage, relative synonymous codon usage) and codon preference in specific organisms, including multivariate analysis (e.g., using cluster analysis or correspondence analysis,) and the effective number of codons used in a gene. The data source for obtaining codon usage may rely on any available nucleotide sequence capable of coding for a protein. These data sets include nucleic acid sequences actually known to encode expressed proteins (e.g., complete protein coding sequences-CDS), expressed sequence tags (ESTs), or predicted coding regions of genomic sequences, as is well-known in the art. Polynucleotides encoding variant PGAs can be prepared using any suitable methods known in the art. Typically, oligonucleotides are individually synthesized, then joined (e.g., by enzymatic or chemical ligation methods, or polymerase-mediated methods) to form essentially any desired continuous sequence. In some embodiments, polynucleotides of the present invention are prepared by chemical synthesis using, any suitable methods known in the art, including but not limited to automated synthetic methods. For example, in the phosphoramidite method, oligonucleotides are synthesized (e.g., in an automatic DNA synthesizer), purified, annealed, ligated and cloned in appropriate vectors. In some embodiments, double stranded DNA fragments are then obtained either by synthesizing the complementary strand and annealing the strands together under appropriate conditions, or by adding the complementary strand using DNA polymerase with an appropriate primer sequence. There are numerous general and standard texts that provide methods useful in the present invention are well known to those skilled in the art.

[0126] The engineered PGAs can be obtained by subjecting the polynucleotide encoding the naturally occurring PGA to mutagenesis and/or directed evolution methods, as discussed above. Mutagenesis may be performed in accordance with any of the techniques known in the art, including random and site-specific mutagenesis. Directed evolution can be performed with any of the techniques known in the art to screen for improved variants including shuffling. Other directed evolution procedures that find use include, but are not limited to staggered extension process (StEP), in vitro recombination, mutagenic PCR, cassette mutagenesis, splicing by overlap extension (SOEing), ProSAR™ directed evolution methods, etc., as well as any other suitable methods. In some embodiments, the variant PGA polypeptide or polynucleotide is a circularly permuted sequence that may or may not comprise a linker sequence. Such circularly permuted variants are produced using any suitable method known in the art (See e.g., US Pat. Nos. 8,034,579, 8,338,138, and 9,428,563, incorporated herein by reference).

[0127] The clones obtained following mutagenesis treatment are screened for engineered PGAs having a desired improved enzyme property. Measuring enzyme activity from the expression libraries can be performed using the standard biochemistry technique of monitoring the rate of product formation. Where an improved enzyme property desired is thermal stability, enzyme activity may be measured after subjecting the enzyme preparations to a defined temperature and measuring the amount of enzyme activity remaining after heat treatments. Clones containing a polynucleotide encoding a PGA are then isolated, sequenced to identify the nucleotide sequence changes (if any), and used to express the enzyme in a host cell.

[0128] When the sequence of the engineered polypeptide is known, the polynucleotides encoding the enzyme can be prepared by standard solid-phase methods, according to known synthetic methods. In some embodiments, fragments of up to about 100 bases can be individually synthesized, then joined (e.g., by enzymatic or chemical ligation methods, or polymerase mediated methods) to form any desired continuous sequence. For example, polynucleotides and oligonucleotides of the invention can be prepared by chemical synthesis (e.g., using the classical phosphoramidite method described by Beaucage et al., Tet. Lett., 22:1859-69 [1981], or the method described by Matthes et al., EMBO J., 3:801-05 [1984], as it is typically practiced in automated synthetic methods). According to the phosphoramidite method, oligonucleotides are synthesized (e.g., in an automatic DNA synthesizer), purified, annealed, ligated and cloned in appropriate vectors. In addition, essentially any nucleic acid can be obtained from any of a variety of commercial sources (e.g., The Midland Certified Reagent Company, Midland, TX, The Great American Gene Company, Ramona, CA, ExpressGen Inc. Chicago, IL, Operon Technologies Inc., Alameda, CA, and many others).

[0129] The present invention also provides recombinant constructs comprising a sequence encoding at least one variant PGA, as provided herein. In some embodiments, the present invention provides an expression vector comprising a variant PGA polynucleotide operably linked to a heterologous

promoter. In some embodiments, expression vectors of the present invention are used to transform appropriate host cells to permit the host cells to express the variant PGA protein. Methods for recombinant expression of proteins in fungi and other organisms are well known in the art, and a number of expression vectors are available or can be constructed using routine methods. In some embodiments, nucleic acid constructs of the present invention comprise a vector, such as, a plasmid, a cosmid, a phage, a virus, a bacterial artificial chromosome (BAC), a yeast artificial chromosome (YAC), and the like, into which a nucleic acid sequence of the invention has been inserted. In some embodiments, polynucleotides of the present invention are incorporated into any one of a variety of expression vectors suitable for expressing variant PGA polypeptide(s). Suitable vectors include, but are not limited to chromosomal, nonchromosomal and synthetic DNA sequences (e.g., derivatives of SV40), as well as bacterial plasmids, phage DNA, baculovirus, yeast plasmids, vectors derived from combinations of plasmids and phage DNA, viral DNA such as vaccinia, adenovirus, fowl pox virus, pseudorabies, adenovirus, adeno-associated virus, retroviruses, and many others. Any suitable vector that transduces genetic material into a cell, and, if replication is desired, which is replicable and viable in the relevant host finds use in the present invention.

[0130] In some embodiments, the construct further comprises regulatory sequences, including but not limited to a promoter, operably linked to the protein encoding sequence. Large numbers of suitable vectors and promoters are known to those of skill in the art. Indeed, in some embodiments, in order to obtain high levels of expression in a particular host it is often useful to express the variant PGAs of the present invention under the control of a heterologous promoter. In some embodiments, a promoter sequence is operably linked to the 5' region of the variant PGA coding sequence using any suitable method known in the art. Examples of useful promoters for expression of variant PGAs include, but are not limited to promoters from fungi. In some embodiments, a promoter sequence that drives expression of a gene other than a PGA gene in a fungal strain finds use. As a non-limiting example, a fungal promoter from a gene encoding an endoglucanase may be used. In some embodiments, a promoter sequence that drives the expression of a PGA gene in a fungal strain other than the fungal strain from which the PGAs were derived finds use. Examples of other suitable promoters useful for directing the transcription of the nucleotide constructs of the present invention in a filamentous fungal host cell include, but are not limited to promoters obtained from the genes for *Aspergillus oryzae* TKA amylase, *Rhizomucor miehei* aspartic proteinase, *Aspergillus niger* neutral alpha-amylase, *Aspergillus niger* acid stable alpha-amylase, *Aspergillus niger* or *Aspergillus awamori* glucoamylase (glaA), *Rhizomucor miehei* lipase, *Aspergillus oryzae* alkaline protease, *Aspergillus oryzae* triose phosphate isomerase, *Aspergillus nidulans* acetamidase, and *Fusarium oxysporum* trypsin-like protease (See e.g., WO 96/00787, incorporated herein by reference), as well as the NA2-tpi promoter (a hybrid of the promoters from the genes for *Aspergillus niger* neutral alpha-amylase and *Aspergillus oryzae* triose phosphate isomerase), promoters such as *cbh1*, *cbh2*, *egl1*, *egl2*, *pepA*, *hfb1*, *hfb2*, *xyn1*,

amy, and *glaA* (See e.g., Nunberg *et al.*, Mol. Cell Biol., 4:2306-2315 [1984]; Boel *et al.*, EMBO J., 3:1581-85 [1984]; and European Patent Appln. 137280, all of which are incorporated herein by reference), and mutant, truncated, and hybrid promoters thereof.

[0131] In yeast host cells, useful promoters include, but are not limited to those from the genes for *Saccharomyces cerevisiae* enolase (*eno-1*), *Saccharomyces cerevisiae* galactokinase (*gal1*), *Saccharomyces cerevisiae* alcohol dehydrogenase/glyceraldehyde-3-phosphate dehydrogenase (*ADH2/GAP*), and *S. cerevisiae* 3-phosphoglycerate kinase. Additional useful promoters useful for yeast host cells are known in the art (See e.g., Romanos *et al.*, Yeast 8:423-488 [1992], incorporated herein by reference). In addition, promoters associated with chitinase production in fungi find use in the present invention (See e.g., Blaiseau and Lafay, Gene 120243-248 [1992]; and Limon *et al.*, Curr. Genet., 28:478-83 [1995], both of which are incorporated herein by reference).

[0132] For bacterial host cells, suitable promoters for directing transcription of the nucleic acid constructs of the present disclosure, include but are not limited to the promoters obtained from the *E. coli* lac operon, *E. coli* trp operon, bacteriophage lambda, *Streptomyces coelicolor* agarase gene (*dagA*), *Bacillus subtilis* levansucrase gene (*sacB*), *Bacillus licheniformis* alpha-amylase gene (*amyL*), *Bacillus stearothermophilus* maltogenic amylase gene (*amyM*), *Bacillus amyloliquefaciens* alpha-amylase gene (*amyQ*), *Bacillus licheniformis* penicillinase gene (*penP*), *Bacillus subtilis* xylA and xylB genes, and prokaryotic beta-lactamase gene (See e.g., Villa-Kamaroff *et al.*, Proc. Natl. Acad. Sci. USA 75: 3727-3731 [1978]), as well as the *tac* promoter (See e.g., DeBoer *et al.*, Proc. Natl. Acad. Sci. USA 80: 21-25 [1983]).

[0133] In some embodiments, cloned variant PGAs of the present invention also have a suitable transcription terminator sequence, a sequence recognized by a host cell to terminate transcription. The terminator sequence is operably linked to the 3' terminus of the nucleic acid sequence encoding the polypeptide. Any terminator that is functional in the host cell of choice finds use in the present invention. Exemplary transcription terminators for filamentous fungal host cells include, but are not limited to those obtained from the genes for *Aspergillus oryzae* TAKA amylase, *Aspergillus niger* glucoamylase, *Aspergillus nidulans* anthranilate synthase, *Aspergillus niger* alpha-glucosidase, and *Fusarium oxysporum* trypsin-like protease (See e.g., US Patent No. 7,399,627, incorporated herein by reference). In some embodiments, exemplary terminators for yeast host cells include those obtained from the genes for *Saccharomyces cerevisiae* enolase, *Saccharomyces cerevisiae* cytochrome C (*CYC1*), and *Saccharomyces cerevisiae* glyceraldehyde-3-phosphate dehydrogenase. Other useful terminators for yeast host cells are well-known to those skilled in the art (See e.g., Romanos *et al.*, Yeast 8:423-88 [1992]).

[0134] In some embodiments, a suitable leader sequence is part of a cloned variant PGA sequence, which is a nontranslated region of an mRNA that is important for translation by the host cell. The leader sequence is operably linked to the 5' terminus of the nucleic acid sequence encoding the

polypeptide. Any leader sequence that is functional in the host cell of choice finds use in the present invention. Exemplary leaders for filamentous fungal host cells include, but are not limited to those obtained from the genes for *Aspergillus oryzae* TAKA amylase and *Aspergillus nidulans* triose phosphate isomerase. Suitable leaders for yeast host cells include, but are not limited to those obtained from the genes for *Saccharomyces cerevisiae* enolase (ENO-1), *Saccharomyces cerevisiae* 3-phosphoglycerate kinase, *Saccharomyces cerevisiae* alpha-factor, and *Saccharomyces cerevisiae* alcohol dehydrogenase/glyceraldehyde-3-phosphate dehydrogenase (ADH2/GAP).

[0135] In some embodiments, the sequences of the present invention also comprise a polyadenylation sequence, which is a sequence operably linked to the 3' terminus of the nucleic acid sequence and which, when transcribed, is recognized by the host cell as a signal to add polyadenosine residues to transcribed mRNA. Any polyadenylation sequence which is functional in the host cell of choice finds use in the present invention. Exemplary polyadenylation sequences for filamentous fungal host cells include, but are not limited to those obtained from the genes for *Aspergillus oryzae* TAKA amylase, *Aspergillus niger* glucoamylase, *Aspergillus nidulans* anthranilate synthase, *Fusarium oxysporum* trypsin-like protease, and *Aspergillus niger* alpha-glucosidase. Useful polyadenylation sequences for yeast host cells are known in the art (See e.g., Guo and Sherman, Mol. Cell. Biol., 15:5983-5990 [1995]).

[0136] In some embodiments, the control sequence comprises a signal peptide coding region encoding an amino acid sequence linked to the amino terminus of a polypeptide and directs the encoded polypeptide into the cell's secretory pathway. The 5' end of the coding sequence of the nucleic acid sequence may inherently contain a signal peptide coding region naturally linked in translation reading frame with the segment of the coding region that encodes the secreted polypeptide. Alternatively, the 5' end of the coding sequence may contain a signal peptide coding region that is foreign to the coding sequence. The foreign signal peptide coding region may be required where the coding sequence does not naturally contain a signal peptide coding region.

[0137] Alternatively, the foreign signal peptide coding region may simply replace the natural signal peptide coding region in order to enhance secretion of the polypeptide. However, any signal peptide coding region which directs the expressed polypeptide into the secretory pathway of a host cell of choice may be used in the present invention.

[0138] Effective signal peptide coding regions for bacterial host cells include, but are not limited to the signal peptide coding regions obtained from the genes for *Bacillus* NC1B 11837 maltogenic amylase, *Bacillus stearothermophilus* alpha-amylase, *Bacillus licheniformis* subtilisin, *Bacillus licheniformis* beta-lactamase, *Bacillus stearothermophilus* neutral proteases (nprT, nprS, nprM), and *Bacillus subtilis* prsA. Further signal peptides are known in the art (See e.g., Simonen and Palva, Microbiol. Rev., 57: 109-137 [1993]).

[0139] Effective signal peptide coding regions for filamentous fungal host cells include, but are not limited to the signal peptide coding regions obtained from the genes for *Aspergillus oryzae* TAKA amylase, *Aspergillus niger* neutral amylase, *Aspergillus niger* glucoamylase, *Rhizomucor miehei* aspartic proteinase, *Humicola insolens* cellulase, and *Humicola lanuginosa* lipase.

[0140] Useful signal peptides for yeast host cells include, but are not limited to genes for *Saccharomyces cerevisiae* alpha-factor and *Saccharomyces cerevisiae* invertase. Other useful signal peptide coding regions are known in the art (See e.g., Romanos et al., [1992], supra).

[0141] In some embodiments, the control sequence comprises a propeptide coding region that codes for an amino acid sequence positioned at the amino terminus of a polypeptide. The resultant polypeptide is known as a proenzyme or propolypeptide (or a zymogen in some cases). A propolypeptide is generally inactive and can be converted to a mature active PGA polypeptide by catalytic or autocatalytic cleavage of the propeptide from the propolypeptide. The propeptide coding region may be obtained from the genes for *Bacillus subtilis* alkaline protease (aprE), *Bacillus subtilis* neutral protease (nprT), *Saccharomyces cerevisiae* alpha-factor, *Rhizomucor miehei* aspartic proteinase, and *Myceliophthora thermophila* lactase (See e.g., WO 95/33836).

[0142] Where both signal peptide and propeptide regions are present at the amino terminus of a polypeptide, the propeptide region is positioned next to the amino terminus of a polypeptide and the signal peptide region is positioned next to the amino terminus of the propeptide region.

[0143] In some embodiments, regulatory sequences are also used to allow the regulation of the expression of the polypeptide relative to the growth of the host cell. Examples of regulatory systems are those which cause the expression of the gene to be turned on or off in response to a chemical or physical stimulus, including the presence of a regulatory compound. In prokaryotic host cells, suitable regulatory sequences include, but are not limited to the lac, tac, and trp operator systems. In yeast host cells, suitable regulatory systems include, as examples, the ADH2 system or GAL1 system. In filamentous fungi, suitable regulatory sequences include the TAKA alpha-amylase promoter, *Aspergillus niger* glucoamylase promoter, and *Aspergillus oryzae* glucoamylase promoter.

[0144] Other examples of regulatory sequences are those which allow for gene amplification. In eukaryotic systems, these include the dihydrofolate reductase gene, which is amplified in the presence of methotrexate, and the metallothionein genes, which are amplified with heavy metals. In these cases, the nucleic acid sequence encoding the PGA polypeptide of the present invention would be operably linked with the regulatory sequence.

[0145] Thus, in additional embodiments, the present invention provides recombinant expression vectors comprising a polynucleotide encoding an engineered PGA polypeptide or a variant thereof, and one or more expression regulating regions such as a promoter and a terminator, a replication origin, etc., depending on the type of hosts into which they are to be introduced. In some embodiments, the various nucleic acid and control sequences described above are joined together to

produce a recombinant expression vector that may include one or more convenient restriction sites to allow for insertion or substitution of the nucleic acid sequence encoding the polypeptide at such sites. Alternatively, in some embodiments, the nucleic acid sequences are expressed by inserting the nucleic acid sequence or a nucleic acid construct comprising the sequence into an appropriate vector for expression. In creating the expression vector, the coding sequence is located in the vector so that the coding sequence is operably linked with the appropriate control sequences for expression.

[0146] The recombinant expression vector comprises any suitable vector (e.g., a plasmid or virus), that can be conveniently subjected to recombinant DNA procedures and can bring about the expression of the polynucleotide sequence. The choice of the vector typically depends on the compatibility of the vector with the host cell into which the vector is to be introduced. In some embodiments, the vectors are linear or closed circular plasmids.

[0147] In some embodiments, the expression vector is an autonomously replicating vector (i.e., a vector that exists as an extrachromosomal entity, the replication of which is independent of chromosomal replication, such as a plasmid, an extrachromosomal element, a minichromosome, or an artificial chromosome). In some embodiments, the vector contains any means for assuring self-replication. Alternatively, in some other embodiments, upon being introduced into the host cell, the vector is integrated into the genome and replicated together with the chromosome(s) into which it has been integrated. Furthermore, in additional embodiments, a single vector or plasmid or two or more vectors or plasmids which together contain the total DNA to be introduced into the genome of the host cell, or a transposon find use.

[0148] In some embodiments, the expression vector of the present invention contains one or more selectable markers, which permit easy selection of transformed cells. A “selectable marker” is a gene, the product of which provides for biocide or viral resistance, resistance to antimicrobials or heavy metals, prototrophy to auxotrophs, and the like. Any suitable selectable markers for use in a filamentous fungal host cell find use in the present invention, including, but are not limited to, *amdS* (acetamidase), *argB* (ornithine carbamoyltransferase), *bar* (phosphinothricin acetyltransferase), *hph* (hygromycin phosphotransferase), *niaD* (nitrate reductase), *pyrG* (orotidine-5'-phosphate decarboxylase), *sC* (sulfate adenylyltransferase), and *trpC* (anthranilate synthase), as well as equivalents thereof. Additional markers useful in host cells such as *Aspergillus*, include but are not limited to the *amdS* and *pyrG* genes of *Aspergillus nidulans* or *Aspergillus oryzae*, and the *bar* gene of *Streptomyces hygroscopicus*. Suitable markers for yeast host cells include, but are not limited to *ADE2*, *HIS3*, *LEU2*, *LYS2*, *MET3*, *TRP1*, and *URA3*. Examples of bacterial selectable markers include, but are not limited to the *dal* genes from *Bacillus subtilis* or *Bacillus licheniformis*, or markers, which confer antibiotic resistance such as ampicillin, kanamycin, chloramphenicol, and or tetracycline resistance.

[0149] In some embodiments, the expression vectors of the present invention contain an element(s) that permits integration of the vector into the host cell's genome or autonomous replication of the

vector in the cell independent of the genome. In some embodiments involving integration into the host cell genome, the vectors rely on the nucleic acid sequence encoding the polypeptide or any other element of the vector for integration of the vector into the genome by homologous or non-homologous recombination.

[0150] In some alternative embodiments, the expression vectors contain additional nucleic acid sequences for directing integration by homologous recombination into the genome of the host cell. The additional nucleic acid sequences enable the vector to be integrated into the host cell genome at a precise location(s) in the chromosome(s). To increase the likelihood of integration at a precise location, the integrational elements preferably contain a sufficient number of nucleotides, such as 100 to 10,000 base pairs, preferably 400 to 10,000 base pairs, and most preferably 800 to 10,000 base pairs, which are highly homologous with the corresponding target sequence to enhance the probability of homologous recombination. The integrational elements may be any sequence that is homologous with the target sequence in the genome of the host cell. Furthermore, the integrational elements may be non-encoding or encoding nucleic acid sequences. On the other hand, the vector may be integrated into the genome of the host cell by non-homologous recombination.

[0151] For autonomous replication, the vector may further comprise an origin of replication enabling the vector to replicate autonomously in the host cell in question. Examples of bacterial origins of replication are P15A ori or the origins of replication of plasmids pBR322, pUC19, pACYC177 (which plasmid has the P15A ori), or pACYC184 permitting replication in *E. coli*, and pUB110, pE194, pTA1060, or pAM $\square$ 1 permitting replication in *Bacillus*. Examples of origins of replication for use in a yeast host cell are the 2 micron origin of replication, ARS1, ARS4, the combination of ARS1 and CEN3, and the combination of ARS4 and CEN6. The origin of replication may be one having a mutation which makes it's functioning temperature-sensitive in the host cell (See e.g., Ehrlich, Proc. Natl. Acad. Sci. USA 75:1433 [1978]).

[0152] In some embodiments, more than one copy of a nucleic acid sequence of the present invention is inserted into the host cell to increase production of the gene product. An increase in the copy number of the nucleic acid sequence can be obtained by integrating at least one additional copy of the sequence into the host cell genome or by including an amplifiable selectable marker gene with the nucleic acid sequence where cells containing amplified copies of the selectable marker gene, and thereby additional copies of the nucleic acid sequence, can be selected for by cultivating the cells in the presence of the appropriate selectable agent.

[0153] Many of the expression vectors for use in the present invention are commercially available. Suitable commercial expression vectors include, but are not limited to the p3xFLAGTMTM expression vectors (Sigma-Aldrich Chemicals), which include a CMV promoter and hGH polyadenylation site for expression in mammalian host cells and a pBR322 origin of replication and ampicillin resistance markers for amplification in *E. coli*. Other suitable expression vectors include, but are not limited to

pBluescriptII SK(-) and pBK-CMV (Stratagene), and plasmids derived from pBR322 (Gibco BRL), pUC (Gibco BRL), pREP4, pCEP4 (Invitrogen) or pPoly (See e.g., Lathe et al., Gene 57:193-201 [1987]).

[0154] Thus, in some embodiments, a vector comprising a sequence encoding at least one variant PGA is transformed into a host cell in order to allow propagation of the vector and expression of the variant PGA(s). In some embodiments, the variant PGAs are post-translationally modified to remove the signal peptide and in some cases may be cleaved after secretion. In some embodiments, the transformed host cell described above is cultured in a suitable nutrient medium under conditions permitting the expression of the variant PGA(s). Any suitable medium useful for culturing the host cells finds use in the present invention, including, but not limited to minimal or complex media containing appropriate supplements. In some embodiments, host cells are grown in HTP media. Suitable media are available from various commercial suppliers or may be prepared according to published recipes (e.g., in catalogues of the American Type Culture Collection).

[0155] In another aspect, the present invention provides host cells comprising a polynucleotide encoding an improved PGA polypeptide provided herein, the polynucleotide being operatively linked to one or more control sequences for expression of the PGA enzyme in the host cell. Host cells for use in expressing the PGA polypeptides encoded by the expression vectors of the present invention are well known in the art and include but are not limited to, bacterial cells, such as *E. coli*, *Bacillus megaterium*, *Lactobacillus kefir*, *Streptomyces* and *Salmonella typhimurium* cells; fungal cells, such as yeast cells (e.g., *Saccharomyces cerevisiae* or *Pichia pastoris* (ATCC Accession No. 201178)); insect cells such as *Drosophila* S2 and *Spodoptera Sf9* cells; animal cells such as CHO, COS, BHK, 293, and Bowes melanoma cells; and plant cells. Appropriate culture media and growth conditions for the above-described host cells are well known in the art.

[0156] Polynucleotides for expression of the PGA may be introduced into cells by various methods known in the art. Techniques include among others, electroporation, biolistic particle bombardment, liposome mediated transfection, calcium chloride transfection, and protoplast fusion. Various methods for introducing polynucleotides into cells are known to those skilled in the art.

[0157] In some embodiments, the host cell is a eukaryotic cell. Suitable eukaryotic host cells include, but are not limited to, fungal cells, algal cells, insect cells, and plant cells. Suitable fungal host cells include, but are not limited to, Ascomycota, Basidiomycota, Deuteromycota, Zygomycota, Fungi imperfecti. In some embodiments, the fungal host cells are yeast cells and filamentous fungal cells. The filamentous fungal host cells of the present invention include all filamentous forms of the subdivision Eumycotina and Oomycota. Filamentous fungi are characterized by a vegetative mycelium with a cell wall composed of chitin, cellulose and other complex polysaccharides. The filamentous fungal host cells of the present invention are morphologically distinct from yeast.

[0158] In some embodiments of the present invention, the filamentous fungal host cells are of any suitable genus and species, including, but not limited to *Achlya*, *Acremonium*, *Aspergillus*, *Aureobasidium*, *Bjerkandera*, *Ceriporiopsis*, *Cephalosporium*, *Chrysosporium*, *Cochliobolus*, *Corynascus*, *Cryphonectria*, *Cryptococcus*, *Coprinus*, *Coriolus*, *Diplodia*, *Endothia*, *Fusarium*, *Gibberella*, *Gliocladium*, *Humicola*, *Hypocrea*, *Myceliophthora*, *Mucor*, *Neurospora*, *Penicillium*, *Podospora*, *Phlebia*, *Piromyces*, *Pyricularia*, *Rhizomucor*, *Rhizopus*, *Schizophyllum*, *Scytalidium*, *Sporotrichum*, *Talaromyces*, *Thermoascus*, *Thielavia*, *Trametes*, *Tolypocladium*, *Trichoderma*, *Verticillium*, and/or *Volvvariella*, and/or teleomorphs, or anamorphs, and synonyms, basionyms, or taxonomic equivalents thereof.

[0159] In some embodiments of the present invention, the host cell is a yeast cell, including but not limited to cells of *Candida*, *Hansenula*, *Saccharomyces*, *Schizosaccharomyces*, *Pichia*, *Kluyveromyces*, or *Yarrowia* species. In some embodiments of the present invention, the yeast cell is *Hansenula polymorpha*, *Saccharomyces cerevisiae*, *Saccharomyces carlsbergensis*, *Saccharomyces diastaticus*, *Saccharomyces norbensis*, *Saccharomyces kluyveri*, *Schizosaccharomyces pombe*, *Pichia pastoris*, *Pichia finlandica*, *Pichia trehalophila*, *Pichia kodamae*, *Pichia membranaefaciens*, *Pichia opuntiae*, *Pichia thermotolerans*, *Pichia salictaria*, *Pichia quercuum*, *Pichia pijperi*, *Pichia stipitis*, *Pichia methanolica*, *Pichia angusta*, *Kluyveromyces lactis*, *Candida albicans*, or *Yarrowia lipolytica*.

[0160] In some embodiments of the invention, the host cell is an algal cell such as *Chlamydomonas* (e.g., *C. reinhardtii*) and *Phormidium* (P. sp. ATCC29409).

[0161] In some other embodiments, the host cell is a prokaryotic cell. Suitable prokaryotic cells include, but are not limited to Gram-positive, Gram-negative and Gram-variable bacterial cells. Any suitable bacterial organism finds use in the present invention, including but not limited to *Agrobacterium*, *Alicyclobacillus*, *Anabaena*, *Anacystis*, *Acinetobacter*, *Acidothermus*, *Arthrobacter*, *Azobacter*, *Bacillus*, *Bifidobacterium*, *Brevibacterium*, *Butyrivibrio*, *Buchnera*, *Campestris*, *Campylobacter*, *Clostridium*, *Corynebacterium*, *Chromatium*, *Coprococcus*, *Escherichia*, *Enterococcus*, *Enterobacter*, *Erwinia*, *Fusobacterium*, *Faecalibacterium*, *Francisella*, *Flavobacterium*, *Geobacillus*, *Haemophilus*, *Helicobacter*, *Klebsiella*, *Lactobacillus*, *Lactococcus*, *Ilyobacter*, *Micrococcus*, *Microbacterium*, *Mesorhizobium*, *Methylobacterium*, *Methylobacterium*, *Mycobacterium*, *Neisseria*, *Pantoea*, *Pseudomonas*, *Prochlorococcus*, *Rhodobacter*, *Rhodopseudomonas*, *Rhodopseudomonas*, *Roseburia*, *Rhodospirillum*, *Rhodococcus*, *Scenedesmus*, *Streptomyces*, *Streptococcus*, *Syneccoccus*, *Saccharomonospora*, *Staphylococcus*, *Serratia*, *Salmonella*, *Shigella*, *Thermoanaerobacterium*, *Tropheryma*, *Tularensis*, *Temecula*, *Thermosynechococcus*, *Thermococcus*, *Ureaplasma*, *Xanthomonas*, *Xylella*, *Yersinia* and *Zymomonas*. In some embodiments, the host cell is a species of *Agrobacterium*, *Acinetobacter*, *Azobacter*, *Bacillus*, *Bifidobacterium*, *Buchnera*, *Geobacillus*, *Campylobacter*, *Clostridium*, *Corynebacterium*, *Escherichia*, *Enterococcus*, *Erwinia*, *Flavobacterium*, *Lactobacillus*, *Lactococcus*, *Pantoea*,

Pseudomonas, *Staphylococcus*, *Salmonella*, *Streptococcus*, *Streptomyces*, or *Zymomonas*. In some embodiments, the bacterial host strain is non-pathogenic to humans. In some embodiments the bacterial host strain is an industrial strain. Numerous bacterial industrial strains are known and suitable in the present invention. In some embodiments of the present invention, the bacterial host cell is an *Agrobacterium* species (e.g., *A. radiobacter*, *A. rhizogenes*, and *A. rubi*). In some embodiments of the present invention, the bacterial host cell is an *Arthrobacter* species (e.g., *A. aureus*, *A. citreus*, *A. globiformis*, *A. hydrocarboglutamicus*, *A. mysorens*, *A. nicotianae*, *A. paraffineus*, *A. protophominae*, *A. roseoparaffinus*, *A. sulfureus*, and *A. ureafaciens*). In some embodiments of the present invention, the bacterial host cell is a *Bacillus* species (e.g., *B. thuringensis*, *B. anthracis*, *B. megaterium*, *B. subtilis*, *B. lentus*, *B. circulans*, *B. pumilus*, *B. lautus*, *B. coagulans*, *B. brevis*, *B. firmus*, *B. alkaophilus*, *B. licheniformis*, *B. clausii*, *B. stearothermophilus*, *B. halodurans*, and *B. amyloliquefaciens*). In some embodiments, the host cell is an industrial *Bacillus* strain including but not limited to *B. subtilis*, *B. pumilus*, *B. licheniformis*, *B. megaterium*, *B. clausii*, *B. stearothermophilus*, or *B. amyloliquefaciens*. In some embodiments, the *Bacillus* host cells are *B. subtilis*, *B. licheniformis*, *B. megaterium*, *B. stearothermophilus*, and/or *B. amyloliquefaciens*. In some embodiments, the bacterial host cell is a *Clostridium* species (e.g., *C. acetobutylicum*, *C. tetani* E88, *C. lituseburense*, *C. saccharobutylicum*, *C. perfringens*, and *C. beijerinckii*). In some embodiments, the bacterial host cell is a *Corynebacterium* species (e.g., *C. glutamicum* and *C. acetoacidophilum*). In some embodiments the bacterial host cell is an *Escherichia* species (e.g., *E. coli*). In some embodiments, the host cell is *Escherichia coli* W3110. In some embodiments, the bacterial host cell is an *Erwinia* species (e.g., *E. uredovora*, *E. carotovora*, *E. ananas*, *E. herbicola*, *E. punctata*, and *E. terreus*). In some embodiments, the bacterial host cell is a *Pantoea* species (e.g., *P. citrea*, and *P. agglomerans*). In some embodiments the bacterial host cell is a *Pseudomonas* species (e.g., *P. putida*, *P. aeruginosa*, *P. mevalonii*, and *P. sp.* D-01 10). In some embodiments, the bacterial host cell is a *Streptococcus* species (e.g., *S. equisimilis*, *S. pyogenes*, and *S. uberis*). In some embodiments, the bacterial host cell is a *Streptomyces* species (e.g., *S. ambofaciens*, *S. achromogenes*, *S. avermitilis*, *S. coelicolor*, *S. aureofaciens*, *S. aureus*, *S. fungicidicus*, *S. griseus*, and *S. lividans*). In some embodiments, the bacterial host cell is a *Zymomonas* species (e.g., *Z. mobilis*, and *Z. lipolytica*).

[0162] Many prokaryotic and eukaryotic strains that find use in the present invention are readily available to the public from a number of culture collections such as American Type Culture Collection (ATCC), Deutsche Sammlung von Mikroorganismen und Zellkulturen GmbH (DSM), Centraalbureau Voor Schimmelcultures (CBS), and Agricultural Research Service Patent Culture Collection, Northern Regional Research Center (NRRL).

[0163] In some embodiments, host cells are genetically modified to have characteristics that improve protein secretion, protein stability and/or other properties desirable for expression and/or secretion of a protein. Genetic modification can be achieved by genetic engineering techniques and/or classical

microbiological techniques (e.g., chemical or UV mutagenesis and subsequent selection). Indeed, in some embodiments, combinations of recombinant modification and classical selection techniques are used to produce the host cells. Using recombinant technology, nucleic acid molecules can be introduced, deleted, inhibited or modified, in a manner that results in increased yields of PGA variant(s) within the host cell and/or in the culture medium. For example, knockout of *AlpI* function results in a cell that is protease deficient, and knockout of *pyr5* function results in a cell with a pyrimidine deficient phenotype. In one genetic engineering approach, homologous recombination is used to induce targeted gene modifications by specifically targeting a gene *in vivo* to suppress expression of the encoded protein. In alternative approaches, siRNA, antisense and/or ribozyme technology find use in inhibiting gene expression. A variety of methods are known in the art for reducing expression of protein in cells, including, but not limited to deletion of all or part of the gene encoding the protein and site-specific mutagenesis to disrupt expression or activity of the gene product. (See e.g., Chaverroche et al., *Nucl. Acids Res.*, 28:22 e97 [2000]; Cho et al., *Molec. Plant Microbe Interact.*, 19:7-15 [2006]; Maruyama and Kitamoto, *Biotechnol Lett.*, 30:1811-1817 [2008]; Takahashi et al., *Mol. Gen. Genom.*, 272: 344-352 [2004]; and You et al., *Arch. Microbiol.*, 191:615-622 [2009], all of which are incorporated by reference herein). Random mutagenesis, followed by screening for desired mutations also finds use (See e.g., Combier et al., *FEMS Microbiol. Lett.*, 220:141-8 [2003]; and Firon et al., *Eukary. Cell* 2:247-55 [2003], both of which are incorporated by reference).

[0164] Introduction of a vector or DNA construct into a host cell can be accomplished using any suitable method known in the art, including but not limited to calcium phosphate transfection, DEAE-dextran mediated transfection, PEG-mediated transformation, electroporation, or other common techniques known in the art. In some embodiments, the *Escherichia coli* expression vector pCK100900i (See US Pat. Appln. Publn. 2006/0195947, which is hereby incorporated by reference herein) find use.

[0165] In some embodiments, the engineered host cells (i.e., “recombinant host cells”) of the present invention are cultured in conventional nutrient media modified as appropriate for activating promoters, selecting transformants, or amplifying the PGA polynucleotide. Culture conditions, such as temperature, pH and the like, are those previously used with the host cell selected for expression, and are well-known to those skilled in the art. As noted, many standard references and texts are available for the culture and production of many cells, including cells of bacterial, plant, animal (especially mammalian) and archebacterial origin.

[0166] In some embodiments, cells expressing the variant PGA polypeptides of the invention are grown under batch or continuous fermentations conditions. Classical “batch fermentation” is a closed system, wherein the compositions of the medium is set at the beginning of the fermentation and is not subject to artificial alternations during the fermentation. A variation of the batch system is a “fed-

batch fermentation” which also finds use in the present invention. In this variation, the substrate is added in increments as the fermentation progresses. Fed-batch systems are useful when catabolite repression is likely to inhibit the metabolism of the cells and where it is desirable to have limited amounts of substrate in the medium. Batch and fed-batch fermentations are common and well known in the art. “Continuous fermentation” is an open system where a defined fermentation medium is added continuously to a bioreactor and an equal amount of conditioned medium is removed simultaneously for processing. Continuous fermentation generally maintains the cultures at a constant high density where cells are primarily in log phase growth. Continuous fermentation systems strive to maintain steady state growth conditions. Methods for modulating nutrients and growth factors for continuous fermentation processes as well as techniques for maximizing the rate of product formation are well known in the art of industrial microbiology.

[0167] In some embodiments of the present invention, cell-free transcription/translation systems find use in producing variant PGA(s). Several systems are commercially available and the methods are well-known to those skilled in the art.

[0168] The present invention provides methods of making variant PGA polypeptides or biologically active fragments thereof. In some embodiments, the method comprises: providing a host cell transformed with a polynucleotide encoding an amino acid sequence that comprises at least about 70% (or at least about 75%, at least about 80%, at least about 85%, at least about 90%, at least about 95%, at least about 96%, at least about 97%, at least about 98%, or at least about 99%) sequence identity to SEQ ID NO: 4, 6, 8, 34, 46, 54, 74, and/or 88, and comprising at least one mutation as provided herein; culturing the transformed host cell in a culture medium under conditions in which the host cell expresses the encoded variant PGA polypeptide; and optionally recovering or isolating the expressed variant PGA polypeptide, and/or recovering or isolating the culture medium containing the expressed variant PGA polypeptide. In some embodiments, the methods further provide optionally lysing the transformed host cells after expressing the encoded PGA polypeptide and optionally recovering and/or isolating the expressed variant PGA polypeptide from the cell lysate. The present invention further provides methods of making a variant PGA polypeptide comprising cultivating a host cell transformed with a variant PGA polypeptide under conditions suitable for the production of the variant PGA polypeptide and recovering the variant PGA polypeptide. Typically, recovery or isolation of the PGA polypeptide is from the host cell culture medium, the host cell or both, using protein recovery techniques that are well known in the art, including those described herein. In some embodiments, host cells are harvested by centrifugation, disrupted by physical or chemical means, and the resulting crude extract retained for further purification. Microbial cells employed in expression of proteins can be disrupted by any convenient method, including, but not limited to freeze-thaw cycling, sonication, mechanical disruption, and/or use of cell lysing agents, as well as many other suitable methods well known to those skilled in the art.

[0169] Engineered PGA enzymes expressed in a host cell can be recovered from the cells and/or the culture medium using any one or more of the techniques known in the art for protein purification, including, among others, lysozyme treatment, sonication, filtration, salting-out, ultra-centrifugation, and chromatography. Suitable solutions for lysing and the high efficiency extraction of proteins from bacteria, such as *E. coli*, are commercially available under the trade name CellLytic B™ (Sigma-Aldrich). Thus, in some embodiments, the resulting polypeptide is recovered/isolated and optionally purified by any of a number of methods known in the art. For example, in some embodiments, the polypeptide is isolated from the nutrient medium by conventional procedures including, but not limited to, centrifugation, filtration, extraction, spray-drying, evaporation, chromatography (e.g., ion exchange, affinity, hydrophobic interaction, chromatofocusing, and size exclusion), or precipitation. In some embodiments, protein refolding steps are used, as desired, in completing the configuration of the mature protein. In addition, in some embodiments, high performance liquid chromatography (HPLC) is employed in the final purification steps. For example, in some embodiments, methods known in the art, find use in the present invention (See e.g., Parry et al., *Biochem. J.*, 353:117 [2001]; and Hong et al., *Appl. Microbiol. Biotechnol.*, 73:1331 [2007], both of which are incorporated herein by reference). Indeed, any suitable purification methods known in the art find use in the present invention.

[0170] Chromatographic techniques for isolation of the PGA polypeptide include, but are not limited to reverse phase chromatography high performance liquid chromatography, ion exchange chromatography, gel electrophoresis, and affinity chromatography. Conditions for purifying a particular enzyme will depend, in part, on factors such as net charge, hydrophobicity, hydrophilicity, molecular weight, molecular shape, etc., are known to those skilled in the art.

[0171] In some embodiments, affinity techniques find use in isolating the improved PGA enzymes. For affinity chromatography purification, any antibody which specifically binds the PGA polypeptide may be used. For the production of antibodies, various host animals, including but not limited to rabbits, mice, rats, etc., may be immunized by injection with the PGA. The PGA polypeptide may be attached to a suitable carrier, such as BSA, by means of a side chain functional group or linkers attached to a side chain functional group. Various adjuvants may be used to increase the immunological response, depending on the host species, including but not limited to Freund's (complete and incomplete), mineral gels such as aluminum hydroxide, surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, keyhole limpet hemocyanin, dinitrophenol, and potentially useful human adjuvants such as BCG (*Bacillus Calmette Guerin*) and *Corynebacterium parvum*.

[0172] In some embodiments, the PGA variants are prepared and used in the form of cells expressing the enzymes, as crude extracts, or as isolated or purified preparations. In some embodiments, the PGA variants are prepared as lyophilisates, in powder form (e.g., acetone powders), or prepared as

enzyme solutions. In some embodiments, the PGA variants are in the form of substantially pure preparations.

[0173] In some embodiments, the PGA polypeptides are attached to any suitable solid substrate. Solid substrates include but are not limited to a solid phase, surface, and/or membrane. Solid supports include, but are not limited to organic polymers such as polystyrene, polyethylene, polypropylene, polyfluoroethylene, polyethyleneoxy, and polyacrylamide, as well as co-polymers and grafts thereof. A solid support can also be inorganic, such as glass, silica, controlled pore glass (CPG), reverse phase silica or metal, such as gold or platinum. The configuration of the substrate can be in the form of beads, spheres, particles, granules, a gel, a membrane or a surface. Surfaces can be planar, substantially planar, or non-planar. Solid supports can be porous or non-porous, and can have swelling or non-swelling characteristics. A solid support can be configured in the form of a well, depression, or other container, vessel, feature, or location. A plurality of supports can be configured on an array at various locations, addressable for robotic delivery of reagents, or by detection methods and/or instruments.

[0174] In some embodiments, immunological methods are used to purify PGA variants. In one approach, antibody raised against a variant PGA polypeptide (e.g., against a polypeptide comprising any of SEQ ID NOS: 4, 6, 8, 34, 46, 54, 74, and/or 88, and/or an immunogenic fragment thereof) using conventional methods is immobilized on beads, mixed with cell culture media under conditions in which the variant PGA is bound, and precipitated. In a related approach, immunochromatography finds use.

[0175] In some embodiments, the variant PGAs are expressed as a fusion protein including a non-enzyme portion. In some embodiments, the variant PGA sequence is fused to a purification facilitating domain. As used herein, the term "purification facilitating domain" refers to a domain that mediates purification of the polypeptide to which it is fused. Suitable purification domains include, but are not limited to metal chelating peptides, histidine-tryptophan modules that allow purification on immobilized metals, a sequence which binds glutathione (e.g., GST), a hemagglutinin (HA) tag (corresponding to an epitope derived from the influenza hemagglutinin protein; See e.g., Wilson et al., *Cell* 37:767 [1984]), maltose binding protein sequences, the FLAG epitope utilized in the FLAGS extension/affinity purification system (e.g., the system available from Immunex Corp), and the like. One expression vector contemplated for use in the compositions and methods described herein provides for expression of a fusion protein comprising a polypeptide of the invention fused to a polyhistidine region separated by an enterokinase cleavage site. The histidine residues facilitate purification on IMIAC (immobilized metal ion affinity chromatography; See e.g., Porath *et al.*, *Prot. Exp. Purif.*, 3:263-281 [1992]) while the enterokinase cleavage site provides a means for separating the variant PGA polypeptide from the fusion protein. pGEX vectors (Promega) may also be used to express foreign polypeptides as fusion proteins with glutathione S-transferase (GST). In general, such

fusion proteins are soluble and can easily be purified from lysed cells by adsorption to ligand-agarose beads (e.g., glutathione-agarose in the case of GST-fusions) followed by elution in the presence of free ligand.

EXPERIMENTAL

[0176] Various features and embodiments of the disclosure are illustrated in the following representative examples, which are intended to be illustrative, and not limiting.

[0177] In the experimental disclosure below, the following abbreviations apply: ppm (parts per million); M (molar); mM (millimolar), uM and μ M (micromolar); nM (nanomolar); mol (moles); gm and g (gram); mg (milligrams); ug and μ g (micrograms); L and l (liter); ml and mL (milliliter); cm (centimeters); mm (millimeters); um and μ m (micrometers); sec. (seconds); min(s) (minute(s)); h(s) and hr(s) (hour(s)); U (units); MW (molecular weight); rpm (rotations per minute); °C (degrees Centigrade); RT (room temperature); CDS (coding sequence); DNA (deoxyribonucleic acid); RNA (ribonucleic acid); aa (amino acid); TB (Terrific Broth; 12 g/L bacto-tryptone, 24 g/L yeast extract, 4 mL/L glycerol, 65 mM potassium phosphate, pH 7.0, 1 mM MgSO_4); LB (Luria broth); CAM (chloramphenicol); PMBS (polymyxin B sulfate); IPTG (isopropyl thiogalactoside); TFA (trifluoroacetic acid); CHES (2-cyclohexylamino)ethanesulfonic acid; acetonitrile (MeCN); dimethylsulfoxide (DMSO); dimethylacetamide (DMAc); HPLC (high performance liquid chromatography); UPLC (ultra performance liquid chromatography); FIOPC (fold improvement over positive control); HTP (high throughput); MWD (multiple wavelength detector); UV (ultraviolet); Codexis (Codexis, Inc., Redwood City, CA); Sigma-Aldrich (Sigma-Aldrich, St. Louis, MO); Millipore (Millipore, Corp., Billerica MA); Difco (Difco Laboratories, BD Diagnostic Systems, Detroit, MI); Daicel (Daicel, West Chester, PA); Genetix (Genetix USA, Inc., Beaverton, OR); Molecular Devices (Molecular Devices, LLC, Sunnyvale, CA); Applied Biosystems (Applied Biosystems, part of Life Technologies, Corp., Grand Island, NY), Agilent (Agilent Technologies, Inc., Santa Clara, CA); Thermo Scientific (part of Thermo Fisher Scientific, Waltham, MA); (Infors; Infors-HT, Bottmingen/Basel, Switzerland); Corning (Corning, Inc., Palo Alto, CA); and Bio-Rad (Bio-Rad Laboratories, Hercules, CA); Microfluidics (Microfluidics Corp., Newton, MA); Waters (Waters Corp., Milford, MA).

EXAMPLE 1

E. coli Expression Hosts Containing Recombinant PGA Genes

[0178] The initial PGA enzymes used to produce the variant enzymes of the present invention were obtained from variants disclosed in co-owned US Pat. Appln. Publ. No. 2016/0326508, incorporated herein by reference in its entirety and for all purposes. The PGA panel plate comprises a collection of engineered PGA polypeptides that have improved properties, as compared to the wild-type *Khyvera*

citrophila PGA. The wild type PGA gene is a heterodimer consisting of an alpha subunit (23.8 KDa) and a beta subunit (62.2KDa) that are linked by 54aa spacer region. Due to the presence of the spacer region, an autoprocessing step is required to form the active protein. During the development of the present invention, the wild-type gene was modified to eliminate the spacer region, thus eliminating the auto processing step. The PGA panel plate (Codexis) contains PGA variants that lack the spacer region (See e.g., US Pat. Appln. Publn. 2010/0143968, which is incorporated herein by reference in its entirety and for all purposes). A C-terminal histidine was added to the genes and the PGA-encoding genes were cloned into the expression vector pCK110900 (See US Pat. Appln. Publn. No. 2006/0195947 and 2016/0244787, both of which are incorporated herein by reference in their entireties and for all purposes), operatively linked to the lac promoter under control of the lacI repressor. The expression vector also contains the P15a origin of replication and a chloramphenicol resistance gene. The resulting plasmids were transformed into *E. coli* W3110, using standard methods known in the art. The transformants were isolated by subjecting the cells to chloramphenicol selection, as known in the art (See e.g., US Pat. No. 8,383,346 and WO2010/144103, each of which is incorporated herein by reference in its entirety and for all purposes).

EXAMPLE 2

Preparation of HTP PGA-Containing Wet Cell Pellets

[0179] *E. coli* cells containing recombinant PGA-encoding genes from monoclonal colonies were inoculated into 180µl LB containing 1% glucose and 30 µg/mL chloramphenicol into the wells of 96 well shallow-well microtiter plates. The plates were sealed with O₂-permeable seals and cultures were grown overnight at 30°C., 200 rpm and 85% humidity. Then, 10µl of each of the cell cultures were transferred into the wells of 96 well deep-well plates containing 390 µL TB and 30 µg/mL CAM. The deep-well plates were sealed with O₂-permeable seals and incubated at 30°C, 250 rpm and 85% humidity until OD₆₀₀ 0.6-0.8 was reached. The cell cultures were then induced by IPTG to a final concentration of 1 mM and incubated overnight under the same conditions as originally used. The cells were then pelleted using centrifugation at 4000 rpm for 10 min. The supernatants were discarded and the pellets frozen at -80°C prior to lysis.

EXAMPLE 3

Preparation of HTP PGA-Containing Cell Lysates

[0180] First, 200µl lysis buffer containing 50 mM Tris-HCl buffer, pH 7.5, 1 mg/mL lysozyme, and 0.5 mg/mL PMBS was added to the cell paste in each well produced as described in Example 2. The cells were lysed at room temperature for 2 hours with shaking on a bench top shaker. The plate was then centrifuged for 15 min at 4000 rpm and 4° C. The clear supernatants were then used in biocatalytic reactions to determine their activity levels.

EXAMPLE 4

Preparation of Lyophilized Lysates from Shake Flask (SF) Cultures

[0181] Selected HTP cultures grown as described above were plated onto LB agar plates with 1% glucose and 30 µg/ml CAM, and grown overnight at 37 °C. A single colony from each culture was transferred to 6 ml of LB with 1% glucose and 30µg/ml CAM. The cultures were grown for 18 h at 30°C, 250 rpm, and subcultured approximately 1:50 into 250 ml of TB containing 30 µg/ml CAM, to a final OD₆₀₀ of 0.05. The cultures were grown for approximately 195 minutes at 30°C, 250 rpm, to an OD₆₀₀ between 0.6-0.8, and induced with 1 mM IPTG. The cultures were then grown for 20 h at 30°C, 250 rpm. The cultures were centrifuged 4000 rpm x 20 min. The supernatant was discarded, and the pellets were resuspended in 30 ml of 20 mM TRIS-HCl, pH 7.5. The cells were pelleted (4000 rpm x 20 min) and frozen at -80°C for 120 minutes. Frozen pellets were resuspended in 30 ml of 20 mM TRIS-HCl pH 7.5, and lysed using a Microfluidizer® processor system (Microfluidics) at 18,000 psi. The lysates were pelleted (10,000 rpm x 60 min) and the supernatants were frozen and lyophilized to generate shake flake (SF) enzymes.

[0182] The activity of selected shake flask PGA variants was evaluated based on the efficiency of the variants in removing the four/two phenyl acetate groups chemically attached to the A1/A1' (glycine), and B1/B1' (phenylalanine), residues of an insulin-dimer. Reactions using shake flask powders were carried out in 2 mL 96-well plates. In this assay, 200 µL reactions solutions consisting of 10-30 g/L tetra-protected insulin dimer (A1,A1',B1,B1'-tetraphenylacetimido- insulin-dimer) or di-protected insulin dimer (A1,A1'-diphenylacetimido- insulin dimer), 0.15-3 g/L shake flask powder, 0.2 M triethanolamine (TEoA) buffer, pH 8.5, and 20-30% (v/v) DMSO were prepared. The reaction plates were sealed with a heat seal and incubated at 30 °C and agitated at 300 RPM in a Thermotron® shaker (2 mm throw, model # AJ185, Infors) for 25 h. Three 20 µL aliquots of each reaction were taken at 45 min, 4.75 and 25 h, and quenched 1:1 with MeCN, then diluted 1:5 with deionized water. The samples were analyzed by UPLC using parameters in Tables 12.1, 12.2 and 12.3.

EXAMPLE 5

Evaluation of Shake Flask Powders of SEQ ID NO: 4 and SEQ ID NO: 6 on Tetra-Protected Insulin Tethered-Dimer

[0183] In order to assess activity differences between SEQ ID NO: 4 and the engineered variant SEQ ID NO: 6, which contains a C-terminal polyhistidine affinity tag (His-tag, HT), reactions using shake flask powders (See, Example 4) were carried out in 96-well plates with 2 mL wells. In these assays, 200 µL reaction solutions consisting of 14.5 g/L tetra-protected insulin dimer substrate (A1,A1',B1,B1'-tetraphenylacetimido- insulin tethered-dimer), 2.5 g/L shake flask powder, 0.2 M

triethanolamine (TEoA) buffer, pH 8.5, and 20% (v/v) DMSO were prepared. Reaction solution-containing plates were sealed with a heat seal and incubated at 30 °C and agitated at 300 RPM in a Thermotron® shaker (2 mm throw, model # AJ185, Infors) for 25 h. Three 20 µL aliquots of each reaction were taken at 45 min, 4.75 and 25 h, and quenched 1:1 with MeCN, then diluted 1:5 with deionized water. The samples were analyzed by UPLC using a Waters Cortecs® C18 column and the method described in Table 12.1. The activity was determined by comparing percent conversion (n=3) to the insulin dimer (product). The results are presented in Table 5.1.

Table 5.1 Activity Assessment of SEQ ID NO: 4 Compared to SEQ ID NO: 6			
Enzyme	% Conversion		
	45 min	4.75 h	25 h
SEQ ID NO: 4	58%	71%	83%
SEQ ID NO: 6	3%	35%	78%

EXAMPLE 6

Improvements in the Deacylation of Insulin Compared to SEQ ID NO: 6 in High Throughput Screening

[0184] SEQ ID NO: 6 was selected as the next parent enzyme, based on the results described in Example 5. Libraries of engineered genes were produced using well-established techniques (e.g., saturation mutagenesis and recombination of previously identified beneficial mutations). The polypeptides encoded by each gene were produced in HTP as described in Example 2, and the soluble lysate was generated as described in Example 3.

[0185] HTP reactions were carried out in 96 well deep-well plates containing 200 µL of 10 g/L tetraprotected insulin dimer substrate, 200 mM TEoA buffer, pH 8.5, 20% DMSO and 10 µL HTP lysate. The HTP plates were heat sealed and incubated in Thermotron® shakers at 30°C, 300 rpm, for 18 hours. The reactions were quenched with 200 µL MeCN and mixed for 5 minutes using a bench top shaker. The plates were then centrifuged at 4000 rpm for 5 minutes, diluted 24x into water, and injected onto an UPLC for analysis using the parameters in Table 12.1.

[0186] The percent conversion relative to SEQ ID NO:6 (Percent Conversion FIOP) was calculated as the percent conversion of the product formed by the variant over the percent conversion produced by SEQ ID NO: 6. The results are shown in Table 6.1. The percent conversion was quantified by dividing the area of the product peak by the sum of the areas of the substrate, and product as determined by UPLC analysis.

Table 6.1 Activity of Deacylating Variants Relative to SEQ ID NO: 6			
Variant NO:	SEQ ID NO: (nt/aa)	Amino Acid Differences (Relative to SEQ ID NO: 6)	Deacylation Percent Conversion (FIOP) ¹ Relative to SEQ ID NO: 6
4	13/14	A373M	++
5		K369W	++
6		L253V	++
7		K369V	++
8		L257V	++
9	7/8	F254W/A255G/W370I	++
10		T115A	++
11		K369L	++
12		Q626G	++
13		F254T	++
14		D623W	++
15		D268S	++
16		V391S	++
17		T560I	++
18		D623A	++
19		N348Q	++
20		N627G	++
21		Q554P	++
22		M600T/D623V	++
23		S706G	++
24		V391P	++
25	15/16	K369P	++
26		A255M	++
27	9/10	F254W/A255G	++
28		Q554V	++
29		S740L	++
30		N185V	++
31		S530C	++
32		Y752E	+
33		A255Y	+
34		T115P	+
35		N348C	+
36		G260P	+
37		W370S	+
38		L253K	+
39		Q556G	+
40	11/12	W370F	+

Table 6.1 Activity of Deacylating Variants Relative to SEQ ID NO: 6			
Variant NO:	SEQ ID NO: (nt/aa)	Amino Acid Differences (Relative to SEQ ID NO: 6)	Deacylation Percent Conversion (FIOP) ¹ Relative to SEQ ID NO: 6
41		N388T	+
42		I624A	+
43		Q554A	+
44		T384L	+
45		I127S	+
46		Q559S	+
47		W370G	+
48		N125L	+
49		N125T	+
50		T705P	+
51		S372A	+
52		E377P	+
53		I389L	+
54		L557G	+
55		A373F	+
56		E707S	+
57		T384F/P513Q/L536M	+
58		R748G	+
59		F256Q	+
60		A517P	+
61	17/18	T384A	+
62		L557S	+
63		D623R	+
64		Q554E	+
65		T384G	+
66		K723G	+
67	19/20	A255Q	+
68		D268V	+
69		Q559P	+
70		S435R	+
71		A255T	+
72		K723A	+
73		G260A	+
74		T705G	+
75		N627H	+
76		L257I	+
77		S530Y	+

Table 6.1 Activity of Deacylating Variants Relative to SEQ ID NO: 6			
Variant NO:	SEQ ID NO: (nt/aa)	Amino Acid Differences (Relative to SEQ ID NO: 6)	Deacylation Percent Conversion (FIOP) ¹ Relative to SEQ ID NO: 6
78		K322P	+
79		A517L	+
80		G54C	+
81		I127V	+
82		T62G	+
83		G461A	+
84		S325G	+
85		S372H	+
86		D623G	+
87		A255L	+
88		T378H	+
89		S372L	+
¹ Levels of increased activity or selectivity were determined relative to the reference polypeptide of SEQ ID NO: 6 and defined as follows: “+” > than 1.2-fold but less than 2.5-fold increase; “++” > than 2.5-fold but less than 5-fold.			

EXAMPLE 7

Improvements in the Deacylation of Insulin Compared to SEQ ID NO: 8 in High Throughput Screening

[0187] SEQ ID NO: 8 was selected as the next parent enzyme, based on the results described in Example 6. Libraries of engineered genes were produced using well-established techniques (e.g., saturation mutagenesis and recombination of previously identified beneficial mutations). The polypeptides encoded by each gene were produced in HTP as described in Example 2, and the soluble lysate was generated as described in Example 3.

[0188] HTP reactions were carried out in 96 well deep-well plates containing 200 μ L of 10 g/L tetraprotected insulin dimer substrate, 200 mM TEoA buffer, pH 8.5, 30% DMSO and 10 μ L HTP lysate. The HTP plates were heat sealed and incubated in Thermotron® at 30°C, 300 rpm, for 18 hours. The reactions were quenched with 200 μ L MeCN and mixed for 5 minutes using a bench top shaker. The plates were then centrifuged at 4000 rpm for 5 minutes, diluted 24x into water, and injected onto an UPLC for analysis using the parameters in Table 12.1.

[0189] The percent conversion relative to SEQ ID NO:8 (Percent Conversion FIOP) was calculated as the percent conversion of the product formed by the variant over the percent conversion produced

by SEQ ID NO: 8. The results are shown in Table 7.1. The percent conversion was quantified by dividing the area of the product peak by the sum of the areas of the substrate, and product peaks as determined by HPLC analysis.

Table 7.1 Activity of Deacylating Variants Relative to SEQ ID NO: 8			
Variant NO:	SEQ ID NO: (nt/aa)	Amino Acid Differences (Relative to SEQ ID NO: 8)	Deacylation Percent Conversion (FIOP) ¹ Relative to SEQ ID NO: 8
90	29/30	K103V/K369W/I370F/G444S/Q556G/S706G/H766G	++
91	25/26	K369W/I370F/G444S/Q556G/V612A/H766G	++
92		K369W/I370F/G444S/S706G/H765P/H766G	++
93	31/32	K369V/I370F/N388T/G444S/Q556G/H766G	++
94	27/28	K369W/I370F/G444S/Q556G/S706G/H765P	++
95		K369V/I370F/Q556G	++
96		K369W/I370F/G444S/Q556G	++
97		K369V/I370F/G444S/Q556G/H766G	++
98		K369P/I370F/Q556G/H766G	++
99		K103V/K369W/I370F/G444S/H765P/H766G	++
100		K369V/I370F/Q556G/H766G	++
101		K103V/K369W/I370F/V442I/G444S/L536M/Q556G/H766G	++
102		T384A/A451R/T560G/T705D/K723L	++
103		K103V/I370F/G444S/S706G/H766G	++
104		A451R/T560G/T705D/K723L	++
105		K369V/I370F/G444S	++
106		A451R/T705D/K723L	++
107		K369V/I370F/H766G	++
108		L257V/A362V/T384A/A451R	++
109		T384L/A451R/T705D/K723L	++
110		S372A/T384L/A451R/T705D	++
111		K369P/I370F/G444S/S706G/H766G	++
112		K103V/K369W/I370F/G444S	++
113		K369V/I370F/Q556G/H765P	++
114		L257V/A362V/T384L/A451R/K723L	++
115		K369P/I370F	++
116		K103V/K369W/I370F/H765P/H766G	++

Table 7.1 Activity of Deacylating Variants Relative to SEQ ID NO: 8

Variant NO:	SEQ ID NO: (nt/aa)	Amino Acid Differences (Relative to SEQ ID NO: 8)	Deacylation Percent Conversion (FIOP) ¹ Relative to SEQ ID NO: 8
117	33/34	S372A/A373M/T384L/P513Q/T560G	++
118	21/22	A362V/A451R/T705D	++
119	23/24	S372A/T384L/T560G/T705D	+

¹ Levels of increased activity or selectivity were determined relative to the reference polypeptide of SEQ ID NO: 8 and defined as follows: "+" > than 1.2-fold but less than 2.5-fold increase; "++" > than 2.5-fold but less than 5-fold; "+++" > than 5-fold.

EXAMPLE 8

**Improvements in the Deacylation of Insulin Compared to SEQ ID NO: 34
in High Throughput Screening in 30% DMSO**

[0190] SEQ ID NO: 34 was selected as the next parent enzyme, based on the results described in Example 7. Libraries of engineered genes were produced using well-established techniques (e.g., saturation mutagenesis and recombination of previously identified beneficial mutations). The polypeptides encoded by each gene were produced in HTP as described in Example 2, and the soluble lysate was generated as described in Example 3.

[0191] For Table 8.1, HTP reactions were carried out in 96 well deep-well plates containing 200 μ L of 20 g/L diprotected insulin dimer substrate (A1, A1'-diphenylacetimido- insulin tethered-dimer), 200 mM TEoA buffer, pH 8.5, 30% DMSO and 2.5 μ L HTP lysate. The HTP plates were heat sealed and incubated in Thermotron[®] shakers at 30°C, 300 rpm, for 3.5 hours. The reactions were quenched with 1:5 DMAc and mixed for 5 min using a bench top shaker. The plates were then centrifuged at 4000 rpm for 5 min, and injected onto an UPLC for analysis using the parameters in Table 12.2.

[0192] For Table 8.2, HTP reactions were carried out in 96 well deep-well plates containing 200 μ L of 20 g/L Diprotected Insulin Dimer substrate, 200 mM TEoA buffer, pH 8.5, 20% DMSO and 2.5 μ L HTP lysate. The HTP plates were heat sealed and incubated in Thermotron[®] shakers at 30°C, 300 rpm, for 5 hours. The reactions were quenched with 1:5 DMAc and mixed for 5 min using a bench top shaker. The plates were then centrifuged at 4000 rpm for 5 min, and injected onto an UPLC for analysis using the parameters in Table 12.2.

[0193] The percent conversion relative to SEQ ID NO:34 (Percent Conversion FIOP) was calculated as the percent conversion of the product formed by the variant over the percent conversion produced

by SEQ ID NO: 34. The results are shown in Tables 8.1 and 8.2. The percent conversion was quantified by dividing the area of the product peak by the sum of the areas of the substrate, and product peaks as determined by UPLC analysis.

Table 8.1 Activity of Deacylating Variants Relative to SEQ ID NO: 34

Variant NO:	SEQ ID NO: (nt/aa)	Amino Acid Differences (Relative to SEQ ID NO: 34)	Deacylation Percent Conversion (FIOP) ¹ Relative to SEQ ID NO: 34
120		D403T	+
121		P275E	+
122		A664G	+
123		A747G	+
124		K622R	+
125		Q541A	+
126		Q759N	+
127		L55V	+
128		E482A	+
129		P496K	+
130		A616G	+
131		E482S	+
132		S639G	+
133		K619N/A664G	+

¹ Levels of increased activity or selectivity were determined relative to the reference polypeptide of SEQ ID NO: 34 and defined as follows: “+” > than 1.2-fold but less than 2.5-fold increase; “++” > than 2.5-fold but less than 5-fold; “+++” > than 5-fold.

Table 8.2 Activity of Deacylating Variants Relative to SEQ ID NO: 34

Variant NO:	SEQ ID NO: (nt/aa)	Amino Acid Differences (Relative to SEQ ID NO: 34)	Deacylation Percent Conversion (FIOP) ¹ Relative to SEQ ID NO: 34
134		L253H/K369W/D623G/K723A	++
135		L253H/W254Q/K322T/K369W/D623G	++
136	41/42	K103V/A372S/M373F/L557G	++
137	37/38	G260S/A372S/M373F/Q556G/L557V/Q559S	+
138		L253H/K322T/K369W/M373W/K723A	+
139		L253H/W254Q/K369W/K619R/D623G/K723A	+
140		L253H/K322T/K369W/D623G	+

Table 8.2 Activity of Deacylating Variants Relative to SEQ ID NO: 34			
Variant NO:	SEQ ID NO: (nt/aa)	Amino Acid Differences (Relative to SEQ ID NO: 34)	Deacylation Percent Conversion (FIOP) ¹ Relative to SEQ ID NO: 34
141	39/40	G260S/A372S/M373F/Q556G	+
142	47/48	L253H/W254S/K369W	+
143	43/44	L253H/W254Q/K369W/V391A/D623G/K723A	+
144	35/36	K369W/M373F/Q556G	+
145	45/46	L253H/W254Q/K369W/D623G/K723A	+
146		L253S/W254S/G255V/K322T/K369W/K619R/K723A	+
147		L253H/M373L/D623S	+
148		K322T/K369W/D623G/K723A	+
149		L253H/W254Q/M373L/D623G/K723A	+
150		K322T/K369W/M373W/K723A	+
151		L253H/W254S/G255V/K369W/D623S/K723A	+
152		K322T/K369W	+
¹ Levels of increased activity or selectivity were determined relative to the reference polypeptide of SEQ ID NO: 34 and defined as follows: "+" > than 1.2-fold but less than 2.5-fold increase; "++" > than 2.5-fold but less than 5-fold; "+++" > than 5-fold.			

EXAMPLE 9

Improvements in the Deacylation of Insulin Compared to SEQ ID NO: 46 in High Throughput Screening

[0194] SEQ ID NO: 46 was selected as the next parent enzyme, based on the results described in Example 8. Libraries of engineered genes were produced using well-established techniques (e.g., saturation mutagenesis and recombination of previously identified beneficial mutations). The polypeptides encoded by each gene were produced in HTP as described in Example 2, and the soluble lysate was generated as described in Example 3.

[0195] HTP reactions were carried out in 96 well deep-well plates containing 200 μ L of 30 g/L diprotected insulin dimer substrate, 200 mM TEoA buffer, pH 8.5, 30% DMSO and 10 μ L HTP lysate. The HTP plates were heat sealed and incubated in Thermotron[®] shakers at 30°C, 300 rpm, for 5 hours. The reactions were quenched with 1:5 DMAc and mixed for 5 min using a bench top shaker. The plates were then centrifuged at 4000 rpm for 5 min, and injected onto an UPLC for analysis using the parameters in Table 12.2 or 12.3.

[0196] The percent conversion relative to SEQ ID NO:46 (Percent Conversion FIOP) was calculated as the percent conversion of the product formed by the variant over the percent conversion produced

by SEQ ID NO: 46 The results are shown in Table 9.1. The percent conversion was quantified by dividing the area of the product peak by the sum of the areas of the substrate, and product peaks as determined by UPLC analysis.

Table 9.1 Activity of Deacylating Variants Relative to SEQ ID NO: 46			
Variant NO:	SEQ ID NO: (nt/aa)	Amino Acid Differences (Relative to SEQ ID NO: 46)	Deacylation Percent Conversion (FIOP) ¹ Relative to SEQ ID NO: 46
153		A71F	++
154		M373A/E482C/Y569W/K619N/A764S	++
155		T176S/M373F/E482A/K622V	++
156		Q233E/M373F/E482A/K622V/A664G	++
157		T176S/M373F/E482A/K622F/A664G	++
158		Q233E/P275E/E482C/K619N	++
159		T176S/M373F/E482A/Y569W	++
160		K103V/G260S/K322T/N348A/G444S/Q556G/L557G/G623D	++
161		T176S/E482A	++
162		K146M/N309D/Q556N/K619S/R748A	++
163		T176S/Q233E/M373A/K619N/A664R	++
164		Q233E/P275E/E482A/Y569W/A664G	++
165	51/52	K103V/L257V/G260S/K322T/N348A/L384T/G444S/Q556G/G623D	++
166	55/56	N9K/K103V/H253S/K322T/N348A/G444S/Q556G/L557G/G623D	++
167		N9K/G25V/K103V/H253S/N348A/G444S/L557G/G623D	++
168		E482S/G623D	++
169		K304I/P496K/A616S/K619N/A664E/A747P/F756P/Q759E	++
170	57/58	K103V/G260S/K322T/N348A/M373A/V391A/G444S/Q556G/L557G/G623D	++
171		N9K/K103V/K322T/V391A/G444S/L557G/G623D	++
172		L225T/K304I/N494E/A616G/K619N/A664G/A747P/Q759E	++
173		N494E/P496K/A616S/K619N/A664E	++
174		L225K/K304C/N309V/Q556N/L557R/K619S/R748A	++
175		T176S/M373F/E482C/Y569W/K622C/G623D/A764S	++
176		G25V/K103V/N241K/H253S/K322T/N348A/G444S/Q556G/L557G/G623D	++
177		L225T/K304I/K322T/N494E/P496N/A616G/K619N/A664G/A747S/F756P	++
178		K103V/L257V/G260S/K322T/N348A/G444S/L557G	++
179	53/54	K103V/G260S/K322T/N348A/G444S/G623D	++

Table 9.1 Activity of Deacylating Variants Relative to SEQ ID NO: 46

Variant NO:	SEQ ID NO: (nt/aa)	Amino Acid Differences (Relative to SEQ ID NO: 46)	Deacylation Percent Conversion (FIOP) ¹ Relative to SEQ ID NO: 46
180	59/60	K322T/N348A/M373A/V391A/G444S/Q556G/G623D	++
181	61/62	K103V/K322T/N348A/M373A/G444S/Q556G/L557G	+
182	49/50	K322T/N348A/G444S/L557G	+
183		A71F	++
184		K619P	+
185		K619V	+
186		A71C	+
187		K619A	+
188		A71L	+
189		K619H	+
190		K619S	+
191		T705N	+
192		K128H	+
193		A71G	+
194		Q626E	+
195		F617W	+
196		A616D	+
197		W369A	+
198		M373G	+
199		K619L	+
200		N28A	+
201		T129E	+
202		A616E	+
203		I370M	+
204		W369L/A764G	+
205		A616N	+
206		I370Q	+
207		A451H	+
208		W369L	+
209		I389V	+
210		K622V	+
211		T379S	+
212		I77V	+
213		K622I	+
214		Q380D	+
215		G111S	+
216		N28S	+

Table 9.1 Activity of Deacylating Variants Relative to SEQ ID NO: 46

Variant NO:	SEQ ID NO: (nt/aa)	Amino Acid Differences (Relative to SEQ ID NO: 46)	Deacylation Percent Conversion (FIOP)¹ Relative to SEQ ID NO: 46
217		A616G	+
218		N28Q	+
219		W369E	+
220		T131D	+
221		W369V	+
222		I77T	+
223		R471V	+
224		Q626D	+
225		A616T	+
226		T379D	+
227		A616Q	+
228		N28C	+

¹ Levels of increased activity or selectivity were determined relative to the reference polypeptide of SEQ ID NO: 46 and defined as follows: "+" > than 1.2-fold but less than 2.5-fold increase; "++" > than 2.5-fold but less than 5-fold; "+++" > than 5-fold.

EXAMPLE 10

Improvements in the Deacylation of Insulin Compared to SEQ ID NO: 54 in High Throughput Screening

[0197] SEQ ID NO: 54 was selected as the next parent enzyme, based on the results described in Example 9. Libraries of engineered genes were produced using well-established techniques (e.g., saturation mutagenesis and recombination of previously identified beneficial mutations). The polypeptides encoded by each gene were produced in HTP as described in Example 2, and the soluble lysate was generated as described in Example 3.

[0198] HTP reactions were carried out in 96 well deep-well plates containing 200 μ L of 30 g/L diprotected insulin dimer substrate, 200 mM TEoA buffer, pH 8.5, 30% DMSO and 2.5 μ L HTP lysate. The HTP plates were heat sealed and incubated in Thermotron® shakers at 30°C, 300 rpm, for 5 hours. The reactions were quenched with 1:5 DMAc and mixed for 5 min using a bench top shaker. The plates were then centrifuged at 4000 rpm for 5 min, and injected onto an UPLC for analysis using the parameters in Table 12.3.

[0199] The percent conversion relative to SEQ ID NO:54 (Percent Conversion FIOP) was calculated as the percent conversion of the product formed by the variant over the percent conversion produced

by SEQ ID NO: 54. The results are shown in Table 10.1. The percent conversion was quantified by dividing the area of the product peak by the sum of the areas of the substrate, and product peaks as determined by HPLC analysis.

Table 10.1 Activity of Deacylating Variants Relative to SEQ ID NO: 54			
Variant NO:	SEQ ID NO: (nt/aa)	Amino Acid Differences (Relative to SEQ ID NO: 54)	Deacylation Percent Conversion (FIOP) ¹ Relative to SEQ ID NO: 54
229	73/74	A71L/K128H/M373A/E482S/A664E/P753C	+++
230	75/76	A71L/K128H/T176S/E482S/P496K	+++
231	71/72	A71L/K128H/T176S/M373A/E482C/P496K/K619S	+++
232		A71F/T176S/P275C/E482S	+++
233	69/70	K128H/T176S/M373A/E482S/A664E	+++
234		A71L/T176S/E482A/K619P/A664D/Q759E	+++
235		A71L/T176S/A451H/E482A/K619V/Q759E	+++
236		A71L/K128H/T176S/M373A/E482S/P496K/Y569C	+++
237		A71L/T176S/E482A	+++
238		A71L/Q233E/S260G/E482A/L557G/Q759E	+++
239		K128H/T176S/Q233E/M373A/E482S/Q626E/P753C	+++
240	63/64	A71L/T176S/S260G/P275C/E482A/L557G/Q759E	+++
241		A71L/K128H/T176S/P496K/A664E	+++
242		K128H/T176S/Q233E/P496K/A664E/P753C	+++
243		A71F/T176S/S260G/A451H/K619V	+++
244	67/68	A71L/T176S/Q233E/S260G/A451H/E482S/A664C/Q759E	++
245	65/66	A71F/T176S/Q233E/S260G/P275C/E482S/K619N/Q759D	++
246		A71L/T176S/M373A/Q626E/A664E/P753C	++
247		A71F/T176S/P275E/A664D	++
248		A71L/T176S/Q233E/M373A/E482C/Y569C/P753C	++
249		A71L/T176S/S260G/E482A	++
250		N28A/A71L/K128H/T176S/Q626D/P753C	++
251		K128H/T176S/M373A/P496K/P753C	++
252		A71L/T176S/S260G/E482A/L557G/K619P/A664D	++
253		N28A/A71L/K128H/T176S/K619N/A664E	++
254		T176S/Q233E/A451H/E482S/K619N/A664C/Q759D	++
255		A71F/T176S/Q233E/E482A	++
256		A71L/M373A/F756C	++
257		A71L/S260G/A451H/E482A/A664D/Q759E	++
258		T176S/Q233E/S260G/P275E/E482C/A664E/Q759D	++
259		A71M	++

Table 10.1 Activity of Deacylating Variants Relative to SEQ ID NO: 54

Variant NO:	SEQ ID NO: (nt/aa)	Amino Acid Differences (Relative to SEQ ID NO: 54)	Deacylation Percent Conversion (FIOP) ¹ Relative to SEQ ID NO: 54
260		A71F	++
261		A71G	+
262		A71L	+
263		Y180F	+
264		A71I	+
265		L122M	+
266		L82V	+
267		P739D	+
268		A71V	+
269		W658C	+
270		F679L	+
271		P496K	+
272		V184F	+
273		V184A	+
274		P739S	+
275		H472F	+
276		H472V	+
277		P686A	+
278		V126L	+

¹ Levels of increased activity or selectivity were determined relative to the reference polypeptide of SEQ ID NO: 54 and defined as follows: "+" > than 1.2-fold but less than 2.5-fold increase; "++" > than 2.5-fold but less than 5-fold; "+++" > than 5-fold.

EXAMPLE 11

Improvements in the Deacylation of Insulin Compared to SEQ ID NO: 74 in High Throughput Screening

[0200] SEQ ID NO: 74 was selected as the next parent enzyme, based on the results described in Example 10. Libraries of engineered genes were produced using well-established techniques (e.g., saturation mutagenesis and recombination of previously identified beneficial mutations). The polypeptides encoded by each gene were produced in HTP as described in Example 2, and the soluble lysate was generated as described in Example 3.

[0201] HTP reactions were carried out in 96 well deep-well plates containing 200 μ L of 30 g/L diprotected insulin dimer substrate, 200 mM TEOA buffer, pH 9, 30% DMSO and 1.25 μ L HTP lysate.

[0202] The HTP plates were heat sealed and incubated in Thermotron® shakers at 35 °C, 300 rpm, for 5 hours. The reactions were quenched with 1:5 DMAc and mixed for 5 min using a bench top shaker. The plates were then centrifuged at 4000 rpm for 5 min, and injected onto an UPLC for analysis using the parameters in Table 12.3.

[0203] The percent conversion relative to SEQ ID NO: 74 (Percent Conversion FIOP) was calculated as the percent conversion of the product formed by the variant over the percent conversion produced by SEQ ID NO: 74. The results are shown in Table 11.1. The percent conversion was quantified by dividing the area of the product peak by the sum of the areas of the substrate, product and impurities/side product peaks as observed by UPLC analysis.

Table 11.1 Activity of Deacylating Variants Relative to SEQ ID NO: 74			
Variant NO:	SEQ ID NO: (nt/aa)	Amino Acid Differences (Relative to SEQ ID NO: 74)	Deacylation Percent Conversion (FIOP) ¹ Relative to SEQ ID NO: 74
279	77/78	T176S/P275C/Y569W/Q759D	+++
280	81/82	T176S/L557G/Y569W/A616T	+++
281	83/84	T176S/Q759D	++
282		T176S/A616S	++
283		T176S/A348M/L557G/Y569W/A616G	++
284		T176S/L557G/Y569W/A616G/I708L	++
285		T176S	++
286		T176S/P275C/A348M/L557G/Q759D	++
287		T176S/Q233E	++
288		T176S/Q233E/Q759E	++
289	85/86	T176S/T352S	++
290		T176S/P275E	++
291	89/90	L71C/A451H/R748A	++
292		T176S/L557G/K619G	++
293		L71F/S353A/R357A/A451H/T705N/R748A	++
294	87/88	G111S/T176S/T352S	++
295		T176S/A616G/K619R	++
296		T176S/L557G/I708L	++
297		T176S/A616T	++
298		T176S/Q233E/T352S	++

Table 11.1 Activity of Deacylating Variants Relative to SEQ ID NO: 74

Variant NO:	SEQ ID NO: (nt/aa)	Amino Acid Differences (Relative to SEQ ID NO: 74)	Deacylation Percent Conversion (FIOP) ¹ Relative to SEQ ID NO: 74
299	79/80	L71F/A451H/Q556N/T705N/R748A	++
300		T176S/P275E/L557G/Q759E	++
301		T176S/Q233E/L557G/K619G/Q759D	++
302		T176S/A616G	++
303		T176S/L557G/A616N	++
304		T176S/A361T	++
305		T176S/Y569W/A616G/K619S/Q759D	++
306		L71C/T352S	++
307		T176S/S482C/A616G/Q759E	++
308		I77T/T176S/A712V	++

¹ Levels of increased activity or selectivity were determined relative to the reference polypeptide of SEQ ID NO: 74 and defined as follows: "+" > than 1.2-fold but less than 2.5-fold increase; "++" > than 2.5-fold but less than 5-fold; "+++" > than 5-fold.

EXAMPLE 12**Analytical Detection of Insulin Dimer and its Deacylated Products**

[0204] Data described in Examples 5-11 were collected using analytical methods in Tables 12.1, 12.2, 12.3. The methods provided herein all find use in analyzing the variants produced using the present invention. However, it is not intended that the methods described herein are the only methods applicable to the analysis of the variants provided herein and/or produced using the methods provided herein.

Table 12.1 Analytical Method

Instrument	Thermo Scientific Vanquish™ UPLC	
Column	Waters Cortecs® C18, 2.7 x 50 mm, 1.6 μM	
Mobile Phase	Gradient I (A: 0.1% TFA in water; B: 0.1% TFA in MeCN)	
	Time(min)	%A
	0.000	69
	1.500	50
	1.550	5

Table 12.1 Analytical Method	
	1.950 5 2.000 69
Flow Rate	1.000 mL/min
Run Time	2.400 min
Product Elution order	Insulin dimer (0.77 min); A1-acylated insulin dimer (0.83 min); B1-acylated insulin dimer (0.91 min); A1,A1'-diacylated insulin dimer (0.99 min); B1,B1'-diacylated insulin dimer (1.1 min); A1, A1', B1-triacylated insulin dimer & A1, B1, B1'-triacylated insulin dimer (1.15 min); A1,A1',B1,B1'-tetraacylated insulin dimer (1.25 min).
Column Temperature	40 °C
Injection Volume	1.0 µL
Detection	UV 218 nm; Detector: MWD – Data Collection Rate: 20 Hz

Table 12.2 Analytical Method	
Instrument	Thermo Scientific Vanquish™ UPLC
Column	Waters Cortecs® C18, 2.7 x 50 mm, 1.6 µM
Mobile Phase	Gradient I (A: 0.1% TFA in water; B: 0.1% TFA in MeCN) Time(min) %A 0.000 69 0.900 55 0.950 5 1.300 5 1.350 100 1.600 100 1.650 69
Flow Rate	0.800 mL/min
Run Time	2.000 min
Product Elution order	Insulin dimer (0.75 min); A1-acylated insulin dimer (0.82 min); A1,A1'-diacylated insulin dimer (0.89 min).
Column Temperature	40 °C
Injection Volume	1.0 µL

Table 12.2 Analytical Method	
Detection	UV 218 nm; Detector: MWD – Data Collection Rate: 20 Hz

Table 12.3 Analytical Method													
Instrument	Thermo Scientific Vanquish™ UPLC												
Column	Thermo Hypersil™ Gold C18, 2.1 x 50 mm, 1.9 μM												
Mobile Phase	Gradient I (A: 0.1% TFA in water; B: 0.1% TFA in MeCN)												
	<table> <tr> <th>Time(min)</th><th>%A</th></tr> <tr> <td>0.000</td><td>70</td></tr> <tr> <td>0.900</td><td>53</td></tr> <tr> <td>0.950</td><td>5</td></tr> <tr> <td>1.300</td><td>5</td></tr> <tr> <td>1.350</td><td>70</td></tr> </table>	Time(min)	%A	0.000	70	0.900	53	0.950	5	1.300	5	1.350	70
Time(min)	%A												
0.000	70												
0.900	53												
0.950	5												
1.300	5												
1.350	70												
Flow Rate	0.950 mL/min												
Run Time	1.500 min												
Product Elution order	Insulin dimer (0.61 min); A1-acylated insulin dimer (0.65 min); A1,A1'-diacylated insulin dimer (0.69 min).												
Column Temperature	40 °C												
Injection Volume	1.0 μL												
Detection	UV 218 nm; Detector: MWD – Data Collection Rate: 20 Hz												

[0205] All publications, patents, patent applications and other documents cited in this application are hereby incorporated by reference in their entireties for all purposes to the same extent as if each individual publication, patent, patent application or other document were individually indicated to be incorporated by reference for all purposes.

[0206] While various specific embodiments have been illustrated and described, it will be appreciated that various changes can be made without departing from the spirit and scope of the invention(s).

SEQUENCE LISTING

<110> CODEXIS, INC.

<120> PENICILLIN-G ACYLASES

<130> CX2-163USP1

<140> TO BE ASSIGNED

<141> SUBMITTED HERewith

<160> 90

<210> 1

<211> 2541

<212> DNA

<213> Artificial Sequence

<220>

<223> Penicillin G Acylase From Kluyvera Citrophila

<400> 1

```

atgaaaaata gaaatcgat gatcgtgaac ggtattgtga cttccctgat ctgttgttct 60
agcctgtcag cgctggcggc aagcccgcga accgaggtta agatcgttcg cgatgaatac 120
ggcatgccgc atatttacgc cgatgatacc tatcgactgt ttacaggcta tggctacgtg 180
gtggcgcagg atcgcctgtt ccagatggaa atggcgcgcc gcagtactca ggggaccgtc 240
tccgaggtgc tgggcaaagc attcgtcagt tttgataaag atattcgcca gaactactgg 300
ccggattcta ttcgcgcgca gatagcttcc ctctccgctg aggataaatc cattctgcag 360
ggctatgccg atggcatgaa tgcgtggatc gataaagtga acgccagccc cgataagctg 420
ttaccccagc agttctccac ctttggtttt aaacccaagc attgggaacc gtttgatgtg 480
gcgatgattt ttgtcggcac catggcgaac cggttttctg acagcaccag cgaaattgat 540
aacctggcgc tgctgacggc gctaaaagat aaatacggca agcagcaggg catggcggtc 600
ttaaaccagc tgaatggctt ggtaaatcct tccgcgccaa ccaccattgc ggcgcgggaa 660
agcgcctatc cgctgaagtt tgatctgcaa aacacgcaaa cggcggcgct gctgccgcgc 720
tacgaccagc cggcaccgat gctcgcaccg ccggcaaaaag ggaccgatgg cgcgtgctg 780
gcgctgaccg ccgatcagaa ccgggaaact atcgccgcgc agttcgcgca aagcggcgct 840
aacggcctgg ctggctaccc gaccactagc aatatgtggg tgattggcaa aaacaaagcc 900
caggatgcga aggccattat ggtcaatggg ccgcagtttg gttggtatgc gccggcgtag 960
acctacggta tcggcctgca cggcgcgggc tatgacgtca ccggcaatac gccgtttgcc 1020
tatccgggcc tcgttttttg tcacaacggc accatttcat ggggatccac cgccggtttt 1080
ggtgatgatg tcgatattct tgccgaaaaa ctttccgccg agaagccggg ctattaccag 1140
cataacggcg agtgggtgaa gatgttgagc cgcaaggaga ctattgcggt caaagacggc 1200
cagccggaga cttttaccgt ttggcgcacg ctgcacggca acgtcattaa aaccgatact 1260
gcgacgcaga ccgcctatgc caaagcgcgc gcctgggatg gcaaagaggt ggcgtccctg 1320
ctggcgtgga cgcaccagat gaaggccaaa aactggccgg agtgagcga gcaggcggcc 1380
aaacaggcgc tgaccattaa ctggtactac gccgatgtga acggcaatat cggctatgtg 1440
cataccggcg cctatccgga tcgccagccc ggccacgacc cgcgtttgcc ggttcccggc 1500
actggaaaat gggactggaa agggttgctg tcgtttgatt tgaatccgaa agtgtataac 1560
ccgcagtcgg gctatatcgc caactggaac aactcgccgc aaaaagacta cccggcctct 1620
gatctgttcg cgttcctgtg gggcgggtgc gatcgagtta ctgagatcga cacgatcctc 1680
gataagcaac cgcgcttcac cgccgatcag gcgtgggatg tgatccgcca aaccagccgt 1740
cgggatctca acctgcggtt gttcttaccg gcgctgaagg acgccaccgc gaacctggcg 1800
gaaaacgatc cgcgccgcca actggtggat aaactggcga gctgggacgg tgaaaacctt 1860

```

```

gtcaacgatg acggaaaaac ctatcagcaa ccgggatcgg cgattcttaa cgcctggctg 1920
accagcatgc tcaagcgcac ggtggttgcc gcggtcccag cgccgtttgg caagtgggtac 1980
agcgccagtg gctatgaaac caccaggac gggccaaccg gctcgctgaa catcagcgtg 2040
ggggcgaaaa tcctctacga agctctgcag ggtgataagt cgccaatccc gcaggcgggtc 2100
gatctgtttg gcgggaaacc gcagcaggaa gtgatactgg cggcgctgga cgacgcttgg 2160
cagacgctgt caaaacgcta cggtaacgac gtcaccggct ggaaaacccc tgccatggcg 2220
cttaccttcc gggccaataa cttcttcggc gtgccgcagg cggcagcaaa agaggcgcgt 2280
catcaggcgg agtaccagaa ccgcggtacg gaaaacgaca tgattgtctt ctcaccgacg 2340
tcgggtaacc gcccggttct tgcctgggat gtggtggcgc cggggcaaag cggttttatc 2400
gcgccggatg gcaaagccga taagcactat gacgatcagc tgaatatgta cgagagcttt 2460
ggccgtaaata cgctgtggtt aacgcctcag gacgttgacg agcacaaaga gtctcaggaa 2520
gtgctgcagg tacagcgcta a 2541

```

<210> 2

<211> 846

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 2

```

Met Lys Asn Arg Asn Arg Met Ile Val Asn Gly Ile Val Thr Ser Leu
1      5      10     15
Ile Cys Cys Ser Ser Leu Ser Ala Leu Ala Ala Ser Pro Pro Thr Glu
20     25     30
Val Lys Ile Val Arg Asp Glu Tyr Gly Met Pro His Ile Tyr Ala Asp
35     40     45
Asp Thr Tyr Arg Leu Phe Tyr Gly Tyr Gly Tyr Val Val Ala Gln Asp
50     55     60
Arg Leu Phe Gln Met Glu Met Ala Arg Arg Ser Thr Gln Gly Thr Val
65     70     75     80
Ser Glu Val Leu Gly Lys Ala Phe Val Ser Phe Asp Lys Asp Ile Arg
85     90     95
Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu Ser
100    105    110
Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn Ala
115    120    125
Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln Gln
130    135    140
Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp Val
145    150    155    160
Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser Thr
165    170    175
Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys Tyr
180    185    190
Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu Val
195    200    205
Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr Pro
210    215    220
Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala Ala Leu Leu Pro Arg
225    230    235    240

```

Tyr	Asp	Gln	Pro	Ala	Pro	Met	Leu	Asp	Arg	Pro	Ala	Lys	Gly	Thr	Asp	
				245					250					255		
Gly	Ala	Leu	Leu	Ala	Leu	Thr	Ala	Asp	Gln	Asn	Arg	Glu	Thr	Ile	Ala	
			260					265					270			
Ala	Gln	Phe	Ala	Gln	Ser	Gly	Ala	Asn	Gly	Leu	Ala	Gly	Tyr	Pro	Thr	
		275					280					285				
Thr	Ser	Asn	Met	Trp	Val	Ile	Gly	Lys	Asn	Lys	Ala	Gln	Asp	Ala	Lys	
	290					295					300					
Ala	Ile	Met	Val	Asn	Gly	Pro	Gln	Phe	Gly	Trp	Tyr	Ala	Pro	Ala	Tyr	
305					310					315					320	
Thr	Tyr	Gly	Ile	Gly	Leu	His	Gly	Ala	Gly	Tyr	Asp	Val	Thr	Gly	Asn	
				325					330					335		
Thr	Pro	Phe	Ala	Tyr	Pro	Gly	Leu	Val	Phe	Gly	His	Asn	Gly	Thr	Ile	
			340					345					350			
Ser	Trp	Gly	Ser	Thr	Ala	Gly	Phe	Gly	Asp	Asp	Val	Asp	Ile	Phe	Ala	
		355					360					365				
Glu	Lys	Leu	Ser	Ala	Glu	Lys	Pro	Gly	Tyr	Tyr	Gln	His	Asn	Gly	Glu	
	370					375					380					
Trp	Val	Lys	Met	Leu	Ser	Arg	Lys	Glu	Thr	Ile	Ala	Val	Lys	Asp	Gly	
385					390					395					400	
Gln	Pro	Glu	Thr	Phe	Thr	Val	Trp	Arg	Thr	Leu	His	Gly	Asn	Val	Ile	
				405					410					415		
Lys	Thr	Asp	Thr	Ala	Thr	Gln	Thr	Ala	Tyr	Ala	Lys	Ala	Arg	Ala	Trp	
			420					425					430			
Asp	Gly	Lys	Glu	Val	Ala	Ser	Leu	Leu	Ala	Trp	Thr	His	Gln	Met	Lys	
		435					440					445				
Ala	Lys	Asn	Trp	Pro	Glu	Trp	Thr	Gln	Gln	Ala	Ala	Lys	Gln	Ala	Leu	
	450					455				460						
Thr	Ile	Asn	Trp	Tyr	Tyr	Ala	Asp	Val	Asn	Gly	Asn	Ile	Gly	Tyr	Val	
465					470					475					480	
His	Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	
				485					490					495		
Pro	Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	
			500					505					510			
Asp	Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	
		515					520					525				
Trp	Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Phe	Ala	
	530					535					540					
Phe	Leu	Trp	Gly	Gly	Ala	Asp	Arg	Val	Thr	Glu	Ile	Asp	Thr	Ile	Leu	
545					550					555					560	
Asp	Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	
				565					570					575		
Gln	Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	
			580					585					590			
Lys	Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	
		595					600					605				
Val	Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	
	610					615					620					
Gly	Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	
625					630					635					640	
Thr	Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	
				645					650					655		
Gly	Lys	Trp	Tyr	Ser	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	


```

gacgggccaa ccggctcgct gaacatcagc gtgggggcga aaatcctcta cgaagctctg 1200
cagggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260
gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcgcttacct tccgggccaa taacttcttc 1380
ggcgtgccgc aggcgggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggt tcttgccctgg 1500
gatgtggtgg cgccggggca aagcggtttt atcgcgccgg atggcaaagc cgataagcac 1560
tatgacgata agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtgc aggtacagtt ggatcagacc 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata ttacgccga tgatacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgtttca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagt tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggccaaccgt 2100
ttttctgaca gcaccagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcag ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgtaa 2295

```

<210> 4

<211> 764

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 4

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175

```

Ile	Asn	Trp	Tyr	Tyr	Ala	Asp	Val	Asn	Gly	Asn	Ile	Gly	Tyr	Val	His
			180					185					190		
Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200					205			
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
		210				215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Phe	Ala	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260					265					270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
	355						360					365			
Lys	Trp	Tyr	Ser	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Thr
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Gly	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Pro	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Thr
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr


```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcgcttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtggtgg cgccggggca aagcgggtttt atcgcgccgg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt ggatcagacc 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcaccagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 6

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 6

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro	195	200	205
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp	210	215	220
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp	225	230	235
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Phe	Ala	Phe	245	250	255
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp	260	265	270
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln	275	280	285
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys	290	295	300
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val	305	310	315
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly	325	330	335
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr	340	345	350
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly	355	360	365
Lys	Trp	Tyr	Ser	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Thr	370	375	380
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu	385	390	395
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly	405	410	415
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln	420	425	430
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Gly	Trp	Lys	Thr	Pro	435	440	445
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln	450	455	460
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly	465	470	475
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro	485	490	495
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala	500	505	510
Pro	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr	515	520	525
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp	530	535	540
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Thr	545	550	555
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala	565	570	575
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln	580	585	590
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr	595	600	605
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile			

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 7

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 7

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggg gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt ggggcttcct gtggggcggt 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttaagatc tacagcgctt cgggctatga aaccaccag 1140
gacgggcaa ccggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcgcttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgctgg 1500
gatgtggtgg cgccggggca aagcggtttt atcgcgccgg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt ggatcagacc 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcaccagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 8

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 8

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200					205			
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Trp	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Lys	Ile	Tyr	Ser	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Thr
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Gly	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Pro	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Thr
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 9

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 9

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgcgcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt ggggcttcct gtggggcggt 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtagtt 1080
gccgcggttc cagcgccgtt tggttaagtgg tacagcgcca gtggctatga aaccaccag 1140
gacgggcaa ccggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
cagggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcgcttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtggtgg cgccggggca aagcgggtttt atcgcgccgg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt ggatcagacc 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcaccagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 10

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 10

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1          5          10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
20        25        30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
35        40        45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
50        55        60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65        70        75        80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
85        90        95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
100       105       110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
115       120       125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
130       135       140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145       150       155       160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
165       170       175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
180       185       190

```

15/136

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 11

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 11

```

agcaatatgt gggatgattgg caaaaacaaa gccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgcgcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcaactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt tcgcgttcct gtggggcggt 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggtcc cagcgccgtt tggttaagttt tacagcgcca gtggctatga aaccacccag 1140
gacgggcaa ccggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcgcttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtggtgg cgccggggca aagcgggtttt atcgcgccgg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt ggatcagacc 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcaccagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 12

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 12

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1          5          10         15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20         25         30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35         40         45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50         55         60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65         70         75         80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85         90         95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100        105        110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115        120        125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130        135        140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145        150        155        160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165        170        175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180        185        190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro	195	200	205
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp	210	215	220
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp	225	230	235
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Phe	Ala	Phe	245	250	255
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp	260	265	270
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln	275	280	285
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys	290	295	300
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val	305	310	315
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly	325	330	335
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr	340	345	350
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly	355	360	365
Lys	Phe	Tyr	Ser	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Thr	370	375	380
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu	385	390	395
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly	405	410	415
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln	420	425	430
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Gly	Trp	Lys	Thr	Pro	435	440	445
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln	450	455	460
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly	465	470	475
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro	485	490	495
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala	500	505	510
Pro	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr	515	520	525
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp	530	535	540
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Thr	545	550	555
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala	565	570	575
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln	580	585	590
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr	595	600	605
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile			

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 13

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 13

```

agcaatatgt gggatgattgg caaaaacaaa gccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggg gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgcgcctggg atggcaaaga ggtggcgtcc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcggtt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcggttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt tcgcgttcct gtggggcggt 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggtcc cagcgccgtt tggttaagtgg tacagcatga gtggctatga aaccaccag 1140
gacgggcaa ccggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcgcttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtggtgg cgccggggca aagcgggtttt atcgcgccgg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt ggatcagacc 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcaccagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 14

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 14

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1          5          10         15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20         25         30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35         40         45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50         55         60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65         70         75         80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85         90         95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100        105        110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115        120        125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130        135        140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145        150        155        160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165        170        175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180        185        190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Phe	Ala	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Lys	Trp	Tyr	Ser	Met	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Thr
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Gly	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Pro	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Thr
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 15

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 15

```

agcaatatgt gggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgcgcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcaactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt tcgcgttcct gtggggcggt 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggtcc cagcgccgtt tgggtccgtg tacagcgcca gtggctatga aaccaccag 1140
gacgggcaa ccggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcgcttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtggtgg cgccggggca aagcgggtttt atcgcgccgg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt ggatcagacc 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcaccagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 16

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 16

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Phe	Ala	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Pro	Trp	Tyr	Ser	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Thr
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Gly	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Pro	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Thr
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 17

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 17

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgcgcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcaactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt tcgcgttcct gtggggcggt 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaac aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggtcc cagcgccgtt tggttaagtgg tacagcgcca gtggctatga aaccaccag 1140
gacgggccag ctggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
cagggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcgcttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtggtgg cgccggggca aagcgggtttt atcgcgccgg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt ggatcagacc 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgtttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcaccagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 18

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 18

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200					205			
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Phe	Ala	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Lys	Trp	Tyr	Ser	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Ala
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Gly	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Pro	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Thr
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 19

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 19

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggg gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgcgcctggg atggcaaaga ggtggcgtcc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt tccagttcct gtggggcggt 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggtcc cagcgccgtt tggttaagtgg tacagcgcca gtggctatga aaccaccag 1140
gacgggcaa ccggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcgcttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgctgg 1500
gatgtggtgg cgccggggca aagcggtttt atcgcgccgg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt ggatcagacc 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcaccagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 20

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 20

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1          5          10         15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20         25         30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35         40         45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50         55         60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65         70         75         80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85         90         95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100        105        110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115        120        125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130        135        140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145        150        155        160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165        170        175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180        185        190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Phe	Gln	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Lys	Trp	Tyr	Ser	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Thr
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Gly	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Pro	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Thr
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 21

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 21

```

agcaatatgt gggatgattgg caaaaacaaa gccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggg gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcggtt gccggttccc ggcaactggaa aatgggactg gaaaggggtg 660
ctgtcggttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt ggggcttcct gtggggcggt 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtgggt 1080
gccgtgggtc cagcgccgtt tggttaagatc tacagcgctt cgggctatga aaccaccag 1140
gacgggcaa ccggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg aggccttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtggtgg cgccggggca aagcgggtttt atcgcgccgg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt ggatcagacg 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgtttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcgacagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 22

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 22

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1          5          10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100          105          110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115          120          125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130          135          140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145          150          155          160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165          170          175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180          185          190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Trp	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Val	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Lys	Ile	Tyr	Ser	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Thr
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Gly	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Arg	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Pro	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Thr
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Asp Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 23

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 23

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggg gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgtcc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt ggggcttcct gtggggcggt 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttaagatc tacgcggcgt cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcccttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtggtgg cgccggggca aagcgggtttt atcgcgccgg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt ggatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcgacagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 24

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 24

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro	195	200	205
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp	210	215	220
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp	225	230	235
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Trp	Gly	Phe	245	250	255
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp	260	265	270
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln	275	280	285
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys	290	295	300
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val	305	310	315
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly	325	330	335
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr	340	345	350
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly	355	360	365
Lys	Ile	Tyr	Ala	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu	370	375	380
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu	385	390	395
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly	405	410	415
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln	420	425	430
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Gly	Trp	Lys	Thr	Pro	435	440	445
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln	450	455	460
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly	465	470	475
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro	485	490	495
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala	500	505	510
Pro	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr	515	520	525
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp	530	535	540
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Gly	545	550	555
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala	565	570	575
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln	580	585	590
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr	595	600	605
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile			

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Asp Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 25

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 25

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcaactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt ggggcttcct gtggggcggt 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtgggt 1080
gccgcggttc cagcgccgtt tggttggttc tacagcgctt cgggctatga aaccaccag 1140
gacgggcaa ccggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcgcttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtggtgg cgccggggca aagcgggtttt atcgcgccgg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtagggtt ggatcagacc 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggcgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcaccagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcatggaca ccatcaccat taa 2313

```

<210> 26

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 26

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Trp	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Trp	Phe	Tyr	Ser	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Thr
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Pro	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gly	Leu	Asp	Gln	Thr
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Ala	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His Gly His His		
755	760	765
His His		
770		

<210> 27

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 27

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt ggggcttcct gtggggcggt 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggttc tacagcgctt cgggctatga aaccaccag 1140
gacgggcaa ccggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcgcttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtgggtg cgccggggca aagcgggtttt atcgcgccgg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtagggtt ggatcagacc 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtgggt gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcaccggcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgctcatca ccataccat taa 2313

```

<210> 28

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 28

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Trp	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Trp	Phe	Tyr	Ser	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Thr
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Pro	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gly	Leu	Asp	Gln	Thr
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Gly Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala Pro His His His		
755	760	765
His His		
770		

<210> 29

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 29

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgttg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt ggggcttcct gtggggcggt 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggttc tacagcgctt cgggctatga aaccaccag 1140
gacgggcaa ccggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcgcttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtggtgg cgccggggca aagcgggtttt atcgcgccgg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtagggtt ggatcagacc 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcaccggcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcatggaca ccatcaccat taa 2313

```

<210> 30

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 30

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Trp	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Trp	Phe	Tyr	Ser	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Thr
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Pro	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gly	Leu	Asp	Gln	Thr
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Gly Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His Gly His His		
755	760	765
His His		
770		

<210> 31

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 31

```

agcaatatgt gggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgtcc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcaactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt ggggcttcct gtggggcggt 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcggcgtt tgggtgtctt tacagcgctt cgggctatga aaccacccag 1140
gacgggcaa ccggctcgct gaccatcagc gtggggcgga aaatcctcta cgaagctctg 1200
cagggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcgcttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtggtgg cgccggggca aagcgggtttt atcgcgccgg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtagggtt ggatcagacc 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcaccagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcatggaca ccatcaccat taa 2313

```

<210> 32

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 32

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Trp	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Val	Phe	Tyr	Ser	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Thr
	370					375					380				
Gly	Ser	Leu	Thr	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Pro	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gly	Leu	Asp	Gln	Thr
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His Gly His His		
755	760	765
His His		
770		

<210> 33

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 33

```

agcaatatgt gggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggg gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt ggggcttctt gtggggcggt 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttaagatc tacgcgatgt cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcccttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtgggtg cgccggggca aagcgggtttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt ggatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtgggt gcgcaggatc gcctgtttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcaggt tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcac ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 34

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 34

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Trp	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Lys	Ile	Tyr	Ala	Met	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Gly	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Gly
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 35

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 35

```

agcaatatgt gggatgattgg caaaaacaaa gccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgctttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt ggggcttctt gtggggcggc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggatc tacgcgtttt cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcccttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtgggtg cgccggggca aagcgggttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtagggtt agatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtgggt gcgcaggatc gcctgtttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcaggt tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 36

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 36

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Trp	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Trp	Ile	Tyr	Ala	Phe	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Gly	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gly	Leu	Asp	Gln	Gly
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 37

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 37

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt ggggcttctt gtggggcagc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttaagatc tactcgtttt cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtgggggcga aaatcctcta cgaagctctg 1200
cagggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcccttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtggtgg cgccggggca aagcgggttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtagggtg tgattcgggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttagccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagt tctccacctt tggttttaaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 38

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 38

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Trp	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Ser	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Lys	Ile	Tyr	Ser	Phe	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Gly	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gly	Val	Asp	Ser	Gly
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 39

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 39

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt ggggcttctt gtggggcagc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttaagatc tactcgtttt cgggctatga aaccacccag 1140
gacgggccac tcggctcgct gaacatcagc gtgggggcga aaatcctcta cgaagctctg 1200
cagggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcccttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtgggtg cgccggggca aagcgggttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtagggtt agatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtgggt gcgcaggatc gcctgtttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcacgagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaaac agcagggcat ggcggctctt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 40

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 40

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Trp	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Ser	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Lys	Ile	Tyr	Ser	Phe	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Gly	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gly	Leu	Asp	Gln	Gly
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 41

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 41

```

agcaatatgt gggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgttg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgtcc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgctttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatctgt ggggcttctt gtggggcggc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttaagatc tactcgtttt cgggctatga aaccacccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
cagggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcccttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtgggtg cgccggggca aagcgggtttt atcgcgcagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacaagg tgatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtgggt gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcacgagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaaac agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 42

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 42

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Leu	Trp	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Lys	Ile	Tyr	Ser	Phe	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Gly	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Gly	Asp	Gln	Gly
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 43

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 43

```

agcaatatgt gggatgattgg caaaaacaaa gccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcatc aaggtttcct ttggggcggt 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggatc tacgcgatgt cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gcggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcccttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtgggtg cgccggggca aagcgggtttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt ggatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtgggt gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaaattt 1860
gataaaggca ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcaggt tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcaggggcat ggcgggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 44

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 44

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1          5          10         15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20         25         30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35         40         45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50         55         60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65         70         75         80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85         90         95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100        105        110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115        120        125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130        135        140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145        150        155        160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165        170        175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180        185        190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro	195	200	205
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp	210	215	220
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp	225	230	235
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe	245	250	255
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp	260	265	270
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln	275	280	285
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys	290	295	300
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val	305	310	315
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly	325	330	335
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr	340	345	350
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly	355	360	365
Trp	Ile	Tyr	Ala	Met	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu	370	375	380
Gly	Ser	Leu	Asn	Ile	Ser	Ala	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu	385	390	395
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly	405	410	415
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln	420	425	430
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Gly	Trp	Lys	Thr	Pro	435	440	445
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln	450	455	460
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly	465	470	475
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro	485	490	495
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala	500	505	510
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr	515	520	525
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp	530	535	540
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Gly	545	550	555
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala	565	570	575
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln	580	585	590
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr	595	600	605
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Gly	Ile			

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 45

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 45

```

agcaatatgt gggatgattgg caaaaacaaa gccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggg gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcggtt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcatc aaggtttcct ttggggcggt 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggatc tacgcgatgt cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcccttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtgggtg cgccggggca aagcgggttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt ggatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtgggt gcgcaggatc gcctgtttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgtctg gcaaagcatt cgttaaattt 1860
gataaaggca ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcaggt tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 46

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 46

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

69/136

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 47

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 47

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcatt cgggtttcct ttggggcggt 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gataaactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct taacgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggatc tacgcgatgt cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcaccg gctggaaaac ccctgccatg gcccttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtgggtg cgccggggca aagcgggtttt atcgcgcagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgcctg aggtacagtt ggatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtgggt gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaagttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcaagc agcagggcac ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcacatca ccataccat taa 2313

```

<210> 48

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 48

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro	195	200	205
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp	210	215	220
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp	225	230	235
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Ser	Gly	Phe	245	250	255
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp	260	265	270
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln	275	280	285
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys	290	295	300
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val	305	310	315
Asp	Lys	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly	325	330	335
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Asn	Ala	Trp	Leu	Thr	340	345	350
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly	355	360	365
Trp	Ile	Tyr	Ala	Met	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu	370	375	380
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu	385	390	395
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly	405	410	415
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln	420	425	430
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Gly	Trp	Lys	Thr	Pro	435	440	445
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln	450	455	460
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly	465	470	475
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro	485	490	495
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala	500	505	510
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr	515	520	525
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp	530	535	540
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Gly	545	550	555
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala	565	570	575
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln	580	585	590
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr	595	600	605
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile			

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Lys Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 49

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 49

```

agcaatatgt gggatgattgg caaaaacaaa gccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcaactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcggc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccggt tggttggatt tacgcgatgt cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
cagggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcccttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgctgg 1500
gatgtgggtg cgccggggca aagcgggttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacaggg ggatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtgggt gcgcaggatc gcctgtttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaaattt 1860
gataaaggca ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagt tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcaggggcat ggcgggtctt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 50

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 50

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Trp	Ile	Tyr	Ala	Met	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Gly	Asp	Gln	Gly
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Gly	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 51

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 51

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggg gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcgt gtggggcagc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccggt tggttggatt tacgcgatgt cgggctatga aaccaccag 1140
gacgggcaa caggctcgct gaacatcagc gtggggcgca aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcccttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtggtgg cgccggggca aagcgggtttt atcgcgcagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtagggtt agatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaaattt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgtctg tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 52

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 52

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe
				245					250					255	
Val	Trp	Gly	Ser	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Trp	Ile	Tyr	Ala	Met	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Thr
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gly	Leu	Asp	Gln	Gly
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 53

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 53

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggg gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcagc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggatt tacgcgatgt cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtgggggcga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcccttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtggtgg cgccggggca aagcgggtttt atcgcgcagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt agatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaaattt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcag ggcggctctt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 54

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 54

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Ser	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Trp	Ile	Tyr	Ala	Met	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Gly
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 55

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 55

```

agcaatatgt gggtgattgg caaaaaaaaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcaactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgattctc aaggtttcct gtggggcggc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggatt tacgcgatgt cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcccttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtggtgg cgccggggca aagcgggtttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtagggtg ggatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgtttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaaattt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagt tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 56

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 56

```

Ser Asn Met Trp Val Ile Gly Lys Lys Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200					205			
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	Ser	Gln	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Trp	Ile	Tyr	Ala	Met	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gly	Gly	Asp	Gln	Gly
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 57

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 57

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatgggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcagc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggatt tacgcggcat cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gcggggcgga aaatcctcta cgaagctctg 1200
cagggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcccttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtggtgg cgccggggca aagcgggtttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtagggtg ggatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgtttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaaattt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcat ggcggctctt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcacatca ccataccat taa 2313

```

<210> 58

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 58

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1          5          10         15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20         25         30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35         40         45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50         55         60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65         70         75         80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85         90         95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100        105        110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115        120        125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130        135        140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145        150        155        160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165        170        175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180        185        190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Ser	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Trp	Ile	Tyr	Ala	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Ala	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gly	Gly	Asp	Gln	Gly
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 59

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 59

```

agcaatatgt gggatgattgg caaaaacaaa gccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcaagg agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcggtt gccggttccc ggcaactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcggc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggatt tacgcggcat cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gcggggcgga aaatcctcta cgaagctctg 1200
cagggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcccttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtgggtg cgccggggca aagcgggttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtagggtt agatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtgggt gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaaattt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagt tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 60

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 60

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1          5          10         15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20         25         30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35         40         45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50         55         60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65         70         75         80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85         90         95
Val Lys Met Leu Ser Arg Lys Glu Thr Ile Ala Val Lys Asp Gly Gln
          100        105        110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115        120        125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130        135        140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145        150        155        160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165        170        175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180        185        190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Trp	Ile	Tyr	Ala	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Ala	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gly	Leu	Asp	Gln	Gly
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 61

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 61

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggg gccggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgtcc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcggc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgtgta aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggatt tacgcggcat cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtgggggcga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcccttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggaaaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtgggtg cgccggggca aagcgggtttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtagggtg ggatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtgggtg gcgcaggatc gcctgtttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaaattt 1860
gataaaggca ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcaggt tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcgt ggcgggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 62

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 62

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Trp	Ile	Tyr	Ala	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Glu	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gly	Gly	Asp	Gln	Gly
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Gly	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 63

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 63

```

agcaatatgt gggatgattgg caaaaacaaa gccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt cttggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgagcat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcggtt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcgaat cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcggc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aatgccgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggatt tacgcgatgt cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcacttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acggcacaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtgggtg cgccggggca aagcgggtttt atcgcgcagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacaggg tgatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtgggt gcgcaggatc gcctgtttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaaattt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg ccagccccga taagctgtta cccagcagt tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctggagaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 64

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 64

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Leu Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Ser
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Cys	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Trp	Ile	Tyr	Ala	Met	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Ala	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Gly	Asp	Gln	Gly
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Glu Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 65

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 65

```

agcaatatgt gggatgattgg caaaaacaaa gccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt tttggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgagcat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcggtt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcggttg atttgaatcc gaaagtgtat aaccgggaat cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcggc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aatgccgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggatt tacgcgatgt cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcacttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acgtctaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtgggtg cgccggggca aagcgggttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt ggatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtgggt gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtaaatttt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg caagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctggacaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 66

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 66

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Phe Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Ser
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Glu	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Cys	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Trp	Ile	Tyr	Ala	Met	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Ser	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Gly
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Asn	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Asp Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 67

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 67

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt cttggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat taaaaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgagcat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcgaat cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcggc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccggt tggttggtt tacgcgatgt cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg catcttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acgtctaaca acatgattgt cttctcaccg acgtcgggta accgcccggg tcttgccctgg 1500
gatgtgggtg cgccggggca aagcgggtttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt ggatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtgggtg gcgcaggatc gcctgtttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaaattt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaact gcagccccga taagctgtta cccagcaggt tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tatggcgcg agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctggagaac 2280
acgcaaacgg cgcacatca ccataccat taa 2313

```

<210> 68

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 68

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1          5          10         15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20         25         30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35         40         45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50         55         60
Trp Gly Ser Thr Ala Gly Leu Gly Asp Ser Val Asp Ile Phe Ala Glu
65         70         75         80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85         90         95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100        105        110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile Lys
          115        120        125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130        135        140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145        150        155        160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Ser
          165        170        175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180        185        190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro	195	200	205
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp	210	215	220
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Glu	Ser	Gly	Tyr	Ile	Ala	Asn	Trp	225	230	235
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe	245	250	255
Leu	Trp	Gly	Gly	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp	260	265	270
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln	275	280	285
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys	290	295	300
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val	305	310	315
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly	325	330	335
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr	340	345	350
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly	355	360	365
Trp	Ile	Tyr	Ala	Met	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu	370	375	380
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu	385	390	395
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly	405	410	415
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln	420	425	430
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro	435	440	445
Ala	Met	His	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln	450	455	460
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly	465	470	475
Thr	Ser	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro	485	490	495
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala	500	505	510
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr	515	520	525
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp	530	535	540
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Gly	545	550	555
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala	565	570	575
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln	580	585	590
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr	595	600	605
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile			

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Cys Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Glu Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 69

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 69

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggg gcgggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat tcacaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgtcc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgagcat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcaactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcgaat cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcagc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggatt tacgcggcat cgggctatga aaccacccag 1140
gacgggccac tcggctcgct gaacatcagc gtgggggcga aaatcctcta cgaagctctg 1200
cagggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcccttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acgtccaaca acatgattgt cttctcaccg acgtcgggta accgccccgt tcttgctgg 1500
gatgtggtgg cgccggggca aagcggtttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtgc aggtacagtt agatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttagccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaaattt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg aaagccccga taagctgtta cccagcagt tctccacctt tggttttaaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcag ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 70

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 70

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Ala Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile His
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Ser
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro	195	200	205
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp	210	215	220
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp	225	230	235
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe	245	250	255
Leu	Trp	Gly	Ser	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp	260	265	270
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln	275	280	285
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys	290	295	300
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val	305	310	315
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly	325	330	335
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr	340	345	350
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly	355	360	365
Trp	Ile	Tyr	Ala	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu	370	375	380
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu	385	390	395
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly	405	410	415
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln	420	425	430
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro	435	440	445
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln	450	455	460
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly	465	470	475
Thr	Ser	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro	485	490	495
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala	500	505	510
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr	515	520	525
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp	530	535	540
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Gly	545	550	555
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala	565	570	575
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln	580	585	590
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr	595	600	605
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile			

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Glu Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 71

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 71

```

agcaatatgt gggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taatccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt ttgggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat tcacaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgtcc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgagcat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcgttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcagc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccggt tggttggatt tacgcggcat cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtgggggcga aaatcctcta cgaagctctg 1200
cagggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcccttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acgtgcaaca acatgattgt cttctcaccg acgtcgggta accgcaaggt tcttgctgg 1500
gatgtgggtg cgccggggca aagcgggtttt atcgcgcagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt agatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtgggtg gcgcaggatc gcctgtttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgtttcattt 1860
gataaagata ttcgcaaaaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg caagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcag ggcggctctt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 72

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 72

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Leu Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile His
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Ser
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro	195	200	205
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp	210	215	220
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp	225	230	235
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe	245	250	255
Leu	Trp	Gly	Ser	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp	260	265	270
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln	275	280	285
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys	290	295	300
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val	305	310	315
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly	325	330	335
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr	340	345	350
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly	355	360	365
Trp	Ile	Tyr	Ala	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu	370	375	380
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu	385	390	395
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly	405	410	415
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln	420	425	430
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro	435	440	445
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln	450	455	460
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly	465	470	475
Thr	Cys	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Lys	485	490	495
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala	500	505	510
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr	515	520	525
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp	530	535	540
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Gly	545	550	555
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala	565	570	575
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln	580	585	590
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr	595	600	605
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Ser	Phe	Asp	Lys	Asp	Ile			

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 73

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 73

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taaccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt ttgggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat tcacaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgtcc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcttt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcagc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggtt tacgcggcat cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcccttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acgtccaaca acatgattgt cttctcaccg acgtcgggta accgccccgt tcttgctgg 1500
gatgtgggtg cgccggggca aagcggtttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt agatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtgggtg gcgcaggatc gcctgtttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaaattt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg aaagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctattgcc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 74

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 74

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Leu Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile His
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro	195	200	205
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp	210	215	220
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp	225	230	235
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe	245	250	255
Leu	Trp	Gly	Ser	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp	260	265	270
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln	275	280	285
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys	290	295	300
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val	305	310	315
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly	325	330	335
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr	340	345	350
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly	355	360	365
Trp	Ile	Tyr	Ala	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu	370	375	380
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu	385	390	395
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly	405	410	415
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln	420	425	430
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro	435	440	445
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln	450	455	460
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly	465	470	475
Thr	Ser	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro	485	490	495
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala	500	505	510
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr	515	520	525
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp	530	535	540
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Gly	545	550	555
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala	565	570	575
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln	580	585	590
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr	595	600	605
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile			

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Glu Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Cys Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 75

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 75

```

agcaatatgt gggatgattgg caaaaacaaa gccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taaccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt ttgggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat tcacaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgagcat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcggtt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcgtttg atttgaatcc gaaagtgtat aaccgcgaat cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcagc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggatt tacgcgatgt cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcccttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acgtccaaca acatgattgt cttctcaccg acgtcgggta accgcaaggt tcttgctgg 1500
gatgtggtgg cgccggggca aagcggtttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt agatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaaattt 1860
gataaagata ttcgccaaaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg caagccccga taagctgtta cccagcagt tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcag ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctatccgc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 76

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 76

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1          5          10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Leu Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100          105          110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile His
          115          120          125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130          135          140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145          150          155          160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Ser
          165          170          175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180          185          190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro	195	200	205
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp	210	215	220
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp	225	230	235
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe	245	250	255
Leu	Trp	Gly	Ser	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp	260	265	270
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln	275	280	285
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys	290	295	300
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val	305	310	315
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly	325	330	335
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr	340	345	350
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly	355	360	365
Trp	Ile	Tyr	Ala	Met	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu	370	375	380
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu	385	390	395
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly	405	410	415
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln	420	425	430
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro	435	440	445
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln	450	455	460
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly	465	470	475
Thr	Ser	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Lys	485	490	495
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala	500	505	510
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr	515	520	525
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp	530	535	540
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Gly	545	550	555
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala	565	570	575
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln	580	585	590
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr	595	600	605
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile			

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Ala Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Pro Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 77

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 77

```

agcaatatgt gggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taaccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt ttgggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat tcacaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgagcat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcggtt gccggttccc ggcaactggaa aatgggactg gaaagggttg 660
ctgtcggttg atttgaatcc gaaagtgtat aaccgcgaat cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcagc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aatgccgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgctgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggtat tacgcggcat cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcccttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acgagcaaca acatgattgt cttctcaccg acgtcgggta accgccccgt tcttgccctgg 1500
gatgtggtgg cgccggggca aagcgggtttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt agatcagggt 1680
gaggttaaga tcgttcgcga tgaatggggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaaattt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg aaagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctattgcc tgaagtttga tctggataac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 78

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 78

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Leu Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile His
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Ser
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro	195	200	205
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp	210	215	220
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp	225	230	235
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe	245	250	255
Leu	Trp	Gly	Ser	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp	260	265	270
Lys	Gln	Cys	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln	275	280	285
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys	290	295	300
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val	305	310	315
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly	325	330	335
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr	340	345	350
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly	355	360	365
Trp	Ile	Tyr	Ala	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu	370	375	380
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu	385	390	395
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly	405	410	415
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln	420	425	430
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro	435	440	445
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln	450	455	460
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly	465	470	475
Thr	Ser	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro	485	490	495
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala	500	505	510
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr	515	520	525
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp	530	535	540
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Gly	545	550	555
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Trp	Gly	Met	Pro	His	Ile	Tyr	Ala	565	570	575
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln	580	585	590
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr	595	600	605
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile			

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Glu Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Cys Leu Lys Phe Asp Leu Asp Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 79

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 79

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taaccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt ttcggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat tcacaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcggtt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcggttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcagc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgacctcga tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccggt tggttggatt tacgcggcat cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg catcttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acgtccaaca acatgattgt cttctcaccg acgtcgggta accgccccgt tcttgctgg 1500
gatgtggtgg cgccggggca aagcggtttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtaaactt agatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgtttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt tgtaaagttt 1860
gataaggata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg aaagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcaacagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcag ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc ggctgaaagc gcctattgcc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 80

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 80

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Phe Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile His
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Ser	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Trp	Ile	Tyr	Ala	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	His	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Ser	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Asn	Leu	Asp	Gln	Gly
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Glu Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Asn Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Ala Glu Ser Ala Tyr		
740	745	750
Cys Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 81

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 81

```

agcaatatgt gggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taaccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt ttgggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat tcacaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgagcat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcggtt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcggttg atttgaatcc gaaagtgtat aaccgcgaat cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcagc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacgaaa aacctatcag 1020
caaccgggat cggcgattct tgctgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggtt tacgcggcat cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcccttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acgagcaaca acatgattgt cttctcaccg acgtcgggta accgccccgt tcttgctgg 1500
gatgtgggtg cgccggggca aagcggtttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacaggg tgatcagggt 1680
gaggttaaga tcgttcgcga tgaatggggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaaacttt cgttaaattt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg aaagccccga taagctgtta cccagcagc tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctattgcc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 82

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 82

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Leu Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile His
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Ser
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro	195	200	205
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp	210	215	220
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp	225	230	235
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe	245	250	255
Leu	Trp	Gly	Ser	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp	260	265	270
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln	275	280	285
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys	290	295	300
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val	305	310	315
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly	325	330	335
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr	340	345	350
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly	355	360	365
Trp	Ile	Tyr	Ala	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu	370	375	380
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu	385	390	395
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly	405	410	415
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln	420	425	430
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro	435	440	445
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln	450	455	460
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly	465	470	475
Thr	Ser	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro	485	490	495
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala	500	505	510
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr	515	520	525
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp	530	535	540
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Gly	Asp	Gln	Gly	545	550	555
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Trp	Gly	Met	Pro	His	Ile	Tyr	Ala	565	570	575
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln	580	585	590
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr	595	600	605
Val	Ser	Glu	Val	Leu	Gly	Lys	Thr	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile			

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Glu Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Cys Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 83

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 83

```

agcaatatgt gggatgattgg caaaaacaaa gccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taaccggcg tatacctac gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt ttgggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat tcacaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgtcc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgagcat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcggtt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcggttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcagc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgctgcctgg ctgaccagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggtt tacgcggcat cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcccttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acgtccaaca acatgattgt cttctcaccg acgtcgggta accgccccgt tcttgctgg 1500
gatgtggtgg cgccggggca aagcggtttt atcgcgcagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt agatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgatacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaaattt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg aaagccccga taagctgtta cccagcagt tctccacctt tggttttaaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcaggggcat ggcggctctt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctattgcc tgaagtttga tctggataac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 84

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 84

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1          5          10         15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20         25         30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35         40         45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50         55         60
Trp Gly Ser Thr Ala Gly Leu Gly Asp Ser Val Asp Ile Phe Ala Glu
65         70         75         80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85         90         95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100        105        110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile His
          115        120        125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130        135        140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145        150        155        160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Ser
          165        170        175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180        185        190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro	195	200	205
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp	210	215	220
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp	225	230	235
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe	245	250	255
Leu	Trp	Gly	Ser	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp	260	265	270
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln	275	280	285
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys	290	295	300
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val	305	310	315
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly	325	330	335
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr	340	345	350
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly	355	360	365
Trp	Ile	Tyr	Ala	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu	370	375	380
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu	385	390	395
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly	405	410	415
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln	420	425	430
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro	435	440	445
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln	450	455	460
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly	465	470	475
Thr	Ser	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro	485	490	495
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala	500	505	510
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr	515	520	525
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp	530	535	540
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Gly	545	550	555
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala	565	570	575
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln	580	585	590
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr	595	600	605
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile			

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Glu Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Cys Leu Lys Phe Asp Leu Asp Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 85

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 85

```

agcaatatgt ggggtgattgg caaaaacaaa gcccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taaccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt ttgggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat tcacaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgagcat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcggtt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcggttg atttgaatcc gaaagtgtat aaccgcgaat cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcagc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgagcagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggatt tacgcggcat cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacattagc gtggggcgca aaatcctcta cgaagctctg 1200
cagggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcccttacct tccggggccaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acgtccaaca acatgattgt cttctcaccg acgtcgggta accgccccgt tcttgctgg 1500
gatgtggtgg cgccggggca aagcggtttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt agatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaaattt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg aaagccccga taagctgtta cccagcagt tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcat ggcagtcctt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctattgcc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 86

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 86

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1          5          10         15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20         25         30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35         40         45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50         55         60
Trp Gly Ser Thr Ala Gly Leu Gly Asp Ser Val Asp Ile Phe Ala Glu
65         70         75         80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85         90         95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100        105        110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile His
          115        120        125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130        135        140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145        150        155        160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Ser
          165        170        175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180        185        190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro	195	200	205
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp	210	215	220
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp	225	230	235
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe	245	250	255
Leu	Trp	Gly	Ser	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp	260	265	270
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln	275	280	285
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys	290	295	300
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val	305	310	315
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly	325	330	335
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Ser	340	345	350
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly	355	360	365
Trp	Ile	Tyr	Ala	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu	370	375	380
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu	385	390	395
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly	405	410	415
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln	420	425	430
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro	435	440	445
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln	450	455	460
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly	465	470	475
Thr	Ser	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro	485	490	495
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala	500	505	510
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr	515	520	525
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp	530	535	540
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Gly	545	550	555
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala	565	570	575
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln	580	585	590
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr	595	600	605
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile			

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Glu Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Cys Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 87

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 87

```

agcaatatgt gggatgattgg caaaaacaaa gccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taaccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt ttgggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac agccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat tcacaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgagcat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcggtt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcggttg atttgaatcc gaaagtgtat aaccgcgaat cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcagc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgagcagca tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggtt tacgcggcat cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg gcccttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acgtccaaca acatgattgt cttctcaccg acgtcgggta accgccccgt tcttgctgg 1500
gatgtgggtg cgccggggca aagcggtttt atcgcgcgagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtctg aggtacagtt agatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtgggt gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt cgttaaattt 1860
gataaagata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg aaagccccga taagctgtta cccagcagt tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcactagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcat ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc gcgggaaagc gcctattgcc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 88

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 88

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1          5          10         15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20         25         30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35         40         45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50         55         60
Trp Gly Ser Thr Ala Gly Leu Gly Asp Ser Val Asp Ile Phe Ala Glu
65         70         75         80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85         90         95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Ser Gln
          100        105        110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile His
          115        120        125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130        135        140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145        150        155        160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Ser
          165        170        175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180        185        190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro	195	200	205
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp	210	215	220
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp	225	230	235
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe	245	250	255
Leu	Trp	Gly	Ser	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp	260	265	270
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln	275	280	285
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys	290	295	300
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val	305	310	315
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly	325	330	335
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Ser	340	345	350
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly	355	360	365
Trp	Ile	Tyr	Ala	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu	370	375	380
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu	385	390	395
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly	405	410	415
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln	420	425	430
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro	435	440	445
Ala	Met	Ala	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln	450	455	460
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly	465	470	475
Thr	Ser	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro	485	490	495
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala	500	505	510
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr	515	520	525
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp	530	535	540
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Gly	545	550	555
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala	565	570	575
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln	580	585	590
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr	595	600	605
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile			

610	615	620
Arg Gln Asn Tyr Trp Pro Asp Ser Ile Arg Ala Gln Ile Ala Ser Leu		
625	630	635
Ser Ala Glu Asp Lys Ser Ile Leu Gln Gly Tyr Ala Asp Gly Met Asn		
645	650	655
Ala Trp Ile Asp Lys Val Asn Glu Ser Pro Asp Lys Leu Leu Pro Gln		
660	665	670
Gln Phe Ser Thr Phe Gly Phe Lys Pro Lys His Trp Glu Pro Phe Asp		
675	680	685
Val Ala Met Ile Phe Val Gly Thr Met Ala Asn Arg Phe Ser Asp Ser		
690	695	700
Thr Ser Glu Ile Asp Asn Leu Ala Leu Leu Thr Ala Leu Lys Asp Lys		
705	710	715
Tyr Gly Ala Gln Gln Gly Met Ala Val Phe Asn Gln Leu Lys Trp Leu		
725	730	735
Val Asn Pro Ser Ala Pro Thr Thr Ile Ala Ala Arg Glu Ser Ala Tyr		
740	745	750
Cys Leu Lys Phe Asp Leu Gln Asn Thr Gln Thr Ala His His His His		
755	760	765
His His		
770		

<210> 89

<211> 2313

<212> DNA

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 89

```

agcaatatgt gggatgattgg caaaaacaaa gccaggatg cgaaggccat tatggtcaat 60
gggccgcagt ttggttggtta taaccggcg tatacctacg gtatcggcct gcacggcgcg 120
ggctatgacg tcaccggcaa tacgccgttt gcctatccgg gcctcctttt tggtcacaac 180
ggcaccattt catggggatc caccgccggt tgcggtgata gcgtcgatat ctttgccgaa 240
aaactttccg ccgagaagcc gggctattac cagcataacg gcgagtgggt gaagatgttg 300
agccgcgtag agactattgc ggtcaaagac ggccagccgg agacctttac cgtttggcgc 360
acgctgcacg gcaacgtcat tcacaccgat actgcgacgc agaccgccta tgccaaagcg 420
cgggcctggg atggcaaaga ggtggcgctc ctgctggcgt ggacgcacca gatgaaggcc 480
aaaaactggc cggagtggac gcagcaggcg gccaaacagg cgctgaccat caactggtac 540
tacgccgatg tgaacggcaa tatcggctat gtgcataccg gcgcctatcc ggatcgccag 600
cccggccacg acccgcggtt gccggttccc ggcactggaa aatgggactg gaaagggttg 660
ctgtcggttg atttgaatcc gaaagtgtat aaccgcagc cgggctatat cgccaactgg 720
aacaactcgc cgcaaaaaga ctaccggcc tctgatcacc aaggtttcct gtggggcagc 780
gcggatcgag cgactgagat cgacacgatc ctcgataagc aaccgcgctt caccgccgat 840
caggcgtggg atgtgatccg ccaaaccagc cgtcgggatc tcaacctgcg gttgttctta 900
ccggcgctga aggacgccac cgccaacctg gcggaacacg atccgcgccg ccaactggtg 960
gatacactgg cgagctggga cggcgaaaac cttgtcaacg atgacggaaa aacctatcag 1020
caaccgggat cggcgattct tgcagcctgg ctgacctcga tgctcaagcg cacggtggtt 1080
gccgcggttc cagcgccgtt tggttggatt tacgcggcat cgggctatga aaccaccag 1140
gacgggccac tcggctcgct gaacatcagc gtggggcgga aaatcctcta cgaagctctg 1200
caggtgata agtcgccaat cccgcaggcg gtcgatctgt ttggcgggaa accgcagcag 1260

```

```

gaagtaatac tggcggcgct ggacgacgct tggcagacgc tgtcaaaacg ctacggtaac 1320
gacgtcacca gctggaaaac ccctgccatg catcttacct tccggggcaa taacttcttc 1380
ggcgtgccgc aggcggcagc aaaagaggcg cgtcatcagg cggagtacca gaaccgcggt 1440
acgtccaaca acatgattgt cttctcaccg acgtcgggta accgccccgt tcttgctgg 1500
gatgtggtgg cgccggggca aagcggtttt atcgcgcagg atggcaaagc cgataagcac 1560
tatgacgatac agctgaaaat gtacgagagc tttggccgta aatcgctgtg gttaacgcct 1620
caggacgttg acgagcacia agagtctcag gaagtgtgc aggtacaatt agatcagggt 1680
gaggttaaga tcgttcgcga tgaatacggc atgccgcata tttacgccga tgataacctat 1740
cgactgtttt acggctatgg ctacgtggtg gcgcaggatc gcctgttcca gatggaaatg 1800
gcgcgccgca gtactcaggg gaccgtctcc gaggtgctgg gcaaagcatt tgtaaagttt 1860
gataaggata ttcgccagaa ctactggccg gattctattc gcgcgcagat agcttccctc 1920
tccgtgagg ataaatccat tctgcagggc tatgccgatg gcatgaatgc gtggatcgat 1980
aaagtgaacg agagccccga taagctgtta cccagcagt tctccacctt tggtttttaa 2040
cccaagcatt gggaaccgtt tgatgtggcg atgatttttg tcggcaccat ggcgaaccgt 2100
ttttctgaca gcaccagcga aattgataac ctggcgctgc tgacggcgct aaaagacaaa 2160
tacggcgcg agcagggcag ggcggtcttt aaccagctga aatggctggt taatccttcc 2220
gcgccaacca ccattgcggc ggctgaaagc gcctattgcc tgaagtttga tctgcaaaac 2280
acgcaaacgg cgcaccatca ccataccat taa 2313

```

<210> 90

<211> 770

<212> PRT

<213> Artificial Sequence

<220>

<223> Variant of Penicillin G Acylase From Kluyvera Citrophila

<400> 90

```

Ser Asn Met Trp Val Ile Gly Lys Asn Lys Ala Gln Asp Ala Lys Ala
1           5           10          15
Ile Met Val Asn Gly Pro Gln Phe Gly Trp Tyr Asn Pro Ala Tyr Thr
          20          25          30
Tyr Gly Ile Gly Leu His Gly Ala Gly Tyr Asp Val Thr Gly Asn Thr
          35          40          45
Pro Phe Ala Tyr Pro Gly Leu Leu Phe Gly His Asn Gly Thr Ile Ser
          50          55          60
Trp Gly Ser Thr Ala Gly Cys Gly Asp Ser Val Asp Ile Phe Ala Glu
65          70          75          80
Lys Leu Ser Ala Glu Lys Pro Gly Tyr Tyr Gln His Asn Gly Glu Trp
          85          90          95
Val Lys Met Leu Ser Arg Val Glu Thr Ile Ala Val Lys Asp Gly Gln
          100         105         110
Pro Glu Thr Phe Thr Val Trp Arg Thr Leu His Gly Asn Val Ile His
          115         120         125
Thr Asp Thr Ala Thr Gln Thr Ala Tyr Ala Lys Ala Arg Ala Trp Asp
          130         135         140
Gly Lys Glu Val Ala Ser Leu Leu Ala Trp Thr His Gln Met Lys Ala
145         150         155         160
Lys Asn Trp Pro Glu Trp Thr Gln Gln Ala Ala Lys Gln Ala Leu Thr
          165         170         175
Ile Asn Trp Tyr Tyr Ala Asp Val Asn Gly Asn Ile Gly Tyr Val His
          180         185         190

```

Thr	Gly	Ala	Tyr	Pro	Asp	Arg	Gln	Pro	Gly	His	Asp	Pro	Arg	Leu	Pro
		195					200				205				
Val	Pro	Gly	Thr	Gly	Lys	Trp	Asp	Trp	Lys	Gly	Leu	Leu	Ser	Phe	Asp
	210					215					220				
Leu	Asn	Pro	Lys	Val	Tyr	Asn	Pro	Gln	Ser	Gly	Tyr	Ile	Ala	Asn	Trp
225					230					235					240
Asn	Asn	Ser	Pro	Gln	Lys	Asp	Tyr	Pro	Ala	Ser	Asp	His	Gln	Gly	Phe
				245					250					255	
Leu	Trp	Gly	Ser	Ala	Asp	Arg	Ala	Thr	Glu	Ile	Asp	Thr	Ile	Leu	Asp
			260				265						270		
Lys	Gln	Pro	Arg	Phe	Thr	Ala	Asp	Gln	Ala	Trp	Asp	Val	Ile	Arg	Gln
		275					280					285			
Thr	Ser	Arg	Arg	Asp	Leu	Asn	Leu	Arg	Leu	Phe	Leu	Pro	Ala	Leu	Lys
	290					295					300				
Asp	Ala	Thr	Ala	Asn	Leu	Ala	Glu	Asn	Asp	Pro	Arg	Arg	Gln	Leu	Val
305					310					315					320
Asp	Thr	Leu	Ala	Ser	Trp	Asp	Gly	Glu	Asn	Leu	Val	Asn	Asp	Asp	Gly
				325					330					335	
Lys	Thr	Tyr	Gln	Gln	Pro	Gly	Ser	Ala	Ile	Leu	Ala	Ala	Trp	Leu	Thr
			340					345					350		
Ser	Met	Leu	Lys	Arg	Thr	Val	Val	Ala	Ala	Val	Pro	Ala	Pro	Phe	Gly
		355					360					365			
Trp	Ile	Tyr	Ala	Ala	Ser	Gly	Tyr	Glu	Thr	Thr	Gln	Asp	Gly	Pro	Leu
	370					375					380				
Gly	Ser	Leu	Asn	Ile	Ser	Val	Gly	Ala	Lys	Ile	Leu	Tyr	Glu	Ala	Leu
385					390					395					400
Gln	Gly	Asp	Lys	Ser	Pro	Ile	Pro	Gln	Ala	Val	Asp	Leu	Phe	Gly	Gly
				405					410					415	
Lys	Pro	Gln	Gln	Glu	Val	Ile	Leu	Ala	Ala	Leu	Asp	Asp	Ala	Trp	Gln
			420					425					430		
Thr	Leu	Ser	Lys	Arg	Tyr	Gly	Asn	Asp	Val	Thr	Ser	Trp	Lys	Thr	Pro
		435					440					445			
Ala	Met	His	Leu	Thr	Phe	Arg	Ala	Asn	Asn	Phe	Phe	Gly	Val	Pro	Gln
	450					455					460				
Ala	Ala	Ala	Lys	Glu	Ala	Arg	His	Gln	Ala	Glu	Tyr	Gln	Asn	Arg	Gly
465					470					475					480
Thr	Ser	Asn	Asn	Met	Ile	Val	Phe	Ser	Pro	Thr	Ser	Gly	Asn	Arg	Pro
				485					490					495	
Val	Leu	Ala	Trp	Asp	Val	Val	Ala	Pro	Gly	Gln	Ser	Gly	Phe	Ile	Ala
			500					505					510		
Gln	Asp	Gly	Lys	Ala	Asp	Lys	His	Tyr	Asp	Asp	Gln	Leu	Lys	Met	Tyr
		515					520					525			
Glu	Ser	Phe	Gly	Arg	Lys	Ser	Leu	Trp	Leu	Thr	Pro	Gln	Asp	Val	Asp
	530					535					540				
Glu	His	Lys	Glu	Ser	Gln	Glu	Val	Leu	Gln	Val	Gln	Leu	Asp	Gln	Gly
545					550					555					560
Glu	Val	Lys	Ile	Val	Arg	Asp	Glu	Tyr	Gly	Met	Pro	His	Ile	Tyr	Ala
				565					570					575	
Asp	Asp	Thr	Tyr	Arg	Leu	Phe	Tyr	Gly	Tyr	Gly	Tyr	Val	Val	Ala	Gln
			580					585					590		
Asp	Arg	Leu	Phe	Gln	Met	Glu	Met	Ala	Arg	Arg	Ser	Thr	Gln	Gly	Thr
		595					600					605			
Val	Ser	Glu	Val	Leu	Gly	Lys	Ala	Phe	Val	Lys	Phe	Asp	Lys	Asp	Ile

610		615		620											
Arg	Gln	Asn	Tyr	Trp	Pro	Asp	Ser	Ile	Arg	Ala	Gln	Ile	Ala	Ser	Leu
625					630					635					640
Ser	Ala	Glu	Asp	Lys	Ser	Ile	Leu	Gln	Gly	Tyr	Ala	Asp	Gly	Met	Asn
				645					650						655
Ala	Trp	Ile	Asp	Lys	Val	Asn	Glu	Ser	Pro	Asp	Lys	Leu	Leu	Pro	Gln
			660						665						670
Gln	Phe	Ser	Thr	Phe	Gly	Phe	Lys	Pro	Lys	His	Trp	Glu	Pro	Phe	Asp
		675					680					685			
Val	Ala	Met	Ile	Phe	Val	Gly	Thr	Met	Ala	Asn	Arg	Phe	Ser	Asp	Ser
	690					695					700				
Thr	Ser	Glu	Ile	Asp	Asn	Leu	Ala	Leu	Leu	Thr	Ala	Leu	Lys	Asp	Lys
705					710					715					720
Tyr	Gly	Ala	Gln	Gln	Gly	Met	Ala	Val	Phe	Asn	Gln	Leu	Lys	Trp	Leu
				725					730						735
Val	Asn	Pro	Ser	Ala	Pro	Thr	Thr	Ile	Ala	Ala	Ala	Glu	Ser	Ala	Tyr
			740					745					750		
Cys	Leu	Lys	Phe	Asp	Leu	Gln	Asn	Thr	Gln	Thr	Ala	His	His	His	His
		755					760					765			
His	His														
	770														

CLAIMS

We claim:

1. An engineered penicillin G acylase variant having at least 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO:6, and at least one substitution at a position selected from positions 54, 62, 115, 125, 127, 127, 185, 253, 254, 254/255, 254/255/370, 255, 256, 257, 257, 260, 268, 322, 325, 348, 369, 370, 372, 373, 377, 378, 384, 384/513/536, 388, 389, 391, 435, 461, 517, 530, 554, 556, 557, 559, 560, 600/623, 623, 624, 626, 627, 705, 706, 707, 723, 740, 748, and 752, wherein said positions are numbered with reference to SEQ ID NO:6.

2. The engineered penicillin G acylase variant of Claim 1, wherein said said engineered penicillin acylase variant has 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO: 6, and at least one substitution selected from 54C, 62G, 115A/P, 125L/T, 127S/V, 185V, 253K/V, 254T, 254W/255G, 254W/255G/370I, 255L, 255M/Q/T/Y, 256Q, 257I, 257V, 260A/P, 268S/V, 322P, 325G, 348C, 348Q, 369L, 369P, 369V, 369W, 370F/G/S, 372A/H/L, 373F/M, 377P, 378H, 384A, 384F/513Q/536M, 384G/L, 388T, 389L, 391P/S, 435R, 461A, 517L/P, 530C/Y, 554A/E/P/V, 556G, 557G/S, 559P/S, 560I, 600T/623V, 623A/G/R/W, 624A, 626G, 627G/H, 705G/P, 706G, 707S, 723A/G, 740L, 748G, and 752E.

3. An engineered penicillin G acylase variant having at least 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO:8, and at least one substitution set selected from positions 103/370/444/706/766, 103/369/370/442/444/536/556/766, 103/369/370/444, 103/369/370/444/556/706/766, 103/369/370/444/765/766, 103/369/370/765/766, 257/362/384/451, 257/362/384/451/723, 362/451/705, 369/370, 369/370/444/706/766, 369/370/556/766, 369/370/388/444/556/766, 369/370/444, 369/370/444/556/766, 369/370/556, 369/370/556/765, 369/370/556/766, 369/370/766, 369/370/444/556, 369/370/444/556/612/766, 369/370/444/556/706/765, 369/370/444/706/765/766, 372/373/384/513/560, 372/384/451/705, 372/384/560/705, 384/451/560/705/723, 384/451/705/723, 451/560/705/723, and 451/705/723, wherein said positions are numbered with reference to SEQ ID NO:8.

4. The engineered penicillin G acylase variant of Claim 3, wherein said substitution set is selected from 103V/370F/444S/706G/766G, 103V/369W/370F/442I/444S/536M/556G/766G, 103V/369W/370F/444S, 103V/369W/370F/444S/556G/706G/766G, 103V/369W/370F/444S/765P/766G, 103V/369W/370F/765P/766G, 257V/362V/384A/451R,

257V/362V/384L/451R/723L, 362V/451R/705D, 369P/370F, 369P/370F/444S/706G/766G, 369P/370F/556G/766G, 369V/370F/388T/444S/556G/766G, 369V/370F/444S, 369V/370F/444S/556G/766G, 369V/370F/556G, 369V/370F/556G/765P, 369V/370F/556G/766G, 369V/370F/766G, 369W/370F/444S/556G, 369W/370F/444S/556G/612A/766G, 369W/370F/444S/556G/706G/765P, 369W/370F/444S/706G/765P/766G, 372A/373M/384L/513Q/560G, 372A/384L/451R/705D, 372A/384L/560G/705D, 384A/451R/560G/705D/723L, 384L/451R/705D/723L, 451R/560G/705D/723L, and 451R/705D/723L.

5. An engineered penicillin G acylase variant having at least 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO:34, and at least one substitution or substitution set at a position selected from positions 55, 275, 403, 482, 496, 541, 616, 619/664, 622, 639, 664, 747, and 759, wherein said positions are numbered with reference to SEQ ID NO:34.

6. The engineered penicillin G acylase variant of Claim 5, wherein said at least one substitution or substitution set is selected from 55V, 275E, 403T, 482A/S, 496K, 541A, 616G, 619N/664G, 622R, 639G, 664G, 747G, and 759N.

7. An engineered penicillin G acylase variant having at least 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO:34, and at least one substitution set selected from 103/372/373/557, 253/322/369/623, 253/254/322/369/623, 253/254/369/391/623/723, 253/254/369/619/623/723, 253/254/369/623/723, 253/254/373/623/723, 253/254/255/369/623/723, 253/254/369, 253/322/369/373/723, 253/369/623/723, 253/373/623, 253/254/255/322/369/619/723, 260/372/373/556, 260/372/373/556/557/559, 322/369, 322/369/373/723, 322/369/623/723, and 369/373/556, wherein said positions are numbered with reference to SEQ ID NO:34.

8. The engineered penicillin G acylase variant of Claim 7, wherein said substitution set is selected from 103V/372S/373F/557G, 253H/322T/369W/623G, 253H/254Q/322T/369W/623G, 253H/254Q/369W/391A/623G/723A, 253H/254Q/369W/619R/623G/723A, 253H/254Q/369W/623G/723A, 253H/254Q/373L/623G/723A, 253H/254S/255V/369W/623S/723A, 253H/254S/369W, 253H/322T/369W/373W/723A, 253H/369W/623G/723A, 253H/373L/623S, 253S/254S/255V/322T/369W/619R/723A, 260S/372S/373F/556G, 260S/372S/373F/556G/557V/559S, 322T/369W, 322T/369W/373W/723A, 322T/369W/623G/723A, and 369W/373F/556G.

9. An engineered penicillin G acylase variant having at least 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO:46, and at least one substitution or substitution set at a position selected from positions 9/25/103/253/348/444/557/623, 9/103/322/391/444/557/623, 9/103/253/322/348/444/556/557/623, 25/103/241/253/322/348/444/556/557/623, 28, 71, 77, 103/257/260/322/348/384/444/556/623, 103/257/260/322/348/444/557, 103/322/348/373/444/556/557, 103/260/322/348/444/556/557/623, 103/260/322/348/444/623, 103/260/322/348/373/391/444/556/557/623, 111, 128, 129, 131, 146/309/556/619/748, 176/233/373/619/664, 176/373/482/569, 176/373/482/622/664, 176/373/482/622, 176/373/482/569/622/623/764, 176/482, 225/304/309/556/557/619/748, 225/304/322/494/496/616/619/664/747/756, 225/304/494/616/619/664/747/759, 233/275/482/569/664, 233/275/482/619, 233/373/482/622/664, 304/496/616/619/664/747/756/759, 322/348/373/391/444/556/623, 322/348/444/557, 369, 369/764, 370, 373/482/569/619/764S, 373, 379D, 380, 389, 451, 471, 482/623, 494/496/616/619/664, 616, 617, 619, 622, 626, and 705, wherein said positions are numbered with reference to SEQ ID NO:46.

10. The engineered penicillin G acylase of Claim 9, wherein the at least one substitution or substitution set is selected from 9K/25V/103V/253S/348A/444S/557G/623D, 9K/103V/322T/391A/444S/557G/623D, 9K/103V/253S/322T/348A/444S/556G/557G/623D, 25V/103V/241K/253S/322T/348A/444S/556G/557G/623D, 28A/C/Q/S, A71C/F/G/L, 77T/V, 103V/257V/260S/322T/348A/384T/444S/556G/623D, 103V/257V/260S/322T/348A/444S/557G, 103V/322T/348A/373A/444S/556G/557G, 103V/260S, 322T/348A/444S/556G/557G/623D, 103V/260S/322T/348A/444S/623D, 103V/260S/322T/348A/373A/391A/444S/556G/557G/623D, 111S, 128H, 129E, 131D, 146M/309D/556N/619S/748A, 176S/233E/373A/619N/664R, 176S/373F/482A/569W, 176S/373F/482A/622F/664G, 176S/373F/482A/622V, 176S/373F/482C/569W/622C/623D/764S, 176S/482A, 225K/304C/309V/556N/557R/619S/748A, 225T/304I/322T/494E/496N/616G/619N/664G/747S/756P, 225T/304I/494E/616G/619N/664G/747P/759E, 233E/275E/482A/569W/664G, 233E/275E/482C/619N, 233E/373F/482A/622V/664G, 304I/496K/616S/619N/664E/747P/756P/759E, 322T/348A/373A/391A/444S/556G/623D, 322T/348A/444S/557G, 369A/E/L, 369, 369L/764G, 369V, I370M/Q, 373A/482C/569W/619N/764S, 373G, 379D/S, 380D, 389V, 451H, 471V, 482S/623D, 494E/496K/616S/619N/664E, 616D/E/G/N/Q/T, 617W, 619A/H/L/P/S/V, 622I/V, 626D/E, and 705N.

11. An engineered penicillin G acylase variant having at least 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO:54, and at least one substitution or substitution set at a position selected from positions 28/71/128/176/619/664, 28/71/128/176/626/753, 71, 71/176/233/260/275/482/619/759, 71/176/233/482, 71/176/260/451/619, 71/176/275/482, 71/176/275/664, 71, 71/128/176/373/482/496/619, 71/128/176/373/482/496/569, 71/128/176/482/496, 71/128/176/496/664, 71/128/373/482/664/753, 71/176/233/260/451/482/664/759, 71/176/233/373/482/569/753, 71/176/260/275/482/557/759, 71/176/260/482, 71/176/260/482/557/619/664, 71/176/373/626/664/753, 71/176/451/482/619/759, 71/176/482, 71/176/482/619/664/759, 71/233/260/482/557/759, 71/260/451/482/664/759, 71/373/756, 82, 122, 126, 128/176/233/373/482/626/753, 128/176/233/496/664/753, 128/176/373/482/664, 128/176/373/496/753, 176/233/260/275/482/664/759, 176/233/451/482/619/664/759, 180, 184, 472, 496, 658, 679, 686, and 739, wherein said positions are numbered with reference to SEQ ID NO:54.

12. The engineered penicillin G acylase variant of Claim 11, wherein said at least one substitution or substitution set is selected from 28A/71L/128H/176S/619N/664E, 28A/71L/128H/176S/626D/753C, 71F/176S/233E/260G/275C/482S/619N/759D, 71F/176S/233E/482A, 71F/176S/260G/451H/619V, 71F/176S/275C/482S, 71F/176S/275E/664D, 71F/G/V/L, 71L/128H/176S/373A/482C/496K/619S, 71L/128H/176S/373A/482S/496K/569C, 71L/128H/176S/482S/496K, 71L/128H/176S/496K/664E, 71L/128H/373A/482S/664E/753C, 71L/176S/233E/260G/451H/482S/664C/759E, 71L/176S/233E/373A/482C/569C/753C, 71L/176S/260G/275C/482A/557G/759E, 71L/176S/260G/482A, 71L/176S/260G/482A/557G/619P/664D, 71L/176S/373A/626E/664E/753C, 71L/176S/451H/482A/619V/759E, 71L/176S/482A, 71L/176S/482A/619P/664D/759E, 71L/233E/260G/482A/557G/759E, 71L/260G/451H/482A/664D/759E, 71L/373A/756C, 71M/V, 82V, 122M, 126L, 128H/176S/233E/373A/482S/626E/753C, 128H/176S/233E/496K/664E/753C, 128H/176S/373A/482S/664E, 128H/176S/373A/496K/753C, 176S/233E/260G/275E/482C/664E/759D, 176S/233E/451H/482S/619N/664C/759D, 180F, 184A/F, 472F/V, 496K, 658C, 679L, 686A, and P739D/S.

13. An engineered penicillin G acylase variant having at least 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO:74, and at least one substitution or substitution set at a position selected from positions 71/352, 71/451/748, 71/353/357/451/705/748, 71/451/556/705/748, 77/176/712, 111/176/352, 176, 176/233, 176/233/352, 176/233/557/619/759, 176/233/759, 176/275/348/557/759, 176/275/569/759, 176/275/557/759,

176/275, 176/348/557/569/616, 176/352, 176/361, 176/482/616/759, 176/557/616, 176/557/708, 176/557/569/616/708, 176/557/569/616, 176/557/619, 176/569/616/619/759, 176/616, 176/616/619, 176/616, and 176/Q759, wherein said positions are numbered with reference to SEQ ID NO:74.

14. The engineered penicillin G acylase of Claim 13, wherein said at least one substitution or substitution set is selected from 71C/352S, 71C/451H/748A, 71F/353A/357A/451H/705N/748A, 71F/451H/556N/705N/748A, 77T/176S/712V, 111S/176S/352S, 176S, 176S/233E, 176S/233E/352S, 176S/233E/557G/619G/759D, 176S/233E/759E, 176S/275C/348M/557G/759D, 176S/275C/569W/759D, 176S/275E/557G/759E, 176S/275E, 176S/348M/557G/569W/616G, 176S/352S, 176S/361T, 176S/482C/616G/759E, 176S/557G/616N, 176S/557G/708L, 176S/557G/569W/616G/708L, 176S/557G/569W/616T, 176S/557G/619G, 176S/569W/616G/619S/759D, 176S/616G, 176S/616S, 176S/616G/619R, 176S/616T, and 176S/759D.

15. The engineered penicillin G acylase variant of any of Claims 1-14, wherein said engineered penicillin G acylase variant comprises a histidine tag.

16. The engineered penicillin G acylase variant of Claim 15, wherein said histidine tag is present at the C-terminus of said engineered penicillin G acylase variant.

17. The engineered penicillin G acylase variant of any of Claims 1-16, wherein said engineered penicillin G acylase variant comprises a polypeptide sequence set forth in variant numbers 1-308.

18. The engineered penicillin G acylase variant of any of Claims 1-17, wherein said engineered penicillin G acylase variant comprises a polypeptide sequence selected from the even-numbered sequences between SEQ ID NO:4 and SEQ ID NO:90.

19. An engineered polynucleotide sequence encoding the engineered penicillin G acylase variant of any of Claims 1-18.

20. The engineered polynucleotide sequence of Claim 19, said wherein said sequence comprises a polynucleotide sequence that is at least 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more identical to a sequence selected from the odd-numbered sequences between SEQ ID NO:5 and SEQ ID NO:89.

21. A vector comprising the engineered polynucleotide sequence of Claim 19 and/or 20.
22. The vector of Claim 21, further comprising at least one control sequence.
23. A host cell comprising the vector of Claim 21 and/or 22.
24. A method for producing the engineered penicillin G acylase variant of any of Claims 1-18, comprising culturing said host cell of Claim 23 under conditions that said engineered penicillin G acylase variant is produced by said host cell.
25. The method of Claim 24, further comprising the step of recovering said engineered penicillin G acylase variant produced by said host cell.
26. The engineered penicillin G acylase variant of any of Claims 1-18, 24, and/or 25, wherein said engineered penicillin G acylase variant is capable of deacylating protected insulin.
27. The engineered penicillin G acylase variant of Claim 26, wherein said protected insulin comprises di-protected or tetra-protected insulin.
28. The engineered penicillin G acylase variant of any of Claims 1-18, 24-27, wherein said protected insulin is a dimer or tetramer.
29. A method for producing free insulin, comprising i) providing at least one engineered penicillin G acylase variant of Claims 1-18, 24-28, and a composition comprising insulin-dimer comprising A1/B1/ A1'/B1'-tetra-phenyl acetate protecting groups; and ii) exposing the engineered penicillin G acylase to the insulin-dimer comprising A1/B1/A1'/B1' - tetra-phenyl acetate protecting groups, under conditions such that the engineered penicillin G acylase variant removes the A1/B1/ A1'/B1'-tetra-phenyl acetate protecting groups and free insulin is produced.
30. A method for producing free insulin, comprising i) providing at least one engineered penicillin G acylase variant of Claims 1-18, 24-28, and a composition comprising insulin-dimer comprising A1/A1'-di-phenyl acetate protecting groups; and ii) exposing the engineered penicillin G acylase variant to the insulin-dimer comprising A1/A1' - di-phenyl acetate protecting groups, under conditions such that the engineered penicillin G acylase variant removes the A1/A1'-di-phenyl acetate protecting groups and free insulin is produced.

31. A method for producing free insulin, comprising i) providing at least one engineered penicillin G acylase variant of Claims 1-18, 24-28 and a composition comprising insulin comprising a A1/A1'-di-phenyl acetate protecting groups; and ii) exposing the engineered penicillin G acylase variant to the insulin comprising A1/A1'-di-phenyl acetate protecting groups, under conditions such that the engineered penicillin G acylase variant removes the A1/A1'-di-phenyl acetate protecting groups and free insulin is produced.