



CLAIMS

1. A compound of formula (I)



or a pharmaceutically acceptable salt thereof, wherein:

- 5 R^1 is hydrogen or C₁-C₆-alkyl;

R^2 , R^3 , and R^4 are independently selected from hydrogen, a group , C₁-C₆-alkyl, C₁-C₆-alkoxy, halo-C₁-C₆-alkyl, halo-C₁-C₆-alkoxy, halogen, and SF₅;

- 10 R^5 , R^6 , and R^7 are independently selected from hydrogen, halogen, and halo-C₁-C₆-alkyl;

X is CH or N;

m and n are both 1; or

m and n are both 0;

A is selected from C₆-C₁₄-aryl and 5-14 membered heteroaryl;

- 15 L^1 is selected from a covalent bond, $-\text{CH}_2-$, $-\text{OCHR}^L-$, $-\text{CHR}^L\text{O}-$, and $-\text{NHC(O)}-$;

R^L is selected from hydrogen and C₁-C₆-alkyl; and

B is

- (i) C₆-C₁₄-aryl and L^2 is a covalent bond; or
 20 (ii) 3-14 membered heterocyclyl or C₃-C₁₀-cycloalkyl; and L^2 is selected from a covalent bond, $-\text{O}-$, and $-\text{CH}_2\text{O}-$.

2. The compound of formula (I) according to claim 1, or a pharmaceutically acceptable salt thereof, wherein the compound of formula (I) is not selected from:

- 25 rac-cis-6-(4-(5-Chloro-1-methyl-1H-indol-3-yl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;

- rac-cis-6-(4-(9H-Fluoren-9-yl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (+)-cis-6-[4-(6-Fluoro-1H-indol-3-yl)piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 5 rac-cis-6-[4-(6-Fluoro-1H-indol-3-yl)piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- rac-cis-6-(4-(5-Fluorobenzo[d]isoxazol-3-yl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- rac-cis-6-(4-(5-Chloro-1H-indol-3-yl)piperazine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 10 rac-cis-6-(4-(1-Methyl-1H-indazol-5-yl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (+)- or (-)-cis-6-(4-(5-Chloro-1-cyclopropyl-1H-indol-3-yl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 15 (+)-or (-)-cis-6-(4-(5-Chloro-1-(oxetan-3-yl)-1H-indol-3-yl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- rac-cis-6-(4-(1-(2-Chloro-4-fluorophenoxy)ethyl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- rac-cis-6-(4-(5-(Trifluoromethyl)pyridin-3-yl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 20 (+) or (-)-cis-6-(4-((S or R)-1-(2-chloro-4-fluorophenoxy)ethyl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (+) or (-)-cis-6-(4-((R or S)-1-(2-chloro-4-fluorophenoxy)ethyl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 25 (+) or (-)-cis-6-(4-(5-Methoxypyridin-3-yl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (+) or (-)-cis-6-(4-(5-(Trifluoromethoxy)pyridin-2-yl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (+) or (-)-cis-6-(4-(5-Ethylpyridin-3-yl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 30 (+) or (-)-cis-6-(4-(5-(1,1-Difluoroethyl)pyridin-2-yl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (+) or (-)-cis-6-(4-(6-Chloro-1-methyl-1H-indazol-3-yl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;

- (4aR, 8aS)-6-((3R)-4-(5-(1,1-Difluoroethyl)pyridin-2-yl)-3-methylpiperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-((3S)-4-(5-(1,1-Difluoroethyl)pyridin-2-yl)-3-methylpiperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 5 (4aR, 8aS)-6-((4S)-4-(5-(1,1-Difluoroethyl)pyridin-2-yl)-3-methylpiperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(4-(2-Cyclopropylpyridin-4-yl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(1-(2-Chloro-4-(trifluoromethyl)phenoxy)ethyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 10 (4aR, 8aS)-6-(3-(1-(2-Chloro-4-(trifluoromethyl)phenoxy)ethyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (+) or (-)-(4aR, 8aS)-6-[3-[1-[4-(Trifluoromethyl)phenyl]ethoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 15 (4aR, 8aS)-6-(3-(1-(2-Fluoro-4-(trifluoromethyl)phenoxy)ethyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(1-(4-(Trifluoromethyl)phenoxy)ethyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-[4-[1-[4-(Trifluoromethyl)phenyl]ethoxy]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 20 (4aR, 8aS)-6-(3-((S)-1-(2-Fluoro-4-(trifluoromethyl)phenoxy)ethyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-((R)-1-(2-Fluoro-4-(trifluoromethyl)phenoxy)ethyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 25 (4aR, 8aS)-6-(3-((S)-1-(4-(Trifluoromethyl)phenoxy)ethyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-((R)-1-(4-(trifluoromethyl)phenoxy)ethyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(4-(5-Methyl-6-(trifluoromethyl)pyridin-3-yl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 30 (4aR, 8aS)-6-(4-(5,6,7,8-Tetrahydroquinolin-4-yl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(4-Bromophenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;

- (4aR, 8aS)-6-(3-(4'-Chloro-[1,1'-biphenyl]-4-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(2'-Chloro-[1,1'-biphenyl]-4-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 5 (4aR, 8aS)-6-(3-(2',4'-Dichloro-[1,1'-biphenyl]-4-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(1-(4-(Trifluoromethyl)phenyl)ethoxy)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(1-(4-(Trifluoromethyl)phenyl)ethoxy)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 10 (4aR, 8aS)-6-[3-(S or R)-[1-(2-Chloro-4-fluoro-phenyl)ethoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[3-(R or S)-[1-(2-Chloro-4-fluoro-phenyl)ethoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 15 (4aR, 8aS)-6-[3-[4-(Trifluoromethoxy)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-(3-(4-Bromophenyl)-3-fluoroazetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(4-Bromophenyl)-3-hydroxyazetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 20 (4aR, 8aS)-6-(3-(4-Bromophenyl)-3-methylazetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(2'-(Trifluoromethyl)-[1,1'-biphenyl]-4-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 25 (4aR, 8aS)-6-(3-(2',4'-Difluoro-[1,1'-biphenyl]-4-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(4-(3-(Trifluoromethyl)azetidin-1-yl)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(2-Chloro-[1,1'-biphenyl]-4-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 30 (4aR, 8aS)-6-(3-(4-Bromo-3-chlorophenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-[3-[4-(4-Chloro-2-fluoro-phenyl)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;

- (4aR, 8aS)-6-[3-[4-(2-Chloro-4-fluoro-phenyl)phenyl]azetidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-(3-(3-Bromophenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-
b][1,4]oxazin-3(4H)-one;
- 5 (4aR, 8aS)-6-(3-(4-(tert-Butyl)phenyl)azetidine-1-carbonyl)hexahydro-2H-
pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-[3-(4-Phenylphenyl)azetidine-1-carbonyl]-4,4a,5,7,8,8a-
hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[3-[4-[2-(Difluoromethyl)phenyl]phenyl]azetidine-1-carbonyl]-
10 4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-(3-(6-Chloropyridin-3-yl)azetidine-1-carbonyl)hexahydro-2H-
pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(4-(Trifluoromethyl)phenyl)azetidine-1-carbonyl)hexahydro-2H-
pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 15 (4aR, 8aS)-6-(3-(4-(1,1-Difluoroethyl)phenyl)azetidine-1-carbonyl)hexahydro-2H-
pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(6-(2,4-Dichlorophenyl)pyridin-3-yl)azetidine-1-
carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(4-(3,3-Difluoroazetidin-1-yl)phenyl)azetidine-1-
20 carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(4-(4-Bromophenyl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-
b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-[3-[4-(2,2,2-Trifluoroethoxy)phenyl]azetidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 25 (4aR, 8aS)-6-(3-(4-(2-(Trifluoromethyl)pyrrolidin-1-yl)phenyl)azetidine-1-
carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(4-(3-(Trifluoromethyl)pyrrolidin-1-yl)phenyl)azetidine-1-
carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(3-Bromophenyl)pyrrolidine-1-carbonyl)hexahydro-2H-pyrido[4,3-
30 b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(4-(4-Bromophenyl)piperazine-1-carbonyl)hexahydro-2H-pyrido[4,3-
b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(4-(2',4'-dichloro-[1,1'-biphenyl]-4-yl)piperidine-1-carbonyl)hexahydro-
2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;

- (4aR, 8aS)-6-(3-(4-(3-azabicyclo[3.1.0]hexan-3-yl)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(3-(trifluoromethoxy)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 5 (4aR, 8aS)-6-(3-(6-(2-(trifluoromethyl)pyrrolidin-1-yl)pyridin-3-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(4-(5-Azaspiro[2.4]heptan-5-yl)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(4-(Pentafluoro-16-sulfaneyl)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 10 (4aR, 8aS)-6-(3-(5-Chloropyridin-2-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(2-Fluoro-4-(trifluoromethoxy)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 15 (4aR, 8aS)-6-[3-(6-Methoxypyridin-3-yl)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-(3-(4-Bromophenyl)pyrrolidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-Phenylazetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 20 (4aR, 8aS)-6-(4-Phenylpiperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-[3-[4-(2,2,2-Trifluoroethyl)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 25 (4aR, 8aS)-6-[3-[4-[1-(Trifluoromethyl)cyclopropyl]phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[3-[4-(6,6-Difluoro-2-azaspiro[3.3]heptan-2-yl)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-(3-(4-(8-Oxa-3-azabicyclo[3.2.1]octan-3-yl)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 30 (4aR, 8aS)-6-(3-(5-(2,4-Dichlorophenyl)pyridin-2-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(4-((S)-2-(Trifluoromethyl)pyrrolidin-1-yl)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;

- (4aR, 8aS)-6-(3-(4-((R)-2-(Trifluoromethyl)pyrrolidin-1-yl)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-[3-[4-(1-Piperidyl)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 5 (4aR, 8aS)-6-(3-(4-((R or S)-3-(Trifluoromethyl)pyrrolidin-1-yl)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(4-((S or R)-3-(Trifluoromethyl)pyrrolidin-1-yl)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(4-(3-Fluoroazetidin-1-yl)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 10 (4aR, 8aS)-6-(3-(3-Fluoro-4-(trifluoromethoxy)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(3-Methyl-4-(trifluoromethoxy)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 15 (4aR, 8aS)-6-(3-(3,5-Difluoro-4-(trifluoromethoxy)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(2-Chloro-4-(trifluoromethoxy)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(4-(Bicyclo[1.1.1]pentan-1-yl)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 20 (4aR, 8aS)-6-(3-(5-(2-(Trifluoromethyl)pyrrolidin-1-yl)pyridin-2-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(5-Fluoro-1H-indol-3-yl)pyrrolidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 25 (4aR, 8aS)-6-(3-(2-Fluoro-4-(trifluoromethyl)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(3-Chloro-4-(trifluoromethoxy)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(1-Methyl-1H-indazol-4-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 30 (4aR, 8aS)-6-(3-(4-(3-Fluoropyrrolidin-1-yl)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-[3-[4-(Trifluoromethoxy)phenyl]pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;

- (4aR, 8aS)-6-(3-(1-Methyl-1H-indazol-6-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-[3-(S or R)-[3-(Trifluoromethoxy)phenyl]pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 5 (4aR, 8aS)-6-[3-(R or S)-[3-(Trifluoromethoxy)phenyl]pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[3-[4-(Oxetan-3-yl)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-(3-(3-Chloro-4-(3,3-difluoroazetidin-1-yl)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 10 (4aR, 8aS)-6-[(3S or R)-3-(3-Bromophenyl)pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[(3R or S)-3-(3-Bromophenyl)pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 15 (4aR, 8aS)-6-[3-[4-(3-Azabicyclo[3.1.1]heptan-3-yl)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-(2-Methyl-3-(4-(trifluoromethoxy)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(3,3-Dimethyl-2,3-dihydrobenzofuran-6-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 20 (4aR, 8aS)-6-(3-(3-Chloro-5-(2,2,2-trifluoroethoxy)phenyl)pyrrolidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(3,5-Dichlorophenyl)pyrrolidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 25 (4aR, 8aS)-6-((R or S)-3-(3-Chloro-5-(2,2,2-trifluoroethoxy)phenyl)pyrrolidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-((S or R)-3-(3-Chloro-5-(2,2,2-trifluoroethoxy)phenyl)pyrrolidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(4-(tert-Butyl)-3-methoxyphenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 30 (4aR, 8aS)-6-(3-(1-Methyl-1H-indazol-5-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(4-Propylphenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;

- (4aR, 8aS)-6-(3-(4-(Trifluoromethoxy)-3-(trifluoromethyl)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-[3-[4-(2,2,2-Trifluoro-1,1-dimethyl-ethyl)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 5 (4aR, 8aS)-6-[3-(R or S)-[4-(2,2,2-Trifluoro-1-methyl-ethoxy)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[3-[4-(3-Fluoropropyl)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[3-(S or R)-[4-(2,2,2-Trifluoro-1-methyl-ethoxy)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 10 (4aR, 8aS)-6-[3-(4-Cyclobutylphenyl)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[3-(3-Methoxy-4-methyl-phenyl)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 15 (4aR, 8aS)-6-[3-[5-(2,4-Dichlorophenyl)-1,3,4-oxadiazol-2-yl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[3-[3-Fluoro-4-(trifluoromethyl)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[3-[1-(2,4-Dichlorophenyl)pyrazol-3-yl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 20 (4aR, 8aS)-6-[3-(4-Propoxyphenyl)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[3-(3,4-Dimethylphenyl)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 25 (4aR, 8aS)-6-[3-[4-(2,2-Dimethylpropyl)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[3-(4-tert-Butoxyphenyl)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[4-(5-Chloroindolin-1-yl)piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 30 (4aR, 8aS)-6-[4-(4-Chloroisindolin-2-yl)piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[4-(5'-Chlorospiro[cyclopropane-1,3'-indoline]-1'-yl)piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;

- (4aR, 8aS)-6-[3-(4-Chloroisindolin-2-yl)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[4-(5-Chloroisindolin-2-yl)piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 5 (4aR, 8aS)-6-(3-(5-(3-(Trifluoromethyl)pyrrolidin-1-yl)pyridin-2-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(5-((R or S)-3-(Trifluoromethyl)pyrrolidin-1-yl)pyridin-2-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(5-((S or R)-3-(Trifluoromethyl)pyrrolidin-1-yl)pyridin-2-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 10 rac-(4aR, 8aS)-6-[3-[6-[3-(trifluoromethyl)pyrrolidin-1-yl]-3-pyridyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[3-[6-[3-(trifluoromethyl)pyrrolidin-1-yl]-3-pyridyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 15 (4aR, 8aS)-6-[3-[6-[3-(trifluoromethyl)pyrrolidin-1-yl]-3-pyridyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- rac-(4aR, 8aS)-6-[3-(4-tetrahydropyran-3-ylphenyl)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[3-[2-methoxy-4-(2,2,2-trifluoroethyl)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 20 (4aR, 8aS)-6-[3-[4-(2,2-dimethylpropoxy)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[4-[[2-(2,2,2-trifluoroethoxy)-4-(trifluoromethyl)phenyl]methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 25 (4aR, 8aS)-6-[3-[4-chloro-3-(trifluoromethyl)phenoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[4-[3-morpholino-4-(trifluoromethyl)phenoxy]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 30 (4aR, 8aS)-6-[4-[3-cyclopropyl-4-(trifluoromethyl)phenoxy]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[4-(4-chlorophenoxy)piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;

- (4aR,8aS)-6-[4-[[2,6-difluoro-4-(trifluoromethyl)phenyl]methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[4-[4-chloro-3-(4-chlorophenyl)-2-fluoro-phenoxy]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 5 (4aR,8aS)-6-[3-[2-chloro-4-(trifluoromethyl)phenoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[2-fluoro-6-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[4-methyl-2-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 10 (4aR,8aS)-6-[3-[[6-fluoro-4-(trifluoromethyl)-2-pyridyl]oxymethyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[6-fluoro-5-(trifluoromethyl)-2-pyridyl]oxymethyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 15 (4aR,8aS)-6-[3-[(3,4-dichlorophenyl)methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[(2,5-dichlorophenyl)methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[3-(trifluoromethoxy)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 20 rac-(4aR,8aS)-6-[2-methyl-3-[[4-methyl-3-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- rac-(4aR,8aS)-6-[2-methyl-3-[[4-methyl-3-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 25 rac-(4aR,8aS)-6-[2-methyl-3-[[4-methyl-3-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- rac-(4aR,8aS)-6-[2-methyl-3-[[4-methyl-3-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 30 (4aR,8aS)-6-[3-[[5-(trifluoromethyl)-2-pyridyl]oxymethyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-methyl-4-[[5-methyl-6-(trifluoromethyl)-3-pyridyl]oxymethyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;

- (4aR,8aS)-6-[3-methyl-4-[[5-methyl-6-(trifluoromethyl)-3-pyridyl]oxymethyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 5 rac-(4aR,8aS)-6-[3-[[2-fluoro-4-(trifluoromethyl)phenyl]methoxy]-2-methyl-azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[4,5-bis(trifluoromethyl)-2-pyridyl]oxymethyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- rac-(4aR,8aS)-6-[3-[[2-fluoro-4-(trifluoromethyl)phenyl]methoxy]-2-methyl-azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 10 rac-(4aR,8aS)-6-[3-[[2-fluoro-4-(trifluoromethyl)phenyl]methoxy]-2-methyl-azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- rac-(4aR,8aS)-6-[3-[[2-fluoro-4-(trifluoromethyl)phenyl]methoxy]-2-methyl-azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[2-fluoro-4-(pentafluoro-lambda6-sulfanyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 15 (4aR,8aS)-6-[3-[[4-(4-fluorophenyl)thiazol-2-yl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- rac-(4aR,8aS)-6-[rac-(2R,3S)-3-[2-bromo-5-(trifluoromethyl)phenoxy]-2-methyl-pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 20 (4aR,8aS)-6-[3-[2-bromo-5-(trifluoromethyl)phenoxy]-2-methyl-pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[2-bromo-5-(trifluoromethyl)phenoxy]-2-methyl-pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 25 6-[3-[[2,4-bis(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[2-methyl-3-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[2-methyl-4-(trifluoromethoxy)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 30 rac-(4aR,8aS)-6-[2-methyl-3-[[2-methyl-4-(trifluoromethoxy)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;

- rac-(4aR,8aS)-6-[2-methyl-3-[[2-methyl-3-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 5 (4aR,8aS)-6-[4-[2-fluoro-4-(trifluoromethyl)phenoxy]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[4-[3-chloro-4-(trifluoromethyl)phenoxy]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-(4-chloro-3-cyclopropyl-phenoxy)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 10 (4aR,8aS)-6-[4-[2-chloro-3-(trifluoromethyl)phenoxy]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-(3-bromo-2-chloro-phenoxy)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-(2-chloro-3-cyclopropyl-phenoxy)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 15 (4aR,8aS)-6-[3-[3-cyclopropyl-4-(trifluoromethyl)phenoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[3-chloro-4-(trifluoromethyl)phenoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 20 (4aR,8aS)-6-[3-(3-bromo-4-chloro-phenoxy)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[3-(2-azaspiro[3.3]heptan-2-yl)-4-(trifluoromethyl)phenoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 25 (4aR,8aS)-6-[3-[3-(3,3-difluoroazetidin-1-yl)-4-(trifluoromethyl)phenoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[3-(6,6-difluoro-2-azaspiro[3.3]heptan-2-yl)-4-(trifluoromethyl)phenoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 30 (4aR,8aS)-6-[3-[3-(5-oxa-2-azaspiro[3.5]nonan-2-yl)-4-(trifluoromethyl)phenoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[3-(2-azaspiro[3.3]heptan-2-yl)-2-chloro-phenoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;

- (4aR,8aS)-6-[3-[2-chloro-3-(5-oxa-2-azaspiro[3.4]octan-2-yl)phenoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[2-chloro-3-(5-oxa-2-azaspiro[3.5]nonan-2-yl)phenoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 5 (4aR,8aS)-6-[3-[3-(2-azaspiro[3.3]heptan-2-yl)-5-chloro-phenoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-(3-chloro-5-pyrrolidin-1-yl-phenoxy)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[4-fluoro-2-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 10 (4aR,8aS)-6-[3-[[3-(trifluoromethoxy)phenyl]methyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- rac-(4aR,8aS)-6-[3-[2-fluoro-5-(trifluoromethyl)phenoxy]pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 15 rac-(4aR,8aS)-6-[3-[2-chloro-5-(trifluoromethyl)phenoxy]pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[(3S)-3-[2-fluoro-5-(trifluoromethyl)phenoxy]pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[(3R)-3-[2-fluoro-5-(trifluoromethyl)phenoxy]pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 20 (4aR,8aS)-6-[3-[[3-fluoro-4-(trifluoromethoxy)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[(2,3-dimethylphenyl)methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 25 (4aR,8aS)-6-[3-[(2,4-dimethylphenyl)methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[2-methyl-4-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[4-methyl-3-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 30 (4aR,8aS)-6-[4-[(4-tert-butylthiazol-2-yl)methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[4-[(4-tert-butylloxazol-2-yl)methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;

- 141 -

- rac-(4aR,8aS)-6-[4-[(4-tert-butylthiazol-2-yl)methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
rac-(4aR,8aS)-6-[4-[(4-tert-butyloxazol-2-yl)methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
5 (4aS,8aR)-6-[4-[(4-tert-butylthiazol-2-yl)methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
(4aS,8aR)-6-[4-[(4-tert-butyloxazol-2-yl)methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
rac-(4aR,8aS)-6-[4-[(2-chloro-4-fluoro-phenoxy)methyl]piperidine-1-carbonyl]-
10 4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
(4aR,8aS)-6-[4-[[4-(trifluoromethyl)phenyl]methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
rac-(4aR,8aS)-6-[4-[(4-chlorophenoxy)methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-
hexahydropyrido[4,3-b][1,4]oxazin-3-one;
15 rac-(4aR,8aS)-6-[4-[(4-chlorophenyl)methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-
hexahydropyrido[4,3-b][1,4]oxazin-3-one;
rac-(4aR,8aS)-6-[4-[[4-(trifluoromethyl)phenyl]methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
(4aR,8aS)-6-[4-[[4-(trifluoromethyl)phenoxy]piperidine-1-carbonyl]-4,4a,5,7,8,8a-
20 hexahydropyrido[4,3-b][1,4]oxazin-3-one;
rac-(4aR,8aS)-6-[4-[[4-(trifluoromethyl)phenoxy]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
(4aS,8aS)-6-[4-[[4-(trifluoromethyl)phenyl]methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
25 rac-(4aR,8aS)-6-[4-(phenoxy)methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-
hexahydropyrido[4,3-b][1,4]oxazin-3-one;
rac-(4aR,8aS)-6-[4-(5,6-dihydro-4H-cyclopenta[d]thiazol-2-yl)methyl]piperidine-1-
carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
rac-(4aS,8aS)-6-[4-[[4-(trifluoromethyl)phenyl]methyl]piperidine-1-carbonyl]-
30 4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
rac-(4aR,8aS)-6-[4-[(3-phenyl-1,2,4-oxadiazol-5-yl)methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
(4aR,8aR)-6-[4-[[4-(trifluoromethyl)phenyl]methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;

- 142 -

- (4aS,8aR)-6-[4-[[4-(trifluoromethyl)phenyl]methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
rac-(4aR,8aS)-6-[4-[[4-(trifluoromethyl)phenyl]methyl]piperazine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
5 rac-(4aR,8aS)-6-[4-[(4-chlorophenyl)methyl]piperazine-1-carbonyl]-4,4a,5,7,8,8a-
hexahydropyrido[4,3-b][1,4]oxazin-3-one;
(4aS,8aR)-6-[4-[(2-chloro-4-fluoro-phenoxy)methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
(4aR,8aS)-6-[4-[(2-chloro-4-fluoro-phenoxy)methyl]piperidine-1-carbonyl]-
10 4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
rac-(4aR,8aS)-6-[4-[[5-(trifluoromethyl)-2-pyridyl]methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
(4aR,8aS)-6-[4-[[4-(trifluoromethyl)pyrazol-1-yl]methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
15 rac-(4aR,8aS)-6-[3-[[2-fluoro-4-(trifluoromethyl)phenyl]methoxy]azetidine-1-
carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
(4aR,8aS)-6-[3-[(2-chloro-4-fluoro-phenyl)methoxy]azetidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
(4aR,8aS)-6-[3-[[2-fluoro-4-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-
20 4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
(4aS,8aR)-6-[3-[[2-fluoro-4-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
(4aR,8aS)-6-[4-[[4-(trifluoromethoxy)phenyl]methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
25 (4aR,8aS)-6-[4-[(2,4-difluorophenoxy)methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-
hexahydropyrido[4,3-b][1,4]oxazin-3-one;
(4aR,8aS)-6-[4-[(4-chloro-3-fluoro-phenyl)methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
(4aR,8aS)-6-[4-[(4-chlorophenyl)methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-
30 hexahydropyrido[4,3-b][1,4]oxazin-3-one;
(4aR,8aS)-6-[3-[[4-(trifluoromethyl)phenyl]methyl]azetidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
(4aR,8aS)-6-[4-[(4,4-difluoro-1-piperidyl)methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;

- (4aR, 8aS)-6-[4-[(5-tert-butyloxazol-2-yl)methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[4-[(2-fluoro-4-methoxy-phenoxy)methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 5 (4aR, 8aS)-6-[4-[2-chloro-4-(trifluoromethyl)phenoxy]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aS, 8aR)-6-[4-[[6-(trifluoromethyl)-3-pyridyl]oxymethyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[4-[[6-(trifluoromethyl)-3-pyridyl]oxymethyl]piperidine-1-carbonyl]-
10 4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[4-[3-(trifluoromethyl)phenoxy]piperidine-1-carbonyl]-4,4a,5,7,8,8a-
hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aS, 8aR)-6-[4-[[2-chloro-4-(trifluoromethoxy)phenoxy]methyl]piperidine-1-
carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 15 (4aR, 8aS)-6-[4-[[2-chloro-4-(trifluoromethoxy)phenoxy]methyl]piperidine-1-
carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[3-[[2-fluoro-4-(trifluoromethyl)phenoxy]methyl]azetidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aS, 8aR)-6-[4-[(2,4-difluorophenoxy)methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-
20 hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[4-[(4-chloro-2-fluoro-phenoxy)methyl]piperidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[4-[[4-fluoro-2-(trifluoromethyl)phenoxy]methyl]piperidine-1-
carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 25 (4aR, 8aS)-6-[4-[[2-fluoro-4-(trifluoromethyl)phenoxy]methyl]piperidine-1-
carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[4-[[2-pyrrolidin-1-yl-4-(trifluoromethyl)phenyl]methyl]piperidine-1-
carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[4-[[2-chloro-4-(trifluoromethyl)phenoxy]methyl]piperidine-1-
30 carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[3-[(2-chloro-4-fluoro-phenoxy)methyl]azetidine-1-carbonyl]-
4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[4-[[2-cyclopentyl-4-(trifluoromethyl)phenyl]methyl]piperidine-1-
carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;

- (4aR,8aS)-6-[4-[[4-(trifluoromethyl)imidazol-1-yl]methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[4-[(4-fluoro-2-methyl-phenoxy)methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 5 (4aR,8aS)-6-[3-[[2-chloro-4-(trifluoromethyl)phenoxy]methyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[4-[(4-tert-butylpyrazol-1-yl)methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (2R,4aR,8aS)-2-methyl-6-[4-[[4-(trifluoromethyl)phenyl]methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 10 (4aR,8aS)-6-[4-(1,3-benzoxazol-2-ylmethyl)piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[4-[4-chloro-3-(4-chlorophenyl)phenoxy]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 15 (4aR,8aS)-6-[4-[(2-chloro-4-fluoro-phenoxy)methyl]-3-methyl-piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[2-chloro-4-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[4-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 20 (4aR,8aS)-6-[3-[[2-fluoro-4-(trifluoromethoxy)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[4-[[2-(1H-pyrazol-4-yl)-4-(trifluoromethyl)phenyl]methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 25 (4aR,8aS)-6-[3-[(2,4-dichlorophenyl)methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[3-methoxy-4-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[4-[[5-methyl-6-(trifluoromethyl)-3-pyridyl]oxymethyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 30 rac-(4aR,8aS)-6-[3-[(3-chlorophenoxy)methyl]pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- rac-(4aR,8aS)-6-[3-[(2-chlorophenoxy)methyl]pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;


- (4aR,8aS)-6-[4-[[2-fluoro-4-(trifluoromethyl)phenyl]methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- rac-(4aR,8aS)-6-[3-[(2-chlorophenyl)methoxy]pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 5 rac-(4aR,8aS)-6-[3-[(3-chlorophenyl)methoxy]pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[4-[[2-cyclopropyl-4-(trifluoromethyl)phenyl]methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- rac-(4aR,8aS)-6-[3-[(4-chlorophenoxy)methyl]pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 10 rac-(4aR,8aS)-6-[3-[(4-chlorophenyl)methoxy]pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[4-[[2-methyl-4-(trifluoromethyl)phenyl]methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 15 (4aR,8aS)-6-[4-[[2-chloro-4-(trifluoromethyl)phenyl]methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- rac-(4aR,8aS)-6-[3-[[4-(trifluoromethyl)phenyl]methyl]pyrrolidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[3-fluoro-5-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 20 rac-(4aR,8aS)-6-[2-methyl-3-[[4-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- rac-(4aR,8aS)-6-[2-methyl-3-[[4-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 25 rac-(4aR,8aS)-6-[2-methyl-3-[[4-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[3-chloro-4-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[2,4-difluoro-5-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 30 (4aR,8aS)-6-[3-[[2-fluoro-5-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[[3-fluoro-4-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;

- 146 -

- (4aR,8aS)-6-[3-[[2-methoxy-4-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
 (4aR,8aS)-6-[3-[[4-chloro-2-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
 5 rac-(4aR,8aS)-6-[2-methyl-3-[[4-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
 (4aR,8aS)-6-[3-[4-(trifluoromethyl)phenoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
 (4aR,8aS)-6-[4-[4-chloro-3-(trifluoromethyl)phenoxy]piperidine-1-carbonyl]-
 10 4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
 (4aR,8aS)-6-[4-(4-chloro-3-cyclopropyl-phenoxy)piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
 (4aR,8aS)-6-[4-(4-chloro-3-morpholino-phenoxy)piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
 15 (4aR,8aS)-6-[4-[2-methyl-4-(trifluoromethyl)phenoxy]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one; and
 (4aR,8aS)-6-[4-(oxazolo[5,4-c]pyridin-2-ylmethyl)piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one.
3. The compound of formula (I) according to claim 1 or 2, or a pharmaceutically acceptable salt thereof, wherein X is N.
- 20 4. The compound of formula (I) according to any one of claims 1 to 3, or a pharmaceutically acceptable salt thereof, wherein A is C₆-C₁₄-aryl.
5. The compound of formula (I) according to any one of claims 1 to 3, or a pharmaceutically acceptable salt thereof, wherein A is phenyl.
- 25 6. The compound of formula (I) according to any one of claims 1 to 5, or a pharmaceutically acceptable salt thereof, wherein L¹ is selected from a covalent bond, -CH₂-, -OCHR^L-, -CH₂O-, and -NHC(O)-.
7. The compound of formula (I) according to any one of claims 1 to 5, or a pharmaceutically acceptable salt thereof, wherein L¹ is selected from a covalent bond, -OCH₂-, -CH₂O-, and -CH₂-.
- 30


- 147 -

8. The compound of formula (I) according to any one of claims 1 to 7, or a pharmaceutically acceptable salt thereof, wherein B is
- (i) C₆-C₁₄-aryl or 3-14 membered heterocyclyl and L² is a covalent bond; or
 - (ii) C₃-C₁₀-cycloalkyl and L² is selected from a covalent bond, -O-, and -CH₂O-.
- 5 9. The compound of formula (I) according to any one of claims 1 to 7, or a pharmaceutically acceptable salt thereof, wherein B is
- (i) 3-14 membered heterocyclyl and L² is a covalent bond; or
 - (ii) C₃-C₁₀-cycloalkyl and L² is selected from a covalent bond, -O-, and -CH₂O-.
10. The compound of formula (I) according to any one of claims 1 to 7, or a pharmaceutically acceptable salt thereof, wherein B is
- (i) tetrahydropyranyl and L² is a covalent bond; or
 - (ii) cyclopropyl or cyclobutyl and L² is selected from a covalent bond, -O-, and -CH₂O-.
11. The compound of formula (I) according to any one of claims 1 to 10, or a pharmaceutically acceptable salt thereof, wherein R¹ is hydrogen or methyl.
12. The compound of formula (I) according to any one of claims 1 to 11, or a pharmaceutically acceptable salt thereof, wherein R² is selected from a group



, C₁-C₆-alkyl, C₁-C₆-alkoxy, halo-C₁-C₆-alkyl, halo-C₁-C₆-alkoxy, halogen, and SF₅.


- 20 13. The compound of formula (I) according to any one of claims 1 to 11, or a pharmaceutically acceptable salt thereof, wherein R² is selected from a group



, halo-C₁-C₆-alkyl, halo-C₁-C₆-alkoxy, halogen, and SF₅.

- 148 -

14. The compound of formula (I) according to any one of claims 1 to 11, or a pharmaceutically acceptable salt thereof, wherein R^2 is selected from a group




, CF_3 , OCF_3 , 2,2,2-trifluoro-1,1-dimethyl-ethoxy, fluoro, and SF_5 .

15. The compound of formula (I) according to any one of claims 1 to 14, or a pharmaceutically acceptable salt thereof, wherein R^3 is selected from hydrogen, halogen, C_1 - C_6 -alkyl, and halo- C_1 - C_6 -alkyl.
16. The compound of formula (I) according to any one of claims 1 to 14, or a pharmaceutically acceptable salt thereof, wherein R^3 is selected from hydrogen, halogen, and halo- C_1 - C_6 -alkyl.
- 10 17. The compound of formula (I) according to any one of claims 1 to 14, or a pharmaceutically acceptable salt thereof, wherein R^3 is selected from hydrogen, chloro, and CF_3 .
18. The compound of formula (I) according to any one of claims 1 to 17, or a pharmaceutically acceptable salt thereof, wherein R^4 is hydrogen.
- 15 19. The compound of formula (I) according to any one of claims 1 to 18, or a pharmaceutically acceptable salt thereof, wherein R^5 is selected from hydrogen and halogen.
20. The compound of formula (I) according to any one of claims 1 to 18, or a pharmaceutically acceptable salt thereof, wherein R^5 is selected from hydrogen and fluoro.
- 20 21. The compound of formula (I) according to any one of claims 1 to 20, or a pharmaceutically acceptable salt thereof, wherein R^6 is selected from hydrogen and halogen.
22. The compound of formula (I) according to any one of claims 1 to 20, or a pharmaceutically acceptable salt thereof, wherein R^6 is selected from hydrogen and fluoro.
- 25

- 149 -

23. The compound of formula (I) according to any one of claims 1 to 22, or a pharmaceutically acceptable salt thereof, wherein R^7 is hydrogen.
24. The compound of formula (I) according to claim 1, or a pharmaceutically acceptable salt thereof, wherein the compound of formula (I) is a compound of formula (IIa)



wherein:

X is CH or N;

m and n are both 1; or


m and n are both 0;

10 A is selected from C_6 - C_{14} -aryl and 5-14 membered heteroaryl;

L^1 is selected from a covalent bond, $-CH_2-$, $-OCHR^L-$, $-CH_2O-$, and $-NHC(O)-$;

R^L is selected from hydrogen and C_1 - C_6 -alkyl;

R^1 is hydrogen or C_1 - C_6 -alkyl;

15 R^2 is selected from a group , C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy, halo- C_1 - C_6 -alkyl, halo- C_1 - C_6 -alkoxy, halogen, and SF_5 ;

R^3 is selected from hydrogen, halogen, C_1 - C_6 -alkyl, and halo- C_1 - C_6 -alkyl;

B is

(i) C_6 - C_{14} -aryl or 3-14 membered heterocyclyl and L^2 is a covalent bond; or


(ii) C_3 - C_{10} -cycloalkyl and L^2 is selected from a covalent bond, $-O-$, and $-CH_2O-$;

20

R^5 is selected from hydrogen, halogen, and halo- C_1 - C_6 -alkyl;

R^6 is selected from hydrogen and halogen.

25. The compound of formula (I) according to claim 1, or a pharmaceutically acceptable salt thereof, wherein the compound of formula (I) is a compound of formula (IIIa)



wherein:

- 150 -


m and n are both 1; or

m and n are both 0;

A is C₆-C₁₄-aryl;

L¹ is selected from a covalent bond, -CH₂O-, and -CH₂-;

5 R¹ is hydrogen or C₁-C₆-alkyl;

R² is selected from a group , halo-C₁-C₆-alkyl, halo-C₁-C₆-alkoxy, halogen, and SF₅;

R³ is selected from hydrogen, halogen, and halo-C₁-C₆-alkyl;


B is

10 (i) 3-14 membered heterocyclyl and L² is a covalent bond; or

(ii) C₃-C₁₀-cycloalkyl and L² is selected from a covalent bond, -O-, and -CH₂O-; and

R⁵ and R⁶ are independently selected from hydrogen and halogen.

26. The compound of formula (I) according to claim 1, or a pharmaceutically acceptable salt thereof, wherein the compound of formula (I) is a compound of formula (IVa)




wherein:

m and n are both 1; or

m and n are both 0;

20 L¹ is selected from a covalent bond, -CH₂O-, -OCH₂-, and -CH₂-;

R¹ is hydrogen or methyl;

R² is selected from a group , CF₃, OCF₃, 2,2,2-trifluoro-1,1-dimethyl-ethoxy, fluoro, and SF₅;

R³ is selected from hydrogen, chloro, and CF₃;

25 B is

(i) tetrahydropyranyl and L² is a covalent bond; or

- 151 -

- (ii) cyclopropyl or cyclobutyl and L² is selected from a covalent bond, -O-, and -CH₂O-; and

R⁵ and R⁶ are independently selected from hydrogen and fluoro.


27. The compound of formula (I) according to any one of claims 1 to 26, or a pharmaceutically acceptable salt thereof, selected from:
- 5 (+)- or (-)-(4aR,8aS)-6-[3-(4-Tetrahydrofuran-3-ylphenyl)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (-)- or (+)-(4aR,8aS)-6-[3-(4-Tetrahydrofuran-3-ylphenyl)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 10 (4aR,8aS)-6-[3-[4-(3,3-Difluorocyclobutoxy)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-(4-Isopropoxyphenyl)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 15 (4aR,8aS)-6-[3-(4-tetrahydropyran-4-ylphenyl)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[4-(3,3-difluorocyclobutyl)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[5-(2,4-dichlorophenyl)-1,2,4-thiadiazol-3-yl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 20 (4aR,8aS)-6-[3-[1-(2,4-dichlorophenyl)imidazol-4-yl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[3-[4-chloro-2-(trifluoromethyl)phenyl]-1,2,4-oxadiazol-5-yl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-(3-(2,2-dimethylchroman-6-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 25 (4aR,8aS)-6-(3-(4-isobutoxyphenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR,8aS)-6-[3-[4-(2,2,2-trifluoro-1,1-dimethyl-ethoxy)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 30 (4aR,8aS)-6-(3-(4-(cyclopentyloxy)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR,8aS)-6-(3-(4,4-Dimethylchroman-6-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;

- (4aR, 8aS)-6-(3-(4-(Cyclopropylmethoxy)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-[3-[3-(2,4-dichlorophenyl)-1,2,4-oxadiazol-5-yl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 5 (4aR, 8aS)-6-(3-(1-methyl-1H-indazol-5-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(5-(2,4-dichlorophenyl)-1,2,4-oxadiazol-3-yl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-(3-(trifluoromethoxy)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 10 (4aR, 8aS)-6-(4-(1-(4-fluorophenyl)-1H-pyrazol-3-yl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-((2,6-Dichlorobenzyl)oxy)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 15 (4aR, 8aS)-6-(3-((3,5-dichlorobenzyl)oxy)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(4-((5-cyclopropyl-4-methylpyridin-3-yl)methyl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(4-((4-(trifluoromethyl)benzyl)oxy)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 20 (4aR, 8aS)-6-(4-((2-chloro-4-fluorobenzyl)oxy)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(4-((2-Chloro-4-(trifluoromethyl)benzyl)oxy)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 25 rac-(4aR, 8aS)-6-[3-[[2-Fluoro-6-(trifluoromethyl)phenyl]methoxy]-2-methylazetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- rac-(4aR, 8aS)-6-[3-[[2-Fluoro-6-(trifluoromethyl)phenyl]methoxy]-2-methylazetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[3-[[2-Fluoro-6-(trifluoromethyl)phenyl]methoxy]-2-methylazetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one CHECK!;
- 30 (4aR, 8aS)-6-(3-((4-fluoro-3-methoxybenzyl)oxy)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-((4-(pentafluoro-l6-sulfaneyl)benzyl)oxy)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;

- (4aR, 8aS)-6-(3-((2-(trifluoromethoxy)benzyl)oxy)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-((4-chloro-2-(trifluoromethoxy)benzyl)oxy)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 5 (4aR, 8aS)-6-(3-((2-methyl-5-(trifluoromethyl)benzyl)oxy)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-[4-[[3-phenyl-4-(trifluoromethyl)phenyl]methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR, 8aS)-6-[4-[[2,4-bis(trifluoromethyl)phenyl]methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 10 (4aR, 8aS)-6-(4-((5-methyl-6-(trifluoromethyl)pyridin-3-yl)methyl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(4-((2-chloro-4-fluorophenoxy)methyl)-3-methylpiperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 15 (4aR, 8aS)-6-(3-((4-(difluoromethoxy)benzyl)oxy)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-((2-chloro-4-(trifluoromethyl)benzyl)oxy)cyclobutane-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(3-((5-(trifluoromethyl)pyridin-2-yl)methoxy)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 20 (4aR, 8aS)-6-(3-((4-(trifluoromethoxy)benzyl)oxy)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- N-(2-chloro-4-fluorophenyl)-1-((4aR, 8aS)-3-oxooctahydro-2H-pyrido[4,3-b][1,4]oxazine-6-carbonyl)azetidine-3-carboxamide;
- 25 (4aS, 8aR)-6-(3-(1-(2-chloro-4-(trifluoromethyl)phenoxy)ethyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-(4-(3-(trifluoromethyl)pyridazin-4-yl)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR, 8aS)-6-[3-[5-(2,4-difluorophenyl)-4H-1,2,4-triazol-3-yl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one; and
- 30 (4aR, 8aS)-6-[3-[[4-fluoro-2-(trifluoromethyl)phenyl]methoxy]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one.

- 154 -


28. The compound of formula (I) according to claim 27, or a pharmaceutically acceptable salt thereof, selected from:
- (4aR,8aS)-6-[3-[4-(3,3-difluorocyclobutoxy)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 5 (4aR,8aS)-6-[3-(4-tetrahydropyran-4-ylphenyl)azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[4-(3,3-difluorocyclobutyl)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- (4aR,8aS)-6-[3-[4-(2,2,2-trifluoro-1,1-dimethyl-ethoxy)phenyl]azetidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one;
- 10 (4aR,8aS)-6-(3-(4-(cyclopropylmethoxy)phenyl)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR,8aS)-6-(4-((2-chloro-4-(trifluoromethyl)benzyl)oxy)piperidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- 15 (4aR,8aS)-6-(3-((4-(pentafluoro-l6-sulfaneyl)benzyl)oxy)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one;
- (4aR,8aS)-6-[4-[[2,4-bis(trifluoromethyl)phenyl]methyl]piperidine-1-carbonyl]-4,4a,5,7,8,8a-hexahydropyrido[4,3-b][1,4]oxazin-3-one; and
- (4aR,8aS)-6-(3-((4-(trifluoromethoxy)benzyl)oxy)azetidine-1-carbonyl)hexahydro-2H-pyrido[4,3-b][1,4]oxazin-3(4H)-one.
- 20
29. A process of manufacturing the compounds of formula (I) according to any one of claims 1 to 28, or pharmaceutically acceptable salts thereof, comprising:
- (a) reacting a first amine 4a,5,6,7,8,8a-hexahydro-4H-pyrido[4,3-b][1,4]oxazin-3-one (**1**),




25

with a second amine **2**, wherein A, L¹, m, n, and R¹ to R⁴ are as defined in any one of claims 1 to 28,

- 155 -


**2**

in the presence of a base and a urea forming reagent, to form a compound of formula (IA), wherein A, L¹, m, n, and R¹ to R⁴ are as defined in any one of claims 1 to 28,


**IA**

; or

(b) reacting 4a,5,6,7,8,8a-hexahydro-4H-pyrido[4,3-b][1,4]oxazin-3-one (**1**),


**1**

with a carboxylic acid **3a**, wherein A, L¹, m, n, and R¹ to R⁴ are as defined in any one of claims 1 to 28,

**3a**


in the presence of a coupling reagent and optionally a base to form a compound of formula (IB), wherein A, L¹, m, n, and R¹ to R⁴ are as defined in any one of claims 1 to 28,

- 156 -

**IB**


; or

(c) reacting 4a,5,6,7,8,8a-hexahydro-4H-pyrido[4,3-b][1,4]oxazin-3-one (**1**),




with a carboxylic acid chloride **3b**, wherein A, L¹, m, n, and R¹ to R⁴ are as defined in any one of claims 1 to 28,

5

**3b**

in the presence of a base, to form a compound of formula (IB), wherein A, L¹, m, n, and R¹ to R⁴ are as defined in any one of claims 1 to 28,

**IB**

- 10 30. A compound of formula (I) according to any one of claims 1 to 28, or a pharmaceutically acceptable salt thereof, when manufactured according to the process of claim 29.
31. A compound of formula (I) according to any one of claims 1 to 28 and 30, or a pharmaceutically acceptable salt thereof, for use as therapeutically active substance.

- 157 -

32. A pharmaceutical composition comprising a compound of formula (I) according to any one of claims 1 to 28 and 30, or a pharmaceutically acceptable salt thereof, and a therapeutically inert carrier.
33. The use of a compound of formula (I) according to any one of claims 1 to 28 and 30,
5 or a pharmaceutically acceptable salt thereof, or of a pharmaceutical composition according to claim 32 for the treatment or prophylaxis of neuroinflammation, neurodegenerative diseases, pain, cancer, mental disorders and/or inflammatory bowel disease in a mammal.
34. The use of a compound of formula (I) according to any one of claims 1 to 28 and 30,
10 or a pharmaceutically acceptable salt thereof, or of a pharmaceutical composition according to claim 32 for the treatment or prophylaxis of multiple sclerosis, Alzheimer's disease, Parkinson's disease, amyotrophic lateral sclerosis, traumatic brain injury, neurotoxicity, stroke, epilepsy, anxiety, migraine, depression, hepatocellular carcinoma, colon carcinogenesis, ovarian cancer, neuropathic pain,
15 chemotherapy induced neuropathy, acute pain, chronic pain, spasticity associated with pain, abdominal pain, abdominal pain associated with irritable bowel syndrome and/or visceral pain in a mammal.
35. A compound of formula (I) according to any one of claims 1 to 28 and 30, or a pharmaceutically acceptable salt thereof, or of a pharmaceutical composition
20 according to claim 32 for use in the treatment or prophylaxis of neuroinflammation, neurodegenerative diseases, pain, cancer, mental disorders and/or inflammatory bowel disease in a mammal.
36. A compound of formula (I) according to any one of claims 1 to 28 and 30, or a pharmaceutically acceptable salt thereof, or of a pharmaceutical composition
25 according to claim 32 for use in the treatment or prophylaxis of multiple sclerosis, Alzheimer's disease, Parkinson's disease, amyotrophic lateral sclerosis, traumatic brain injury, neurotoxicity, stroke, epilepsy, anxiety, migraine, depression, hepatocellular carcinoma, colon carcinogenesis, ovarian cancer, neuropathic pain, chemotherapy induced neuropathy, acute pain, chronic pain, spasticity associated
30 with pain, abdominal pain, abdominal pain associated with irritable bowel syndrome and/or visceral pain in a mammal.

- 158 -

37. The use of a compound of formula (I) according to any one of claims 1 to 28 and 30, or a pharmaceutically acceptable salt thereof, for the preparation of a medicament for the treatment or prophylaxis of neuroinflammation, neurodegenerative diseases, pain, cancer, mental disorders and/or inflammatory bowel disease in a mammal.
- 5 38. The use of a compound of formula (I) according to any one of claims 1 to 28 and 30, or a pharmaceutically acceptable salt thereof, for the preparation of a medicament for the treatment or prophylaxis of multiple sclerosis, Alzheimer's disease, Parkinson's disease, amyotrophic lateral sclerosis, traumatic brain injury, neurotoxicity, stroke, epilepsy, anxiety, migraine, depression, hepatocellular carcinoma, colon
10 carcinogenesis, ovarian cancer, neuropathic pain, chemotherapy induced neuropathy, acute pain, chronic pain, spasticity associated with pain, abdominal pain, abdominal pain associated with irritable bowel syndrome and/or visceral pain in a mammal.
39. A method for the treatment or prophylaxis of neuroinflammation, neurodegenerative diseases, pain, cancer, mental disorders, and/or inflammatory bowel disease in a
15 mammal, which method comprises administering an effective amount of a compound of formula (I) according to any one of claims 1 to 28 and 30, or a pharmaceutically acceptable salt thereof, or of a pharmaceutical composition according to claim 32 to the mammal.
40. A method for the treatment or prophylaxis of multiple sclerosis, Alzheimer's disease,
20 Parkinson's disease, amyotrophic lateral sclerosis, traumatic brain injury, neurotoxicity, stroke, epilepsy, anxiety, migraine, depression, hepatocellular carcinoma, colon carcinogenesis, ovarian cancer, neuropathic pain, chemotherapy induced neuropathy, acute pain, chronic pain, spasticity associated with pain in a mammal, abdominal pain, abdominal pain associated with irritable bowel syndrome
25 and/or visceral pain which method comprises administering an effective amount of a compound of formula (I) according to any one of claims 1 to 28 and 30, or a pharmaceutically acceptable salt thereof, or of a pharmaceutical composition according to claim 32 to the mammal.
41. The invention as described hereinbefore.